

DAFTAR PUSTAKA

1. Rahmadiani, W.D.D.; Aunurohim.: Bioakumulasi logam berat kadmium (Cd) oleh *chaetoceros calcitrans* pada konsentrasi sublethal. *Jurnal Sains dan Seni Pomits* 2013, 2, 2337-3520.
2. Pambudiono, A.; Suarsini. E.; Amin, M.:The potential of indigenous bacteria for removing cadmium from industrial waste water in Lawang, East Java. *The Journal of Tropical Life Science* 2018, 8,62-67.
3. Istarani, F.; Pandebesie, E.S.: Studi dampak arsen (As) dan cadmium (Cd) terhadap penurunan kualitas lingkungan. *Jurnal Teknik Pomits* 2014, 3, 2301-9271.
4. Said, N.I.: Metoda penghilangan logam berat (As, Cd, Cr, Ag, Cu, Pb, Ni dan Zn) di dalam air limbah industri. *JAI* 2010, 2, 136-148.
5. Nasir, S.; Putri, Y.E.; Elita, I.: Penyisihan ion kadmium pada limbah cair pabrik pulp & paper dengan menggunakan membran keramik 2014, 20, 7-16.
6. El-Deen, S.E.A.S.; Zhang, F.S.: Immobilitation of TiO₂-nanoparticles on sewage sludge and their adsorption for cadmium removal from aqueous solution. *Journal of Experimental Nanoscience* 2015.
7. Dewa, R.P.; Hadinoto, S.; Torry, F.R.: Analisa kandungan timbal (Pb) dan kadmium (Cd) pada air minum dalam kemasan di Kota Ambon. *Majalah Biam* 2015, 11, 76-82.
8. Hakim, A.R.; Haris, A.: Sintesis fotokatalisis ZnO-Al dan aplikasinya pada degradasi fenol dan reduksi Cd (II) secara simultan. *Jurnal Kimia Sains dan Aplikasi* 2016, 191, 7-10.
9. Wibowo, E.AP.: Sintesis N-doped TiO₂ dan aplikasinya untuk penurunan kadar logam Pb pada ikan dan kerang. *Proceeding SNKPK* 2015, 1, 1.
10. Chen, Y.; Liu, K.: Preparation of granulated N-doped TiO₂/diatomite composite and its applications of visible light degradation and disinfection. *Powder Technology* 2016, 303, 176-191.
11. Wellia, D.V.; Fitria, D.; Safni.: C-N-codoped TiO₂ synthesis by using proxo sol gel method for photocatalytic reduction of Cr(VI). *J. Pure App. Chem* 2018, 7, 25-31.
12. Anpo, M.; Takeuchi, M.; dan Catal, J.: The design and development of highly reactive titanium oxide photocatalysts operating under visible light irradiation. *Journal of Catalysis* 2003, 216, 505-516.
13. Klosek, S.; Rafter, D.: Visible light driven V-doped TiO₂ photocatalyst and its photo oxidation of ethanol. *J. Phys. Chem. B* 2002, 105, 2815-2819.
14. Xu, Q.C.; Wellia, D.V.; Yan, S.; Liao, D.W.; Lim, T.M.; Tan, T.T.Y.: Enhanced photocatalytic of C-N-codoped TiO₂ films prepared via anorganic-free approach. *Journal Of Hazardous Materials* 2011, 188, 172-180.

15. Karim, S.; Pardoyo.; Subagio, A.: Sintesis dan karakterisasi TiO₂ terdoping nitrogen (N-doped TiO₂) dengan metode *sol gel*. *Jurnal Kimia Sains dan Aplikasi* 2016, 19, 63 – 67.
16. Wibowo, D.; Nurdin, M.; Maulidiyah.: Fabrikasi elektroda TiO₂/Ti *nano tube* dengan metode *anodizing* terdoping nitrogen dan logam Ag : Uji kinerja degradasi senyawa organik rhodamin B. *Jurnal Program Kimia S1* 2013, 3, 41-55.
17. Kiswanti, E.A.D.; Praptapa, S.: Sintesis titanium dioksida (TiO₂) menggunakan metode logam-terlarut asam. *Jurnal Sains dan Seni Pomits* 2013, 3, 2337-3520.
18. Xu, Q.C.; Wellia, D.V.; Amal, R.; Liao, D.W.; Loo, S.C.J.; Tan, T.T.Y.: Superhydrophilicity-assisted preparation of transparent and visible light activated N-doped titania Film. *Nano scale* 2010, 2, 1122-1127.
19. Sucahya, T.N.; Permatasari, N.; Nandiyanto, A.B.D.: Review: Fotokatalis untuk pengolahan limbah cair. *Jurnal Integrasi Proses* 2018, 6, 1–15.
20. M. Takeshi.; A. Ryoji.; O. Takeshi.; A. Koyu.; T. Yasunori.: Band-gap narrowing of titanium dioxide by nitrogen doping. *Jpn. J. Appl. Phys* 2001, 40, L561.
21. Asahi, R.; Morikawa, T.; Ohwaki, T.; Aoki, K.; Taga, Y.: Visible-light photocatalysis in nitrogen-doped titanium oxides. *Science* 2001, 293.
22. Zatsepin, D.A.; Boukhvalov, D.W.; Kurmaev, E.Z.; Zhidkov, ZI.S.; Gavrilov, N.V.; Korotin, M.A.; Kim, S.S.: Structural defects and electronic structure of N-ion implanted TiO₂: bulk versus thin film. *Appl. Surf. Sci* 2015, 355, 984–988.
23. Wellia, D.V.; Putri, Y.E.; Pratiwi, N.; Safni.: Sintesis lapisan tipis TiO₂ berpori yang dimodifikasi oleh nitrogen dengan metode perokso sol gel, karakterisasi dan aplikasinya sebagai material pembersih diri (*self cleaning material*). *J. Ris. Kim* 2016, 9, 2476-8960.
24. Chouahuri, P., Athapathu, S., Elkamel, A., Ray, A.K.: Visible-solar-light-driven photo-reduction and removal of cadmium with eosin Y-sensitized TiO₂ in aqueous solution of the tri ethnoamine. *Separation and Purification Technology* 2017, 174, 109-115.
25. Contreras, A.R., Garcia, A., Ganzakez, E., Cosal, E., Puntez, V., Shuchez, A., Font, X., Reallas, S.; Potential of CeO₂, TiO₂, and Fe₃O₄ nanoparticles for the Removal of Cadmium from Water. *Desalination and Water Treatment* 2012. 41, 296-300.
26. Sharma, H.; Rawal, N.; Mathew, B.B.: The characteristics, toxicity and effects of cadmium. *International Journal of Nanotechnology and Nanoscience* 2015, 3, 1-9
27. Han, J.X.; Shang, Q.; Du, Y.: Review: effect of environmental cadmium pollution on human health. *Journal Helath* 2009, 1, 159-1.

28. Georgea, R.; Bahadur, N.; Singh, N.; Singh, S.; Vermad, A.; Shukla, A.K.: Environmentally benign TiO₂ nanomaterials for removal of heavy metal ions with interfering ions present in tap water. *Advances in Functional Materials* 2016.
29. Satterfield, C.N.: Heterogeneous catalyst in industrial practice, New York: *graw-hill, Inc*, 1991, 2.
30. Jinfeng.Z.;Zhou.P.;Yu.J.;New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO₂. *Phys. Chem. Chem. Phys* 2014, 16. 38, 20382-20386.
31. Lisenbigler.; Guangguan, A. L.;Yates, J. T.: Photocatalysis on TiO₂ surface: principles, mechanism and selected result. *Chem Rev* 1995, 95, 735-758.
32. Burda, C.; Lou, Y.; Chen, X.; Samia, A.C.S.; Stout,J.; Gole, J.L.: Enhanced nitrogen doping in TiO₂ nanoparticles. *Nano Letters* 2003, 3, 1049-1051.
33. Thahir, R.; Rosalin; Khaerunnisa; Laurenz, S.; Puspitasari: Preparasi dan karakterisasi titanium dioksida (TiO₂) mesopori sebagai adsorben logam Cu(II) dan methylene blue. *Prosiding Seminar Hasil Penelitian* 2018, 9, 53-57.
34. Tu, L.; Pan, H.; Xie, H.; Yu, A.; Xu, M.; Chai, Q.; Cui, Y.; Zhou, X.: Study on the fabrication and photovoltaic property of TiO₂ mesoporous. *Solid State Sciences* 2012, 14, 616-621.
35. Lia, X.; Liua, P.; Maa, Y.; Xinga, M.; Zhanga, J.: Preparation of homogeneous nitrogen-doped mesoporous TiO₂ spheres with enhanced visible-light photocatalysis. *Applied Catalysis B: Environmental* 2015, 164, 352–359.
36. Beyers, E.; Cool, P.; Vansant, E.F.: Stabilisation of mesoporous TiO₂ by different bases influencing the photocatalytic activity. *Microporous and Mesoporous Materials* 2007, 99, 112–117.
37. Nursa, I.; Puryanti, D.; Budiman, A.: Pengaruh polietilen glikol (PEG) terhadap ukuran partikel magnetit (Fe₃O₄) yang disintesis dengan menggunakan metode kopresipitasi. *Jurnal Fisika Unand* 2016, 5, 209-213.
38. Loncarevic, D.; Dostanic, J.; Radonjic, V.; Mihajlovic, A. R.; Jovanovic, D. M.: Structure–activity relationship of nanosized porous PEG-modified TiO₂ powders in degradation of organic pollutants. *Advanced Powder Technology*, 2015.
39. MacKenzie, K.J.D.: Calcination of titania V. Kinetics and mechanism of the anatase rutile transformation in the presence of additives. *Brit. Ceram. Trans. J* 1975, 74, 77–84.
40. Horikawa, T.;Kato, M.; Tomida, T.: Preparation and characterization of nitrogen-doped mesoporous titania with high specific surface area. *Microporous and Mesoporous Materials* 2007.
41. Zhang, L.; Zhu, Y.; He, Y.; Li, W.; Sun, H.: Preparation and performances of mesoporous TiO₂ film photocatalyst supported on stainless steel. *Applied Catalysis B: Environmental* 2003, 40, 287–292.

42. Sulaeman, U.; Riyani, K.; Riapanitra, A.; Indriastuti, D.: Fotoreduksi Cd(II) menggunakan katalis TiO₂ dengan sensitizer klorofil yang diaktivasi sinar matahari. *Jurnal Molekul* 2007, 2, 17-22.
43. Ullah, M. R.; Haque, M. E.: Spectrophotometric determination of toxic elements (Cadmium) in aqueous media. *Journal of Chemical Engineering*, 2010, 25, 1-12.

