

## DAFTAR PUSTAKA

- [BMKG] Badan Meteorologi, Klimatologi, dan Geofisika. (2025). *Data Curah Hujan Wilayah Limau Manis Universitas Andalas Periode Juli-September 2025*. Stasiun Klimatologi, Sumatera Barat. e.B/KL.01.00/125/KSUR/XII/2025
- [BPS] Badan Pusat Statistik. (2024). *Statistik Hortikultura 2023*. Volume 5. Pusat Statistik Indonesia.
- [Kementan] Keputusan Menteri Pertanian Republik Indonesia Nomor 2085/Kpts/SR.120/5/2009 tentang Pelepasan Varietas Cabai. Jakarta: Kementerian Pertanian RI.
- [Kementan] Pusat Data dan Sistem Informasi Pertanian. (2024). *Outlook komoditas cabai 2024*. Sekretariat Jenderal Kementerian Pertanian Republik Indonesia.
- Abdila, R., Rahmad, F., & Ramadhan, D. (2022). Effect of Extreme Rainfall Pattern on the Growth and Yield of Chili Peppers. *Jurnal Teknologi Pertanian*, 9(2), 45–52.
- Afandhi, A., Widjayanti, T., Emi, A. A. L., & Tarno, H. (2019). Endophytic Fungi *Beauveria bassiana* Balsamo Accelerates Growth of Common Bean (*Phaseolus vulgaris* L.). *Chemical and Biological Technologies in Agriculture*, 6, 11.
- Agriflo. (2013). *Cabai : Prospek Bisnis dan Teknologi Manca Negara*. Jakarta: Penebar Swadaya Grup.
- Akello, J., Dubois, T., Gold, C. S., Coyne, D., Nakavuma, J., & Paparu, P. (2007). *Beauveria bassiana* (Balsamo) Vuillemin as an Endophyte in Tissue Culture Banana (*Musa spp.*). *Journal of Invertebrate Pathology*, 96(1), 34–42.
- Alif. (2017). *Kiat Sukses Budidaya Cabai Rawit*. Yogyakarta: Genesis.
- Andani, R., Rahmawati, M., & Hayati, M. (2020). Pertumbuhan dan Hasil Tanaman Cabai Akibat Jenis Media Tanam dan Varietas secara Hidroponik Substrat. *Jurnal Ilmiah Mahasiswa Pertanian*, 5(2), 1–10.
- Badan Standardisasi Nasional. (2014). *Agens Pengendali Hayati (APH) Bagian 3: Trichoderma spp.* Jakarta: Badan Standardisasi Nasional. SNI 8027.3: 2014.
- Barra-Bucarei, L., González, M. G., Iglesias, A. F., Aguayo, G. S., Peñalosa, M. G., & Vera, P. V. (2020). *Beauveria bassiana* Multifunction as an Endophyte: Growth Promotion and Biologic Control of *Trialeurodes vaporariorum* in Tomato. *Insects*, 11(9), 591.

- Bock, A., Sparks, T. H., Estrella, N., Jee, N., Casebow, A., Schunk, C., & Menzel, A. (2014). Changes in First Flowering Dates and Flowering Duration of 232 Plant Species on the Island of Guernsey. *Global Change Biology*, 20(11), 3508–3519.
- Butar-Butar, M., & Vajri, F. (2025). Optimalisasi Durasi Perendaman Benih dengan Inokulan Endofit Terhadap Kolonisasi Akar dan Pembentukan Organ Generatif Jagung (*Zea mays L.*). *Jurnal Agroekoteknologi Tropika*, 10(1), 55–63.
- Calvo, P., Nelson, L., & Kloepper, J. W. (2014). Agricultural Uses of Plant Biostimulants. *Plant and Soil*, 383(1–2), 3–41.
- Colla, G., Nardi, S., Cardarelli, M., Ertani, A., Lucini, L., Canaguier, R., & Roupheal, Y. (2015). Protein Hydrolysates as Biostimulants in Horticulture. *Scientia Horticulturae*, 196, 28–38.
- Daulay, A. D. (2020). *Pengaruh Pupuk Kotoran Gajah dan NPK 16:16:16 Terhadap Pertumbuhan serta Hasil Tanaman Cabai Merah Keriting (Capsicum annum L.)*. Skripsi. Pekanbaru: Universitas Riau.
- De Pascale, S., Roupheal, Y., & Colla, G. (2017). Plant Biostimulants: Innovative Tool for Enhancing Plant Nutrition in Organic Farming. *European Journal of Horticultural Science*, 82(6), 277–285.
- Dinas Ketahanan Pangan dan Pertanian. (2022). *Budidaya Cabai Merah*, Kabupaten Ngawi. Dinas Ketahanan Pangan dan Pertanian.
- Dorj, O., Kim, Y., & Hwang, S. J. (2020). Effects of Light Intensity on Leaf Development and Photosynthesis in *Capsicum annum*. *Horticulture, Environment, and Biotechnology*, 61(6), 911–920.
- Du Jardin, P. (2015). Plant Biostimulants: Definition, Concept, Main Categories and Regulation. *Scientia Horticulturae*, 196, 3–14.
- Fathiyah, U. G., Izzati, M., & Haryanti, S. (2017). Pengaruh Berat Media dan Jumlah Bibit Terhadap Pertumbuhan dan Produksi Kentang (*Solanum tuberosum L.*) di Dalam Polybag. *Jurnal Biologi*, 6(4), 82–88.
- Gabriel BP, Riyatno. (1989). *Metarhizium anisopliae (Metch) Sor: Taksonomi, Patologi, Produksi dan Aplikasinya*. Jakarta: Direktorat Perlindungan Tanaman Perkebunan, Departemen Pertanian
- Guo, W., Li, Z., & Zhang, F. (2024). Endophytic Colonization of *Beauveria bassiana* Enhances Plant Growth and Stress Tolerance by Modulating Hormonal Balance. *International Journal of Molecular Sciences*, 25(22), 11949.
- Gurulingappa, P., Sword, G. A., Murdoch, G., & McGee, P. A. (2010). Colonization of Crop Plants by Fungal Entomopathogens and Their

Effects on Two Insect Pests When in Planta. *Biological Control*, 55(1), 34–41.

- Handayani, T., Suprpto, A., & Lestari, R. (2022). Variabilitas Morfologi dan Hasil Beberapa Varietas Cabai Merah (*Capsicum annum* L.) di Lahan Tropis Lembab. *Jurnal Agronomi Indonesia*, 50(2), 145–153.
- Hapsoh., Gusmawartati., Amri, A. I., & Diansyah, A. (2017). Respons Pertumbuhan dan Produksi Tanaman Cabai Keriting (*Capsicum annum* L.) Terhadap Aplikasi Pupuk Kompos dan Pupuk Anorganik di Polibag. *Jurnal Hortikultura Indonesia*, 8(3), 203–208.
- Haryanto & Saporso. (2018). *Pertumbuhan dan Hasil Cabai Merah pada Berbagai Metode Irigasi dan Pemberian Pupuk Kandang di Wilayah Pesisir Pantai*. Purwokerto: Universitas Jenderal Soedirman.
- Hu, S., & Bidochka, M. J. (2021). Root Colonization by Endophytic Insect-Pathogenic Fungi. *Journal of Applied Microbiology*, 130(2), 570–581.
- Jaber, L. R. (2016). Seed Inoculation with Endophytic Fungal Entomopathogens Promotes Plant Growth and Reduces Infestation by the Green Peach Aphid. *Biocontrol Science and Technology*, 26(9), 1131–1145.
- Jaber, L. R., & Enkerli, J. (2017). Fungal Endophytes as Plant Growth Promoters. *Fungal Biology Reviews*, 31(3), 75–88.
- Kaddes, A., Fauconnier, M. L., Sassi, K., Nasraoui, B., & Jijakli, M. H. (2019). Endophytic Fungal Volatile Compounds as Solution for Sustainable Agriculture. *Molecules*, 24(6), 1–16.
- Khan, A. L., Hamayun, M., Kang, S. M., Kim, Y. H., Jung, H. Y., Lee, J. H., & Lee, I. J. (2012). Endophytic Fungal Association via Gibberellins and Indole Acetic Acid can Improve Plant Growth Under Abiotic Stress. *Journal of Microbiology and Biotechnology*, 22(3), 301–311.
- Kapongo, J. P., Shipp, L., Kevan, P., & Sutton, J. C. (2008). Co-vectoring of *Beauveria bassiana* and *Clonostachys rosea* by Bumble Bees (*Bombus impatiens*) for Control of Insect Pests and Suppression of Grey Mould in Greenhouse Tomato and Sweet Pepper. *Biological Control*, 46(3), 508–514.
- Kumar, V., Singh, G. P., Babu, A. M., Ahsan, M. M., & Datta, R. K. (1999). Germination, Penetration, and Invasion of *Beauveria bassiana* on Silkworm, Bombyx Mori, Causing White Muscardine. *Italian Journal of Zoology*, 66(1), 39–43.
- Kusmanto, Ritonga, A. W., & Syukur, M. (2019). Uji Daya Hasil Sepuluh Galur Cabai (*Capsicum Annuum* L.) Bersari Bebas Yang Potensial Sebagai Varietas Unggul. *Journal Of Chemical Information And Modeling*, 53(9), 1689–1699.

- Lannuci, A., M. Fragasso, C. Platani, dan R. Papa. 2013. Plants growth and Phenolic Compounds in The Rhizosphere Soil of Wild Oats (*Avena fatua* L.). *Frontiers in PlantsScience*. 4, Article 509.
- Liang – Dong G, Guo – Rui H., & Yu, W. (2008). Seasonal and Tissue Age Influences on Endophytic Fungi of *Pinustabulaeformis* (Pinaceae) in the Dongling Mountains, Beijing. *J.IntegraBiol* 50, 997-1003
- Lopez, D. C., & Sword, G. A. (2015). The Endophytic Fungal Entomopathogen *Beauveria bassiana* Induces Lignin Accumulation in Maize and Protects Plants Against Herbivory. *Fungal Ecology*, 13, 1–6.
- Mahankuda, B., Research, P. D., & Bhatt, B. (2019). Potentialities Entomopathogenic Fungus *Beauveria bassiana* as a Biocontrol Agent: A Review. *Journal of Entomology and Zoology Studies*, 7(5), 870–874.
- Marcelis, L. F. M., Heuvelink, E., & Hofman-Eijer, L. R. B. (2018). Modelling Biomass Production and Yield of Horticultural Crops. *Acta Horticulturae*, 1227, 111–118.
- Moekasan, Tonny K, Laksminiwati Prabaningrum, Witono Adiyoga, H. de P. (2014). *Panduan Prktis Budidaya Cabai Merah Berdasarkan Konsepsi Pengendalian Hama Terpadu (PHT)*. Jakarta: Penebar Swadaya.
- Mulyadi, D. (2018). *Analisis Keragaman Genetil Tanaman Cabai (Capsicum annum L.) Hasil Tiga Mutasi dengan Teknik RAPD (Random Amplified Polomorphic DNA)*. Skripsi. Pekanbaru: Universitas Islam Negeri Sultan Kasim Riau.
- Naura, A., & Riana, F.D., (2018). Dampak Perubahan Iklim terhadap Produksi dan Pendapatan Usahatani Cabai Merah (Kasus di Dusun Sumberbendo, Desa Kucur, Kabupaten Malang). *Jurnal Ekonomi Pertanian dan Agribisnis* 2, 147–158.
- Niagara, S. (2019). *Pengaruh Pupuk Organik Cair NASA dan Berbagai Jenis Mulsa Terhadap Pertumbuhan dan Produksi Tanaman Cabai Merah (Capsicum annum L.)*. Skripsi. Pekanbaru: Universitas Islam Riau.
- Nugroho, A., Rahardjo, B., & Isnaini, L. (2025). Effect of Climate Variability on Chili Pepper (*Capsicum frutescens* L.) in Tropical Highlands of Sleman, Indonesia. *Environment and Natural Resources Journal*, 23(2), 114–124.
- Nurhayati. (2014). *Analisis Residu Pestisida Pada Cabai Merah Besar Dan Cabai Merah Keriting Di Pasar Swalayan Kota Makassar Tahun 2014*. Skripsi. Makassar: Universitas Islam Alauddin
- Oliveira, D. G. P. de, Lopes, R. B., Rezende, J. M., & Delalibera, I. (2018). Increased Tolerance of *Beauveria bassiana* and *Metarhizium Anisopliae* Conidia to High Temperature Provided by Oil-based Formulations. *Journal of Invertebrate Pathology*, 151, 151–157.

- Prabaningrum, L., T. K. Moekasan., W. Setiawati., M. Prathama & A. Rahayu. (2016). *Modul Pendampingan Pengembangan Kawasan Pengelolaan Tanaman Terpadu Cabai*. Jakarta: Pusat Penelitian dan Pengembangan Hortikultura, Badan Penelitian dan Pengembangan Pertanian, Kementerian Pertanian.
- Pratama, D., Swastika, S., Hidayat, T., & Boga, K. (2017). *Teknologi Budidaya Cabai Merah*. Pekanbaru: Universitas Riau.
- Prawoto, T. Y., & Hartatik, S. (2018). *Respon Pertumbuhan dan Hasil Beberapa Varietas Bunga Kol ( Brassica oleracea Var . Botrytis L .) terhadap Penggunaan Pupuk Majemuk NPK di Dataran Rendah*. 718–731.
- Qayyum, M.A., Wakil, W., Arif., M.J., Sahi, S.T., & Dunlap, C.A., (2015). Infection of *Helicoverpa Armigera* by Endophytic *Beauveria bassiana* Colonizing Tomato Plants. *Biol. Control* 90, 200-207.
- Rouphael, Y., & Colla, G. (2020). Editorial: Biostimulants in Agriculture. *Frontiers in Plant Science*, 11, 1–7.
- Ramlan, A. R., Sari, R. M., Hidayat, T., & Purwanto, B. (2025). Penampilan 10 Kandidat Jagung Hibrida: Karakter Umur Berbunga Jantan & Betina, Umur Panen, dan Hubungannya dengan Produksi. *Rekayasa*, 11(1), 74–84.
- Resquín-Romero, G., Garrido-Jurado, I., & Quesada-Moraga, E. (2016). The Endophytic Entomopathogenic Fungus *Beauveria bassiana* Increases Plant Growth and Resistance. *Journal of Applied Microbiology*, 121(3), 645–656.
- Rizki, H., Fathoni, A., & Sari, D. M. (2023). Pengaruh Curah Hujan dan Kelembapan Terhadap Intensitas Serangan Penyakit Busuk Buah Pada Tanaman Cabai Merah (*Capsicum annuum* L.). *Jurnal Fitopatologi Tropika*, 19(3), 189–198.
- Saia, S., Corrado, G., Vitaglione, P., Colla, G., Bonini, P., Giordano, M., Di Stasio, E., Raimondi, G., Sacchi, R., & Rouphael, Y. (2021). An Endophytic Fungi- based Biostimulant Modulates Volatile and Non-volatile Secondary Metabolites and Yield of Greenhouse Basil (*Ocimum basilicum* L.) through Variable Mechanisms Dependent on Salinity Stress Level. *Pathogens*, 10(7).
- Salfina, S. P., & Chatri, M. (2024). Pemanfaatan Cendawan Entomopatogen *Beauveria bassiana* Untuk Mengendalikan Hama: Literature Review. *Prosiding Seminar Nasional Biologi*, 4(1), 230–240.
- Saragih, M., Trizelia, Nurbailis, & Yusniwati. (2019). Uji Potensi Cendawan Endofit *Beauveria bassiana* terhadap Perkecambahan dan Pertumbuhan

Bibit Tanaman Cabai Merah (*Capsicum annuum* L.). *Unri Conference Series: Agriculture and Food Security*. 1 : 151-159.

- Sarkar, S., Kamal, S., Kamal, R., & Sharma, V. K. (2021). Fungal Endophyte: An Interactive Endosymbiont with the Capability of Modulating Host Physiology in Myriad Ways. *Frontiers in Plant Science*, 12, 701800.
- Siahaan, S. D., Tarigan, Sebayang, K., & Thomson. (2015). Efisiensi Penggunaan Faktor Produksi Usahatani Cabai Merah (*Capsicum Annum* L.). *Journal Of Agriculture And Agribusiness Socioeconomics*, 1–13.
- Singh, J. S. (2014). Cyanobacteria: A Vital Bio-agent in Eco-restoration of Degraded Lands and Sustainable Agriculture. *Climate change and environmental sustainability*, 2(2), 133-137.
- Sudibyo, H., Ulum, M. B., & Efendi, R. (2023). Sistem Pakar Mengidentifikasi Penyakit pada Tanaman Cabai. *Innovative: Journal Of Social Science Research*, 3(4), 5922–5934.
- Sui, L., Han, X., & Wang, Z. (2023). Endophytic *Beauveria bassiana* Promotes Plant Biomass Growth and Suppresses Pathogen Damage by Directional Recruitment. *Frontiers in Microbiology*, 14, 1227269.
- Suriana, N. (2012). *Cabai Kiat dan Berkhasiat*. Yogyakarta: C.V Andi Offset.
- Syamtiolga, S. (2023). *Perendaman Benih Cabai (Capsicum annuum L.) Pada Berbagai Kerapatan Konidia Jamur Endofit Beauveria bassiana (Bals.) Vuill Terhadap Viabilitas dan Vigor serta Pertumbuhan dan Hasil Tanaman Cabai*. Skripsi. Padang: Universitas Andalas.
- Syukur, M., Yurniati R., & Dermawan R. (2016). *Budidaya Cabai Panen Setiap Hari*. Jakarta: Penebar Swadaya.
- Syukur, Sujipriharti, & Yuniarti. (2018). *Teknik Pemuliaan Tanaman*. Jakarta: Penebar Swadaya.
- Tall, S., & Meyling, N.V. (2018). Probiotics for Plants? Growth Promotion by the Entomopathogenic Fungus *Beauveria bassiana* Depends on Nutrient Availability. *Microb Ecol* 76, 1002–1008.
- Trizelia, Sulyanti, E., & Saputra, R. (2020). Kemampuan Kolonisasi Cendawan Endofit *Trichoderma* sp dan *Beauveria bassiana* Pada Tanaman Cabai dan Pengaruhnya Terhadap Populasi Kutu Daun *Myzus persicae*. *Prosiding Seminar Nasional*, 188–198.
- Tsai, S. S., Chen, F. C., Chen, C. C., & Sheu, C. S. (2022). Plant Maturity Affects Flowering Ability and Flower Quality. *HortScience*, 57(2), 191–197.
- Tyurin, M., Chernyak, E., Tomilova, O., Menyailo, O., & Zavriev, S. (2023). The Fungus *Beauveria bassiana* Alters Amounts of Sterols, Fatty Acids, and

Hydroxycinnamic Acids in Potato (*Solanum tuberosum*). *Plants*, 12(23), 3938.

- Vajri, I. Y., & Rahma, H. (2024). Efektivitas Durasi Perendaman Benih Menggunakan Cendawan Entomopatogen (CEP) Terhadap Perkecambahan Benih, Indeks Vigor Dan Pertumbuhan Bibit Jagung. *SENATASI*, 3(1), 293–303.
- Vega, F. E. (2018). The Use of Fungal Entomopathogens as Endophytes in Biological Control: A review. *Mycologia*, 110(1), 4–30.
- Widowati, T., Bustanussalam, Sukiman, H., & Simanjuntak, P. (2016). Isolasi Dan Identifikasi Kapang Endofit dari Tanaman Kunyit (*Curcuma longa* L.) Sebagai Penghasil Antioksidan. *Biopropal Industri*, 7(1), 9–16.
- Wiyono, Suryo, Muhamad Syukur, Final Prajnanta, E. Gumbira Sa'id, & Asep Harpenas. (2012). *Cabai: Prospek Bisnis dan Teknologi Mancanegara*. (Edisi ke-1; F. Nurrohmah, Ed.). Jakarta: AgriFlo.
- Yanty, D. P., Trizelia, T., Nurbailis, N., & Resti, Z. (2024). Ability of *Beauveria bassiana* to suppress *Colletotrichum truncatum* and increase the growth of chili plants (*Capsicum annuum*). *Journal of Plant Protection*, 8(1), 42–52.
- Yusniwati., Trizelia., Nurbailis., & Saragih, M. (2023). Profile and Bioactivity of Bioactive Compounds of *Beauveria bassiana* Fungi Entomopathogens of Endophytes as Plant Growth Boosters. *Agrium*, 26(1), 50–55.
- Zhan, J., Sun, W., Zhang, X., Yang, L., & Liu, H. (2023). *Beauveria bassiana* Rewires Molecular Mechanisms Related to Growth and Defense in Tomato. *New Phytologist*, 240(1), 327–343.

