

DAFTAR PUSTAKA

- A. Muthuvel, Nejla Mahjoub Said, M. Jothibas. (2021). Microwave-assisted green synthesis of nanoscaled titanium oxide: photocatalyst, antibacterial and antioxidant properties. *Journal of Materials Science: Materials in Electronics*, 32.
- Abdallah, H. M., Mohamed, G. A., & Ibrahim, S. R. M. (2022). *Lansium domesticum*—A Fruit with Multi-Benefits: Traditional Uses, Phytochemicals, Nutritional Value, and Bioactivities. *Nutrients*, 14(7), 1–42. <https://doi.org/10.3390/nu14071531>
- Abdul Jalill, R. D., Nuaman, R. S., & Abd, A. N. (2016). Biological synthesis of Titanium Dioxide nanoparticles by Curcuma longa plant extract and study its biological properties. *Wsn*, 49(2), 204–222. www.worldscientificnews.com
- Abu-Dalo, M., Jaradat, A., Albiss, B. A., & ... (2019). Green synthesis of TiO₂ NPs/pristine pomegranate peel extract nanocomposite and its antimicrobial activity for water disinfection. *Journal of Environmental Chemical Engineering*, 7, 103370 Contents.
- Ahmad, W., Kumar, S., & Ahmed, S. (2024). Microwave-assisted one-step biosynthesis of titanium dioxide nanoparticles: Antibacterial, antioxidant, and photocatalytic properties. *Kuwait Journal of Science*.
- Ahmad, W., Singh, A., Jaiswal, K. K., & Gupta, P. (2021). Green Synthesis of Photocatalytic TiO₂ Nanoparticles for Potential Application in Photochemical Degradation of Ornidazole. *Journal of Inorganic and Organometallic Polymers and Materials*, 31(2), 614–623. <https://doi.org/10.1007/s10904-020-01703-6>.
- Ahn, E.-Y., Shin, S.-W., Kim, K., & Park, Y. (2022). Facile Green Synthesis of Titanium Dioxide Nanoparticles by Upcycling Mangosteen (*Garcinia mangostana*) Pericarp Extract. In *Nanoscale research letters* (Vol. 17, Issue 1, p. 40). <https://doi.org/10.1186/s11671-022-03678-4>.
- Ajmal, N., Saraswat, K., Bakht, M. A., Riadi, Y., Ahsan, M. J., & Noushad, M. (2019). Cost-effective and eco-friendly synthesis of titanium dioxide (TiO₂) nanoparticles using fruit's peel agro-waste extracts: characterization, in vitro antibacterial, antioxidant activities. *Green Chemistry Letters and Reviews*, 12(3), 244–254. <https://doi.org/10.1080/17518253.2019.1629641>.
- Ajmal, A., Majeed, I., Naseem, R., Malik, I., Idrisc, H., Nadeem, M.A., (2014). Principles and mechanisms of photocatalytic dye degradation on TiO₂ based photocatalysts: a comparative overview. *RSC Advances*, 4, 37003–37026. DOI: 10.1039/c4ra06658h.
- Akhlaghi, N., Najafpour-Darzi, G., & Younesi, H. (2020). Facile and green synthesis of cobalt oxide nanoparticles using ethanolic extract of *Trigonella foenumgraceum* (Fenugreek) leaves. In *Advanced Powder Technology*. Elsevier.

- Akinola, P. O., Lateef, A., Asafa, T. B., Beukes, L. S., Hakeem, A. S., & Irshad, H. M. (2020). Multifunctional titanium dioxide nanoparticles biofabricated via phytosynthetic route using extracts of *Cola nitida*: antimicrobial, dye degradation, antioxidant and anticoagulant activities. *Heliyon*, 6(8), e04610. <https://doi.org/10.1016/j.heliyon.2020.e04610>
- Al-Shabib, N. A., Husain, F. M., Qais, F. A., Ahmad, N., Khan, A., Alyousef, A. A., Arshad, M., Noor, S., Khan, J. M., Alam, P., Albalawi, T. H., & Shahzad, S. A. (2020). Phyto-Mediated Synthesis of Porous Titanium Dioxide Nanoparticles From *Withania somnifera* Root Extract: Broad-Spectrum Attenuation of Biofilm and Cytotoxic Properties Against HepG2 Cell Lines. In *Frontiers in microbiology* (Vol. 11, p. 1680). <https://doi.org/10.3389/fmicb.2020.01680>
- Al Masoudi, L. M., Alqurashi, A. S., Abu Zaid, A., & Hamdi, H. (2023). Characterization and Biological Studies of Synthesized Titanium Dioxide Nanoparticles from Leaf Extract of *Juniperus phoenicea* (L.) Growing in Taif Region, Saudi Arabia. *Processes*, 11(1), 1–15. <https://doi.org/10.3390/pr11010272>
- Al-Hamoud K, Shaik MR, Khan M, Alkhathlan HZ, Adil SF, Kuniyil M et al. *Pulicaria undulata* extract-mediated eco-friendly preparation of TiO₂ nanoparticles for photocatalytic degradation of methylene blue and methyl orange. *ACS omega*. 2022;7(6):4812–4820. <https://doi.org/10.1021/acsomega.1c05090>.
- Ali, H., Dixit, S., Almutairi, B. O., & Yadav, N. (2023). Synthesis and characterization of eco-friendly TiO₂ nanoparticle from combine extract of onion and garlic peel. *Journal of King Saud University - Science*, 35(8), 102918. <https://doi.org/10.1016/j.jksus.2023.102918>
- Arabi, N., Kianvash, A., Hajalilou, A., Abouzari-Lotf, E., & Abbasi-Chianeh, V. (2020). A facile and green synthetic approach toward fabrication of Alcea- and Thyme-stabilized TiO₂ nanoparticles for photocatalytic applications. *Arabian Journal of Chemistry*, 13(1), 2132–2141. <https://doi.org/10.1016/j.arabjc.2018.03.014>
- Aritonang, A. B., Putri, R. A., Sisca, V., Madiabu, M. J., & Khoiriah, K. (2025). Photocatalytic Degradation of Acid Yellow 25 Using Nanoparticle TiO₂ Mediated Petai Pod Extract. *Baghdad Science Journal*, 22(6), 1851–1862. <https://doi.org/10.21123/2411-7986.4960>
- Ashfaq, A., Nadeem, R., Gong, H., Rashid, U., Noreen, S., Rehman, S. U., Ahmed, Z., Adil, M., Akhtar, N., Ashfaq, M. Z., Alharthi, F. A., & Kazerooni, E. A. (2022). Fabrication of Novel Agrowaste (Banana and Potato Peels)-Based Biochar/TiO₂ Nanocomposite for Adsorption of Cr(VI), Statistical Optimization via RSM Approach. In *Polymers* (Vol. 14, Issue 13). <https://doi.org/10.3390/polym14132644>
- Aswini, R., Murugesan, S., & Kannan, K. (2021). Bio-engineered TiO₂ nanoparticles using *Ledebouria revoluta* extract: Larvicidal, histopathological, antibacterial and anticancer activity. *International Journal of Environmental*

- Analytical Chemistry*, 101(15), 2926–2936.
<https://doi.org/10.1080/03067319.2020.1718668>
- Benkhaya, S., M'rabet, S., & El Harfi, A. (2020). Classifications, properties, recent synthesis and applications of azo dyes. *Heliyon*, 6(1).
<https://doi.org/10.1016/j.heliyon.2020.e03271>
- Bunde, M., Rane, N., Lande, V., Dani, A., & Shende, S. (2023). Green synthesis of TiO₂ nanoparticle from *Plumeria rubra* L. leaves for anticorrosive application. *Materials Today: Proceedings*, 72, 1685–1691.
<https://doi.org/10.1016/j.matpr.2022.09.469>
- Chong, Z. T., Soh, L. S., & Yong, W. F. (2023). Valorization of agriculture wastes as biosorbents for adsorption of emerging pollutants: Modification, remediation and industry application. *Results in Engineering*, 17(December 2022), 100960. <https://doi.org/10.1016/j.rineng.2023.100960>
- Christie, R. (2023). Azo Dyes and Pigments. In *Colour Chemistry*.
<https://doi.org/10.1039/bk9781849733281-00072>
- Daria S. K., Jan P., Piotr S., Jolanta W, G., Jolanta K., (2021). Development of HPLC-DAD and UPLC-QTOF-MS chromatographic systems for the identification for forensic purposes of disperse dyes of polyester. *Measurement* 174, 108994.
<https://doi.org/10.1016/j.measurement.2021.108994>
- Deliza, Safni, et al. (2019). Photocatalytic degradation of Direct Yellow-27 by photolysis with UV-light and solar irradiation Using N-doped TiO₂. *KnE Engineering*, 1(2), 62. <https://doi.org/10.18502/keg.v1i2.4432>
- Deliza, Lungguh, S., Rimus, A., Audina, R., & Safni, S. (2025). Green synthesis approach on fabrication of TiO₂ nanoparticle using peel extract of *Baccaurea racemosa* for photocatalytic degradation of Acid Red-185. *Environmental Nanotechnology, Monitoring & Management*, 23(February), 101074.
<https://doi.org/10.1016/j.enmm.2025.101074>
- Deliza, D., Safni, S., Zein, R., Putri, R, A. (2025). Novel green synthesis of titanium oxide using *Lansium domesticum* Correa for photocatalytic degradation of methyl orange. *Journal of Ecological Engineering*, 26 (8), 38-36.
<https://doi.org/10.12911/22998993/203528>
- Deliza, D., Safni, S., Zein, R., Putri, R, A. (2026). Bio-Inspired TiO₂ Nanoparticles: Green Photocatalysts for Azo Dyes Driven by UV-A. *Advanced Journal of Chemistry, Section A*. 9(4), 610-625.
<https://doi.org/10.48309/ajca.2026.551366.1948>
- Devi R., Muhamad D. P., Diana Rakhmawaty E., Norio S., Takahiro T., Suryana., Atiek R. N., Iman R., Mohamed H. & Zeinhom M. E. (2024). Synthesis of TiO₂ nanoparticles using red spinach leaf extract (*Amaranthus Tricolor* L.) for photocatalytic of methylene blue degradation, *Green Chemistry Letters and Review*, (17)1, 2352571. <https://doi.org/10.1080/17518253.2024.2352571>
- Dülger, B., Özkan, G., Angı, O. S., & Özkan, G. (2024). Green synthesis of TiO₂

- nanoparticles using Aloe Vera extract as catalyst support material and studies of their catalytic activity in dehydrogenation of Ethylenediamine Bisborane. *International Journal of Hydrogen Energy*, 75(November 2023), 466–474. <https://doi.org/10.1016/j.ijhydene.2024.02.223>
- Dutta, S., Adhikary, S., Bhattacharya, S., Roy, D., Chatterjee, S., Chakraborty, A., Banerjee, D., Ganguly, A., Nanda, S., & Rajak, P. (2024). Contamination of textile dyes in aquatic environment: Adverse impacts on aquatic ecosystem and human health, and its management using bioremediation. *Journal of Environmental Management*, 353, 120103. <https://doi.org/10.1016/j.jenvman.2024.120103>
- Eddy, D. R., Rahmawati, D., Permana, M. D., Takei, T., Solihudin, Suryana, Noviyanti, A. R., & Rahayu, I. (2024). A review of recent developments in green synthesis of TiO₂ nanoparticles using plant extract: Synthesis, characterization and photocatalytic activity. *Inorganic Chemistry Communications*, 165(May), 112531. <https://doi.org/10.1016/j.inoche.2024.112531>
- Eddy et al. (2024). A review of recent developments in green synthesis of TiO₂ nanoparticles using plant extract: Synthesis, characterization and photocatalytic activity. *Inorganic Chemistry Communications*, 165(April), 112531. <https://doi.org/10.1016/j.inoche.2024.112531>
- El-Sayed, E., El-Aziz, E. A., Othman, H. A., & Hassabo, A. G. (2024). Azo dyes: Synthesis, Classification and Utilisation in Textile Industry. *Egyptian Journal of Chemistry*, 67(13), 87–97. <https://doi.org/10.21608/ejchem.2024.257952.9057>
- Elsayed Talat Helmy; Ahmed El Nemr; Mahmoud Mousa; Esam Arafa; Shady Eldafrawy. (2018). Photocatalytic degradation of organic dyes pollutants in the industrial textile wastewater by using synthesized TiO₂, C-doped TiO₂, S-doped TiO₂ and C,S co-doped TiO₂ nanoparticles. *Journal of Water and Environmental Nanotechnology*, 3(2), 116–127. <https://doi.org/10.22090/jwent.2018.02.003>
- Fall, A., Ngom, I., Bakayoko, M., Sylla, N. F., Elsayed Ahmed Mohamed, H., Jadvi, K., Kaviyarasu, K., & Ngom, B. D. (2019). Biosynthesis of TiO₂ nanoparticles by using natural extract of Citrus sinensis. *Materials Today: Proceedings*, 36(xxxx), 349–356. <https://doi.org/10.1016/j.matpr.2020.04.131>
- Gautam, I., Grady, T., & Fernando, H. (2023). Degradation of the dye methyl orange using cow and goat milk iron nanoparticles. *Green Chemistry Letters and Reviews*, 16(1), 2174818. <https://doi.org/10.1080/17518253.2023.2174818>
- Ghareeb, A., Fouda, A., Kishk, R. M., & El Kazzaz, W. M. (2024). Unlocking the potential of titanium dioxide nanoparticles: an insight into green synthesis, optimizations, characterizations, and multifunctional applications. *Microbial Cell Factories*, 23(1). <https://doi.org/10.1186/s12934-024-02609-5>
- Ghosh, T., Saha, S., Dutta, A., Parida, S., Mondal, M., & Khalua, R. K. (2024).

- Plant extracts in controlling disease vector mosquitoes. *International Journal of Mosquito Research*, 11(1), 89–91. <https://doi.org/10.22271/23487941.2024.v11.i1b.747>
- Girigoswami, A., Deepika, B., Pandurangan, A. K., & Girigoswami, K. (2024). Preparation of titanium dioxide nanoparticles from Solanum Tuberosum peel extract and its applications. *Artificial Cells, Nanomedicine and Biotechnology*, 52(1), 59–68. <https://doi.org/10.1080/21691401.2023.2301068>
- Goutam, S. P., Saxena, G., Singh, V., Yadav, A. K., Bharagava, R. N., & Thapa, K. B. (2018). Green synthesis of TiO₂ nanoparticles using leaf extract of Jatropha curcas L. for photocatalytic degradation of tannery wastewater. *Chemical Engineering Journal*, 336(December 2017), 386–396. <https://doi.org/10.1016/j.cej.2017.12.029>
- Haleem, A., Shafiq, A., Chen, S. Q., & Nazar, M. (2023). A Comprehensive Review on Adsorption, Photocatalytic and Chemical Degradation of Dyes and Nitro-Compounds over Different Kinds of Porous and Composite Materials. *Molecules*, 28(3). <https://doi.org/10.3390/molecules28031081>
- Heiba, Z. K., Mohamed, M. B., & Badawi, A. (2022). Structural and Optical Characteristic of Cu-Doped TiO₂ Thin Film. *Journal of Inorganic and Organometallic Polymers and Materials*, 32(8), 2853–2862. <https://doi.org/10.1007/s10904-022-02312-1>
- Haidera, A., Riyad H., Ghadah R. K., Chafic T. S (2017). Exploring potential Environmental applications of TiO₂. *Energy Procedia*, 119, 332–345. <https://doi.org/10.1016/j.egypro.2017.07.117>
- Helmy, E. T., Abouellef, E. M., Soliman, U. A., & Pan, J. H. (2021). Novel green synthesis of S-doped TiO₂ nanoparticles using Malva parviflora plant extract and their photocatalytic, antimicrobial and antioxidant activities under sunlight illumination. *Chemosphere*, 271, 129524. <https://doi.org/10.1016/j.chemosphere.2020.129524>
- Helmy1, E. T., Ahmed El Nemr1, * M. M., Arafa3, E., & Eldafrawy, S. (2018). Photocatalytic degradation of organic dyes pollutants in the industrial textile wastewater by using synthesized TiO₂, C-doped TiO₂, S-doped TiO₂ and C,S co-doped TiO₂ nanoparticles. *Journal Water Environ Nanotechnol*, 3(2), 116–127. <https://doi.org/10.22090/jwent.2018.02.003>
- Heydari, Z., & Ghadam, P. (2023). Biosynthesis of Titanium Dioxide Nanoparticles by the Aqueous Extract of Juglans regia Green Husk. *Materials Proceedings*, 14, 1–8. <https://doi.org/10.3390/iocn2023-14482>
- History, S. (1859). *In 1856 Perkin accidentally discovered mauvine—the first commercialized synthetic dye—and introduced a new era in the chemical industry.*
- Hoang, N. T., Mwazighe, F. M., & Le, P. C. (2023). Kinetic study on the degradation of organic pollutants in UV/persulfate and in other advanced oxidation processes: Role of radicals and improvement of the degradation

- rates. *Journal of Environmental Chemical Engineering*, 11(5), 110456. <https://doi.org/10.1016/j.jece.2023.110456>.
- Hossam, M. A., Gamal A. M., and Sabrin R. M. (2022). *Lansium domesticum*—A Fruit with Multi-Benefits: Traditional Uses, Phytochemicals, Nutritional Value, and Bioactivities. *Nutrient*, (14) 1531. <https://doi.org/10.3390/nu14071531>.
- Itam, A.; Wati, M. S.; Agustin, V.; Sabri, N.; Jumanah, R. A.; Efdi, M. *Comparative Study of Phytochemical, Antioxidant, and Cytotoxic Activities and Phenolic Content of Syzygium Aqueum (Burm. f. Alston f.) Extracts Growing in West Sumatera Indonesia. Scientific World Journal* 2021, 2021. <https://doi.org/10.1155/2021/5537597>.
- Ilyas, M., Waris, A., Khan, A. U., Zamel, D., Yar, L., Baset, A., Muhaymin, A., Khan, S., Ali, A., & Ahmad, A. (2021). Biological synthesis of titanium dioxide nanoparticles from plants and microorganisms and their potential biomedical applications. *Inorganic Chemistry Communications*, 133(October), 108968. <https://doi.org/10.1016/j.inoche.2021.108968>
- Isacfranklin, M., Yuvakkumar, R., Ravi, G., Kumar, P., Saravanakumar, B., Velauthapillai, D., Alahmadi, T. A., & Alharbi, S. A. (2021). Biomedical application of single anatase phase TiO₂ nanoparticles with addition of Rambutan (*Nephelium lappaceum* L.) fruit peel extract. *Applied Nanoscience (Switzerland)*, 11(2), 699–708. <https://doi.org/10.1007/s13204-020-01599-1>
- Isnaeni, I. N., Sumiarsa, D., & Primadona, I. (2021). Green synthesis of different TiO₂ nanoparticle phases using mango-peel extract. In *Materials Letters*. Elsevier.
- Jalilian, F., Chahardoli, A., Sadrjavadi, K., Fattahi, A. (2020). Green synthesized silver nanoparticle from *Allium ampeloprasum* aqueous extract: Characterization, antioxidant activities, antibacterial and cytotoxicity effects. In *Advanced Powder*. Elsevier.
- Jiang, T., Wang, Y., Cai, C., Nie, C., Peng, H., & Ao, Z. (2025). Piezocatalysis for water treatment: Mechanisms, recent advances, and future prospects. *Environmental Science and Ecotechnology*, 23, 100495. <https://doi.org/10.1016/j.es.2024.100495>
- K. Ganapathi Rao, CH. Ashok, K. Venkateswara Rao, CH. Shilpa Chakra, P. T. (2016). *Green Synthesis of TiO₂ Nanoparticles Using Aloe Vera Extract*. 2(January 2015), 28–34.
- Kahoul, K., Ahmedchekkat, F., & Chiha, M. (2025). Intensification of Rhodamine B photodegradation using TiO₂ nanocatalyst synthesized via non-conventional sol-gel method. *Desalination and Water Treatment*, 324(September), 101433. <https://doi.org/10.1016/j.dwt.2025.101433>
- Kant, R. (2012). Textile dyeing industry an environmental hazard. *Natural Science*, 04(01), 22–26. <https://doi.org/10.4236/ns.2012.41004>
- Kaur, H., Kaur, S., Singh, J., Rawat, M. (2019). Expanding horizon: green synthesis

- of TiO₂ nanoparticles using Carica papaya leaves for photocatalysis application. *Materials Research* <https://doi.org/10.1088/2053-1591/ab2ec5>
- Kaur, H., Kumar, S., Saini, R., Singh, P. P., & Pugazhendhi, A. (2023). One-pot biogenic synthesis of C. limon/TiO₂ with dual applications as an advance photocatalyst and antimicrobial agent. In *Chemosphere* (Vol. 335, p. 139106). <https://doi.org/10.1016/j.chemosphere.2023.139106>
- Khan, A., Raza, A., Hashem, A., Dolores Avila-Quezada, G., Fathi Abd_Allah, E., Ahmad, F., & Ahmad, A. (2024). Green fabrication of titanium dioxide nanoparticles via Syzygium cumini leaves extract: characterizations, photocatalytic activity and nematocidal evaluation. *Green Chemistry Letters and Reviews*, 17(1). <https://doi.org/10.1080/17518253.2024.2331063>
- Khane, Y., Benouis, K., Albukhaty, S., Sulaiman, G. M. (2022). Green Synthesis of Silver Nanoparticles Using Aqueous Citrus limon Zest Extract: Characterization and Evaluation of Their Antioxidant and Antimicrobial. In *Nanomaterials*. mdpi.com. <https://www.mdpi.com/2079-4991/12/12/2013>
- Khennaoui, B., Malouki, M. A., López, M. C., Zehani, F., Boutaoui, N., Salah, Z. R., & Zertal, A. (2017). Heterogeneous photo-Fenton process for degradation of azo dye : methyl orange using a local cheap material as a photocatalyst under solar light irradiation. *Optik - International Journal for Light and Electron Optics*. <https://doi.org/10.1016/j.ijleo.2017.02.081>
- Khoiriah, K., & Putri, R. A. (2024). Biosynthesis of titanium dioxide nanoparticles using peel extract of Parkia speciosa for methyl orange degradation. *South African Journal of Botany*, 170, 120–129. <https://doi.org/10.1016/j.sajb.2024.05.021>
- Li, D., Feng, Z., Zhou, B., Chen, H., & Yuan, R. (2022). Impact of water matrices on oxidation effects and mechanisms of pharmaceuticals by ultraviolet-based advanced oxidation technologies: A review. *Science of the Total Environment*, 844(June), 157162. <https://doi.org/10.1016/j.scitotenv.2022.157162>
- Li, Y., Fu, Y., & Zhu, M. (2020). Green synthesis of 3D tripyramid TiO₂ architectures with assistance of aloe extracts for highly efficient photocatalytic degradation of antibiotic ciprofloxacin. In *Applied Catalysis B: Environmental*. Elsevier.
- Lin, Z., Wang, X., Liu, J., Tian, Z., Dai, L., He, B., Han, C., Wu, Y., Zeng, Z., Hu, Z., (2012). On the Role of Localized Surface Plasmon Resonance in VU-Vis Light Irradiated Au/TiO₂ Photocatalysis System: Pros and Cons. *Nanoscale*, 1-10. DOI: 10.1039/x0xx00000x.
- Lohrasbi, S., Kouhbanani, M. A. J., Beheshtkhoo, N., Ghasemi, Y., Amani, A. M., & Taghizadeh, S. (2019). Green Synthesis of Iron Nanoparticles Using Plantago major Leaf Extract and Their Application as a Catalyst for the Decolorization of Azo Dye. *BioNanoScience*, 9(2), 317–322. <https://doi.org/10.1007/s12668-019-0596-x>

- Madadi, Z., & Lotfabad, T. B. (2016). Aqueous Extract of *Acanthophyllum Laxiusculum* Roots as a Renewable Resource for Green Synthesis of Nano-sized Titanium Dioxide Using the Sol-gel method. *Advanced Ceramics Progress*, 2(1), 26–31.
- Madima, N., Kefeni, K. K., Mishra, S. B., & Mishra, A. K. (2022). TiO₂-modified g-C₃N₄ nanocomposite for photocatalytic degradation of organic dyes in aqueous solution. In *Heliyon*. cell.com. [https://www.cell.com/heliyon/pdf/S2405-8440\(22\)01971-5.pdf](https://www.cell.com/heliyon/pdf/S2405-8440(22)01971-5.pdf)
- Manimaran, K., Natarajan, D., Balasubramani, G., & Murugesan, S. (2022). *Pleurotus sajor caju* Mediated TiO₂ Nanoparticles: A Novel Source for Control of Mosquito Larvae, Human Pathogenic Bacteria and Bone Cancer Cells. *Journal of Cluster Science*, 33(4), 1489–1499. <https://doi.org/10.1007/s10876-021-02073-w>
- Marimuthu, S., Rahuman, A. A., Jayaseelan, C., Kirthi, A. V., Santhoshkumar, T., Velayutham, K., Bagavan, A., Kamaraj, C., Elango, G., Iyappan, M., Siva, C., Karthik, L., & Rao, K. V. B. (2013). Acaricidal activity of synthesized titanium dioxide nanoparticles using *Calotropis gigantea* against *Rhipicephalus microplus* and *Haemaphysalis bispinosa*. *Asian Pacific Journal of Tropical Medicine*, 6(9), 682–688. [https://doi.org/10.1016/S1995-7645\(13\)60118-2](https://doi.org/10.1016/S1995-7645(13)60118-2)
- Mathew, S. S., Sunny, N. E., & Shanmugam, V. (2021). Green synthesis of anatase titanium dioxide nanoparticles using *Cuminum cyminum* seed extract; effect on Mung bean (*Vigna radiata*) seed germination. *Inorganic Chemistry Communications*, 126(January), 108485. <https://doi.org/10.1016/j.inoche.2021.108485>
- Mathivanan, D., Kamaraj, C., Suseem, S. R., Gandhi, P. R., & Malafaia, G. (2023). Seaweed *Sargassum wightii* mediated preparation of TiO₂ nanoparticles, larvicidal activity against malaria and filariasis vectors, and its effect on non-target organisms. *Environmental Research*, 225(January), 115569. <https://doi.org/10.1016/j.envres.2023.115569>
- Mayanti, T., Sinaga, S. E., & Supratman, U. (2022). Phytochemistry and biological activity of *Lansium domesticum* Corr. species: A review. *Journal of Pharmacy and Pharmacology*, 74(11), 1568–1587. <https://doi.org/10.1093/jpp/rgac057>
- Mulyani, Y., Sinaga, S. E., & Supratman, U. (2023). Phytochemistry and Biological Activities of Endophytic Fungi from the Meliaceae Family. In *Molecules* (Vol. 28, Issue 2). <https://doi.org/10.3390/molecules28020778>
- N. Shimpi, S. Mishra, S. S. (2020). Efficient Green Synthesis of TiO₂ Nanoparticles Using *Murrayakoenigii* Leaf Extract. *Materials Science*.
- Nabi, G., Ain, Q. U., Tahir, M. B., Nadeem Riaz, K., Iqbal, T., Rafique, M., Hussain, S., Raza, W., Aslam, I., & Rizwan, M. (2022). Green synthesis of TiO₂ nanoparticles using lemon peel extract: their optical and photocatalytic properties. *International Journal of Environmental Analytical Chemistry*, 102(2), 434–442. <https://doi.org/10.1080/03067319.2020.1722816>

- Nabi, G., Majid, A., Riaz, A., Alharbi, T., Arshad Kamran, M., & Al-Habardi, M. (2021). Green synthesis of spherical TiO₂ nanoparticles using Citrus Limetta extract: Excellent photocatalytic water decontamination agent for RhB dye. *Inorganic Chemistry Communications*, 129(February), 108618. <https://doi.org/10.1016/j.inoche.2021.108618>
- Nabi, G., Raza, W., & Tahir, M. B. (2020). Green Synthesis of TiO₂ Nanoparticle Using Cinnamon Powder Extract and the Study of Optical Properties. *Journal of Inorganic and Organometallic Polymers and Materials*, 30(4), 1425–1429. <https://doi.org/10.1007/s10904-019-01248-3>
- Nagaraj, K., Radha, S., Deepa, C. G., Raja, K., Umapathy, V., Prakash, N., Parekh, N. M., Manimegalai, T., Archana, L., & Uthra, C. (2025). Photocatalytic advancements and applications of titanium dioxide (TiO₂): Progress in biomedical , environmental , and energy sustainability. *Next Research*, 2(1), 100180. <https://doi.org/10.1016/j.nexres.2025.100180>
- Narayanan, M., Vigneshwari, P., Natarajan, D., Kandasamy, S., Alsehli, M., Elfasakhany, A., & Pugazhendhi, A. (2021). Synthesis and characterization of TiO₂ NPs by aqueous leaf extract of Coleus aromaticus and assess their antibacterial, larvicidal, and anticancer potential. *Environmental Research*, 200(May), 111335. <https://doi.org/10.1016/j.envres.2021.111335>
- Nasikhudin, Diantoro, M., Kusumaatmaja, A., & Triyana, K. (2018). Study on Photocatalytic Properties of TiO₂ Nanoparticle in various pH condition. *Journal of Physics: Conference Series*, 1011(1). <https://doi.org/10.1088/1742-6596/1011/1/012069>
- Nasirian, M., & Mehrvar, M. (2018). Photocatalytic degradation of aqueous Methyl Orange using nitrogen-doped TiO₂ photocatalyst prepared by novel method of ultraviolet-assisted thermal synthesis. *Journal of Environmental Sciences (China)*, 66, 81–93. <https://doi.org/10.1016/j.jes.2017.05.032>
- Nithya, A., Rakesh, K., & Jothivenkatachalam, K. (2013). Biosynthesis , Characterization and Application of Titanium Dioxide Nanoparticles. *Nano Vision*, 3(3), 169–174.
- Olana, M. H., Sabir, F. K., Bekele, E. T., & Gonfa, B. A. (2022). Citrus sinensis and Musa acuminata Peel Waste Extract Mediated Synthesis of TiO₂/rGO Nanocomposites for Photocatalytic Degradation of Methylene Blue under Visible Light Irradiation. *Bioinorganic Chemistry and Applications*, 1–21. <https://doi.org/10.1155/2022/5978707>
- Oleiwi, H. F., Rahma, A. J., Salih, S. I., & Beddai, A. A. (2024). Comparative Study of Sol-Gel and Green Synthesis Technique Using Orange Peel Extract to Prepare TiO₂ Nanoparticles. *Baghdad Science Journal*, 21(5), 1702. <https://doi.org/10.21123/bsj.2023.8089>
- Paper, C., Approach, S. R. of the S. of T. O. N. via P. M. G., Ifeanyi J. Odiachi, Oghomwen C. Ize-Iyamu, Osaro K. Ize-Iyamu, C. D. I. & I. H. I., Paper, C., 2023, (2023). *Systematic Review of the Synthesis of Titanium Oxide Nanoparticles via Plant Mediation Green Approach*.

- Patidar, V., & Jain, P. (2017). Green Synthesis of TiO₂ Nanoparticle Using Moringa Oleifera Leaf Extract. *International Research Journal of Engineering and Technology*, 470–474. www.irjet.net
- Pillai, A. M., Harisankar, A., Salini, P. S., John, B., Sarojini Amma, S., & Devassy, M. T. (2024). Green synthesis of TiO₂ nanoparticles using Beta vulgaris extract and the evaluation of their photocatalytic and antibacterial activity. *Ionics*, 30(7), 4257–4270. <https://doi.org/10.1007/s11581-024-05577-3>
- Prashanth, V. (n.d.). Synthesis of TiO₂ Using Calotropis gigantea for Visible Light Excitation and Degradation of Congo Red Dye. *Journal of Hazardous, Toxic, and Radioactive Waste*, 25(4).
- Puri, A., Mohite, P., Maitra, S., Subramaniyan, V., Kumarasamy, V., Uti, D. E., Sayed, A. A., El-Demerdash, F. M., Algahtani, M., El-kott, A. F., Shati, A. A., Albaik, M., Abdel-Daim, M. M., & Atangwho, I. J. (2024). From nature to nanotechnology: The interplay of traditional medicine, green chemistry, and biogenic metallic phytonanoparticles in modern healthcare innovation and sustainability. *Biomedicine and Pharmacotherapy*, 170(December 2023), 116083. <https://doi.org/10.1016/j.biopha.2023.116083>
- Pushpamalini, T., Keerthana, M., Sangavi, R., Nagaraj, A., & Kamaraj, P. (2020). Comparative analysis of green synthesis of TiO₂ nanoparticles using four different leaf extract. *Materials Today: Proceedings*, 40, S180–S184. <https://doi.org/10.1016/j.matpr.2020.08.438>
- Putri, R. A., Safni, S., Jamarun, N., Septiani, U., (2019). Kinetics Study and Degradation Pathway of Methyl Orange Photodegradation in The Presence of C-N-codoped TiO₂ Catalyst. *Egypt.J.Chem* , 62, 563 – 575. DOI: 10.21608/ejechem.2019.14543.1883.
- Putri, R. A., Safni, S., Jamarun, N., Septiani, U. (2020). Degradation and mineralization of violet-3B dye using C-N-codoped TiO₂ photocatalyst. *Environmental Engineering Research*, 25(4), 529–535. <https://doi.org/10.4491/eer.2019.196>
- Rajakumar, G., Rahuman, A. A., Jayaseelan, C., Santhoshkumar, T., Marimuthu, S., Kamaraj, C., Bagavan, A., Zahir, A. A., Kirthi, A. V., Elango, G., Arora, P., Karthikeyan, R., Manikandan, S., & Jose, S. (2014). Solanum trilobatum extract-mediated synthesis of titanium dioxide nanoparticles to control Pediculus humanus capitis, Hyalomma anatolicum anatolicum and Anopheles subpictus. *Parasitology Research*, 113(2), 469–479. <https://doi.org/10.1007/s00436-013-3676-9>
- Rajakumar, G., Rahuman, A. A., Priyamvada, B., Khanna, V. G., Kumar, D. K., & Sujin, P. J. (2012). Eclipta prostrata leaf aqueous extract mediated synthesis of titanium dioxide nanoparticles. *Materials Letters*, 68, 115–117. <https://doi.org/10.1016/j.matlet.2011.10.038>
- Rajakumar, G., Rahuman, A. A., Roopan, S. M., Khanna, V. G., Elango, G., Kamaraj, C., Zahir, A. A., & Velayutham, K. (2012). Fungus-mediated biosynthesis and characterization of TiO₂ nanoparticles and their activity

- against pathogenic bacteria. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 91, 23–29. <https://doi.org/10.1016/j.saa.2012.01.011>
- Rajendhiran, R., Deivasigamani, V., Palanisamy, J., Masan, S., & Pitchaiya, S. (2021). Terminalia catappa and carissa carandas assisted synthesis of TiO₂ nanoparticles - A green synthesis approach. *Materials Today: Proceedings*, 45, 2232–2238. <https://doi.org/10.1016/j.matpr.2020.10.223>
- Ramos, A., Alvarez, M. R., Delica, K., Moreno, P. G., Abogado, R., Grijaldo, S. J., de Juan, F., Deniega, F. M., Basingan, M., Radivas, C. M., Heralde, F., Completo, G. C., Padolina, I., & Nacario, R. (2022). Antioxidant and Anticancer Activities of Manilkara zapota and Lansium domesticum Leaves Coupled with Metabolomics analysis using Molecular Networking. *Vietnam Journal of Chemistry*, 60(5), 578–588. <https://doi.org/10.1002/vjch.202100110>
- Rani, M., & Shanker, U. (2020). Green synthesis of TiO₂ and its photocatalytic activity. *Handbook of Smart Photocatalytic Materials*. <https://www.sciencedirect.com/science/article/pii/B9780128190517000026>
- Rao, K. G., Rao, K. V., Rajendar, V., Ashok, C., & Chakra, C. S. (2016). Green Synthesis of TiO₂ Nanoparticles Using Hibiscus Flower Extract. 2, 28–34.
- Rapo, E., & Tonk, S. (2021). Factors Affecting Synthetic Dye Adsorption ; Desorption Studies : A Review of Results from the Last Five Years. *Molecules*, 26, 5419–5450.
- Rashid Al-Mamun, M., Hossain, K. T., Mondal, S., Afroza Khatun, M., Shahinoor Islam, M., & Zaved Hossain Khan, D. M. (2022). Synthesis, characterization, and photocatalytic performance of methyl orange in aqueous TiO₂ suspension under UV and solar light irradiation. *South African Journal of Chemical Engineering*, 40, 113–125. <https://doi.org/10.1016/j.sajce.2022.02.002>
- Roopan, S. M., Bharathi, A., Prabhakarn, A., Abdul Rahuman, A., Velayutham, K., Rajakumar, G., Padmaja, R. D., Lekshmi, M., & Madhumitha, G. (2012). Efficient phyto-synthesis and structural characterization of rutile TiO₂ nanoparticles using Annona squamosa peel extract. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 98, 86–90. <https://doi.org/10.1016/j.saa.2012.08.055>
- Roy, J. (2022). The synthesis and applications of TiO₂ nanoparticles derived from phytochemical sources. *Journal of Industrial and Engineering Chemistry*, 106, 1–19. <https://doi.org/10.1016/j.jiec.2021.10.024>
- Safni, S., Y.O Fitriani, U. Septiani, R. A Putri, S. et al. (2017). Degradation of Direct Red-23 Dye by Photolysis with The Addition of C-N- codoped TiO₂ Catalyst. 3(November), 153–160.
- Safni, S., Deliza, Anggraini, D., Dewi, R. S., Ulia, H., & Wellia, D. V. (2016). Degradation of direct red-81 and direct yellow-27 by photolysis with UV-light and solar irradiation using C-N-codoped TiO₂. *Der Pharma Chemica*, 8(12),

30–35.

- Safni, S., T, Ollinovela., S, Syukri., Degradation of Imidacloprid Residue in Cabbage (*Brassica oleracea*) Using Advanced Oxidation Processes and Its Analyzing by Spectrophotometer and HPLC. *International Journal on Advanced Science Engineering Information Technology*, 2022, 12(1), 284-289.
- Sagadevan, S., Anita Lett, J., Vennila, S., Varun Prasath, P., Saravanan Kaliaraj, G., Fatimah, I., Léonard, E., Mohammad, F., Al-Lohedan, H. A., Alshahateet, S. F., & Lee, C. T. (2021). Photocatalytic activity and antibacterial efficacy of titanium dioxide nanoparticles mediated by *Myristica fragrans* seed extract. *Chemical Physics Letters*, 771(March). <https://doi.org/10.1016/j.cplett.2021.138527>
- Sagadevan, S., Imteyaz, S., Murugan, B. (2022). A comprehensive review on green synthesis of titanium dioxide nanoparticles and their diverse biomedical applications. In ... *and Synthesis*. degruyter.com. <https://doi.org/10.1515/gps-2022-0005>
- Sankar, R. (2015). Ultra-rapid photocatalytic activity of *Azadirachta indica* engineered colloidal titanium dioxide nanoparticles. *Applied Nanoscience (Switzerland)*, 5(6), 731–736. <https://doi.org/10.1007/s13204-014-0369-3>
- Sankar, R., Rizwana, K., Shivashangari, K. S., & Ravikumar, V. (2015). Ultra-rapid photocatalytic activity of *Azadirachta indica* engineered colloidal titanium dioxide nanoparticles. *Applied Nanoscience (Switzerland)*, 5(6), 731–736. <https://doi.org/10.1007/s13204-014-0369-3>
- Santhoshkumar, T. (2014). Green synthesis of titanium dioxide nanoparticles using *Psidium guajava* extract and its antibacterial and antioxidant properties. *Asian Pacific Journal of Tropical Medicine*, 7(12), 968–976. [https://doi.org/10.1016/S1995-7645\(14\)60171-1](https://doi.org/10.1016/S1995-7645(14)60171-1)
- Santhoshkumar, T., Rahuman, A. A., Jayaseelan, C., Rajakumar, G., Marimuthu, S., Kirthi, A. V., Velayutham, K., Thomas, J., Venkatesan, J., & Kim, S. K. (2014). Green synthesis of titanium dioxide nanoparticles using *Psidium guajava* extract and its antibacterial and antioxidant properties. *Asian Pacific Journal of Tropical Medicine*, 7(12), 968–976. [https://doi.org/10.1016/S1995-7645\(14\)60171-1](https://doi.org/10.1016/S1995-7645(14)60171-1)
- Sepahvand, M., Buazar, F., & Sayahi, M. H. (2020). Novel marine-based gold nanocatalyst in solvent-free synthesis of polyhydroquinoline derivatives: Green and sustainable protocol. *Applied Organometallic Chemistry*, 34(12), 1–11. <https://doi.org/10.1002/aoc.6000>
- Sett, A., Gadewar, M., Sharma, P., Deka, M., & Bora, U. (2016). Green synthesis of gold nanoparticles using aqueous extract of *Dillenia indica*. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 7(2), 1–7. <https://doi.org/10.1088/2043-6262/7/2/025005>
- Shakeel, N., Piwoński, I., Iqbal, P., & Kisielewska, A. (2025). Green Synthesis of

- Titanium Dioxide Nanoparticles: Physicochemical Characterization and Applications: A Review. *International Journal of Molecular Sciences*, 26(12), 1–33. <https://doi.org/10.3390/ijms26125454>
- Shankar, S., Jaiswal, L., Aparna, R. S. L., Vara Prasad, R. G. S., Kumar, G. P., & Manohara, C. M. (2015). Wound healing potential of green synthesized silver nanoparticles prepared from *Lansium domesticum* fruit peel extract. *Materials Express*, 5(2), 159–164. <https://doi.org/10.1166/mex.2015.1225>
- Shimi, A. K., Ahmed, H. M., Wahab, M., Katheria, S., Wabaidur, S. M., Eldesoky, G. E., Islam, M. A., & Rane, K. P. (2022). Synthesis and Applications of Green Synthesized TiO₂ Nanoparticles for Photocatalytic Dye Degradation and Antibacterial Activity. *Journal of Nanomaterials*, 2022. <https://doi.org/10.1155/2022/7060388>
- Shimi, A. K., Wabaidur, S. M., Siddiqui, M. R., Islam, M. A., Rane, K. P., & Jeevan, T. S. A. (2022). Photocatalytic Activity of Green Construction TiO₂ Nanoparticles from *Phyllanthus niruri* Leaf Extract. *Journal of Nanomaterials*, 1–11. <https://doi.org/10.1155/2022/7011539>
- Shyam-Sundar, N., Karthi, S., Senthil-Nathan, S. (2023). Eco-friendly biosynthesis of TiO₂ nanoparticles using *Desmostachya bipinnata* extract: Larvicidal and pupicidal potential against *Aedes aegypti* and In *Science of the Total ...* Elsevier.
- Singh Jassal, P., Kaur, D., Prasad, R., & Singh, J. (2022). Green synthesis of titanium dioxide nanoparticles: Development and applications. *Journal of Agriculture and Food Research*, 10(May), 100361. <https://doi.org/10.1016/j.jafr.2022.100361>
- Sonker, R. K., Hitkari, G., Sabhajeet, S. R., Sikarwar, S., Rahul, & Singh, S. (2020). Green synthesis of TiO₂ nanosheet by chemical method for the removal of Rhodamin B from industrial waste. *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 258(April), 114577. <https://doi.org/10.1016/j.mseb.2020.114577>
- Sreerenjini, C. R., Balan, B., Mani, G. (2021). Microwave-assisted synthesis: a new tool in green technology. *Materials and Green* <https://doi.org/10.1201/9781003055471-2>
- Srinivasan, M., Venkatesan, M., Arumugam, V., Natesan, G., Saravanan, N., Murugesan, S., Ramachandran, S., Ayyasamy, R., & Pugazhendhi, A. (2019). Green synthesis and characterization of titanium dioxide nanoparticles (TiO₂ NPs) using *Sesbania grandiflora* and evaluation of toxicity in zebrafish embryos. *Process Biochemistry*, 80, 197–202. <https://doi.org/10.1016/j.procbio.2019.02.010>
- Štrbac, D., Aggelopoulos, C. A., Štrbac, G., Dimitropoulos, M., Novaković, M., Ivetić, T., & Yannopoulos, S. N. (2018). Photocatalytic degradation of Naproxen and methylene blue: Comparison between ZnO, TiO₂ and their mixture. *Process Safety and Environmental Protection*, 113. <https://doi.org/10.1016/j.psep.2017.10.007>

- Sun, Y., Wang, S., & Zheng, J. (2019). Biosynthesis of TiO₂ nanoparticles and their application for treatment of brain injury-An in-vitro toxicity study towards central nervous system. *Journal of Photochemistry and Photobiology B: Biology*, 194(1277), 1–5. <https://doi.org/10.1016/j.jphotobiol.2019.02.008>
- Sundrarajan, M., & Gowri, S. (2011). Green synthesis of titanium dioxide nanoparticles by nyctanthes arbor-tristis leaves extract. *Chalcogenide Letters*, 8(8), 447–451.
- Syahin Firdaus Aziz Zamri, M., & Sapawe, N. (2019). Effect of pH on Phenol Degradation Using Green Synthesized Titanium Dioxide Nanoparticles. *Materials Today: Proceedings*, 19, 1321–1326. <https://doi.org/10.1016/j.matpr.2019.11.144>
- Techavuthiporn, C. (2018). Langsat—*Lansium domesticum*. In *Exotic Fruits*. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-803138-4.00036-8>
- Thakur, B. K. (2019). Green synthesis of titanium dioxide nanoparticles using Azadirachta indica leaf extract and evaluation of their antibacterial activity. *South African Journal of Botany*, 124, 223–227. <https://doi.org/10.1016/j.sajb.2019.05.024>
- Thakur, B. K., Kumar, A., & Kumar, D. (2019). Green synthesis of titanium dioxide nanoparticles using Azadirachta indica leaf extract and evaluation of their antibacterial activity. *South African Journal of Botany*, 124, 223–227. <https://doi.org/10.1016/j.sajb.2019.05.024>
- Theodorakopoulos, G. V., Papageorgiou, S. K., Katsaros, F. K., Romanos, G. E., & Beazi-Katsioti, M. (2024). Investigation of MO Adsorption Kinetics and Photocatalytic Degradation Utilizing Hollow Fibers of Cu-CuO/TiO₂ Nanocomposite. *Materials*, 17(18). <https://doi.org/10.3390/ma17184663>
- Tkaczyk, A., Mitrowska, K., & Posyniak, A. (2020). Synthetic organic dyes as contaminants of the aquatic environment and their implications for ecosystems: A review. *Science of the Total Environment*, 717, 137222. <https://doi.org/10.1016/j.scitotenv.2020.137222>
- Ul-Hamid, A., Baig, N., Haider, A., Hakeem, A. S., & Ikram, M. (2023). Using biologically synthesized TiO₂ nanoparticles as potential remedy against multiple drug resistant Staphylococcus aureus of bovine mastitis. *Scientific Reports*, 13(1), 1–16. <https://doi.org/10.1038/s41598-023-45762-4>
- ur Rehman, K., Zaman, U., Tahir, K., Khan, D., Khattak, N. S., Khan, S. U., Khan, W. U., Nazir, S., Bibi, R., & Gul, R. (2022a). A Coronopus didymus based eco-benign synthesis of Titanium dioxide nanoparticles (TiO₂ NPs) with enhanced photocatalytic and biomedical applications. *Inorganic Chemistry Communications*, 137(December 2021), 109179. <https://doi.org/10.1016/j.inoche.2021.109179>
- ur Rehman, K., Zaman, U., Tahir, K., Khan, D., Khattak, N. S., Khan, S. U., Khan, W. U., Nazir, S., Bibi, R., & Gul, R. (2022b). A Coronopus didymus based eco-benign synthesis of Titanium dioxide nanoparticles (TiO₂ NPs) with

- enhanced photocatalytic and biomedical applications. *Inorganic Chemistry Communications*, 137(August 2021), 109179. <https://doi.org/10.1016/j.inoche.2021.109179>
- Velayutham, K., Rahuman, A. A., Rajakumar, G., Santhoshkumar, T., Marimuthu, S., Jayaseelan, C., Bagavan, A., Kirthi, A. V., Kamaraj, C., Zahir, A. A., & Elango, G. (2012). Evaluation of *Catharanthus roseus* leaf extract-mediated biosynthesis of titanium dioxide nanoparticles against *Hippobosca maculata* and *Bovicola ovis*. *Parasitology Research*, 111(6), 2329–2337. <https://doi.org/10.1007/s00436-011-2676-x>
- Verma, V., Al-Dossari, M., Singh, J., Rawat, M., Kordy, M. G. M., & Shaban, M. (2022). A Review on Green Synthesis of TiO₂ NPs: Synthesis and Applications in Photocatalysis and Antimicrobial. *Polymers*, 14(7). <https://doi.org/10.3390/polym14071444>
- Viswanathan, K. E., Dhivya, K., Anusha, G., & Anandaraj, S. (2024). Photocatalytic Degradation of Acetaminophen Using Carbon-TiO₂ Nanocatalyst Extracted from Hibiscus Flower under Visible Light. *Journal of Environmental Nanotechnology*, 13(3), 353–360. <https://doi.org/10.13074/jent.2024.09.242763>
- Wahyuono, S., & Astuti, P. (2022). A bioactive compound isolated from Duku (*Lansium domesticum* Corr) fruit peels exhibits cytotoxicity against T47D cell line. 1–10.
- Yan, Z., Qian, J., Yapaoz, M. A., Attar, A., Samanta, S., & Agarwal, S. (2020). Review on recent advance biosynthesis of TiO₂ nanoparticles from plant-mediated materials : characterization , mechanism and application Review on recent advance biosynthesis of TiO₂ nanoparticles from plant-mediated materials : characterization , mecha. 1142. <https://doi.org/10.1088/1757-899X/1142/1/012005>
- Ye, Y., Feng, Y., Bruning, H., Yntema, D., & Rijnaarts, H. H. M. (2018). Photocatalytic degradation of metoprolol by TiO₂ nanotube arrays and UV-LED: Effects of catalyst properties, operational parameters, commonly present water constituents, and photo-induced reactive species. *Applied Catalysis B: Environmental*, 220, 171–181. <https://doi.org/10.1016/j.apcatb.2017.08.040>
- Yitagesu, G. B., Leku, D. T., & Workneh, G. A. (2023). Green Synthesis of TiO₂ Using *Impatiens rothii* Hook.f. Leaf Extract for Efficient Removal of Methylene Blue Dye. *ACS Omega*, 8(46), 43999–44012. <https://doi.org/10.1021/acsomega.3c06142>
- Zahra, M., Abrahamse, H., & George, B. P. (2024). Flavonoids: Antioxidant Powerhouses and Their Role in Nanomedicine. *Antioxidants*, 13(8). <https://doi.org/10.3390/antiox13080922>
- Zare, M., Namratha, K., Thakur, M. S., & Byrappa, K. (2019). Biocompatibility assessment and photocatalytic activity of bio-hydrothermal synthesis of ZnO nanoparticles by *Thymus vulgaris* leaf extract. In *Materials Research Bulletin*. Elsevier.

<https://www.sciencedirect.com/science/article/pii/S0025540818314156>

- Zazo, J. A., Silveira, J. E., Paz, W. S., Garcia-mu, P., & Casas, J. A. (2017). *Applied Catalysis B: Environmental UV-LED / ilmenite / persulfate for azo dye mineralization: The role of sulfate in the catalyst deactivation*. 219, 314–321. <https://doi.org/10.1016/j.apcatb.2017.07.072>
- Zein, R., Satrio Purnomo, J., Ramadhani, P., Safni, Alif, M. F., & Putri, C. N. (2023). Enhancing sorption capacity of methylene blue dye using solid waste of lemongrass biosorbent by modification method. *Arabian Journal of Chemistry*, 16(2), 104480. <https://doi.org/10.1016/j.arabjc.2022.104480>
- Zhang, J., Xie, X., Li, Q., Wang, J., & Zhang, S. (2023). Combined toxic effects of TiO₂ nanoparticles and organo chlorines on *Chlorella pyrenoidosa* in karst area natural waters. In *Aquatic Toxicology*. Elsevier. <https://www.sciencedirect.com/science/article/pii/S0166445X23000498>
- Zheng, X. (2022). Application of nano-TiO₂ photocatalyst in marine pollution control. *Desalination and Water Treatment*, 268, 303–312. <https://doi.org/10.5004/dwt.2022.28703>
- Zhu, J., Zhu, Y., Zhou, Y., Wu, C., Chen, Z., & Chen, G. (2023). Synergistic Promotion of Photocatalytic Degradation of Methyl Orange by Fluorine- and Silicon-Doped TiO₂/AC Composite Material. *Molecules*, 28(13). <https://doi.org/10.3390/molecules28135170>
- Zuliani, A., & Cova, C. M. (2021). Green Synthesis of Heterogeneous Visible-Light-Active Photocatalysts: Recent Advances. *Photochem*, 1(2), 147–166. <https://doi.org/10.3390/photochem1020009>

