

DAFTAR PUSTAKA

- Abd-Alla, M. H., El-Sayed, E. S. A., & Rasmey, A. H. M. (2013). Indole-3-Acetic Acid (IAA) Production By *Streptomyces Sppatrovirens* Isolated From Rhizospheric Soil In Egypt. *J Biol Earth Sci*, 3(2), 182-193.
- Agrios., G. N. (2005). *Plant Pathology* (5th Ed.). San Diego: Elsevier Academic Press.
- Anomsari, S.D., & Prayudi, B. (2012). *Budidaya Tomat. Balai Pengkajian Teknologi Pertanian Jawa Tengah. Semarang.*
- Anugrahwati., (2008). Aktifitas *Actinomycetes* Endofit Sebagai Bionematisida Terhadap *Meloidogyne Javanica*. *Crop Agro. Jurnal Ilmiah Budidaya*, 1 (2), 114-122.
- Astari, R. Puji, Rosmayati, & Bayu, E. Sartini. (2014). Pengaruh Pematahan Dormansi Secara Fisik Dan Kimia Terhadap Kemampuan Berkecambah Benih *Mucuna* (*Mucuna Bracteata* D.C). 2(2), 803–812.
- Badan Pusat Statistik Sumatra Barat. 2024. *Sumatra Barat dalam Angka 2024*. Berita Resmi Badan Pusat Statistik, 54
- Badan Pusat Statistik. 2024. *Statistik Hortikultura 2024: Produksi Dan Luas Panen Tomat Menurut Provinsi, 2020–2024*. Jakarta: Badan Pusat Statistik. Diakses Pada 12 Agustus 2025, Dari <https://www.bps.go.id>
- Baihakki., Liestiany., E., & Salamiah. (2016). Pengendalian Nematoda Puru Akar (*Meloidogyne* Spp.) Pada Seledri Dengan Bokashi Kipahit dan *Trichoderma* Sp. *Proteksi Tanaman Tropika*, 7(03), 952–959.
- Barka, E. A., Vatsa, P., Sanchez, L., Gaveau-Vaillant, N., Jacquard, C., Meier-Kolthoff, J. P., Klenk, H. P., Clément, C., Ouhdouch, Y., & Van Wezel, G. P. (2015). Taxonomy, Physiology, And Natural Products Of Actinobacteria. *Microbiology And Molecular Biology Reviews* : MMBR, 80(1), 1–43. <https://doi.org/10.1128/MMBR.00019-15>
- Bernadus, ., & Wahyu, W. (2002). *Bertanam Tomat*. Banda Aceh: *Agromedia Pustaka*
- Bird., A. F., & Bird, J. 1991. *The Structure Of Nematodes* (2nd Ed.). New York: Academic Press.
- Boakye., T. A., Anning, D., K., Li, H., Osei, R., Boamah, S., & Anim, S. (2022). Mechanism Of Antagonistic Bioagents In Controlling Root-Knot Nematodes (*Meloidogyne* Sp.): A Review. *Asian Research Journal Of Agriculture*, 15(2), 27–44. <https://doi.org/10.9734/Arja/2022/V15i2300>
- Copeland & Mcdonald, M. B. (2001). *Principles Of Seed Science And Technology* (4th Ed.). Springer. Print ISBN 978-0-7923-7322-3; E-Book ISBN 978-1-4615-1619-4; DOI <https://doi.org/10.1007/978-1-4615-1619-4>
- Eisenback., J. D., & Hirschmann., H. (1981). Identification Of *Meloidogyne*

- Species On The Basis Of Head Shape And Stylet Morphology Of The Male. *Journal Of Nematology*, 13(4), 513–521. <https://pubmed.ncbi.nlm.nih.gov/19300797/>
- Eisenback., J. D., Hirschmann., H., & Triantaphyllou., A., C. (1980). Morphological Comparison Of *Meloidogyne* Males By Scanning Electron Microscopy. *Journal Of Nematology*, 12(1), 23–32. <https://pubmed.ncbi.nlm.nih.gov/19300666/>
- Elling., A., A., (2013). Major Emerging Problems With Minor *Meloidogyne* Species. *Phytopathology*, 103(11), 1092–1102. <https://doi.org/10.1094/PHYTO-01-13-0019-RVW>
- Fadel., Yusuf, R., & Syakur, A. (2017). Pertumbuhan Dan Hasil Tanaman Tomat (*Lycopersicum Esculentum* Mill.) Pada Pemberian Berbagai Jenis Mulsa. *Agrotekbis*, 5(2), 152–160.
- Fadil., M. (2022). *Karakterisasi Dan Identifikasi Aktinobakteria Indigenos Sebagai Agens Biokontrol (Xanthomonas Oryzae Pv. Oryzae) Dan Aktivitas Enzim Pertahanan Tanaman Padi. [Thesis]*. Universitas Andalas. Fakultas Pertanian. Padang
- Fadil., M., Yanti., Y., & Khairul., U. (2023). Seleksi Aktinobakteria Indigenos Untuk Pengendalian Penyakit Hawar Daun Bakteri (*Xanthomonas Oryzae* Pv. *Oryzae*) Serta Peningkatan Pertumbuhan Padi. *Jurnal Agrohita: Jurnal Agroteknologi Fakultas Pertanian Universitas Muhammadiyah Tapanuli Selatan*, 8(1), 93–105. <https://doi.org/10.31604/Jap.V8i1.8178>
- Gunawan, E., Susila, A. D., Sutandi, A., & Santosa, E. (2019). Determination of the Best Potassium Extraction Method for Tomato (*Solanum lycopersicum* L.) on Andisols. *Jurnal Hortikultura Indonesia*, 10(3), 173–181.
- Habazar., T., Winarto, Obel, Y., Yanti, Y., Dani, M. R., & Monica, D. (2021). Biocontrol Of *Meloidogyne* Sp. On Tomato Plants By Selected *Bacillus* Spp. *IOP Conference Series: Earth And Environmental Science*, 757(1), 012019. <https://doi.org/10.1088/1755-1315/757/1/012019>
- Halid., E., Mutalib., A., Inderiati, S., & Rahmad, D. (2021). Pertumbuhan Dan Produksi Tanaman Tomat (*Lycopersium Esculentum* Mill.) Pada Pemberian Berbagai Dosis Bubuk Cangkrang Telur. *J. Agropiantae*, 10(1), 59–66.
- Hooper, D. J., Hallmann, J., & Subbotin, S. A. (2005). Methods For Extraction, Processing And Detection Of Plant And Soil Nematodes. In *Plant Parasitic Nematodes In Subtropical And Tropical Agriculture* (Pp. 53-86). Wallingford UK: CABI Publishing.
- Hu., H., Gao., Y., Li, X., Zhao, H., & Chen, X. (2020). Identification And Nematicidal Characterization Of Proteases Secreted By Endophytic Bacteria. *Phytopathology*, 110(3), 593–600. <https://doi.org/10.1094/PHYTO-08-19-0324-R>
- Hunt., D., J., & Handoo, Z. A. (2009). Taxonomy, Identification And Principal Species. In *Plant And Insect Parasitic Nematodes* (Pp. 1–14). CRC

Press/Taylor & Francis

- Hussey, R., S., & Barker, K. R. (1973). A Comparison Of Methods Of Collecting Inocula Of *Meloidogyne Spp.*, Including A New Technique. *Plant Disease Reporter*, 57, 1025–1028.
- Irmawatie., L., Robana, R. R., & Nuraidah, N. (2019). Ketahanan Tujuh Varietas Tomat Terhadap Nematoda Puru Akar (*Meloidogyne Spp.*). *Agrotechnology Research Journal*, 3(2), 61–68. <https://doi.org/10.20961/Agrotechresj.V3i2.30392>
- Istifadah., N., & Hakim, N. (2017). Kemampuan Kompos Dan Kompos Plus Untuk Meningkatkan Ketahanan Tanaman Tomat Terhadap Penyakit Bercak Coklat (*Alternaria Solani* Sor.). *Agrikultura*, 28(3). <https://doi.org/10.24198/Agrikultura.V28i3.15742>
- Istiqomah., D., & Pradana, A. P. (2015). Teknik Pengendalian Nematoda Puru Akar (*Meloidogyne Spp.*) Ramah Lingkungan. Dalam *Prosiding Seminar Nasional Pencapaian Swasembada Pangan Melalui Pertanian Berkelanjutan*. Universitas Muhammadiyah Purwokerto. <https://doi.org/10.13140/RG.2.1.2693.8324>
- Jha, S., & Modi, H. A. (2018). Statistical Optimization Of Chitinase Production By *Streptomyces Rubiginosus* SP24 And Efficacy Of Purified Chitinase To Control Root-Knot Nematode Infection In *Vigna Radiata* Under Controlled Conditions. *Chemical And Biological Technologies In Agriculture*, 5(1), Article 20. <https://doi.org/10.1186/S40538-018-0133-0>
- Jin, N., Xue, H., Li, W. J., Wang, X. Y., Liu, Q., Liu, S., S., L., Liu., P., Zhao., L., J., & Jian, H. (2017). Field Evaluation Of *Streptomyces Rubrogriseus* HDZ-9-47 For Biocontrol Of *Meloidogyne Incognita* On Tomato. *Journal Of Integrative Agriculture*, 16(6), 1347-1357. [https://doi.org/10.1016/S2095-3119\(16\)61553-8](https://doi.org/10.1016/S2095-3119(16)61553-8)
- Kämpfer., P. (2006). The Family Streptomycetaceae, Part I: Taxonomy. In *The Prokaryotes* (3rd Ed., Vol. 3, Pp. 538–604). Springer
- Kaur., T., Jasrotia, S., Ohri, P., & Manhas, R. K. (2016). Evaluation Of *In Vitro* And *In Vivo* Nematicidal Potential Of A Multifunctional Streptomycete, *Streptomyces Hydrogenans* Strain DH16 Against *Meloidogyne Incognita*. *Microbiological Research*, 192, 247–252. <https://doi.org/10.1016/J.Micres.2016.07.009>
- Kawuri., R., Suprpta, D. N., & Nitta, Y. (2018). Antagonistic Activity Of *Streptomyces Thermocarboxydus* To *Fusarium Oxysporum*. The Cause Of Leaf Rot Disease On Aloe Vera (*Aloe Barbadensis* Mill.) In Bali, Indonesia. *Malaysian Journal Of Microbiology*, 14(1), 10–15.
- Khan., S.; Srivastava, S.; Karnwal, A.; Malik, T. 2023. *Streptomyces Sppas A Promising Biological Control Agents For Plant Pathogens*. *Frontiers In Microbiology* 14: 1285543. <https://doi.org/10.3389/Fmicb.2023.1285543>

- Khomampai., J., Jeeatid, N., Kaeomuangmoon, T., Pathom-Aree, W., Rangseekaew, P., Yosen, T., & Chromkaew, Y. (2024). Endophytic Actinomycetes Promote Growth And Fruits Quality Of Tomato (*Solanum Lycopersicum*): An Approach For Sustainable Tomato Production. *Peerj*, 12, E17725. <https://doi.org/10.7717/Peerj.17725>
- Khotimah., N., Wijaya, I. N., & Sritamin, M. (2020). Perkembangan Populasi Nematoda Puru Akar (*Meloidogyne* Spp.) Dan Tingkat Kerusakan Pada Beberapa Tanaman Familia Solanaceae. *Jurnal Agroekoteknologi Tropika*, 9(1), 23–31. Retrieved From <https://ojs.unud.ac.id/index.php/JAT/article/view/56747>
- Klement., Z., Rudolp, K., And Sands, D.C. 1990. Methods In Phytobacteriology. Academical Kiado Budapest. 547 Hal.
- Labeda., D., P. (2011). Multilocus Sequence Analysis Of Phytopathogenic Species Of The Genus *Streptomyces*. *International Journal Of Systematic And Evolutionary Microbiology*, 61(10), 2525–2531. <https://doi.org/10.1099/ijs.0.028514-0>
- Lee., J., Kim, S., Jung, H., Koo, B. K., Han, J. A., & Lee, H. S. (2023). Exploiting Bacterial Genera As Biocontrol Agents: Mechanisms, Interactions And Applications In Sustainable Agriculture. *Journal Of Plant Biology*, 66(6), 485–498. <https://doi.org/10.1007/S12374-023-09404-6>
- Lin., L., & Xu, X. (2013). Indole-3-Acetic Acid Production By Endophytic *Streptomyces* Sp. En-1 Isolated From Medicinal Plants. *Current Microbiology*, 67(2), 209–217. <https://doi.org/10.1007/S00284-013-0348-Z>
- Madigan. M., T, Martinko JM. 2006. *Brock Biology Of Microorganisms*. Ed Ke11.
- Mahadiptha, P., Sudana, I. M., & Raka, I. G. N. (2017). Pengaruh rhizobakteria pelarut fosfat terhadap pertumbuhan dan ketahanan tanaman kedelai (*Glycine max* L. Merrill) terhadap patogen virus mosaik. *Jurnal Agroekoteknologi Tropika*, 6(2), 153–164.
- Mahmoud, A. M. A., El-Eslamboly, A. A. S., Adam, S. M., & Maraey, S. A. E. (2025). Biocontrol Of *Meloidogyne Incognita* And Vegetative Growth Stimulation In Tomato ‘Moneymaker’ Plants By Egyptian Soil Bacteria. *Egyptian Journal Of Biological Pest Control*, 35(1), 24. <https://doi.org/10.1186/S41938-025-00860-5>
- Mani., J., Kandasamy, D., Vendan, R. T., Sankarasubramanian, H., Mannu, J., & Nagachandrabose, S. (2024). Unlocking The Potential Of *Streptomyces* Species As Promising Biological Control Agents Against Phytonematodes. *Physiological And Molecular Plant Pathology*, 134, 102465. <https://doi.org/10.1016/J.Pmpp.2024.102465>
- Meidani., C., Savvidis., A., Lampropoulou., E., Sagia, A., Katsifas, E., Monokrousos, N., Hatzinikolaou, D. G., Karagouni, A. D., Giannoutsou, E., Adamakis, I. S., & Ntalli, N. G. (2020). The Nematicidal Potential Of Bioactive *Streptomyces* Strains Isolated From Greek Rhizosphere Soils

Tested On Arabidopsis Plants Of Varying Susceptibility To *Meloidogyne* Spp. *Plants* (Basel, Switzerland), 9(6), 699. <https://doi.org/10.3390/Plants9060699>

- Munif., A., Wibowo, R. A., & Herliyana, E. N. (2015). Endophytic Bacteria From Forestry Plants As Plant Growth Promoting And Control Agent Of *Meloidogyne* Sp. On Tomato. *Jurnal Fitopatologi Indonesia*, 11(6), 179–186. <https://doi.org/10.14692/Jfi.11.6.179>
- Negretti., R. R. D., Manica-Berto, R., Agostinetti, D., Thürmer, L., & Gomes, C. B. (2014). Host Suitability Of Weeds And Forage Species To Root-Knot Nematode *Meloidogyne Graminicola* As A Function Of Irrigation Management. *Planta Daninha*, 32(3), 555–561. <https://doi.org/10.1590/S0100-83582014000300011>
- Nurkanto., A. (2007). Identifikasi Aktinomisetes Tanah Hutan Pasca Kebakaran Bukit Bangkirai Kalimantan Timur Dan Potensinya Sebagai Pendegradasi Selulosa Dan Pelarut Fosfat. *Biodiversitas*, 8(4), 314–319. <https://doi.org/10.13057/Biodiv/D080414>
- Orouji., E., Fathi Ghare Baba, M., Sadeghi, A., Gharanjik, S., & Koobaz, P. (2023). Specific *Streptomyces* Sppstrain Enhances The Growth, Defensive Mechanism, And Fruit Quality Of Cucumber By Minimizing Its Fertilizer Consumption. *BMC Plant Biology*, 23(1), 246. <https://doi.org/10.1186/S12870-023-04192-3>
- Park, J., Kim, Y., & Lee, S. (2020). Biological Control Of Root-Knot Nematode By *Streptomyces* Species Via Production Of Nematicidal Compounds. *Plants*, 9(7), 909. <https://doi.org/10.4014/Jmb.1908.08038>
- Pieterse, C.M.J., Van Wees, S.C.M., Van Pelt, J.A., Knoester, M., Laan, R., Gerrits, H., Weisbeek, P.J., & Van Loon, L.C. (2000). Rhizobacteria-mediated induced systemic resistance (ISR) in Arabidopsis requires sensitivity to jasmonate and ethylene but is not accompanied by an increase in their production. *Physiological and Molecular Plant Pathology*, 57(3), 123–134. <https://doi.org/10.1006/pmpp.2000.0291>
- Quinn., G., A, Banat., A., M., Abdelhameed.,A., M., Banat., I., M. 2020. *Streptomyces* Sppfrom Traditional Medicine: Sources Of New Innovations In Antibiotic Discovery. *Journal Of Medical Microbiology*. 69(8):1040–1048. DOI: <https://doi.org/10.1099/Jmm.0.001232>.
- Raihana., Fitriyanti., D., & Zairin. (2018). Aplikasi Perkembangan Stadia Hidup Nematoda Puru Akar (*Meloidogyne Spp.*) Mulai Dari Fase Telur Sampai Dewasa Pada Pertanaman Tomat (*Solanum Lycopersicum L.*) Di Kota Banjarbaru. *JTAM Agroekotek View*, 1(2), 25–35. Diakses Dari <https://pjp.uim.ac.id/journals/index.php/Agv/article/view/682>
- Ramadhany, K. A., Sudana, I. M., & Singarsa, I. D. P. (2021). Tingkat Perkembangan Nematoda Puru Akar (*Meloidogyne Spp.*) Pada Berbagai Jenis Tanaman Tomat Menggunakan Pengendalian Ekstrak Daun Kirinyuh. *Jurnal Agroekoteknologi Tropika*, 10(3), 286–293. <https://ojs.unud.ac.id/index.php/Jat/article/view/78330>

- Ruanpanun, P., Laatsch, H., Tangchitsomkid, N., & Lumyong, S. (2011). Nematicidal Activity Of Fervenuin Isolated From A Nematicidal Actinomycete, *Streptomyces* Sp. CMU-MH021, On Meloidogyne Incognita. *World Journal Of Microbiology & Biotechnology*, 27(6), 1373–1380. <https://doi.org/10.1007/S11274-010-0588-Z>
- Sasser, J. N., & Freckman, D. W. 1987. A World Perspective On Nematology: The Role Of The Society. Dalam: Veech, J. A., & Dickson, D. W. (Eds.). *Vistas On Nematology*. Pp. 7–14. Hyattsville, MD: Society Of Nematologists.
- Schaad, N. W., Jones, J. B., & Chun, W. (Eds.). (2001). *Laboratory Guide For Identification Of Plant Pathogenic Bacteria* (3rd Ed.). St. Paul, MN: APS Press
- Setiawati, W., Jayanti, H., Hudayya, A., & Hasyim, A. (2015). Pengaruh Insektisida Karbofuran Terhadap Kerusakan Dan Kehilangan Hasil Kentang Akibat Serangan Gryllotalpa Hirsuta Burmeister (Orthoptera: Gryllotalpidae) Serta Dampaknya Terhadap Keanekaragaman Artropoda Tanah. *Jurnal Hortikultura*, 25(1), 54–62. <https://doi.org/10.21082/Jhort.V25n1.2015.P56-62>
- Sexton, D.L. Dan Tocheva, E.I. 2020. Ultrastructure Of Exospore Formation In Streptomyces Revealed By Cryo-Electron Tomography. *Frontiers In Microbiology*, 11(581135): 1–12. <https://doi.org/10.3389/fmicb.2020.581135>
- Shabira, S. P., Hereri, A. I., & Kesumawati, E. (2019). Identifikasi Karakteristik Morfologi dan Produktivitas Beberapa Jenis Tanaman Tomat (*Lycopersicum esculentum*) di Dataran Rendah Identification of Morphological Characteristics and Productivity of Several Types of Tomato Plants (*Lycopersicum Esculentum*) in the Lowlands. In *Jurnal Ilmiah Mahasiswa Pertanian* (Vol. 4, Issue 2).
- Sharma, D., Mandal, S.M., & Manhas, R. K. (2019). Purification And Characterization Of A Novel Lipopeptidase From *Streptomyces Sppamritsarensis* Sp. Nov. Active Against Methicillin-Resistant *Staphylococcus Aureus*. *AMB Express*, 4(1). <https://doi.org/10.1186/S14568-014-0050-Y>
- Sharma, M., Jasrotia, S., Ohri, P., & Manhas, R. K. (2019). Nematicidal Potential Of *Streptomyces Antibioticus* Strain M7 Against *Meloidogyne Incognita*. *AMB Express*, 9(1), 168. DOI: [10.1186/S13568-019-0894-2](https://doi.org/10.1186/S13568-019-0894-2)
- Sharma, N., Khanna, K., Manhas, R. K., Bhardwaj, R., Ohri, P., Alkahtani, J., Alwahibi, M. S., & Ahmad, P. (2020). Insights Into The Role Of *Streptomyces Hydrogenans* As The Plant Growth Promoter, Photosynthetic Pigment Enhancer And Biocontrol Agent Against *Meloidogyne Incognita* In *Solanum Lycopersicum* Seedlings. *Plants* (Basel, Switzerland), 9(9), 1109. <https://doi.org/10.3390/Plants9091109>
- Shimizu M, Naznin HA, Hieno A. 2022. The Significance Of Mycoparasitism By *Streptomyces* Sp. MBCN152-1 For Its Biocontrol Activity Against

Alternaria Brassicicola. Microbes And Environments. 37(3):1–9. DOI: <https://doi.org/10.1264/jsme2.ME22048>.

- Shirling, E. B., & Gottlieb, D. (1966). Methods for characterization of *Streptomyces* species. *International Journal of Systematic Bacteriology*, 16(3), 313–340. <https://doi.org/10.1099/00207713-16-3-313>
- Sikandar, A., Wu, F., He, H., Ullah, R. M. K., & Wu, H. (2024). Growth, Physiological, And Biochemical Variations In Tomatoes After Infection With Different Density Levels Of *Meloidogyne Enterolobii*. *Plants*, 13(2), 293. <https://doi.org/10.3390/Plants13020293>
- Sivan, A., & Chet, I. (1986). Biological control of *Fusarium* spp. in cotton, wheat and muskmelon by *Trichoderma harzianum*. *Journal of Phytopathology*, 116(1), 39–47. <https://doi.org/10.1111/j.1439-0434.1986.tb00892>.
- Soliman, G. M., Ameen, H. H., Abdel-Aziz, S. M., & El-Sayed, G. M. (2019). In Vitro Evaluation Of Some Isolated Bacteria Against The Plant Parasite Nematode *Meloidogyne Incognita*. *Bulletin Of The National Research Centre*, 43(1).
- Srinivas, V., Gopalakrishnan, S., Kamidi, J. P., & Chander, A. G. (2020). Effect Of Plant Growth-Promoting *Streptomyces* Sp. On Plant Growth And Yield Of Tomato And Chilli. *Andhra Pradesh J Agril. Sci*, 65-70.
- Subedi, S., Thapa, B., & Shrestha, J. (2020). Root-Knot Nematode (*Meloidogyne Incognita*) And Its Management: A Review. *Journal Of Agriculture And Natural Resources*, 3(2), 21–31.
- Subhan, N., Nurtika, & Gunadi, N. (2009). Respons tanaman tomat terhadap penggunaan pupuk majemuk NPK 15-15-15 pada tanah latosol pada musim kemarau. *Jurnal Hortikultura*, 19(1), 40–48.
- Suhardjadinata, Kurniati, F. Dan, & Lulu, D. H. N. (2020). The Effect Of Inoculation Of Mycorrhizal Arbuscular Fungi And Fertilizer On The Growth And Yield Of Tomatoes (*Lycopersicum Esculentum* Mill.). *Media Pertanian*, 5(1), 20–30.
- Sun., Y., Xie, J., Tang, L., Odiba, A. S., Chen, Y., Fang, W., Li, J., Wu, C., & Wang, B. (2023). Isolation, Identification And Molecular Mechanism Analysis Of The Nematicidal Compound Spectinabilin From Newly Isolated *Streptomyces* Sp. DT10. *Molecules*, 28(11), 4365. <https://doi.org/10.3390/Molecules28114365>
- Sutariati, G. A. K., Rekian, T. C., Agustina, Sopacua, N., Mudi, L., & Haq, M. (2014). Potential Study Of Plant Growth Promoting Rhizobacteria Isolated From Healthy Rice Rhizosphere. *Jurnal Agroteknos*, 4(2), 71–77.
- Totong, O., Hadid, A., & Mas'ud, H. (2016). Pertumbuhan Dan Hasil Tanaman Tomat (*Lycopersicum Esculentum* Mill) Pada Berbagai Media Tumbuh Dengan Interval Penyiraman Air Kelapa Yang Berbeda. *Agrotekbis*, 4(6), 693–701.
- Trismal, O., Busniah, M., & Winarto. (2018). Efektifitas Serbuk Daun *Tagetes Erecta* Linnaeus Untuk Mengendalikan Nematoda Bengkak Akar

(*Meloidogyne* Spp.) Pada Tanaman Tomat (*Lycopersicum Esculentum* Mill.). *JPT : Jurnal Proteksi Tanaman*, 2(2), 61–68. <https://doi.org/10.25077/jpt.2.2.65-71.2018>

Vaghela, N. R., & Gohel, S. D. (2025). Liquid Formulation Of Halo-Alkali-Thermo-Tolerant Rhizobacteria For Enhanced Growth Of Mung Bean Crops Under Abiotic Stresses. *Scientific Reports*, 15(1), 21330. <https://doi.org/10.1038/s41598-025-05883-4>

Vurukonda, S. S. K. P., Giovanardi, D., & Stefani, E. (2018). Plant Growth Promoting And Biocontrol Activity Of *Streptomyces* Spp. As Endophytes. *International Journal Of Molecular Sciences*, 19(4), 952. <https://doi.org/10.3390/ijms19040952>

Wabdaron, V., Ruimassa, R. M. R., & Martanto, E. A. (2024). Efektivitas *Tagetes* Spp Sebagai Tanaman Antagonis Untuk Mengendalikan Nematoda Puru Akar Pada Tanaman Seledri (*Apium Graveolens* L.). *Cassowary*, 7(1), 56–64. <https://doi.org/10.30862/Cassowary.Cs.V7.I1.272>

Winarto, T., Rusli, R., Tama, D. P., Barokah, H., & Andini, F. Y. (2023). Control Of Root-Knot Nematodes (*Meloidogyne* Spp.) On Tomato (*Lycopersicum Esculentum* Mill.) Using Endophytic Fungi *Trichoderma Asperellum* And *Beauveria Bassiana*. *JERAMI: Indonesian Journal Of Crop Science*, 6(1), 7–13. <https://doi.org/10.25077/jijcs.6.1.7-13.2023>

Winarto, W., Yanti, Y., Hamid, H., & Yaherwandi, Y. (2024). The Endophytic Potential, *Bacillus* Spp. For Controlling *Meloidogyne* Sp. And Increasing Tomato Growth And Production. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 24(1), 66–74. <https://doi.org/10.23960/jhptt.12466-74>

Yanti, Y., Hamid, H., & Wasirin, P. C. (2024). Potential Of *Bacillus* Spp. Consortium For Controlling *Meloidogyne* Spp. And Enhancing Tomato Crop Production. *AGROMIX*, 15(1), 100-108.

Yanti, Y., Warnita, Reflin, & Busniah, M. (2017). Identification And Characterizations Of Potential Indigenous Endophytic Bacteria Which Had Ability To Promote Growth Rate Of Tomato And Biocontrol Agents Of *Ralstonia Solanacearum* And *Fusarium Oxysporum* Fsp. *Solani*. *Microbiology Indonesia*, 11(4), 117–122

Zamoum, M., Goudjal, Y., Sabaou, N., Mathieu, F., & Zitouni, A. (2017). Development Of Formulations Based On *Streptomyces Rochei* Strain PTL2 Spores For Biocontrol Of *Rhizoctonia Solani* Damping-Off Of Tomato Seedlings. *Biocontrol Science And Technology*, 27(6), 723–738. <https://doi.org/10.1080/09583157.2017.1334257>