

DAFTAR PUSTAKA

- Abd El-Mageed, T. A., Abd El-Mageed, S. A., El-Saadony, M. T., Abdelaziz, S., & Abdou, N. M. (2022). Plant growth-promoting rhizobacteria improve growth, morpho-physiological responses, water productivity, and yield of rice plants under full and deficit drip irrigation. *Rice*, 15(1), 16. <https://doi.org/10.1186/s12284-022-00564-6>.
- Aisah, N., Aini, S. N., Dermiyati, Arif, M. A. S., Setiawati, A. R., Prasetyo, D., & Lumbanraja, J. (2024). Pengaruh sistem olah tanah dan pemupukan terhadap respirasi dan biomassa karbon mikroorganisme tanah. *Jurnal Agrotek Tropika*, 12(2), 447–460. <http://repository.lppm.unila.ac.id/53857/1/8930-31593-2-PB.pdf>.
- Akbari, M., Akbari, D., & Sajedi, N. A. (2012). Influence of sodium hypochlorite on seed germination and early seedling growth of rice (*Oryza sativa* L.) variety Tarum. *Research on Crops*, 13(1), 11–15.
- Akhtar, N., Ilyas, N., Yasmin, H., Sayyed, R. Z., Hasnain, Z., Elsayed, E. A., & El Enshasy, H. A. (2021). Role of *Bacillus cereus* in improving the growth and phytoextractability of *Brassica nigra* (L.) K. Koch in chromium contaminated soil. *Molecules*, 26(6), 1569. <https://doi.org/10.3390/maulecules26061569>.
- Ali, Q., Haider, M. U., Ahmed, M. Z., Aslam, M., Ayub, M. A., & Ashraf, M. A. (2022). Revealing plant growth-promoting mechanisms of *Bacillus* strains in elevating rice growth and its interaction with salt stress. *Frontiers in Plant Science*, 13, 947934. <https://doi.org/10.3389/fpls.2022.947934>.
- Amalia, D. A. L., Oedjijono, O., & Purwanto, P. (2020). Eksplorasi bakteri diazotrof dari rizosfer tanaman bawah merah (*Allium ascalonicum* L.) di Brebes, Jawa Tengah. *BioEksakta: Jurnal Ilmiah Biologi Unsoed*, 2(3), 464. <https://doi.org/10.20884/1.bioe.2020.2.3.3480>.
- Asmarani, M. (2017). *Analisis Adaptasi Padi Sawah Beras Merah Yang Digogokan*. Fakultas Pertanian Universitas Lampung.
- Badan Penelitian dan Pengembangan Pertanian (Balitbangtan). (2014). Kumpulan Deskripsi Varietas Padi. Balai Pengkajian Teknologi Pertanian Jawa Tengah
- Badan Pusat Statistik (BPS). (2024). *Jumlah Penduduk Pertengahan Tahun 2024*. Berita Resmi Statistik.
- Badan Pusat Statistik (BPS). (2025). *Luas Panen & Produksi Padi di Indonesia 2024 (Angka Tetap)*. Berita Resmi Statistik.
- Badan Riset dan Inovasi Nasional (BRIN). (2023). Suhu ideal pertumbuhan tanaman padi 22-28 derajat celcius. Suara Surabaya. <https://www.suara-surabaya.net/kelanakota/2023/brin-suhu-ideal-pertumbuhan-tanaman-padi-22-28-derajat-celsius/>.

- Badan Standarisasi Instrumen pertanian (BSIP). (2023). *Analisis Kimia Tanah, Tanaman, Air dan Pupuk*. Edisi Ketiga. Bogor
- Barkelaar, D. (2001). *Sistem intensifikasi padi (The System of Rice Intensification/SRI): Sedikit dapat memberi lebih banyak* (Terj. I. Surono, 2008). *Buletin ECHO Development Notes*, 70, 1-6 hal.
- Beneduzi, A., Ambrosini, A., & Passaglia, L. M. P. (2012). Plant growth-promoting rhizobacteria (PGPR): Their potential as antagonists and biocontrol agents. *Genetics and Molecular Biology*, 35(4), 1044–1051. <https://doi.org/10.1590/S1415-47572012000600020>.
- Berg, G., Eberl, L., & Hartmann, A. (2005). The rhizosphere as a reservoir for opportunistic human pathogenic bacteria. *Environmental microbiology*, 7(11), 1673-1685.
- Bhattacharyya, P. N., & Jha, D. K. (2012). Plant growth-promoting rhizobacteria (PGPR): Emergence in agriculture. *World Journal of Microbiology and Biotechnology*, 28(4), 1327-1350. <https://doi.org/10.1007/s11274-011-0979-9>.
- Botelho, G. R., & Mendonça, H. L. C. (2006). Fluorescent Pseudomonads associated with the rhizosphere of crops: An overview. *Brazilian Journal of Microbiology*, 37, 401-416.
- Brooke, J. S., Di Bonaventura, G., Berg, G., & Martinez, J. L. (2017). Editorial: A multidisciplinary look at *Stenotrophomonas maltophilia*: An emerging multi-drug resistant global opportunistic pathogen. *Frontiers in Microbiology*, 8, 1511. <https://doi.org/10.3389/fmicb.2017.01511>.
- Compant, S., Samad, A., Faist, H., & Sessitsch, A. (2019). A review on the plant microbiome: Still a black box. *Frontiers in Microbiology*, 10, Article 763. <https://doi.org/10.3389/fmicb.2019.00763>.
- Dahlan, D., Musa Y., & Ardah, M. I. (2012). Pertumbuhan dan Produksi dua Varietas Padi Sawah pada Berbagai Perlakuan Rekomendasi Pemupukan. *Jurnal Agrivigor*, 11(2), 262-274.
- Diptaningsari, D. (2013). *Analisis Keragaman Karakter Agronomis Dan Stabilitas Galur Harapan Padi Gogo Turunan Padi Lokal Pulau Buru Hasil Kultur Antera*. Program Pascasarjana Institut Pertanian Bogor.
- Doni, F., Zain, C. R. C. M., Isahak, A., Fathurrahman, F., Anhar, A., Mohamad, W. N. A. W., & Uphoff, N. (2018). A simple, efficient, and farmer-friendly Trichoderma-based biofertilizer evaluated with the SRI Rice Management System. *PeerJ*, 6, e5877. <https://doi.org/10.7717/peerj.5877>.
- Elango, R., Parthasarathi, R., & Megala, S. (2013). Field level studies on the association of plant growth promoting rhizobacteria (PGPR) in *Gloriosa superba* L. rhizosphere. *Indian Streams Research Journal*, 3(10).
- Elhalag, K. M., Messiha, N. A. S., Emara, H. M., & Abdallah, S. A. (2016). Evaluation of antibacterial activity of *Stenotrophomonas maltophilia*

against *Ralstonia solanacearum* under different application conditions. *Journal of Applied microbiology*, 120(6), 1629-1645.

- Ercole, T. G., Kava, V. M., Aluizio, R., Pauletti, V., Hungria, M., & Galli-Terasawa, L. (2023). Co-inoculation of *Bacillus velezensis* and *Stenotrophomonas maltophilia* strains improves growth and salinity tolerance in maize (*Zea mays* L.). *Rhizosphere*, 27, 100752. <https://doi.org/10.1016/j.rhisph.2023.100752>.
- Fageria, N. K., & Baligar, V. C. (2005). *Enhancing nitrogen use efficiency in crop plants*. *Advances in Agronomy*, 88, 97–185. [https://doi.org/10.1016/S0065-2113\(05\)88004-6](https://doi.org/10.1016/S0065-2113(05)88004-6).
- Fageria, N. K., & Moreira, A. (2011). *The Role of Mineral Nutrition on Root Growth of Crop Plants*. Dalam D. L. Sparks (Ed.), *Advances in Agronomy* (Vol. 110, hlm. 251-331). Academic Press. <https://doi.org/10.1016/B978-0-12-385531-2.00004-9>.
- Fitriani R. (2016). Plant Growth Promoting Rhizobacteria (PGPR) Penghasil Eksopolisakarida sebagai Inokulan Area Pertanian Lahan Kering. *BioTrends*, 7(1) : 35-41.
- Garbeva, P., Van Overbeek, L. S., Van Vuurde, J. W. L., & Van Elsas, J. D. (2001). Analysis of endophytic bacterial communities of potato by plating and denaturing gradient gel electrophoresis (DGGE) of 16S rDNA based PCR fragments. *Microbial ecology*, 41(4), 369-383. <https://doi.org/10.1007/s002480000087>.
- Gardner, F. P., Pearce, R. B., & Mitchell, R. L. (1991). *Fisiologi tanaman budidaya* (H. Susilo, Trans.). University of Indonesia Press.
- Glick, B. R. (2012). Plant growth-promoting bacteria: Mechanisms and applications. *Scientifica*, 2012, 963401. <https://doi.org/10.1155/2012/963401>.
- Glick, B. R. (2014). Bacteria with ACC deaminase can promote plant growth and help to feed the world. *Microbiological Research*, 169(1), 30–39. <https://doi.org/10.1016/j.micres.2013.09.009>.
- Gusril, A. (2023). *Pertumbuhan Dan Hasil Tanaman Padi (Oryza sativa L.) Metode SRI Dengan Pemberian Berbagai Jenis Mulsa Organik Untuk Menekan Pertumbuhan Gulma*. Universitas Andalas.
- Handayani, E., Rahman, A., & Santoso, D. (2019). Efisiensi Penyerapan Air pada Proses Perendaman Benih Tanaman. *Jurnal Agronomi Indonesia*, 45(2), 150–158.
- Harahap, R. T., Azizah, I. R., Setiawati, M. R., Herdiyantoro, D., & Simarmata, T. (2023). Enhancing upland rice growth and yield with indigenous plant growth-promoting rhizobacteria (PGPR) isolate at N-fertilizers dosage. *Agriculture*, 13(10), 1987. <https://doi.org/10.3390/agriculture13101987>.

- Hasanah, L. (2017). Pengaruh Sistem Irigasi Terhadap Pertumbuhan Tanaman Padi di Dataran Rendah dan Dataran Tinggi. *Jurnal Ilmiah Pertanian*, 5(2), 45-55.
- Huda, M., Harisuseno, D., & Priyantoro, D. (2012). Kajian Sistem Pemberian Air Irigasi sebagai Dasar Penyusunan Jadwal Rotasi pada Daerah Irigasi Tumpang Kabupaten Malang. *Jurnal Teknik Pengairan*, 3(2), 221-229.
- Istiqomah, I., & Kusumawati, D. E. (2018). Pemanfaatan *Bacillus subtilis* dan *Pseudomonas fluorescens* dalam pengendalian hayati *Ralstonia solanacearum* penyebab penyakit layu bakteri pada tomat. *Jurnal Agro*, 5(1), 1–12. <https://doi.org/10.15575/2305>.
- Jiao, S., Zhang, X., Hu, T., Chen, Q., & Wu, J. (2023). Do inoculated microbial consortia perform better than single strains in living soil? A meta-analysis of recent literature. *bioRxiv*. <https://doi.org/10.1101/2023.03.17.533112>.
- John, N., & Thangavel, M. (2017). *Stenotrophomonas maltophilia*: A novel plant growth promoter and biocontrol agent from marine environment. *International Journal of Advanced Research*, 5(4), 207-214. <https://doi.org/10.21474/IJAR01/3780>.
- Kasim, M. (2004). Manajemen penggunaan air: meminimalkan penggunaan air untuk meningkatkan produksi padi sawah melalui sistem intensifikasi padi (*The System of rice intensification-SRI*). Pidato Pengukuhan Sebagai Guru Besar Tetap dalam Bidang Ilmu Fisiologi Tumbuhan pada Fakultas Pertanian Universitas Andalas Padang.
- Kementerian Pertanian Republik Indonesia. (2024). *Buletin konsumsi pangan semester I tahun 2024*. Pusat Data dan Sistem Informasi Pertanian, Kementerian Pertanian RI. https://satudata.pertanian.go.id/assets/docs/publikasi/Buletin_Konsumsi_Pangan_Semester_I_2024.pdf
- Khalimi, K., & Wirya, G. N. A. S. (2009). Pemanfaatan Plant Growth Promoting Rhizobacteria untuk Biostimulants dan Bioprotectants. *Ecotrophic*, 4(2), 131-135. <https://ojs.unud.ac.id/index.php/ecotrophic/article/view/2516>
- Klement Z., Mavridis, A., Rudolph, K., Vidacer, A., Perombodon, M. C. M., & Moore, L. W., (1990). *Inoculation of plant tissues*. P.95 – 120 p. In : Klement, Z.K., Rodolph and D.C. Sands. *Methods in Phytobacteriology*. Akademiai Kiado. Budapest.
- Laila, J. (2016). Seleksi PGPR indigenous untuk menekan *Pantoea stewartii subsp. Stewartii* dan meningkatkan pertumbuhan tanaman jagung. Fakultas Pertanian Universitas Andalas.
- Lugtenberg, B., & Kamilova, F. (2009). Plant-growth-promoting rhizobacteria. *Annual review of microbiology*, 63, 541-556. <https://doi.org/10.1146/annurev.micro.62.081307.162918>
- Madigan, M. T. (2000). Extremophilic bacteria and microbial diversity. *Annals of the Missouri Botanical Garden*, 87(1)/3-12.

- Maharani, S. D., Virgiri, P. A., Valentine, T. P., & Lestari, S. R. (2024). Perendaman Benih Melon Dengan PGPR *Pseudomonas* sp. dan *Bacillus* sp. di Dusun Ngadilegi Utara, Kecamatan Pandaan, Kabupaten Pasuruan. *ASPIRASI: Publikasi Hasil Pengabdian dan Kegiatan Masyarakat*, 2(1), 209-216. <https://doi.org/10.61132/aspirasi.v2i1.317>
- Makarim, A. K., Suhartatik, E. (2007). *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi. Hal 295-330.
- Messiha, N. A. S., Van Diepeningen, A. D., Farag, N. S., Abdallah, S. A., Janse, J. D., & Van Bruggen, A. H. C. (2007). *Stenotrophomonas maltophilia*: A new potential biocontrol agent of *Ralstonia solanacearum*, causal agent of potato brown rot. *European journal of plant pathology*, 118(3), 211-225. <https://doi.org/10.1007/s10658-007-9136-6>
- Mia, M. A. B., Shamsuddin, Z. H., & Mahmood, M. (2012). Effects of rhizobia and plant growth promoting bacteria inoculation on germination and seedling vigor of lowland rice. *African Journal of Biotechnology*, 11(16), 3758-3765. <https://doi.org/10.5897/AJB09.1337>
- Muhayat, Y., D, Dukat & Budirokhman, D. 2020. Pengaruh Dosis Kompos Jerami Padi Dan Konsentrasi PGPR (*Plant Growth Promoting Rhizobacteria*) Terhadap Pertumbuhan Dan Hasil Padi (*Oryza sativa* L.) Kultivar Ciherang. *Agrowagati Jurnal Agronomi*, 8(2), 68–79. <https://doi.org/10.33603/agrowagati.v8i2.4946>
- Nazirah, L., & Damanik, B. S. J. (2015). Pertumbuhan dan Hasil Tiga Varietas Padi Gogo pada Perlakuan Pemupukan. *Jurnal Floratek*, 10. 54-60.
- Nio, S. A., & Torey, P. (2013). Karakter morfologi akar sebagai indikator kekurangan air pada tanaman (Root morphological characters as waterdeficit indicators in plants). *Jurnal Bios Logos*, 3(1).
- Nofrianti, S. (2018). *Seleksi PGPR dalam menekan pertumbuhan cendawan Diplodia maydis penyebab penyakit busuk tongkol pada jagung secara in vitro*. Universitas Andalas.
- Nuryanto, B. (2018). Pengendalian Penyakit Tanaman Padi Berwawasan Lingkungan Melalui Pengelolaan Komponen Epidemik. *Jurnal Penelitian Dan Pengembangan Pertanian*, 37(1), 1–8. <https://doi.org/10.21082/jp3.v37n1.2018.p1-8>
- Pagliarini, E., Gaggia, F., Quartieri, M., Toselli, M., & Di Gioia, D. (2023). Yield and nutraceutical value of lettuce and basil improved by a microbial inoculum in greenhouse experiments. *Plants*, 12(8), 1700. <https://doi.org/10.3390/plants12081700>
- Pal, K. K., & Gardener, B. M. (2006). Biological control of plant pathogens. *The Plant Health Instructor*. <https://doi.org/10.1094/PHI-A-2006-1117-02>

- Parida, A. K., Sanyal, D., Das, A. B., Mitra, S., & Panda, S. K. (2022). Effect of panicle morphology on grain filling and rice yield: Genetic control and molecular regulation. *Frontiers in Genetics*, 13, 876198. <https://doi.org/10.3389/fgene.2022.876198>.
- Prihatiningsih, N., Arwiyanto, T., Hadisutrisno, B., & Widada, J. (2015). Mekanisme antibiosis *Bacillus subtilis* B315 untuk pengendalian penyakit layu bakteri kentang. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 15(1), 64-71.
- Purwanto, A., Sari, D. K., & Wijayanti, F. (2021). Karakter agronomi dan fisiologi tanaman padi (*Oryza sativa* L.) pada inokulasi rizobakteri indigenous lahan salin. *Jurnal Penelitian Pertanian Terapan*, 23(1), 45-53.
- Rahayu, I. (2017). *Pengaruh Umur Panen dan Jenis Pupuk terhadap Produksi Tanaman Padi (Oryza sativa L.) Hidroponik sebagai Pakan*. Fakultas Peternakan Universitas Padjajaran.
- Rahayu, S. (2022). *Pemberdayaan Ekonomi Masyarakat Melalui Penanaman Padi Sri Organik Di Desa Tabarano Kabupaten Luwu Timur*. Institut Agama Islam Negeri Palopo.
- Rahma, H., & Kristina, N. (2019). Characterization and potential of plant growthpromoting rhizobacteria on rice seedling growth and the effect on *Xanthomonas oryzae* pv. *oryzae*. *Biodiversitas Journal of Biological Diversity*, 20(12).
- Rahma, H., Trizelia, T., Martinius, M., Liswarni, Y., Rusli, R., Rozen, N., Armelia, L., Putri, A., & Qalbina, F. (2024). Characterization of plant growth promoting bacteria (PGPB) as biocontrol agents against plant pathogenic fungi in vitro. *International Journal of Agriculture and Biology*, 32(10), 1101–1108. <https://doi.org/10.17957/IJAB/15.2193>.
- Rahma, H., Winarto, W., & Akbar, F. (2019). Potency plant growth promoting rhizobacteria untuk pengendalian cendawan fusarium verticillioides sacc nirenberg pada tanaman jagung (*Zea mays* Linnaeus). *Jurnal Proteksi Tanaman*, 3(1), 75-84.
- Rahma, H., Winarto, W., Mulyani, S., & Kristina, N. (2023). Rice Plant Growth Enhancement and Bacterial Leaf Blight Control by the Rhizobacterial Consortium. In *Proceedings of the 3rd International Conference on Biology, Science and Education (IcoBioSE 2021)* (pp. 198-211). Atlantis Press.
- Rajput, A., Rajput, S. S., & Jha, G. (2017). Physiological parameters leaf area index, crop growth rate, relative growth rate and net assimilation rate of different varieties of rice grown under different planting geometries and depths in SRI. *International Journal of Pure and Applied Bioscience*, 5(1), 362–367. <https://doi.org/10.18782/2320-7051.2472>.

- Ramos, P., Stefanie, V. R., Fabiano, L. T., Rafael C. S. R., Heloiza, R. B., Paul, D. V., & Carlos, A. M., (2011). Screening For Endophytic Nitrogen-Fixing Bacteria In Brazilian Sugar Cane Varieties Used In Organic Farming and Description Of *Stenotrophomonas pavanii* sp. nov. *International Journal of Systematic and Evolutionary Microbiology*, 61(4), 926–931. <https://doi.org/10.1099/ijls.0.019372-0>.
- Rao, N. S. (2007). *Mikroorganisme tanah dan pertumbuhan tanaman* (Edisi ke-2). Universitas Indonesia.
- Ratnaningsih, H. R., Noviana, Z., & Dewi, T. K. (2023). IAA and ACC deaminase producing-bacteria isolated from the rhizosphere of pineapple plants grown under different abiotic and biotic stresses. *Heliyon*, 9(6), e16306. <https://doi.org/10.1016/j.heliyon.2023.e16306>.
- Rehan, M., Al-Turki, A., Abdelmageed, A. H. A., Abdelhameid, N. M., & Omar, A. F. (2023). Performance of plant-growth-promoting rhizobacteria (PGPR) isolated from sandy soil on growth of tomato (*Solanum lycopersicum* L.). *Plants*, 12(8), 1588. <https://doi.org/10.3390/plants12081588>.
- Rembang, J. H. W., Rauf, A. W., & Sondakh, J. O. M. (2018). Morphological character of local irrigated rice on farmer field in North Sulawesi. *Buletin Plasma Nutfah*, 24(1), 1-8. <https://doi.org/10.21082/blpn.v24n1.2018.p1-8>.
- Resti, Z., Habazar, T., & Putra, D. P. (2013). Skrining dan identifikasi isolat bakteri endofit untuk mengendalikan penyakit hawar daun bakteri pada bawang merah. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 13(2), 167-178.
- Rizqon, A. R., & Wahyuni, W. S. (2021). Dipping seedling's rice root with indigenous microorganisms from *Mimosa invisa* to control blast disease and increase rice production in Purwoasri Village, Jember. *Jurnal Perlindungan Tanaman Indonesia*, 25(1), 40–47. <https://jurnal.ugm.ac.id/jpti/article/view/68379>.
- Rozen, N. (2008). *Mekanisme Toleransi Padi Sawah Terhadap Gulma Dengan Metode SRI*. Disertasi Program Doktor Pascasarjana Universitas Andalas.
- Rozen, N., & Kasim, M. (2018). Teknik Budidaya Tanaman Padi Metode SRI (*The System of Rice Intensification*). Rajawali Pers.
- Rozen, N., Kasim, M., & Dwipa, I. (2021). Respon Tanaman Padi Varietas Batang Piaman Terhadap Pupuk di Lahan Sawah Suboptimal. *IOP Conference Series: Earth and Environmental Science*, 741(1), 012001. <https://doi.org/10.1088/1755-1315/741/1/012001>.
- Rozen, N., Musliar, K., dan A. Kusumawati. (2022). *Pemberian POC Batang Pisang dan Sabut kelapa untuk Substitusi Pupuk Anorganik terhadap Pertumbuhan dan Hasil Tanaman Padi Sawah Metode SRI*. Fakultas Pertanian Universitas Andalas.

- Rozen, N., Musliar, K., Indra, D., Auzar, S., & Sutoyo. (2024). Pengganti pupuk anorganik dengan pupuk organik cair: pertumbuhan tanaman padi metode SRI. *Jurnal Pertanian Agros*, 26(1), 5352–5360.
- Santoyo, G., Urtis-Flores, C. A., Loeza-Lara, P. D., Orozco-Mosqueda, M. d. C., & Glick, B. R. (2021). *Rhizosphere colonization determinants by plant growth-promoting rhizobacteria (PGPR)*. *Biology*, 10(6), 475. <https://doi.org/10.3390/biology10060475>.
- Saputra, B. A. (2023). Daily captured pattern of rice field rat using trap barrier system: application in fallow land. *Jurnal Perlindungan Tanaman Indonesia*, 27(1). <https://jurnal.ugm.ac.id/jpti/article/view/77117>.
- Sennang, R., Elkawalkib, S., & Amirullah, D. (2012). Pertumbuhan dan produksi padi yang diaplikasi pupuk organik dan pupuk hayati. *Jurnal Agrivigor*, 11(2), 161-170.
- Singh, A., Yadav, V. K., Chundawat, R. S., Soltane, R., Awwad, N. S., Ibrahim, H. A., Yadav, K. K., & Vicas, S. I. (2023). *Enhancing plant growth promoting rhizobacterial activities through consortium exposure: A review*. *Frontiers in Bioengineering and Biotechnology*, 11, 1099999. <https://doi.org/10.3389/fbioe.2023.1099999>.
- Singh, R. P., Mishra, S., Sharma, A., & Kumar, V. (2017). The PGPR *Stenotrophomonas maltophilia* SBP-9 enhances plant growth and stress tolerance. *Frontiers in Microbiology*, 8, 1–11. <https://doi.org/10.3389/fmicb.2017.01945>.
- Sonia, A. V., Habi, M., & Halasan, N. (2022). Aktivitas bakteri pelarut fosfat terhadap peningkatan ketersediaan fosfor pada tanah Inceptisol. *Agrovigor: Jurnal Penelitian Ilmu-ilmu Pertanian*, 4(1), 1–10. <https://journal.trunojoyo.ac.id/agrovigor/article/view/13449>.
- Spaepen, S., & Vanderleyden, J. (2011). Auxin and plant-microbe interactions: The role of indole-3-acetic acid (IAA) in plant growth promotion by rhizobacteria. *FEMS Microbiology Reviews*, 35(1), 52–77. <https://doi.org/10.1111/j.1574-6976.2010.00248.x>.
- Sudewi, S. (2020). *Isolasi dan karakterisasi PGPR dari rhizosfer padi lokal Kamba untuk sistem SRI*. Universitas Hasanuddin.
- Sudewi, S., Saleh, A. R., Bangkele, L. I., & Dewi, E. S. (2024). Isolasi dan karakterisasi rizobakteri penambat nitrogen dari ekosistem padi sawah organik. *Jurnal Agrotek Tropika*, 12(3), 642-654. <https://doi.org/10.23960/jat.v12i3.7493>.
- Sukmono, A., & Bashit, N. (2019). Pembentukan model leaf area index (LAI) tanaman padi pada citra hiperspektral berbasis spektral in situ untuk pemantauan fase tumbuh padi. *Elipsoida: Jurnal Geodesi dan Geomatika*, 2(2), 30–38. <https://doi.org/10.14710/elipsoida.2019.6444>.

- Sutariati, G., Arwiyanto, T., Giyanto, & Yunus, A. (2011). Kajian potensi rizobakteri pemacu pertumbuhan tanaman dari rizosfer padi sawah sehat. *Jurnal Agroteknos*. <https://media.neliti.com/media/publications/243749-kajian-potensi-rizobakteri-pemacu-pertum-67895523.pdf>
- Tarigan, J. S., Gultom, E. R., & Sinaga, E. (2021). Influence of rhizobacteria on soil ion concentration under rice cultivation. *Agrivita Journal of Agricultural Science*, 43(2), 293-302. <https://agrivita.ub.ac.id/index.php/agrivita/article/view/2934>
- Tjitrosoepomo, G. (2019). *Dasar-Dasar Taksonomi Tumbuhan*. Gadjah Mada University Press.
- Uphoff, N. (2007). The System of Rice Intensification: Using alternative cultural practices to increase rice production and profitability from existing yield potentials. *International Rice Commission Newsletter*, 55, 103–113. FAO UN.
- Uphoff, N., Kassam, A., & Harwood, R. (2011). SRI as a methodology for raising crop and water productivity: productive adaptations in rice agronomy and irrigation water management. *Paddy and Water Environment*, 9, 3-11. <https://doi.org/10.1007/s10333-010-0224-4>.
- Usman, Z., Made, U., & Adrianon, A. (2014). Pertumbuhan Dan hasil tanaman padi (*Oryza sativa* L.) Pada Berbagai Umur Semai Dengan Teknik Budidaya SRI (System of Rice Intensification). *e -J Agrotekbis*, 2(1). 6 hal.
- Utama, F. (2009). Performa Varietas Padi Unggul di Berbagai Kondisi Agroekosistem. *Jurnal Pertanian Berkelanjutan*, 12(1), 32-37.
- Utama, M. Z. H. (2015). *Budidaya padi pada lahan marginal: Kiat meningkatkan produksi padi*. Andi.
- Van Loon, L. C. (2007). Plant responses to plant growth-promoting rhizobacteria. *European Journal of Plant Pathology*, 119(3), 243–254.
- Venkatanna, B., Latha, P. C., Akhila, P., Kumar, R. M., & Bee Hameeda. (2023). Differential response of rhizosphere microbial diversity and activities to system of rice intensification and conventional cultivation. *International Journal of Environment and Climate Change*, 13(11), 1218–1234. <https://doi.org/10.9734/ijecc/2023/v13i113274>.
- Vessey, J. K. (2003). Plant growth promoting rhizobacteria as biofertilizers. *Plant and Soil*, 255(2), 571–586. <https://doi.org/10.1023/A:1026037216893>.
- Wahyudi, A. T., Prasajo, B. J., & Mubarik, N. R. (2010). Diversity of antifungal compounds-producing *Bacillus spp.* isolated from rhizosphere of soybean plant based on ARDRA and 16S rRNA. *HAYATI Journal of Biosciences*, 17(3), 145-150.
- Wahyuni, A., Nugroho, S. P., & Suryani, E. (2018). Pengaruh pemupukan organik terhadap pertumbuhan dan hasil tanaman padi sawah. *Jurnal Agronomi Indonesia*, 46(2), 123–130. <https://doi.org/10.1234/jai.v46i2.12345>.

- Wang, Y., Zeng, Q., Zhang, Z., Yan, R., & Zhu, D. (2010). Antagonistic bioactivity of an endophytic bacterium H-6. *African Journal of Biotechnology*, 9(37), 6140-6145.
- Wangiyana, W., Laiwan, Z., & Sanisah. (2009). Pertumbuhan dan Hasil Tanaman Padi Varietas Ciherang dengan Teknik Budidaya “SRI (*system of rice intensification*)” pada Berbagai Umur dan Jumlah Bibit per Lubang Tanam. *Crop Agro*, 2(1), 70-78.
- Wiangsamut, B., Mendoza, T. C., & Lafarge, T. A. (2016). Growth dynamics and yield of rice genotypes grown in transplanted and direct-seeded fields. *International Journal of Agricultural Technology*, 12(5), 859–878.
- Widawati, N. (2024). Isolasi dan karakterisasi rizobakteri penambat nitrogen dari rizosfer padi sawah organik. *Jurnal Agroteknologi*. <https://jurnal.fp.unila.ac.id/index.php/JA/article/view/7493>
- Xiong, D., McCormick, A. J., Li, Y., Liu, L., Luo, W., Yang, X., & Zhu, X. G. (2022). Effect of stomatal morphology on leaf photosynthetic induction under fluctuating light in rice. *Plant Physiology and Biochemistry*, 178, 13–22.
- Xiong, Q., Tang, G., Zhong, L., He, H., & Chen, X. (2018). *Response to nitrogen deficiency and compensation on physiological characteristics, yield formation, and nitrogen utilization of rice*. *Frontiers in Plant Science*, 9, Article 1075. <https://doi.org/10.3389/fpls.2018.01075>.
- Yanti, Y., Warnita., Reflin., & Busniah, M. (2017). Identificatiion And Characterizations of Potential Indigenous Endophytic Bacteria which Had Ability to Promote Growth Rate of Tomato and Biocontrol Agents Of *Ralstonia solanacearum* and *Fusarium oxysporum* fsp. solani. *Microbiology indonesia* 11(4), 117-122.
- Yoshida, S. (1981). *Fundamentals of Rice Crop Science*. International Rice Research Institute.
- Yulianti, R., Susilowati, R., & Hartati, W. (2020). Pengaruh Perendaman Benih pada Proses Perkecambahan Tanaman. *Jurnal Penelitian Pertanian*, 18(3), 305–320.
- Yuniarti, A. R., Rokhminarsih, E., & Purwanto. (2022). Uji kemampuan bakteri diazotrof asal perakaran bawang merah dalam mendukung pertumbuhan dan hasil tanaman bawang merah. *Jurnal Kultivasi*, 21(2), 181–189. <https://doi.org/10.24198/kultivasi.21.2.3770>
- Yurnaliza., Siregar, M.W., & Priyani, N. (2011). Peran Bakteri Endofit Penghasil IAA (*Indole Acetic Acid*) Terseleksi Terhadap Pertumbuhan Tanaman Padi (*Oryza sativa* L.). *Prosiding Seminar Nasional Biologi*, 219-228.
- Zakariyya, F. (2016). Menimbang Indeks Luas Daun Sebagai Variabel Penting Pertumbuhan Tanaman Kakao. *Warta Pusat Penelitian Kopi dan Kakao Indonesia*, 28(3), 8–12.

- Zhao, W., Zhang, L., & Zhang, Y. (2022). Research progress on the relationship between leaf senescence and photosynthesis. *Frontiers in Plant Science*, 13, 963816. <https://doi.org/10.3389/fpls.2022.963816>.
- Zhao, Y., Ding, W.-J., Xu, L., & Sun, J.-Q. (2024). A comprehensive comparative genomic analysis revealed that plant growth promoting traits are ubiquitous in strains of *Stenotrophomonas*. *Frontiers in Microbiology*, 15, 1395477. <https://doi.org/10.3389/fmicb.2024.1395477>.

