

DAFTAR PUSTAKA

1. Bikbov B, Purcell C, Levey AS, et al. Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet*. 2020;395(10225):709-733. doi:10.1016/S0140-6736(20)30045-3
2. Murphy F, Byrneis G. Chronic kidney disease stages 1–3: Its relationship with CVD. *Br J Card Nurs*. 2009;4(1):7-12. doi:10.12968/bjca.2009.4.1.38106
3. Murphy F, Byrne G. Chronic kidney disease stages 4–5: Patient management. *Br J Card Nurs*. 2009;4(2):59-66. doi:10.12968/bjca.2009.4.2.39357
4. Kemenkes. Peran pemerintah dalam pencegahan dan pengendalian gangguan ginjal. *Penyakit Trop di Indones*. 2018;(November):5-8.
5. Collins AJ, Foley RN, Gilbertson DT, Chen SC. United States Renal Data System public health surveillance of chronic kidney disease and end-stage renal disease. *Kidney Int Suppl*. 2015;5(1):2-7. doi:10.1038/kisup.2015.2
6. Sethna CB, Merchant K, Reyes A. Cardiovascular Disease Risk in Children With Kidney Disease. *Semin Nephrol*. 2018;38(3):298-313. doi:10.1016/j.semnephrol.2018.02.009
7. De Jesus JM. Expert panel on integrated guidelines for cardiovascular health and risk reduction in children and adolescents: Summary report. *Pediatrics*. 2011;128(SUPP.5):213-256. doi:10.1542/peds.2009-2107C
8. Mitsnemes MM, Xu Y, Ng DK, et al. Diastolic Function and Ambulatory Hypertension in Children With Chronic Kidney Disease. *Hypertension*. 2021;78(5):1347-1354. doi:10.1161/HYPERTENSIONAHA.121.17449
9. Nagueh SF, Smiseth OA, Appleton CP, et al. Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *J Am Soc Echocardiogr*. 2016;29(4):277-314. doi:10.1016/j.echo.2016.01.011
10. Robinson S, Ring L, Oxborough D, et al. The assessment of left ventricular diastolic function: guidance and recommendations from the British Society of Echocardiography. *Echo Res Pract*. 2024;11(1):1-55. doi:10.1186/s44156-024-00051-2
11. Huynh QL, Kalam K, Iannaccone A, Negishi K, Thomas L, Marwick TH. Functional and Anatomic Responses of the Left Atrium to Change in Estimated Left Ventricular Filling Pressure. *J Am Soc Echocardiogr*. 2015;28(12):1428-1433.e1. doi:10.1016/j.echo.2015.07.028
12. Hoit BD. Assessment of Left Atrial Function by Echocardiography: Novel Insights. *Curr Cardiol Rep*. 2018;20(10). doi:10.1007/s11886-018-1044-1
13. Cameli M, Lisi M, Focardi M, et al. Left atrial deformation analysis by speckle tracking echocardiography for prediction of cardiovascular outcomes. *Am J Cardiol*. 2012;110(2):264-269. doi:10.1016/j.amjcard.2012.03.022
14. Inoue K, Khan FH, Remme EW, et al. Determinants of left atrial reservoir and pump strain and use of atrial strain for evaluation of left ventricular filling pressure. *Eur Heart J Cardiovasc Imaging*. 2022;23(1):61-70.

- doi:10.1093/ehjci/jeaa415
15. Hope KD, Wang Y, Banerjee MM, Montero AE, Pandian NG, Banerjee A. Left atrial mechanics in children: insights from new applications of strain imaging. *Int J Cardiovasc Imaging*. 2019;35(1):57-65. doi:10.1007/s10554-018-1429-7
 16. Braunauer K, Dungen HD, Belyavskiy E, et al. Potential usefulness and clinical relevance of a novel left atrial filling index to estimate left ventricular filling pressures in patients with preserved left ventricular ejection fraction. *Eur Heart J Cardiovasc Imaging*. 2020;21(3):260-269. doi:10.1093/ehjci/jez272
 17. Penachio FM, de Fátima Rodrigues Diniz M, Laurino RSP, et al. Speckle-Tracking: Incremental Role in Diastolic Assessment of Pediatric Patients with Chronic Kidney Disease. *Arq Bras Cardiol*. 2024;121(3):1-12. doi:10.36660/abc.20230131
 18. Doyon A, Haas P, Erdem S, et al. Impaired Systolic and Diastolic Left Ventricular Function in Children with Chronic Kidney Disease - Results from the 4C Study. *Sci Rep*. 2019;9(1):1-9. doi:10.1038/s41598-019-46653-3
 19. Ten Harkel ADJ, Cransberg K, Van Osch-Gevers M, Nauta J. Diastolic dysfunction in paediatric patients on peritoneal dialysis and after renal transplantation. *Nephrol Dial Transplant*. 2009;24(6):1987-1991. doi:10.1093/ndt/gfp049
 20. Le Page AK, Nagasundaram N, Horton AE, Johnstone LM. Echocardiogram screening in pediatric dialysis and transplantation. *Pediatr Nephrol*. 2023;38(4):957-974. doi:10.1007/s00467-022-05721-z
 21. Harada R, Hamasaki Y, Okuda Y, Hamada R, Ishikura K. Epidemiology of pediatric chronic kidney disease/kidney failure: learning from registries and cohort studies. *Pediatr Nephrol*. 2022;37(6):1215-1229. doi:10.1007/s00467-021-05145-1
 22. Van Biljon I, Meyers AM. Paediatric chronic kidney disease. *South African Med J*. 2015;105(4):316-319. doi:10.7196/SAMJ.9532
 23. Hogg RJ, Furth S, Lemley K V., et al. National Kidney Foundation's Kidney Disease Outcomes Quality Initiative clinical practice guidelines for chronic kidney disease in children and adolescents: Evaluation, classification, and stratification. *Pediatrics*. 2003;111(6 I):1416-1421. doi:10.1542/peds.111.6.1416
 24. Pardede SO, Chunnaedy S. PGK pada anak. *Dep Ilmu Kesehatan Anak FKUI-RSCM*. 2016;11(3):199-206.
 25. Cirillo L, De Chiara L, Innocenti S, Errichiello C, Romagnani P, Becherucci F. Chronic kidney disease in children: an update. *Clin Kidney J*. 2023;16(10):1600-1611. doi:10.1093/ckj/sfad097
 26. Singh A, Verma M, Das M, Parija PP, Nayak S, Jha V. Prevalence and associated factors of impaired kidney functions among children and adolescents in India: insights from the Comprehensive National Nutrition Survey (CNNS) 2016-18. *BMC Pediatr*. 2024;24(1):1-13. doi:10.1186/s12887-024-04903-y
 27. Kovesdy CP. Epidemiology of chronic kidney disease: an update 2022. *Kidney Int Suppl*. 2022;12(1):7-11. doi:10.1016/j.kisu.2021.11.003

28. Silva AJD, Lopes AJDS, Mota APL, et al. Cristina A. Pediatric chronic kidney disease: blood cell count indexes. *Braz. J. Nephrol* 2023. doi:10.1590/2175- 8239-JBN-2022-0190en
29. Shi X, Liu B, Zhong X, Wang F, Ding J. Epidemiology of chronic kidney disease in children. *Zhonghua er ke za zhi / Chinese J Pediatr*. 2019;57(9):721-724. doi:10.3760/cma.j.issn.0578-1310.2019.09.017
30. Isert S, Müller D, Thumfart J. Factors Associated With the Development of Chronic Kidney Disease in Children With Congenital Anomalies of the Kidney and Urinary Tract. *Front Pediatr*. 2020;8(June):2-9. doi:10.3389/fped.2020.00298
31. Oktapia I. Hubungan Stadium Penyakit Ginjal Kronis Anak Dengan Ketebalan Tunika Intima Media Arteri Karotis. Spesialis Thesis Universitas Andalas. 2024. <http://scholar.unand.ac.id/id/eprint/485340>
32. Becherucci F, Roperto RM, Materassi M, Romagnani P. Chronic kidney disease in children. *Clin Kidney J*. 2016;9(4):583-591. doi:10.1093/ckj/sfw047
33. Panzarino V, Lesser J, Cassani FA. Pediatric Chronic Kidney Disease. *Adv Pediatr*. 2022;69(1):123-132. doi:10.1016/j.yapd.2022.03.008
34. Harambat J, Stralen KJ Van, Kim JJ, Tizard EJ. Epidemiology of chronic kidney disease in children. Published online 2012:363-373. doi:10.1007/s00467-011-1939-1
35. Modi ZJ, Lu Y, Ji N, et al. Risk of Cardiovascular Disease and Mortality in Young Adults with End-stage Renal Disease: An Analysis of the US Renal Data System. *JAMA Cardiol*. 2019;4(4):353-362. doi:10.1001/jamacardio.2019.0375
36. Greenstein YY, Mayo PH. Evaluation of Left Ventricular Diastolic Function by the Intensivist. *Chest*. 2018;153(3):723-732. doi:10.1016/j.chest.2017.10.032
37. Mawad W, Friedberg MK. The continuing challenge of evaluating diastolic function by echocardiography in children: Developing concepts and newer modalities. *Curr Opin Cardiol*. 2017;32(1):93-100. doi:10.1097/HCO.0000000000000346
38. Henein MY, Lindqvist P. Diastolic function assessment by echocardiography: A practical manual for clinical use and future applications. *Echocardiography*. 2020;37(11):1908-1918. doi:10.1111/echo.14698
39. Recher M, Botte A, Soquet J, Baudalet JB, Godart F, Leteurtre S. Assessment of left-ventricular diastolic function in pediatric intensive-care patients: a review of parameters and indications compared with those for adults. *World J Pediatr*. 2021;17(1):21-30. doi:10.1007/s12519-020-00369-x
40. Nagueh SF, Sanborn DY, Oh JK, et al. Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography and for Heart Failure With Preserved Ejection Fraction Diagnosis: An Update From the American Society of Echocardiography. *J Am Soc Echocardiogr*. 2025;38(7):537-569. doi:10.1016/j.echo.2025.03.011
41. Cerrito LF, Maffeis C, Inciardi RM, et al. How to incorporate left atrial strain in the diagnostic algorithm of left ventricular diastolic dysfunction.

- Int J Cardiovasc Imaging.* 2021;37(3):945-951. doi:10.1007/s10554-020-02070-6
42. Monte IP, Faro DC, Trimarchi G, et al. Left Atrial Strain Imaging by Speckle Tracking Echocardiography: The Supportive Diagnostic Value in Cardiac Amyloidosis and Hypertrophic Cardiomyopathy. *J Cardiovasc Dev Dis.* 2023;10(6). doi:10.3390/jcdd10060261
 43. Mandoli GE, Sisti N, Mondillo S, Cameli M. Left atrial strain in left ventricular diastolic dysfunction: have we finally found the missing piece of the puzzle? *Heart Fail Rev.* 2020;25(3):409-417. doi:10.1007/s10741-019-09889-9
 44. Yuda S. Current clinical applications of speckle tracking echocardiography for assessment of left atrial function. *J Echocardiogr.* 2021;19(3):129-140. doi:10.1007/s12574-021-00519-8
 45. Figueiredo F de A, Costa AL da, Figueiredo F de A, et al. Left Atrial Strain: Clinical Applications and Prognostic Implications. *ABC Imagem Cardiovasc.* 2024;37(1). doi:10.36660/abcimg.20240003i
 46. Liu L, Zhang B, Yang Y, et al. Reduced left atrial contractile strain with speckle tracking analysis predicts abnormal plasma NTproBNP in an asymptomatic community population. *Cardiovasc Ultrasound.* 2022;20(1):1-11. doi:10.1186/s12947-022-00297-y
 47. Gu H, Simpson JM, Cansick J, et al. Articles An exploratory analysis on diastolic function in the intensive compared with less intensive blood pressure control to prevent adverse cardiac remodelling in children with chronic kidney randomised , controlled trial. 2025;115:1-9. doi:10.1016/j.ebiom.2025.105691
 48. Law JP, Price AM, Pickup L, et al. Clinical potential of targeting fibroblast growth factor-23 and α klotho in the treatment of uremic cardiomyopathy. *J Am Heart Assoc.* 2020;9(7):1-15. doi:10.1161/JAHA.120.016041
 49. Gan GCH, Bhat A, Chen HHL, et al. Left atrial reservoir strain by speckle tracking echocardiography: Association with exercise capacity in chronic kidney disease. *J Am Heart Assoc.* 2021;10(1):1-13. doi:10.1161/JAHA.120.017840
 50. Dahlan MS. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. *Salemba Medika*; 2010.
 51. Bujang MA, Baharum N. A simplified guide to determination of sample size requirements for estimating the value of intraclass correlation coefficient : a review. *Arch Orofac Sci*, 2017;12:1-11.
 52. Yang EM, Kim J, Park E, et al. Longitudinal progression trajectory of estimated glomerular filtration rate in children with chronic kidney disease : results from the KNOW-Ped CKD (KoreaN cohort study for Outcomes in patients With Pediatric Chronic Kidney Disease). 2025;44(2):376-388.
 53. Amanullah F, Id AAM, Zaidi Z. Chronic kidney disease causes and outcomes in children : Perspective from a LMIC setting. Published online 2022:1-11. doi:10.1371/journal.pone.0269632
 54. Atkinson MA, Ng DK, Warady BA, et al. The CKiD study: Overview and summary of findings related to kidney disease progression. *HHS Public Access.* 2021;36(3):527-538. doi:10.1007/s00467-019-04458-6.
 55. Iyengar A, Collins S, Ashok JMR, et al. Nutrition - Focused Physical

- Examination for Detecting Protein Energy Wasting in Children with Chronic Kidney Disease. Published online 2023. doi:10.4103/ijn.ijn
56. Barletta GM, Flynn J, Mitsnefes M, et al. Heart rate and blood pressure variability in children with chronic kidney disease: a report from the CKiD study. *NIH Public Access*. 2014;29(6):1059-1065. doi:10.1007/s00467-013-2737-8.Heart
 57. Mehmet K, Sidar C, N BC, Adrian C, Alberto O, R TK. Glomerular hyperfiltration as a therapeutic target for CKD. *Nephrol Dial Transplant* 2025;(February 2024):1228-1238. doi:10.1093/ndt/gfae027
 58. Ketteler M, Block GA, Evenepoel P, et al. Executive summary of the 2017 KDIGO Chronic Kidney Disease-Mineral and Bone Disorder (CKD-MBD) Guideline Update: what's changed and why it matters. *Kidney Int*. 2017;92(1):26-36. doi:10.1016/j.kint.2017.04.006
 59. Kula A, Xu Y, Hill GD, et al. Hypertension and Left Ventricular Strain in Pediatric Chronic Kidney Disease. 2025;81(10):2181-2188. doi:10.1161/HYPERTENSIONAHA.124.23167.Hypertension
 60. Singh S, Aggarwal V, Kumar U, Sreenidhi HC. Original article Study of left ventricular systolic dysfunction , left ventricular diastolic dysfunction and pulmonary hypertension in CKD 3b-5ND patients — A single centre cross-sectional study. *Nefrologia* 2022;3(5):596-605. doi: 10.1016/j.nefro.2022.06.001
 61. Pathan F, Elia ND, Nolan MT, Marwick TH. Normal Ranges of Left Atrial Strain by Speckle-Tracking Echocardiography : A Systematic Review and Meta-Analysis. *Journal of the American Society of Echocardiography*; 2016 (30):1. doi: 10.1016/j.echo.2016.09.007
 62. Dong T, Arockiam AD, Agrawal A, et al. Left atrial strain by vendor-neutral echocardiography software in healthy subjects : vendor comparisons and associated factors. *European Heart Journal - Imaging Methods and Practice* 2025;3:1-8. doi: 10.1093/ehjimp/qaaf029
 63. Nguyen HTT, Do CV, Dang DTV, et al. Progressive alterations of left atrial and ventricular volume and strain across chronic kidney disease stages: a speckle tracking echocardiography study. *Frontiers in Cardiovascular Medicine* 2023; (September): 1-8. doi: 10.3389/fcvm.2023.1197427
 64. Sun M, Xing Y, Guo Y, et al. Left atrial reservoir strain is an outstanding predictor of adverse cardiovascular outcomes in patients undergoing maintenance hemodialysis : Assessment via three - dimensional speckle tracking echocardiography. *Clin Cardiol* 2022;(September 2021):549-557. doi:10.1002/clc.23815
 65. Elsheikh E, Amjad Z, Abohamr SI, Sahlawi M Al, Khairat I. Left Atrial Strain Value Versus Tissue Doppler Echocardiography and the Left Atrium Volume Index in the Evaluation of Left Ventricular Diastolic Function in Patients with Chronic Kidney Disease. *Clin Pract*. 2025; 15, 36. doi: 10.3390/clinpract15020036.
 66. Javadi N, Bismee NN, Abbas MT, et al. Left Atrial Strain : State of the Art and Clinical Implications. *J. Pers. Med*. 2024, 14, 93. doi: /10.3390/jpm14111093.
 67. Tanasa A, Burlacu A, Popa C, et al. A systematic review on the correlations

- between left atrial strain and cardiovascular outcomes in chronic kidney disease patients. *Diagnostics*. 2021;11(4). doi:10.3390/diagnostics11040671
68. Gan GCH, Bhat A, Chen HHL, et al. Left Atrial Reservoir Strain by Speckle Tracking Echocardiography : Association With Exercise Capacity in Chronic Kidney Disease. *J Am Heart Assoc* 2021;1-13. doi:10.1161/JAHA.120.017840
69. Li L, You C, Zhang L, Yang J, Wang Y, Zhang P. Prognostic values of left atrial strain analyzed by four - dimensional speckle tracking echocardiography in uremia with preserved ejection fraction. *Sci Rep*. 2024;(2):1-12. doi:10.1038/s41598-024-69904-4
70. Zuckerberg JC, Matsubara D, Kauffman HL, et al. Left atrial stiffness and strain are novel indices of left ventricular diastolic function in children : validation followed by application in multisystem inflammatory syndrome in children due to COVID-19. *Eur Hear J - Cardiovasc Imaging*. 2023;24(9):1241-1251. doi:10.1093/ehjci/jead087
71. Woźniak KŁ, Niszczoła C, Obszajczyk K, Werner B. Abnormal left atrial strain and left atrial stiffness index are associated with adverse outcomes in children with cardiomyopathies : a pilot study. *Sci Rep*. Published online 2024;1-13. doi:10.1038/s41598-024-72175-8
72. Kim D, Seo JH, Choi KH. Prognostic implications of left atrial stiffness index in heart failure patients with preserved ejection fraction. *JACC: Cardiovascular Imaging*. 2023;16(4). doi:10.1016/j.jcmg.2022.11.002
73. Morris DA, Belyavskiy E, Aravind-kumar R, et al. Potential Usefulness and Clinical Relevance of Adding Left Atrial Strain to Left Atrial Volume Index in the Detection of Left Ventricular Diastolic Dysfunction. *JACC: Cardiovascular Imaging* 2018;11(10). doi:10.1016/j.jcmg.2017.07.029