

DAFTAR PUSTAKA

- [1] M.-H. Lin *et al.*, “A short review on polymer, metal and ceramic based implant materials,” *iopscience.iop.org*, doi: 10.1088/1757-899X/1017/1/012038.
- [2] T. Aydemir, J. I. Pastore, E. Jimenez-Pique, J. J. Roa, A. R. Boccaccini, and J. Ballarre, “Morphological and Mechanical Characterization of Chitosan/Gelatin/Silica-Gentamicin/Bioactive Glass Coatings on Orthopaedic Metallic Implant Materials,” *Thin Solid Films*, vol. 732, no. February, p. 138780, 2021, doi: 10.1016/j.tsf.2021.138780.
- [3] L. Elkaïem, O. Hakimi, G. Yosafovich-Doitch, S. Ovadia, and E. Aghion, “In Vivo Evaluation of Mg–5%Zn–2%Nd Alloy as an Innovative Biodegradable Implant Material,” *Ann. Biomed. Eng.*, vol. 48, no. 1, pp. 380–392, 2020, doi: 10.1007/s10439-019-02355-5.
- [4] N. Eliaz, “Corrosion of metallic biomaterials: A review,” *Materials (Basel)*, vol. 12, no. 3, 2019, doi: 10.3390/ma12030407.
- [5] S. Campbell, S. J. Crean, and W. Ahmed, “Titanium allergy: fact or fiction?,” *Fac. Dent. J.*, vol. 5, no. 1, pp. 18–25, 2014, doi: 10.1308/204268514x13859766312593.
- [6] M. Kaur and K. Singh, “Review on titanium and titanium based alloys as biomaterials for orthopaedic applications,” *Mater. Sci. Eng. C*, vol. 102, no. December 2018, pp. 844–862, 2019, doi: 10.1016/j.msec.2019.04.064.
- [7] N. Nawawi, N. A. Nawawi, A. S. F. Alqap, and I. Sopyan, “Recent Progress on Hydroxyapatite-Based Dense Biomaterials for Load Bearing Bone Substitutes Recent Progress on Hydroxyapatite-Based Dense Biomaterials for Load,” no. March, 2011, doi: 10.2174/1874465611104010063.
- [8] B. Tao *et al.*, “Osteoimmunomodulation mediating improved osteointegration by OGP-loaded cobalt-metal organic framework on titanium implants with antibacterial property,” *Chem. Eng. J.*, vol. 423, no. April, 2021, doi: 10.1016/j.cej.2021.130176.
- [9] J. Liu *et al.*, “Nano-Modified Titanium Implant Materials: A Way Toward

- Improved Antibacterial Properties,” *Front. Bioeng. Biotechnol.*, vol. 8, Nov. 2020, doi: 10.3389/FBIOE.2020.576969/FULL.
- [10] S. Nasibi, K. Alimohammadi, L. Bazli, S. Eskandarinezhad, A. Mohammadi, and N. Sheysi, “TZNT alloy for surgical implant applications: A systematic review,” *jourcc.com*, vol. 2, pp. 62–68, 2020, doi: 10.29252/jcc.2.2.1.
- [11] A. Çelik, M. T. Acar, T. Yetim, H. Kovacı, and A. F. Yetim, “Improving structural, tribological and electrochemical properties of Ti6Al4V alloy with B-doped TiO₂ thin films,” *Tribol. Int.*, vol. 146, no. November 2019, p. 106210, 2020, doi: 10.1016/j.triboint.2020.106210.
- [12] V. Jordanovová, M. Losertová, M. Štencek, T. Lukášová, G. S. Martynková, and P. Peikertová, “Microstructure and properties of nanostructured coating on Ti6Al4V,” *Materials (Basel)*, vol. 13, no. 3, pp. 1–11, 2020, doi: 10.3390/ma13030708.
- [13] S. Swain, R. D. K. Misra, C. K. You, and T. R. Rautray, “TiO₂ nanotubes synthesised on Ti-6Al-4V ELI exhibits enhanced osteogenic activity: A potential next-generation material to be used as medical implants,” *Mater. Technol.*, vol. 36, no. 7, pp. 393–399, 2021, doi: 10.1080/10667857.2020.1760510.
- [14] K. H. Cheung, M. B. Pabbruwe, W. F. Chen, P. Koshy, and C. C. Sorrell, “Effects of substrate preparation on TiO₂ morphology and topography during anodization of biomedical Ti6Al4V,” *Mater. Chem. Phys.*, vol. 252, no. May, p. 123224, 2020, doi: 10.1016/j.matchemphys.2020.123224.
- [15] M. Geetha, A. K. Singh, R. Asokamani, and A. K. Gogia, “Ti based biomaterials, the ultimate choice for orthopaedic implants - A review,” *Prog. Mater. Sci.*, vol. 54, no. 3, pp. 397–425, 2009, doi: 10.1016/j.pmatsci.2008.06.004.
- [16] T. Gold, R. Azhari, and N. Lotan, *Enzyme-promoted degradation of polymeric matrices for controlled drug delivery: Analytical model and numerical simulations*, vol. 9781461439. 2012.
- [17] N. F. Nuswantoro *et al.*, “Hydroxyapatite coating on titanium alloy TNTZ for increasing osseointegration and reducing inflammatory response in vivo

- on *Rattus norvegicus* Wistar rats,” *Ceram. Int.*, vol. 47, no. 11, pp. 16094–16100, 2021, doi: 10.1016/j.ceramint.2021.02.184.
- [18] A. J. Nuswantoro, Nuzul Ficky Juliadmi, Dian Fajri, Gunawarman, Hidayatul Manjas, Menkher Suharti, Netti jong, Djong Hon, “Electrophoretic deposition performance of hydroxyapatite coating on titanium alloys for orthopedic implant application,” *Mater. Sci. Forum*, vol. 1000 MSF, pp. 69–81, 2020, doi: 10.4028/www.scientific.net/MSF.1000.69.
- [19] C. S. Chen *et al.*, “Improving the in vitro cell differentiation and in vivo osseointegration of titanium dental implant through oxygen plasma immersion ion implantation treatment,” *Surf. Coatings Technol.*, vol. 399, p. 126125, 2020, doi: 10.1016/j.surfcoat.2020.126125.
- [20] P. Piszczek *et al.*, “Comprehensive evaluation of the biological properties of surface-modified titanium alloy implants,” *J. Clin. Med.*, vol. 9, no. 2, pp. 1–30, 2020, doi: 10.3390/jcm9020342.
- [21] S. Singh, C. Prakash, and H. Singh, “Deposition of HA-TiO₂ by plasma spray on β -phase Ti-35Nb-7Ta-5Zr alloy for hip stem: Characterization, mechanical properties, corrosion, and in-vitro bioactivity,” *Surf. Coatings Technol.*, vol. 398, no. June, p. 126072, 2020, doi: 10.1016/j.surfcoat.2020.126072.
- [22] N. Eliaz and N. Metoki, “Calcium phosphate bioceramics: A review of their history, structure, properties, coating technologies and biomedical applications,” *Materials (Basel)*, vol. 10, no. 4, 2017, doi: 10.3390/ma10040334.
- [23] M. Sowa *et al.*, “DC plasma electrolytic oxidation treatment of gum metal for dental implants,” *Electrochim. Acta*, vol. 302, pp. 10–20, 2019, doi: 10.1016/j.electacta.2019.02.024.
- [24] A. Vladescu *et al.*, *Nanomaterials for medical applications and their antimicrobial advantages*. Elsevier Inc., 2019.
- [25] M. R. Konopatsky, A. S. Dubinskiy, S. M. Zhukova, Yu S. Sheremetyev, V. Brailovski, V. Prokoshkin, S. D. Filonov, “Ternary Ti-Zr-Nb and quaternary Ti-Zr-Nb-Ta shape memory alloys for biomedical applications:

- Structural features and cyclic mechanical properties,” *Mater. Sci. Eng. A*, vol. 702, pp. 301–311, 2017, doi: 10.1016/j.msea.2017.07.046.
- [26] T. Nagase, M. Todai, T. Hori, and T. Nakano, “Microstructure of equiatomic and non-equiatomic Ti-Nb-Ta-Zr-Mo high-entropy alloys for metallic biomaterials,” *J. Alloys Compd.*, vol. 753, pp. 412–421, 2018, doi: 10.1016/j.jallcom.2018.04.082.
- [27] R. Bahi, C. Nouveau, N. E. Beliardouh, C. E. Ramoul, S. Meddah, and O. Ghelloudj, “Surface performances of Ti-6Al-4V substrates coated PVD multilayered films in biological environments,” *Surf. Coatings Technol.*, vol. 385, no. July 2019, p. 125412, 2020, doi: 10.1016/j.surfcoat.2020.125412.
- [28] S. Durdu, G. Cihan, E. Yalcin, and A. Altinkok, “Characterization and mechanical properties of TiO₂ nanotubes formed on titanium by anodic oxidation,” *Ceram. Int.*, vol. 47, no. 8, pp. 10972–10979, 2021, doi: 10.1016/j.ceramint.2020.12.218.
- [29] K. Turalioğlu *et al.*, “The tribological and corrosion properties of anodized Ti6Al4V/316L bimetallic structures manufactured by additive manufacturing,” *Surf. Coatings Technol.*, vol. 405, no. September 2020, 2021, doi: 10.1016/j.surfcoat.2020.126635.
- [30] R. Hang *et al.*, “Length-dependent corrosion behavior, Ni²⁺ release, cytocompatibility, and antibacterial ability of Ni-Ti-O nanopores anodically grown on biomedical NiTi alloy,” *Mater. Sci. Eng. C*, vol. 89, no. 2017, pp. 1–7, 2018, doi: 10.1016/j.msec.2018.03.018.
- [31] C. Cui, B. M. Hu, L. Zhao, and S. Liu, “Titanium alloy production technology, market prospects and industry development,” *Mater. Des.*, vol. 32, no. 3, pp. 1684–1691, 2011, doi: 10.1016/j.matdes.2010.09.011.
- [32] E. Uhlmann, R. Kersting, T. B. Klein, M. F. Cruz, and A. V. Borille, “Additive Manufacturing of Titanium Alloy for Aircraft Components,” *Procedia CIRP*, vol. 35, pp. 55–60, 2015, doi: 10.1016/j.procir.2015.08.061.
- [33] I. Inagaki, T. Takechi, S. Yoshihisa, and N. Ariyasu, “Application and Features of Titanium for the Aerospace Industry,” *Nippon Steel Sumitomo*

- Met. Tech. Rep.*, no. 106, pp. 22–27, 2014.
- [34] N. A. Waterman and P. Dickens, “Rapid product development in the USA, Europe and Japan,” *World Cl. Des. to Manuf.*, vol. 1, no. 3, pp. 27–36, 1994, doi: 10.1108/09642369210056629.
- [35] C. Emmelmann, P. Sander, J. Kranz, and E. Wycisk, “Laser additive manufacturing and bionics: Redefining lightweight design,” *Phys. Procedia*, vol. 12, no. PART 1, pp. 364–368, 2011, doi: 10.1016/j.phpro.2011.03.046.
- [36] J. Giannatsis and V. Dedoussis, “Additive fabrication technologies applied to medicine and health care: A review,” *Int. J. Adv. Manuf. Technol.*, vol. 40, no. 1–2, pp. 116–127, 2009, doi: 10.1007/s00170-007-1308-1.
- [37] A. S. Oryshchenko, I. V. Gorynin, V. P. Leonov, A. S. Kudryavtsev, V. I. Mikhailov, and E. V. Chudakov, “Marine titanium alloys: Present and future,” *Inorg. Mater. Appl. Res.*, vol. 6, no. 6, pp. 571–579, 2015, doi: 10.1134/S2075113315060106.
- [38] L. Parry, I. A. Ashcroft, and R. D. Wildman, “Understanding the effect of laser scan strategy on residual stress in selective laser melting through thermo-mechanical simulation,” *Addit. Manuf.*, vol. 12, pp. 1–15, 2016, doi: 10.1016/j.addma.2016.05.014.
- [39] C. de Formanoir *et al.*, “A strategy to improve the work-hardening behavior of Ti–6Al–4V parts produced by additive manufacturing,” *Mater. Res. Lett.*, vol. 5, no. 3, pp. 201–208, 2017, doi: 10.1080/21663831.2016.1245681.
- [40] R. K. Gupta, V. A. Kumar, C. Mathew, and G. S. Rao, “Strain hardening of Titanium alloy Ti6Al4V sheets with prior heat treatment and cold working,” *Mater. Sci. Eng. A*, vol. 662, pp. 537–550, 2016, doi: 10.1016/j.msea.2016.03.094.
- [41] A. V. S. R. Prasad, K. Ramji, and G. L. Datta, “An Experimental Study of Wire EDM on Ti-6Al-4V Alloy,” *Procedia Mater. Sci.*, vol. 5, pp. 2567–2576, 2014, doi: 10.1016/j.mspro.2014.07.517.
- [42] D. Alontseva *et al.*, “Manufacturing and characterisation of robot assisted microplasma multilayer coating of titanium implants: Biocompatible

- coatings for medical implants with improved density and crystallinity,” *Johnson Matthey Technol. Rev.*, vol. 64, no. 2, pp. 180–191, 2020, doi: 10.1595/205651320x15737283268284.
- [43] P. K. Gokuldoss, S. Kolla, and J. Eckert, “Additive manufacturing processes: Selective laser melting, electron beam melting and binder jetting-selection guidelines,” *Materials (Basel)*, vol. 10, no. 6, 2017, doi: 10.3390/ma10060672.
- [44] W. Xu, S. Sun, J. Elambasseril, Q. Liu, M. Brandt, and M. Qian, “Ti-6Al-4V Additively Manufactured by Selective Laser Melting with Superior Mechanical Properties,” *Jom*, vol. 67, no. 3, pp. 668–673, 2015, doi: 10.1007/s11837-015-1297-8.
- [45] D. Raducanu, V. D. Cojocaru, A. Nocivin, I. Cinca, N. Serban, and E. M. Cojocaru, “Contributions to Mechanical Characteristics Improvement of Some Biomedical TNTZ Alloys by Adding Fe, Si, and O: A Comparative Study,” *Jom*, vol. 71, no. 1, pp. 264–271, 2019, doi: 10.1007/s11837-018-3091-x.
- [46] M. A. H. Gepreel, “Improved Elasticity of New Ti-Alloys for Biomedical Applications,” *Mater. Today Proc.*, vol. 2, pp. S979–S982, 2015, doi: 10.1016/j.matpr.2015.07.445.
- [47] Y. L. Zhou, M. Niinomi, and T. Akahori, “Effects of Ta content on Young’s modulus and tensile properties of binary Ti-Ta alloys for biomedical applications,” *Mater. Sci. Eng. A*, vol. 371, no. 1–2, pp. 283–290, 2004, doi: 10.1016/j.msea.2003.12.011.
- [48] P. Wang, Y. Feng, F. Liu, L. Wu, and S. Guan, “Microstructure and mechanical properties of Ti-Zr-Cr biomedical alloys,” *Mater. Sci. Eng. C*, vol. 51, pp. 148–152, 2015, doi: 10.1016/j.msec.2015.02.028.
- [49] N. Sakaguchi, M. Niinomi, T. Akahori, J. Takeda, and H. Toda, “Effect of Ta content on mechanical properties of Ti-30Nb-XTa-5Zr,” *Mater. Sci. Eng. C*, vol. 25, no. 3, pp. 370–376, 2005, doi: 10.1016/j.msec.2005.04.003.
- [50] D. R. N. Correa, F. B. Vicente, T. A. G. Donato, V. E. Arana-Chavez, M. A. R. Buzalaf, and C. R. Grandini, “The effect of the solute on the

- structure, selected mechanical properties, and biocompatibility of Ti-Zr system alloys for dental applications,” *Mater. Sci. Eng. C*, vol. 34, no. 1, pp. 354–359, 2014, doi: 10.1016/j.msec.2013.09.032.
- [51] A. Najdahmadi, A. Zarei-Hanzaki, and E. Farghadani, “Mechanical properties enhancement in Ti-29Nb-13Ta-4.6Zr alloy via heat treatment with no detrimental effect on its biocompatibility,” *Mater. Des.*, vol. 54, pp. 786–789, 2014, doi: 10.1016/j.matdes.2013.09.007.
- [52] M. Niinomi, T. Akahori, T. Takeuchi, S. Katsura, H. Fukui, and H. Toda, “Mechanical properties and cyto-toxicity of new beta type titanium alloy with low melting points for dental applications,” *Mater. Sci. Eng. C*, vol. 25, no. 3, pp. 417–425, 2005, doi: 10.1016/j.msec.2005.01.024.
- [53] J. M. Zapata, E. Leal, R. Hunter, R. F. de Souza, and E. Borie, “Biomechanical Behavior of Narrow Dental Implants Made with Aluminum- and Vanadium-Free Alloys: A Finite Element Analysis,” *Materials (Basel)*, vol. 15, no. 24, pp. 1–10, 2022, doi: 10.3390/ma15248903.
- [54] Y. Kirmanidou *et al.*, “New Ti-Alloys and Surface Modifications to Improve the Mechanical Properties and the Biological Response to Orthopedic and Dental Implants: A Review,” *Biomed Res. Int.*, vol. 2016, 2016, doi: 10.1155/2016/2908570.
- [55] M. Hussain *et al.*, “Recent developments in coatings for orthopedic metallic implants,” *Coatings*, vol. 11, no. 7, pp. 1–22, 2021, doi: 10.3390/coatings11070791.
- [56] R. Radha and D. Sreekanth, “Insight of magnesium alloys and composites for orthopedic implant applications – a review,” *J. Magnes. Alloy.*, vol. 5, no. 3, pp. 286–312, 2017, doi: 10.1016/j.jma.2017.08.003.
- [57] Y. Liu, S. Yu, Q. Shi, X. Ge, and W. Wang, “Multilayer Coatings for Tribology: A Mini Review,” *Nanomaterials*, vol. 12, no. 9, 2022, doi: 10.3390/nano12091388.
- [58] S. Grigoriev, C. Sotova, A. Vereschaka, V. Uglov, and N. Cherenda, “Modifying Coatings for Medical Implants Made of Titanium Alloys,” *Metals (Basel)*, vol. 13, no. 4, 2023, doi: 10.3390/met13040718.

- [59] D. Teker, F. Muhaffel, M. Menekse, N. G. Karaguler, M. Baydogan, and H. Cimenoglu, "Characteristics of multi-layer coating formed on commercially pure titanium for biomedical applications," *Mater. Sci. Eng. C*, vol. 48, pp. 579–585, 2015, doi: 10.1016/j.msec.2014.12.058.
- [60] M. SafaviPour *et al.*, "TiO₂ nanotube/chitosan-bioglass nanohybrid coating: fabrication and corrosion evaluation," *J. Appl. Electrochem.*, vol. 53, no. 1, pp. 177–189, 2023, doi: 10.1007/s10800-022-01761-3.
- [61] S. M. Byeon *et al.*, "Evaluation of osseointegration of Ti-6Al-4V alloy orthodontic mini-screws with ibandronate-loaded TiO₂ nanotube layer," *Dent. Mater. J.*, vol. 42, no. 4, pp. 610–616, 2023, doi: 10.4012/dmj.2023-021.
- [62] B.-H. Huang *et al.*, "Surface Properties and Biocompatibility of Anodized Titanium with a Potential Pretreatment for Biomedical Applications," *Metals (Basel)*, vol. 11, no. 7, p. 1090, 2021, doi: 10.3390/met11071090.
- [63] M. Adachi, Y. Murata, P. M. Hosseinpour, D. Yung, N. Thamwattana, and Y. Chan, "Influence of Anodization Time and Voltage on the Parameters of TiO₂ Nanotubes Influence of Anodization Time and Voltage on the Parameters of TiO₂ Nanotubes," 2016, doi: 10.1088/1757-899X/116/1/012025.
- [64] G. Reina, J. M. González-Domínguez, A. Criado, E. Vázquez, A. Bianco, and M. Prato, "Promises, facts and challenges for graphene in biomedical applications," *Chem. Soc. Rev.*, vol. 46, no. 15, pp. 4400–4416, 2017, doi: 10.1039/c7cs00363c.
- [65] M. Tahriri *et al.*, "Graphene and its derivatives: Opportunities and challenges in dentistry," *Mater. Sci. Eng. C*, vol. 102, no. January, pp. 171–185, 2019, doi: 10.1016/j.msec.2019.04.051.
- [66] R. Guazzo *et al.*, "Graphene-based nanomaterials for tissue engineering in the dental field," *Nanomaterials*, vol. 8, no. 5, pp. 1–31, 2018, doi: 10.3390/nano8050349.
- [67] A. C. Ferrari *et al.*, "Science and technology roadmap for graphene, related two-dimensional crystals, and hybrid systems," *Nanoscale*, vol. 7, no. 11, pp. 4598–4810, 2015, doi: 10.1039/c4nr01600a.

- [68] P. Bradder, S. K. Ling, S. Wang, and S. Liu, "Dye adsorption on layered graphite oxide," *J. Chem. Eng. Data*, vol. 56, no. 1, pp. 138–141, 2011, doi: 10.1021/je101049g.
- [69] V. B. Mohan, K. tak Lau, D. Hui, and D. Bhattacharyya, "Graphene-based materials and their composites: A review on production, applications and product limitations," *Compos. Part B Eng.*, vol. 142, no. December 2017, pp. 200–220, 2018, doi: 10.1016/j.compositesb.2018.01.013.
- [70] J. He and L. Fang, "Controllable synthesis of reduced graphene oxide," *Curr. Appl. Phys.*, vol. 16, no. 9, pp. 1152–1158, 2016, doi: 10.1016/j.cap.2016.06.011.
- [71] D. Sharma, S. Kanchi, M. I. Sabela, and K. Bisetty, "Insight into the biosensing of graphene oxide: Present and future prospects," *Arab. J. Chem.*, vol. 9, no. 2, pp. 238–261, 2016, doi: 10.1016/j.arabjc.2015.07.015.
- [72] X. Zhang *et al.*, "Distribution and biocompatibility studies of graphene oxide in mice after intravenous administration," *Carbon N. Y.*, vol. 49, no. 3, pp. 986–995, 2011, doi: 10.1016/j.carbon.2010.11.005.
- [73] J. Ruan *et al.*, "Enhanced Physiochemical and Mechanical Performance of Chitosan-Grafted Graphene Oxide for Superior Osteoinductivity," *Adv. Funct. Mater.*, vol. 26, no. 7, pp. 1085–1097, 2016, doi: 10.1002/adfm.201504141.
- [74] D. Jiao *et al.*, "Bidirectional differentiation of BMSCs induced by a biomimetic procallus based on a gelatin-reduced graphene oxide reinforced hydrogel for rapid bone regeneration," *Bioact. Mater.*, vol. 6, no. 7, pp. 2011–2028, 2021, doi: 10.1016/j.bioactmat.2020.12.003.
- [75] W. Zhang *et al.*, "Preparation, mechanical properties, and biocompatibility of graphene oxide-reinforced chitin monofilament absorbable surgical sutures," *Mar. Drugs*, vol. 17, no. 4, 2019, doi: 10.3390/md17040210.
- [76] S. Liu *et al.*, "Biocompatible graphene oxide–collagen composite aerogel for enhanced stiffness and in situ bone regeneration," *Mater. Sci. Eng. C*, vol. 105, no. February, p. 110137, 2019, doi: 10.1016/j.msec.2019.110137.
- [77] Y. F. Alfawaz *et al.*, "Dentin bond integrity of hydroxyapatite containing resin adhesive enhanced with graphene oxide nano-particles—an SEM,

- EDX, micro-raman, and microtensile bond strength study,” *Polymers (Basel)*, vol. 12, no. 12, pp. 1–19, 2020, doi: 10.3390/polym12122978.
- [78] N. Ilie, C. Sarosi, M. C. Rosu, and M. Moldovan, “Synthesis and characterization of graphene oxide-zirconia (GO-ZrO₂) and hydroxyapatite-zirconia (HA-ZrO₂) nano-fillers for resin-based composites for load-bearing applications,” *J. Dent.*, vol. 105, no. December 2020, p. 103557, 2021, doi: 10.1016/j.jdent.2020.103557.
- [79] M. Paz, S. T. Abrahamsi, T. Hack, M. Burchardt, and H. Terryn, “A Review on Anodizing of Aerospace Aluminum Alloys for Corrosion Protection,” pp. 1–30, 2020.
- [80] A. E. Hughes, N. Birbilis, J. M. C. Mol, S. J. Garcia, X. Zhou, and G. E. Thompson, “Corrosion and Principles of Protection.”
- [81] M. Curioni, P. Skeldon, E. Koroleva, G. E. Thompson, and J. Ferguson, “Role of Tartaric Acid on the Anodizing and Corrosion Behavior of AA 2024 T3 Aluminum Alloy,” *J. Electrochem. Soc.*, vol. 156, no. 4, p. C147, 2009, doi: 10.1149/1.3077602.
- [82] M. Becker, “Chromate-free chemical conversion coatings for aluminum alloys,” vol. 37, no. 4, pp. 321–342, 2019, doi: doi:10.1515/corrrev-2019-0032.
- [83] S. T. Abrahamsi, J. M. M. de Kok, H. Terryn, and J. M. C. Mol, “Towards Cr(VI)-free anodization of aluminum alloys for aerospace adhesive bonding applications: A review,” *Front. Chem. Sci. Eng.*, vol. 11, no. 3, pp. 465–482, 2017, doi: 10.1007/s11705-017-1641-3.
- [84] E. Montakhab, F. Rashchi, and S. Sheibani, “Modification and photocatalytic activity of open channel TiO₂ nanotubes array synthesized by anodization process,” *Appl. Surf. Sci.*, vol. 534, no. August, p. 147581, 2020, doi: 10.1016/j.apsusc.2020.147581.
- [85] Y. Wu, Q. Li, B. Xu, H. Fu, and Y. Li, “Nano-hydroxyapatite coated TiO₂ nanotubes on Ti-19Zr-10Nb-1Fe alloy promotes osteogenesis in vitro,” *Colloids Surfaces B Biointerfaces*, vol. 207, no. April, p. 112019, 2021, doi: 10.1016/j.colsurfb.2021.112019.
- [86] A. Goudarzi, S. K. Sadrnezhaad, and N. Johari, “The prominent role of

- fully-controlled surface co-modification procedure using titanium nanotubes and silk fibroin nanofibers in the performance enhancement of Ti6Al4V implants,” *Surf. Coatings Technol.*, vol. 412, no. February, p. 127001, 2021, doi: 10.1016/j.surfcoat.2021.127001.
- [87] S. A. Mousavi, A. Moshfeghi, F. Davoodian, and E. Salahinejad, “Eliminating the irregular surface layer of anodically-grown Ni-Ti-O nanopore arrays in a two-stage anodization,” *Surf. Coatings Technol.*, vol. 405, p. 126707, 2021, doi: 10.1016/j.surfcoat.2020.126707.
- [88] B. L. Pereira *et al.*, “Scratch-resistant and well-adhered nanotube arrays produced via anodizing process on β -titanium alloy,” *Mater. Today Commun.*, vol. 26, no. August 2020, p. 101947, 2021, doi: 10.1016/j.mtcomm.2020.101947.
- [89] M. Hatakeyama, N. Masahashi, Y. Michiyama, H. Inoue, and S. Hanada, “Mechanical properties of anodized TiNbSn alloy for biomedical applications,” *Mater. Sci. Eng. A*, vol. 825, no. June, p. 141898, 2021, doi: 10.1016/j.msea.2021.141898.
- [90] M. Hasegawa *et al.*, “A newly created meso-, micro-, and nano-scale rough titanium surface promotes bone-implant integration,” *Int. J. Mol. Sci.*, vol. 21, no. 3, 2020, doi: 10.3390/ijms21030783.
- [91] D. Decha-umphai *et al.*, “Effects of post-processing on microstructure and adhesion strength of TiO₂ nanotubes on 3D-printed Ti-6Al-4V alloy,” *Surf. Coatings Technol.*, vol. 421, no. April, p. 127431, 2021, doi: 10.1016/j.surfcoat.2021.127431.
- [92] R. F. Antonio, E. C. Rangel, B. A. Mas, E. A. R. Duek, and N. C. Cruz, “Surface & Coatings Technology Growth of hydroxyapatite coatings on tantalum by plasma electrolytic oxidation in a single step,” *Surf. Coat. Technol.*, vol. 357, no. October 2018, pp. 698–705, 2019, doi: 10.1016/j.surfcoat.2018.10.079.
- [93] P. Eshghinejad, H. Farnoush, M. S. Bahrami, H. R. Bakhsheshi-Rad, E. Karamian, and X. B. Chen, “Electrophoretic deposition of bioglass/graphene oxide composite on Ti-alloy implants for improved antibacterial and cytocompatible properties,” *Mater. Technol.*, vol. 35, no.

- 2, pp. 69–74, 2020, doi: 10.1080/10667857.2019.1648740.
- [94] D. N. Nunes Nicomedes *et al.*, “Comparison between hydroxyapatite/soapstone and hydroxyapatite/reduced graphene oxide composite coatings: Synthesis and property improvement,” *J. Mech. Behav. Biomed. Mater.*, vol. 121, no. June, 2021, doi: 10.1016/j.jmbbm.2021.104618.
- [95] H. Maleki-Ghaleh and J. Khalil-Allafi, “Effect of hydroxyapatite-titanium-MWCNTs composite coating fabricated by electrophoretic deposition on corrosion and cellular behavior of NiTi alloy,” *Mater. Corros.*, vol. 70, no. 11, pp. 2128–2138, 2019, doi: 10.1002/maco.201910940.
- [96] Z. González, A. M. Pérez-Mas, C. Blanco, M. Granda, and R. Santamaría, “Influence of the electrophoretic deposition parameters on the formation of suspended graphene-based films,” *Mater. Des.*, vol. 160, pp. 58–64, 2018, doi: 10.1016/j.matdes.2018.08.063.
- [97] S. Singh, G. Singh, and N. Bala, “Electrophoretic deposition of hydroxyapatite-iron oxide-chitosan composite coatings on Ti – 13Nb – 13Zr alloy for biomedical applications,” *Thin Solid Films*, vol. 697, no. June 2019, p. 137801, 2020, doi: 10.1016/j.tsf.2020.137801.
- [98] D. Juliadmi, V. R. Fauzi, Gunawarman, H. Nur, and M. H. Idris, “Hydroxyapatite coating on titanium alloy Ti-6Al-4V with electrophoretic deposition (EPD) for dental root application,” *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 7, no. 6, pp. 2152–2158, 2017, doi: 10.18517/ijaseit.7.6.3497.
- [99] R. Drevet, N. Ben Jaber, J. Fauré, A. Tara, A. Ben Cheikh Larbi, and H. Benhayoune, “Electrophoretic deposition (EPD) of nano-hydroxyapatite coatings with improved mechanical properties on prosthetic Ti6Al4V substrates,” *Surf. Coatings Technol.*, vol. 301, pp. 94–99, 2016, doi: 10.1016/j.surfcoat.2015.12.058.
- [100] L. Suo *et al.*, “The enhancement of osseointegration using a graphene oxide/chitosan/hydroxyapatite composite coating on titanium fabricated by electrophoretic deposition,” *J. Biomed. Mater. Res. - Part B Appl. Biomater.*, vol. 107, no. 3, pp. 635–645, 2019, doi: 10.1002/jbm.b.34156.

- [101] O. Yigit, B. Dikici, T. C. Senocak, and N. Ozdemir, "One-step synthesis of nano-hydroxyapatite/graphene nanosheet hybrid coatings on Ti6Al4V alloys by hydrothermal method and their in-vitro corrosion responses," *Surf. Coatings Technol.*, vol. 394, no. April, p. 125858, 2020, doi: 10.1016/j.surfcoat.2020.125858.
- [102] E. Yılmaz *et al.*, "Novel hydroxyapatite/graphene oxide/collagen bioactive composite coating on Ti6Nb alloys by electrodeposition," *Mater. Sci. Eng. C*, vol. 101, no. January, pp. 292–305, 2019, doi: 10.1016/j.msec.2019.03.078.
- [103] L. Fathaynes, J. Khalil-Allafi, S. O. R. Sheykholeslami, and M. Moosavifar, "Biocompatibility assessment of graphene oxide-hydroxyapatite coating applied on TiO₂ nanotubes by ultrasound-assisted pulse electrodeposition," *Mater. Sci. Eng. C*, vol. 87, no. 2017, pp. 10–21, 2018, doi: 10.1016/j.msec.2018.02.012.
- [104] P. Techaniyom, P. Tanurat, and S. Sirivisoot, "Osteoblast differentiation and gene expression analysis on anodized titanium samples coated with graphene oxide," *Appl. Surf. Sci.*, vol. 526, no. May, p. 146646, 2020, doi: 10.1016/j.apsusc.2020.146646.
- [105] Y. Ma, J. Han, M. Wang, X. Chen, and S. Jia, "Electrophoretic deposition of graphene-based materials : A review of materials and their applications," *J Mater.*, 2018, doi: 10.1016/j.jmat.2018.02.004.
- [106] C. Wang *et al.*, "Enhanced Osseointegration of Titanium Alloy Implants with Laser Microgrooved Surfaces and Graphene Oxide Coating," *ACS Appl. Mater. Interfaces*, vol. 11, pp. 39470–39483, 2019, doi: 10.1021/acsami.9b12733.
- [107] M. Mahmoodi, M. H. Hydari, L. Mahmoodi, L. Gazanfari, and M. Mirhaj, "Electrophoretic deposition of graphene oxide reinforced hydroxyapatite on the tantalum substrate for bone implant applications: In vitro corrosion and bio-tribological behavior," *Surf. Coatings Technol.*, vol. 424, no. June, p. 127642, 2021, doi: 10.1016/j.surfcoat.2021.127642.
- [108] N. Horandghadim, J. Khalil-alla, and M. Urgan, "Surface & Coatings Technology Influence of tantalum pentoxide secondary phase on surface

- features and mechanical properties of hydroxyapatite coating on NiTi alloy produced by electrophoretic deposition,” vol. 386, no. January, 2020, doi: 10.1016/j.surfcoat.2020.125458.
- [109] S. C. Vanithakumari, G. Jena, S. Sofia, C. Thinaharan, R. P. George, and J. Philip, “Fabrication of superhydrophobic titanium surfaces with superior antibacterial properties using graphene oxide and silanized silica nanoparticles,” *Surf. Coatings Technol.*, vol. 400, p. 126074, 2020, doi: 10.1016/j.surfcoat.2020.126074.
- [110] S. R. Fardi, H. khorsand, R. Askarnia, R. Pardehkhorrarn, and E. Adabifiroozjaei, “Improvement of biomedical functionality of titanium by ultrasound-assisted electrophoretic deposition of hydroxyapatite-graphene oxide nanocomposites,” *Ceram. Int.*, vol. 46, no. 11, pp. 18297–18307, 2020, doi: 10.1016/j.ceramint.2020.05.049.
- [111] J. M. Macák, H. Tsuchiya, and P. Schmuki, “High-aspect-ratio TiO₂ nanotubes by anodization of titanium,” *Angew. Chemie - Int. Ed.*, vol. 44, no. 14, pp. 2100–2102, 2005, doi: 10.1002/anie.200462459.
- [112] A. M. Fathi, M. K. Ahmed, M. Afifi, A. A. Menazea, and V. Uskoković, “Taking Hydroxyapatite-Coated Titanium Implants Two Steps Forward: Surface Modification Using Graphene Mesolayers and a Hydroxyapatite-Reinforced Polymeric Scaffold,” *ACS Biomater. Sci. Eng.*, vol. 7, no. 1, pp. 360–372, 2021, doi: 10.1021/acsbiomaterials.0c01105.
- [113] A. Mazinani *et al.*, “Graphene oxide (GO) decorated on multi-structured porous titania fabricated by plasma electrolytic oxidation (PEO) for enhanced antibacterial performance,” *Mater. Des.*, vol. 200, p. 109443, 2021, doi: 10.1016/j.matdes.2020.109443.
- [114] M. S. Kang *et al.*, “Reduced graphene oxide coating enhances osteogenic differentiation of human mesenchymal stem cells on Ti surfaces,” *Biomater. Res.*, vol. 25, no. 1, pp. 1–9, 2021, doi: 10.1186/s40824-021-00205-x.
- [115] N. Lou, B. Zhu, L. Luo, Y. Zhang, and Z. Meng, “Enhancement of In Vitro Bioactivity of One-Step Spark Plasma Sintered Porous Titanium by Alkali-Treatment,” 2022.

- [116] N. E. Fedorovich, J. Alblas, W. E. Hennink, W. J. A. Dhert, and F. O. C. M. van't Hof-Grootenboer, "Organ printing : the future of bone regeneration ?," vol. 29, no. 12, pp. 601–606, 2011, doi: 10.1016/j.tibtech.2011.07.001.
- [117] C. Song, L. Liu, Z. Deng, and H. Lei, "Research progress on the design and performance of porous titanium alloy bone implants," 2023.
- [118] D. Atmani, N. Saoula, A. Abdi, M. Azzaz, Y. Wang, and M. Mohamedi, "Structural, Morphological, and Electrochemical Corrosion Properties of TiO₂ Formed on Ti6Al4V Alloys by Anodization," *Cryst. Res. Technol.*, vol. 53, no. 12, pp. 1–7, 2018, doi: 10.1002/crat.201800138.
- [119] S. K. W. Ningsih, M. I. Syauqi, R. Wibowo, and J. Gunlazuardi, "Effect of potential variation on morphology and photoelectrochemical properties of TiO₂ nanotube arrays (TNAs) by two-step anodization method," *J. Appl. Electrochem.*, no. 0123456789, 2023, doi: 10.1007/s10800-023-01999-5.
- [120] G. K. Mor, O. K. Varghese, M. Paulose, and C. A. Grimes, "Transparent highly ordered TiO₂ nanotube arrays via anodization of titanium thin films," *Adv. Funct. Mater.*, vol. 15, no. 8, pp. 1291–1296, 2005, doi: 10.1002/adfm.200500096.
- [121] R. V. Chernozem, M. A. Surmeneva, and R. A. Surmenev, "Influence of Anodization Time and Voltage on the Parameters of TiO₂ Nanotubes," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 116, no. 1, 2016, doi: 10.1088/1757-899X/116/1/012025.
- [122] I. Çaha *et al.*, "Crystallization and additional oxide interlayers improve the tribocorrosion resistance of TiO₂ nanotubular surfaces formed on Ti6Al4V," *Appl. Surf. Sci.*, vol. 635, no. April, p. 157755, 2023, doi: 10.1016/j.apsusc.2023.157755.
- [123] K. R. Hebert, S. P. Albu, I. Paramasivam, and P. Schmuki, "Morphological instability leading to formation of porous anodic oxide films," *Nat. Mater.*, vol. 11, no. 2, pp. 162–166, 2012, doi: 10.1038/nmat3185.
- [124] D. Guan and Y. Wang, "Synthesis and growth mechanism of multilayer TiO₂ nanotube arrays," *Nanoscale*, vol. 4, no. 9, pp. 2968–2977, 2012, doi: 10.1039/c2nr30315a.
- [125] P. Nakpan and A. Aeimphu, "Fabrication of titanium dioxide nanotubes by

- difference the anodization voltage and time,” *Mater. Today Proc.*, vol. 47, no. xxxx, pp. 3436–3440, 2021, doi: 10.1016/j.matpr.2021.03.290.
- [126] S. Durdu *et al.*, “Characterization and investigation of properties of copper nanoparticle coated TiO₂ nanotube surfaces on Ti6Al4V alloy,” *Mater. Chem. Phys.*, vol. 292, no. August, 2022, doi: 10.1016/j.matchemphys.2022.126741.
- [127] X. Wang, K. Zhou, Y. Li, H. Xie, and B. Wang, “Preparation, modification, and clinical application of porous tantalum scaffolds,” *Front. Bioeng. Biotechnol.*, vol. 11, no. April, pp. 1–17, 2023, doi: 10.3389/fbioe.2023.1127939.
- [128] M. T. Acar, “Investigation of monolayer anodized TiO₂ film and bilayer spin coated graphene film on corrosion and tribocorrosion properties of Ti45Nb alloy,” *Eur. Mech. Sci.*, vol. 8, no. 3, pp. 191–198, 2024, doi: 10.26701/ems.1485412.
- [129] K. Prasad *et al.*, “Metallic biomaterials: Current challenges and opportunities,” *Materials (Basel)*, vol. 10, no. 8, 2017, doi: 10.3390/ma10080884.
- [130] S. F. Jawed *et al.*, “Strengthening mechanism and corrosion resistance of beta-type Ti-Nb-Zr-Mn alloys,” *Mater. Sci. Eng. C*, vol. 110, no. December 2019, 2020, doi: 10.1016/j.msec.2020.110728.
- [131] Y. P. Sharkeev *et al.*, “Special Aspects of Microstructure, Deformation and Fracture of Bioinert Zirconium and Titanium-Niobium Alloys in Different Structural States,” *Russ. Phys. J.*, vol. 61, no. 9, pp. 1718–1725, 2019, doi: 10.1007/s11182-018-1592-2.
- [132] T. Kokubo and S. Yamaguchi, “Simulated body fluid and the novel bioactive materials derived from it,” *J. Biomed. Mater. Res. - Part A*, vol. 107, no. 5, pp. 968–977, 2019, doi: 10.1002/jbm.a.36620.
- [133] E. O. Peo, “Surface Properties of Graphene Functionalized TiO₂/nHA Hybrid Coatings Made on Ti6Al7Nb Alloys via Plasma Electrolytic Oxidation (PEO),” 2021.
- [134] N. Ramezannejad and H. Farnoush, “Effect of graphene oxide on micro-tribological and electrochemical properties of electrophoretically deposited

- HA-TiO₂-GO composite coatings,” *Process. Appl. Ceram.*, vol. 16, pp. 30–41, Mar. 2022, doi: 10.2298/PAC2201030R.
- [135] M. K. Ji *et al.*, “Effects of TiO₂ Nanotubes and Reduced Graphene Oxide on Streptococcus mutans and Preosteoblastic Cells at an Early Stage,” *Int. J. Mol. Sci.*, vol. 25, no. 2, 2024, doi: 10.3390/ijms25021351.
- [136] S. Hettler, D. Sebastian, M. Pelaez-Fernandez, A. M. Benito, W. K. Maser, and R. Arenal, “In-situ reduction by Joule heating and measurement of electrical conductivity of graphene oxide in a transmission electron microscope,” *2D Mater.*, vol. 8, no. 3, pp. 1–21, 2021, doi: 10.1088/2053-1583/abedc9.
- [137] M. Long, Y. Qin, C. Chen, X. Guo, B. Tan, and W. Cai, “Origin of Visible Light Photoactivity of Reduced Graphene Oxide/TiO₂ by in Situ Hydrothermal Growth of Undergrown TiO₂ with Graphene Oxide,” *J. Phys. Chem. C*, vol. 117, no. 32, pp. 16734–16741, Aug. 2013, doi: 10.1021/jp4058109.
- [138] M. A. Cenicerós-Reyes *et al.*, “Reduction of graphene oxide by in-situ heating experiments in the transmission electron microscope,” *Surfaces and Interfaces*, vol. 35, p. 102448, 2022, doi: <https://doi.org/10.1016/j.surfin.2022.102448>.
- [139] A. A. K. King *et al.*, “A new raman metric for the characterisation of graphene oxide and its derivatives,” *Sci. Rep.*, vol. 6, pp. 1–6, 2016, doi: 10.1038/srep19491.
- [140] M. K. Rabchinskii *et al.*, “Facile reduction of graphene oxide suspensions and films using glass wafers,” *Sci. Rep.*, vol. 8, no. 1, pp. 1–12, 2018, doi: 10.1038/s41598-018-32488-x.
- [141] J. Zhang, Y. Xu, Z. Liu, W. Yang, and J. Liu, “A highly conductive porous graphene electrode prepared via in situ reduction of graphene oxide using Cu nanoparticles for the fabrication of high performance supercapacitors,” *RSC Adv.*, vol. 5, no. 67, pp. 54275–54282, 2015, doi: 10.1039/c5ra07857a.
- [142] G. Desante *et al.*, “Graphene oxide nanofilm to functionalize bioinert high strength ceramics,” *Appl. Surf. Sci.*, vol. 566, no. June, 2021, doi: 10.1016/j.apsusc.2021.150670.

- [143] H. Kovacı, K. Şenel, M. T. Acar, Y. B. Bozkurt, and A. Çelik, “Comparative investigation of structural, morphological, mechanical, tribological and electrochemical properties of TiO₂ films formed on Cp-Ti, Ti6Al4V and Ti45Nb alloys,” *Surf. Coatings Technol.*, vol. 487, p. 131024, 2024, doi: <https://doi.org/10.1016/j.surfcoat.2024.131024>.
- [144] M. T. Acar, O. Çomaklı, and M. E. Arslan, “Selective laser melting of Ti6Al4V alloy: Effects of graphene-TiO₂ nanotubes composites corrosion and biocompatibility,” *J. Alloys Compd.*, vol. 1008, p. 176710, 2024, doi: <https://doi.org/10.1016/j.jallcom.2024.176710>.
- [145] J. Su *et al.*, “Graphene oxide coated Titanium Surfaces with Osteoimmunomodulatory Role to Enhance Osteogenesis,” *Mater. Sci. Eng. C*, vol. 113, no. January, p. 110983, 2020, doi: [10.1016/j.msec.2020.110983](https://doi.org/10.1016/j.msec.2020.110983).
- [146] V. Raman, S. Nagarajan, and N. Rajendran, “Electrochemical impedance spectroscopic characterisation of passive film formed over b Ti – 29Nb – 13Ta – 4 . 6Zr alloy,” vol. 8, pp. 1309–1314, 2006, doi: [10.1016/j.elecom.2006.06.004](https://doi.org/10.1016/j.elecom.2006.06.004).
- [147] H. Li, B. Wang, J. Yang, X. Liu, J. Zhang, and R. Ye, “Corrosion behavior of TC18 titanium alloy with different initial microstructures in salt spray,” *J. Mater. Res. Technol.*, vol. 35, no. January, pp. 1619–1628, 2025, doi: [10.1016/j.jmrt.2025.01.141](https://doi.org/10.1016/j.jmrt.2025.01.141).
- [148] M. Fellah *et al.*, “Electrochemical analysis of mechanically alloyed Ti50%-Ni50% alloy for bone implants use,” *J. Alloys Compd.*, vol. 1010, no. November 2024, 2025, doi: [10.1016/j.jallcom.2024.178046](https://doi.org/10.1016/j.jallcom.2024.178046).
- [149] G. Malik, A. Kumar, R. Adalati, S. Sharma, A. Bansal, and R. Chandra, “Enhanced electrochemical corrosion resistance of SS(304L) alloy with nano-pyramids c-TiN layer for saline media application,” *J. Alloy. Metall. Syst.*, vol. 3, no. August, p. 100028, 2023, doi: [10.1016/j.jalmes.2023.100028](https://doi.org/10.1016/j.jalmes.2023.100028).
- [150] O. Susanti, H. Annisa, O. Susanti, and H. Annisa, “EasyChair Preprint Cytotoxicity of Mg-1 . 6Gd Alloys After Hot Rolling at an 80 % Reduction Level as Implant Material Cytotoxicity Of Mg-1 . 6Gd Alloys After Hot

Rolling At An,” 2023.

- [151] I. Standard, “INTERNATIONAL STANDARD,” 2009.
- [152] S. Farshid, M. Ebrahimian-Hosseiniabadi, and M. Rafienia, “Electrophoretic deposition of biphasic calcium phosphate/graphene nanocomposite coatings on Ti6Al4V substrate for biomedical applications,” *J. Alloys Compd.*, vol. 892, p. 162150, 2022, doi: 10.1016/j.jallcom.2021.162150.
- [153] A. Oktay *et al.*, “Corrosion response and biocompatibility of graphene oxide (GO)–serotonin (Ser) coatings on Ti6Al7Nb and Ti29Nb13Ta4.6Zr (TNTZ) alloys fabricated by electrophoretic deposition (EPD),” *Mater. Today Commun.*, vol. 34, no. December 2022, p. 105236, 2023, doi: 10.1016/j.mtcomm.2022.105236.
- [154] Q. Sun *et al.*, “Pr ep rin ot pe er re v Pr ep rin ot pe er ed,” pp. 1–8, 2023.
- [155] I. C. Turu, S. Bayraktar, B. Akgul, E. Ilhan-Sungur, E. S. Abamor, and N. Cansever, “Formation of TiO₂ nanotubes and deposition of silver nanoparticle and reduced graphene oxide: Antibacterial and biocompatibility behavior,” *Surf. Coatings Technol.*, vol. 470, no. June, p. 129866, 2023, doi: 10.1016/j.surfcoat.2023.129866.
- [156] B. Etemadifar, R. Amini Najafabadi, A. Meysami, and M. Kharaziha, “Improving biocompatibility and corrosion resistance of titanium alloy implants with bredigite-graphene oxide nanocomposite coatings,” *J. Adhes. Sci. Technol.*, vol. 38, no. 11, pp. 1827–1847, 2024, doi: 10.1080/01694243.2023.2282841.
- [157] H. Asgar, K. M. Deen, Z. U. Rahman, U. H. Shah, M. A. Raza, and W. Haider, “Functionalized graphene oxide coating on Ti6Al4V alloy for improved biocompatibility and corrosion resistance,” *Mater. Sci. Eng. C*, vol. 94, no. October 2018, pp. 920–928, 2019, doi: 10.1016/j.msec.2018.10.046.
- [158] X. You *et al.*, “Graphene oxide/ε-poly-L-lysine self-assembled functionalized coatings improve the biocompatibility and antibacterial properties of titanium implants,” *Front. Bioeng. Biotechnol.*, vol. 12, no. April, pp. 1–14, 2024, doi: 10.3389/fbioe.2024.1381685.
- [159] M. Kirman, H. Doğan, and T. Dikici, “Deposition of HA-GO on ASO

modified Ti surface by EPD method and characterization of surface and biological properties of the coating,” *Ceram. Int.*, vol. 51, no. September 2024, pp. 3703–3713, 2024, doi: 10.1016/j.ceramint.2024.11.346.

- [160] D. Biju *et al.*, “Development, characterization, and biocompatibility and corrosion analyses of a silver-decorated graphene oxide and chitosan surface coating for titanium dental implants: A preliminary report,” *Dent. Med. Probl.*, vol. 61, no. 4, pp. 627–632, 2024, doi: 10.17219/dmp/187107.
- [161] B. Rikhari, S. P. Mani, and N. Rajendran, “Polypyrrole/graphene oxide composite coating on Ti implants: a promising material for biomedical applications,” *J. Mater. Sci.*, vol. 55, no. 12, pp. 5211–5229, 2020, doi: 10.1007/s10853-019-04228-7.

