

Daftar Pustaka

- [1] Global E-Waste Statistic Partnership, “Global E-Waste Monitor 2024: Quantifying the Increasing Challenge of E-Waste,” 2024.
- [2] P. Kumar, P. Kumar, and S. Singh Thakur, “E-Waste and Hazardous Elements: A Comprehensive Study of Chemical Components and Environmental Threats,” *International Journal of Innovative Science and Research Technology (IJISRT)*, pp. 1074–1085, Oct. 2024, doi: 10.38124/ijisrt/ijisrt24oct1008.
- [3] L. Li, L. Han, H. Hu, and R. Zhang, “A review on polymers and their composites for flexible electronics,” Dec. 22, 2022, *Royal Society of Chemistry*. doi: 10.1039/d2ma00940d.
- [4] M. Gong, L. Zhang, and P. Wan, “Polymer nanocomposite meshes for flexible electronic devices,” Aug. 01, 2020, *Elsevier Ltd.* doi: 10.1016/j.progpolymsci.2020.101279.
- [5] V. Van Tran, S. Lee, D. Lee, and T. H. Le, “Recent Developments and Implementations of Conductive Polymer-Based Flexible Devices in Sensing Applications,” Sep. 01, 2022, *MDPI*. doi: 10.3390/polym14183730.
- [6] G. Scandurra, A. Arena, and C. Ciofi, “A Brief Review on Flexible Electronics for IoT: Solutions for Sustainability and New Perspectives for Designers,” Jun. 01, 2023, *MDPI*. doi: 10.3390/s23115264.
- [7] “Flexible Electronics Market Size, Share & Industry Analysis, By Type (Flexible Printed Circuits and Rigid-Flexible), By Application (Monitoring, Sensing, Lighting, Display, Storage, and Others (Sensors)), By End-user (Consumer Goods, Healthcare, Automotive, Robotics, Agriculture, Aerospace and Defense, and Others (Energy and Power), and Regional Forecast, 2025 – 2032,” *Fortune Business Insights*.
- [8] L. Iryani and S. Satrio Wibowo, “Proses Manufaktur Material Komposit Struktur Sayap Pesawat Udara Tanpa Awak Menggunakan Metode Hand Lay-Up dan Vacuum Bagging” 2019.
- [9] U. Yolla Sundari, A. Sandriya, E. Dwi Puji Setyowati, O. Andanu, and F. Fiardilla, “Karakterisasi Fisik Film Berbasis Polivinil Alkohol (Pva) Dengan Penambahan Nanoclay Sebagai Filler,” 2024.
- [10] N. Chuaponpat, T. Ueda, A. Ishigami, T. Kurose, and H. Ito, “Morphology, thermal and mechanical properties of co-continuous porous structure of PLA/PVA blends by phase separation,” *Polymers (Basel)*., vol. 12, no. 5, May 2020, doi: 10.3390/POLYM12051083.
- [11] Z. Ling *et al.*, “Flexible and conductive MXene films and nanocomposites with high capacitance,” *Proc. Natl. Acad. Sci. U. S. A.*, vol. 111, no. 47, pp. 16676–16681, Nov. 2014, doi: 10.1073/pnas.1414215111.

- [12] N. Bhadwal, R. Ben Mrad, and K. Behdinan, "Review of Zinc Oxide Piezoelectric Nanogenerators: Piezoelectric Properties, Composite Structures and Power Output," Apr. 01, 2023, *MDPI*. doi: 10.3390/s23083859.
- [13] "[12] Sintesis Dan Sifat Magnetik Komposit BaFe₁₂O₁₉ZnO Terhadap Aplikasi Elektronik Media Perekam Dan Absorben".
- [14] "[13] Pengaruh Suhu Annealing Terhadap Sifat Listrik dan Struktur Kristal Lapisan Tipis Nanokomposit PVAZnO".
- [15] S. Padinhattayil and S. Rai, "PVA/GO-ZnO Hybrid Nanocomposites: Synthesis, Analysis, and Applications (Indian Journal of Science and Technology)" 2021, doi: 10.17485/IJST/v14i23.236.
- [16] P. Sobolčiak *et al.*, "2D Ti₃C₂T_x (MXene)-reinforced polyvinyl alcohol (PVA) nanofibers with enhanced mechanical and electrical properties," *PLoS One*, vol. 12, no. 8, Aug. 2017, doi: 10.1371/journal.pone.0183705.
- [17] S. Auliana Rahmawaty *et al.*, "Analisa Kekuatan Tarik dan Tekuk pada Komposit Fiberglass-Polyester Berpenguat Serat Gelas dengan Variasi Fraksi Volume Serat," vol. 5, no. 3, 2021.
- [18] D. K. Rajak, D. D. Pagar, R. Kumar, and C. I. Pruncu, "Recent progress of reinforcement materials: A comprehensive overview of composite materials," *Journal of Materials Research and Technology*, vol. 8, no. 6, pp. 6354–6374, Nov. 2019, doi: 10.1016/j.jmrt.2019.09.068.
- [19] R. K. Tubes and E. I. Du, "Melting Point and Heat of Fusion of Poly(vinyl Alcohol)," 1965.
- [20] Y. Pan *et al.*, "Flammability, thermal stability and mechanical properties of polyvinyl alcohol nanocomposites reinforced with delaminated Ti₃C₂T_x (MXene)," *Polym. Compos.*, vol. 41, no. 1, pp. 210–218, Jan. 2020, doi: 10.1002/pc.25361.
- [21] H. Assaedi, "The role of nano-CaCO₃ in the mechanical performance of polyvinyl alcohol fibre-reinforced geopolymer composites," *Compos. Interfaces*, vol. 28, no. 5, pp. 527–542, 2021, doi: 10.1080/09276440.2020.1793096.
- [22] M. J. Simanjuntak, "Studi film polyvinyl alcohol (PVA) dimodifikasi dengan acrylamide (AAm) sebagai material sensitif terhadap kelembapan," Depok, 2008.
- [23] P. Uikey and K. Vishwakarma, "Review of Zinc Oxide (ZnO) Nanoparticles: Applications and Properties" 2016.
- [24] A. Zamhuri, G. P. Lim, N. L. Ma, K. S. Tee, and C. F. Soon, "MXene in the lens of biomedical engineering: synthesis, applications and future outlook," Dec. 01, 2021, *BioMed Central Ltd*. doi: 10.1186/s12938-021-00873-9.
- [25] K. H. Tan, L. Samylingam, N. Aslfattahi, R. Saidur, and K. Kadirgama, "Optical and conductivity studies of polyvinyl alcohol-MXene (PVA-MXene) nanocomposite thin films for electronic applications," *Opt. Laser Technol.*, vol. 136, Apr. 2021, doi: 10.1016/j.optlastec.2020.106772.

- [26] M. Xin, J. Li, Z. Ma, L. Pan, and Y. Shi, "MXenes and Their Applications in Wearable Sensors," Apr. 21, 2020, *Frontiers Media S.A.* doi: 10.3389/fchem.2020.00297.
- [27] Y. Wang *et al.*, "Engineering 3D Ion Transport Channels for Flexible MXene Films with Superior Capacitive Performance," *Adv. Funct. Mater.*, vol. 29, no. 14, Apr. 2019, doi: 10.1002/adfm.201900326.
- [28] J. Michael, Z. Qifeng, and W. Danling, "Titanium carbide MXene: Synthesis, electrical and optical properties and their applications in sensors and energy storage devices," Jan. 17, 2019, *SAGE Publications Ltd.* doi: 10.1177/1847980418824470.
- [29] K. R. G. Lim, M. Shekhirev, B. C. Wyatt, B. Anasori, Y. Gogotsi, and Z. W. Seh, "Fundamentals of MXene synthesis," Aug. 01, 2022, *Nature Publishing Group*. doi: 10.1038/s44160-022-00104-6.
- [30] E. Lizundia, D. Puglia, T. D. Nguyen, and I. Armentano, "Cellulose nanocrystal based multifunctional nanohybrids," Jul. 01, 2020, *Elsevier Ltd.* doi: 10.1016/j.pmatsci.2020.100668.
- [31] M. A. Kosnan, M. A. Azam, N. E. Safie, R. F. Munawar, and A. Takasaki, "Recent Progress of Electrode Architecture for MXene/MoS₂ Supercapacitor: Preparation Methods and Characterizations," Nov. 01, 2022, *MDPI*. doi: 10.3390/mi13111837.
- [32] N. H. Ince, G. Tezcanli, R. K. Belen, and I. G. Apikyan, "Ultrasound as a catalyzer of aqueous reaction systems: the state of the art and environmental applications," 2001.
- [33] A. Akhoondi, H. Ghaebi, L. Karuppasamy, M. M. Rahman, and P. Sathishkumar, "Recent advances in hydrogen production using MXenes-based metal sulfide photocatalysts," *Synthesis and Sintering*, vol. 2, no. 1, pp. 37–54, Mar. 2022, doi: 10.53063/synsint.2022.21106.
- [34] A. Betti Delmifiana, "Pengaruh Sonikasi terhadap Struktur dan Morfologi Nanopartikel Magnetik yang Disintesis dengan Metode Kopresipitasi" vol. 2, Jun. 2013.
- [35] S. Eigler, C. Dotzer, and A. Hirsch, "Pengaruh Waktu Ultrasonikasi terhadap Nilai Kapasitansi Elektroda Superkapasitor Berbahan Dasar Tempurung Kelapa" *Carbon N. Y.*, vol. 50, no. 10, pp. 3666–3673, Aug. 2012, doi: 10.1016/j.carbon.2012.03.039.
- [36] N. K. Sari and A. Muttaqin, "Pengaruh Waktu Sonikasi terhadap Konduktivitas Listrik Zeolit Berbahan Abu Dasar Batubara Menggunakan Metode Peleburan Alkali Hidrotermal," *Jurnal Fisika Unand*, vol. 5, no. 4, 2016.
- [37] A. Shahat Belal, "IR Spectroscopy Review Artical," 2023. [Online]. Available: www.ijisrt.com
- [38] T. Theophanides, "Introductory Chapter Introduction to Infrared Spectroscopy." [Online]. Available: www.intechopen.com

- [39] A. Barra, N. M. Ferreira, F. Poças, E. Ruiz-Hitzky, C. Nunes, and P. Ferreira, "Boosting through-plane electrical conductivity: chitosan composite films with carbon-sepiolite and multiwalled carbon nanotubes," *Carbon N. Y.*, vol. 231, Jan. 2025, doi: 10.1016/j.carbon.2024.119691.
- [40] R. Senthil Prabhu, R. Priyanka, M. Vijay, and G. R. Kaviya Vikashini, "Field Emission Scanning Electron Microscopy (Fesem) with A Very Big Future in Pharmaceutical Research," *Research Article | Pharmaceutical Sciences | OA Journal | MCI Approved | Index Copernicus*, vol. 11, no. 2, pp. 2321–3272, 2021, doi: 10.21276/ijpbs.2021.11.2.21.
- [41] T. S. Velayutham, N. A. Halim, and W. H. Abd. Majid, "Enhanced functionalities in flexible poly (vinylidene fluoride-trifluoroethylene)/cerium oxide doped sodium bismuth titanate [P(VDF-TrFE)/NBT-CeO₂] ceramic polymer composite films: A comprehensive investigation of piezoelectric, pyroelectric, and ferroelectric properties," *Next Materials*, vol. 6, Jan. 2025, doi: 10.1016/j.nxmte.2024.100416.
- [42] N. E. Safie, M. A. Azam, F. Arith, T. J. Sahaya Anand, N. R. Mohamad, and A. Takasaki, "Electrical conductivity enhancement of rGO-MoS₂ composite electrode for inverted PSC by parameter optimization," *Results in Engineering*, vol. 22, Jun. 2024, doi: 10.1016/j.rineng.2024.102237.
- [43] B. Verma, A. Kumar, H. C. Swart, and V. Kumar, "Enhanced optical and electrical properties of NiO-GO composite thin films on flexible PET substrates for optoelectronic applications," *Chemistry of Inorganic Materials*, vol. 5, p. 100097, Apr. 2025, doi: 10.1016/j.cinorg.2025.100097.
- [44] R. Haataja *et al.*, "Reconfigurable intelligent surface and switchable electromagnetic interference shield based on dynamically adjustable composite film of cellulose nanofibers and VO₂ nanoparticles," *Mater. Des.*, vol. 242, Jun. 2024, doi: 10.1016/j.matdes.2024.113005.
- [45] E. W. Hartt, "Theory of the Tensile Test*."
- [46] Samnur and I. Anwar, "1_Buku-Pengujian Bahan Teknik," Apr. 2022.
- [47] A. I. Wulandari and C. L. Agusty, "Analisis Tegangan-Regangan pada Pelat Deck dan Bottom Kapal Ferry Ro-Ro Menggunakan Finite Element Method (Stress–Strain Analysis on Deck and Bottom Plate of Ferry Ro-Ro Ship with Finite Element Method)" 2021.
- [48] R. Erviansyah, H. Syafutra, A. Maddu, and dan Siswadi, "Studi Konduktivitas Listrik Film Tipis Ba 0.25 Sr 0.75 TiO₃ Yang Didadah Ferium Oksida (BFST) Menggunakan Metode Chemical Solution Deposition," 2010.
- [49] S. S. Bhattacharya and H. N. Amin, "Analysis of Surface resistivity behaviour of Conductive Woven fabrics made from Pure Metal Wires & Cu Jari for ESD control," *International Journal of Advance Engineering and Research Development*, vol. 3, no. 1, 2016.
- [50] "Measurement of Thermal and Electrical Contact Resistance Between Conductive Materials."

- [51] X. Zhang, S. Fujiwara, and M. Fujii, “Measurements of Thermal Conductivity and Electrical Conductivity of a Single Carbon Fiber,” 2000.
- [52] M. S. Choyon, M. H. Sad, A. H. M. Rhydwan, K. Shikder, and C. A. Hossain, “Design of a Polymer Based On-Skin Temperature Sensor,” in *International Conference on Robotics, Electrical and Signal Processing Techniques*, 2021, pp. 704–709. doi: 10.1109/ICREST51555.2021.9331120.
- [53] T. S. Velayutham, N. A. Halim, and W. H. Abd. Majid, “Enhanced functionalities in flexible poly (vinylidene fluoride-trifluoroethylene)/cerium oxide doped sodium bismuth titanate [P(VDF-TrFE)/NBT-CeO₂] ceramic polymer composite films: A comprehensive investigation of piezoelectric, pyroelectric, and ferroelectric properties,” *Next Materials*, vol. 6, Jan. 2025, doi: 10.1016/j.nxmate.2024.100416.
- [54] “Measurement of Thermal and Electrical Contact Resistance Between Conductive Materials.”
- [55] G. Jung *et al.*, “Segregated poly(disulfide)@MXene composites with ultralow electrical percolation and chemical recyclability,” *Adv. Compos. Hybrid Mater.*, vol. 9, no. 1, p. 5, Feb. 2026, doi: 10.1007/s42114-025-01565-x.
- [56] J. O. Dias, A. O. Conceição, R. Siqueira, B. F. Coelho, and P. S. Oliveira, “Investigation of the Thermal, Physical, and Microstructural Properties of Polymeric Composites Bio-Reinforced with Charcoal Fines,” *Polymers (Basel)*, vol. 17, no. 10, May 2025, doi: 10.3390/polym17101370.
- [57] K. Y. Hsiao, R. J. Chung, P. P. Chang, and T. H. Tsai, “Identification of Hydroxyl and Polysiloxane Compounds via Infrared Absorption Spectroscopy with Targeted Noise Analysis,” *Polymers (Basel)*, vol. 17, no. 11, Jun. 2025, doi: 10.3390/polym17111533.

