

DAFTAR PUSTAKA

- Alves, Cresio, Marcia Brandao, Juliana Andion, Rafaela Menezes. 2010. Use of Graduated Syringes for Measuring Salivary Flow Rate: A Pilot Study. *Braz Dent J*
- Baydaa, A. Yas. 2011. The Realtion of Salivary Amtioxidants to Dental caires among Overweight and Obese Adult Aged 30-40 year old at Textile Factory in Mosul City. Vol.23. J Bagh College Dentistry.
- CDC, Body Mass Index: Considerations for Practitioners, 2020, diakses pada Agustus 2020 ; <http://www.cdc.gov/healthyweight/assessing/bmi/>
- De Campos MM, Kobayashi FY, Barbosa TD, Costa SD, Lucas BD, Castelo PM. 2013.Characteristics of salivary secretion in normal-weight, overweight and obese children: a preliminary study : Salivary composition and excessive fat tissue. *Odontology*.
- De Almeida Pdel V, Grégio AM, Machado MA, de Lima AA, Azevedo LR. Saliva composition and functions: A comprehensive review. *J Contemp Dent Pract* 2008
- Departemen Kesehatan. 21,7% Penduduk Indonesia alami obesitas. [Online]. 2011 Tersedia pada: <http://gizi.depkes.go.id/gawat-217-persen-penduduk-indonesia-alami-obesitas>.
- Ekstrom Jorgen, Nina Khosravani, Massimo Castagnola, and Irene Messana. 2012.Saliva and the Control of Its Secretion.Dysphagia, Medical Radiology. Diagnostic Imaging Springer-Verlag Berlin Heidelberg.
- Fajrin FN, Agus Z, Kasuma N. 2015. Hubungan body mass index dengan laju aliran saliva (Studi pada mahasiswa Fakultas Kedokteran Gigi Universitas Andalas). *Maj Ked Gi Ind*.
- Harty F. J., Ogston R. 2011. Dialihbahasakan S. Narlan. Kamus Kedokteran Gigi. PENERBIT BUKU KEDOKTERAN EGC.
- Hopcraft, MS and Tan, C. 2010. Xerostomia: an update for clinicians. *Australian*

Dental Journal.

Indriana T. 2011. Perbedaan laju aliran saliva dan pH karena pengaruh stimulus kimiawi dan mekanis. *J. Kedokteran Meditek*.

Kasuma, N. 2015. Fisiologi dan Patologi Saliva. *Andalas University Press*.

Kementerian Kesehatan. 2013. [Diakses pada September 2020]. Profil Kesehatan Indonesia 2012. Jakarta: Kementerian Kesehatan RI.

Marsicano, Juliane A., Arsenio Sales-Peres, and Silvia H. de C. Sales-Peres. 2012. Evaluation of oral health status and salivary flow rate in obese patients after bariatric surgery. *Eur J Dent*.

Mod er, Thomas, Cecilia CB, Biniyam W, Annika J, Claude M. 2010. Association between obesity, flow rate of whole saliva, and dental caries in adolescents.

Munevveroglu AP, Akgol BB, Erol T, Uysal B. 2017. Relationship between socioeconomic status, body mass index and dental caries of children. *Adv Dent Oral Health*.

Pannuzio E, Amancio OMS, Vitale MSDS, Souza DND, Mendes FM, Nicolau J. 2010. Analysis of the stimulated whole saliva in overweight and obese school children. *Rev Assoc Med Bras*.

Shaila, M. Pai, G. dan Shetty P. 2013. Salivary protein concentration, flow rate, buffer capacity and pH estimation: A comparative study among young and elderly subjects, both normal and with gingivitis and periodontitis. *Journal of Indian Society of Periodontology*.

Takeuchi K, Furuta M, Takeshita T, Shibata Y, Shimazaki Y, Akifusa S, dkk. 2015. Risk factors for reduced salivary flow rate in a Japanese population: The Hisayama Study. *Bio Med Res Inter*.

Wijaksana IKE. 2016. Infectoobesity dan periodontitis: hubungan dua arah obesitas

dan penyakit periodontal. *Odonto Dent J*.

WHO. *Body mass index, Obesity and Overweight – BMI*; 2020 [diakses pada Oktober 2020]. dapat dilihat di: <http://www.euro.who.int/en/health-topics/diseaseprevention/nutrition/a-healthy-lifestyle/body-mass-index-bmi>.

Yamashita JM, Grec PGM, Freitas AR, Peres AS, Groppo FC, Ceneviva R dkk. 2015. Assessment of oral conditions and quality of life in morbid obese and normal weight individuals: A cross-sectional study. *PLOS ONE*.

Yas BA. 2011. The relation of salivary antioxidants to dental caries among overweight and obese adult aged 30 – 40 year old at textile factory in Mosul City. *J Bagh Coll Dentistry*.

