

DAFTAR PUSTAKA

1. Freeman A, Acevedo L, Pennings N. Insulin Resistance. Dalam: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 [dikutip 12 Juni 2025]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK507839/>
2. Ballena-Caicedo J, Zuzunaga-Montoya FE, Loayza-Castro JA, Bustamante-Rodríguez JC, Vásquez Romero LEM, Tapia-Limonchi R, dkk. Global prevalence of insulin resistance in the adult population: a systematic review and meta-analysis. *Front Endocrinol (Lausanne)*. 22 Agustus 2025;16.
3. Goh LPW, Sani SA, Sabullah MK, Gansau JA. The Prevalence of Insulin Resistance in Malaysia and Indonesia: An Updated Systematic Review and Meta-Analysis. *Medicina (Lithuania)*. MDPI; 2022.
4. Zhu L, Spence C, Yang WJ, Ma GX. The IDF definition is better suited for screening metabolic syndrome and estimating risks of diabetes in asian american adults: Evidence from nhanes 2011–2016. *J Clin Med*. 1 Desember 2020;9(12).
5. Herningtyas EH, Ng TS. Prevalence and distribution of metabolic syndrome and its components among provinces and ethnic groups in Indonesia. *BMC Public Health*. 3 April 2019;19(1).
6. Lee SH, Park SY, Choi CS. Insulin resistance: from mechanisms to therapeutic strategies. *Diabetes and Metabolism Journal*. Korean Diabetes Association; 2022. hlm. 15–37.
7. National Cholesterol Education Program (NCEP) Expert Panel on Detection E and T of HBC in A. *ATP III Guidelines At-A-Glance: Quick Desk Reference*. Bethesda, MD; 2001. Report.
8. Xiao G, Lin C, Lan Q, Huang Z, Zhou C, Hu J, dkk. Association among obesity, insulin resistance, and depressive symptoms: a mediation analysis. *BMC Psychiatry*. 1 Desember 2025;25(1).
9. Piqueras P, Ballester A, Durá-Gil J V., Martinez-Hervas S, Redón J, Real JT. Anthropometric indicators as a tool for diagnosis of obesity and other health risk factors: a literature review. *Frontiers in Psychology*. Frontiers Media S.A.; 2021.
10. Yang Z, Ding X, Liu J, Duan P, Si L, Wan B, dkk. Associations between anthropometric parameters and lipid profiles in Chinese individuals with age 40 years and BMI <28kg/m². *PLoS One*. 1 Juni 2017;12(6).

11. Ramírez-Manent JI, Jover AM, Martínez CS, Tomás-Gil P, Martí-Llitas P, López-González ÁA. Waist circumference is an essential factor in predicting insulin resistance and early detection of metabolic syndrome in adults. *Nutrients*. 1 Januari 2023;15(2).
12. Scafoglieri A, Clarys JP, Cattrysse E, Bautmans I. Use of Anthropometry for the Prediction of Regional Body Tissue Distribution in Adults: Benefits and Limitations in Clinical Practice. *Aging Dis*. Desember 2014;(6):373–93.
13. González-Torres S, Anaya-Esparza LM, Trigueros del Valle GF, Rivera-León EA, Villagrán Z, Sánchez-Enríquez S. Skinfold Thickness as a Cardiometabolic Risk Predictor in Sedentary and Active Adult Populations. *J Pers Med*. 1 September 2023;13(9).
14. Damayanti AY, Fatimah F, Luthfiya L, Kusumadiastuti AD. Subcutaneous Fat Thickness with HDL and LDL Levels in Overweight Female Students. *Amerta Nutrition*. 31 Desember 2023;7(2SP):13–7.
15. Kementerian Kesehatan Republik Indonesia. Survei Kesehatan Indonesia 2023 dalam angka [Internet]. Jakarta; 2023 [dikutip 15 September 2025]. Report. Tersedia pada: <https://www.badankebijakan.kemkes.go.id/ski-2023-dalam-angka/>
16. Moon S, Park JH, Jang EJ, Park YK, Yu JM, Park JS, dkk. The Cut-off Values of Surrogate Measures for Insulin Sensitivity in a Healthy Population in Korea according to the Korean National Health and Nutrition Examination Survey (KNHANES) 2007–2010. *J Korean Med Sci*. 2018;33(29).
17. Krzymien J, Ladyzynski P. Insulin resistance: Risk factors, diagnostic approaches and mathematical models for clinical practice, epidemiological studies, and beyond. *Biocybernetics and Biomedical Engineering*. Elsevier B.V.; 2024. hlm. 55–67.
18. Hendrianingtyas M, Arika Pradati S. Visceral adiposity index and insulin resistance in diabetes mellitus type 2. *Journal of Biomedicine and Translational Research*. 2024;10(3):126–31.
19. Fahed G, Aoun L, Zerdan MB, Allam S, Zerdan MB, Bouferraa Y, dkk. Metabolic Syndrome: Updates on Pathophysiology and Management in 2021. *International Journal of Molecular Sciences*. MDPI; 2022.
20. Li M, Chi X, Wang Y, Setrerrahmane S, Xie W, Xu H. Trends in insulin resistance: insights into mechanisms and therapeutic strategy. *Signal Transduction and Targeted Therapy*. Springer Nature; 2022.

21. Shirazi A. Function of imprinting genes in epigenetics. *Journal of Epigenetics Research*. 2024;6(2).
22. Villanueva-Hayes C. Imprinted Genes Impact Upon Beta Cell Function in the Current (and Potentially Next) Generation. *Frontiers in Endocrinology*. Frontiers Media S.A.; 2021.
23. Hill-Briggs F, Adler NE, Berkowitz SA, Chin MH, Gary-Webb TL, Navas-Acien A, dkk. Social determinants of health and diabetes: A scientific review. *Diabetes Care*. American Diabetes Association Inc.; 2021. hlm. 258–79.
24. Mustikaningrum DA. Hubungan Diabetes Mellitus Tipe 2 dengan Status Sosio-ekonomi: A Systematic Review [Internet]. 2023. Report. Tersedia pada: <https://www.researchgate.net/publication/371576423>
25. Iheagwam FN, Joseph AJ, Adedoyin ED, Iheagwam OT, Ejoh SA. Mitochondrial Dysfunction in Diabetes: Shedding Light on a Widespread Oversight. *Pathophysiology*. Multidisciplinary Digital Publishing Institute (MDPI); 2025. hlm. 9.
26. Sakamoto K, Butera MA, Zhou C, Maurizi G, Chen B, Ling L, dkk. Overnutrition causes insulin resistance and metabolic disorder through increased sympathetic nervous system activity. *Cell Metab*. 7 Januari 2025;37(1):121-137.
27. Ramírez-Manent JI, Jover AM, Martínez CS, Tomás-Gil P, Martí-Lliteras P, López-González ÁA. Waist Circumference Is an Essential Factor in Predicting Insulin Resistance and Early Detection of Metabolic Syndrome in Adults. *Nutrients*. 1 Januari 2023;15(2).
28. Budianto RE, Linawati NM, Arijana IGKN, Wahyuniari IAI, Wiryawan IGNS. Potensi Senyawa Fitokimia pada Tumbuhan dalam Menurunkan Kadar Glukosa Darah pada Diabetes Melitus. *Jurnal Sains dan Kesehatan*. 31 Oktober 2022;4(5):548–56.
29. Widiastuti W, Zulkarnaini A, Mahatma G, Darmayanti A. Review artikel: Pengaruh pola asupan makanan terhadap risiko penyakit diabetes. *Journal of Public Health Science (JoPHS)*. 2024;1(2).
30. Durlach V, Vergès B, Al-Salameh A, Bahougne T, Benzerouk F, Berlin I, dkk. Smoking and diabetes interplay: A comprehensive review and joint statement. *Diabetes Metab*. 1 November 2022;48(6):101370.

31. Kaplan AK, Sezgin Y. Evaluation of the Relationship Between Smoking and Insulin Resistance: A Case-Control Study. *Cureus*. 26 Maret 2023.
32. Lee DY, Jung I, Park SY, Yu JH, Seo JA, Kim KJ, dkk. Sleep Duration and the Risk of Type 2 Diabetes: A Community-Based Cohort Study with a 16-Year Follow-up. *Endocrinology and Metabolism*. 2023;38(1):146–55.
33. Chen M, Li B, Fan G, Zhou Y. Restricted linear association between night sleep duration and diabetes risk in middle-aged and older adults: a 7-year follow-up analysis from the China health and retirement longitudinal study. *Front Endocrinol (Lausanne)*. 2024;15.
34. Zuraikat FM, Laferrère B, Cheng B, Scaccia SE, Cui Z, Aggarwal B, dkk. Chronic insufficient sleep in women impairs insulin sensitivity independent of adiposity changes: Results of a randomized trial. *Diabetes Care*. 1 Januari 2024;47(1):117–25.
35. Zhang J, Yang C, An J, Fan Y, Dong X. Evaluating sleep's role in type 2 diabetes mellitus: Evidence from NHANES. *Brain Behav Immun Health*. 1 Maret 2025;44.
36. Andersson DP, Kerr AG, Dahlman I, Rydén M, Arner P. Relationship Between a Sedentary Lifestyle and Adipose Insulin Resistance. *Diabetes*. 1 Maret 2023;72(3):316–25.
37. Yaribeygi H, Maleki M, Sathyapalan T, Jamialahmadi T, Sahebkar A. Pathophysiology of Physical Inactivity-Dependent Insulin Resistance: A Theoretical Mechanistic Review Emphasizing Clinical Evidence. *Journal of Diabetes Research*. Hindawi Limited; 2021.
38. Parker KM, Tucker LA, Bailey BW, Davidson LE. Relationship between Sitting Time and Insulin Resistance in 6931 U.S. Adults: The Mediating Role of Abdominal Adiposity. *J Diabetes Res*. 2023;2023.
39. Zhu Y, Lin Q, Zhang Y, Deng H, Hu X, Yang X, dkk. Mid-upper arm circumference as a simple tool for identifying central obesity and insulin resistance in type 2 diabetes. *PLoS One*. 1 Mei 2020;15(5).
40. Sancar G, Birkenfeld AL. The role of adipose tissue dysfunction in hepatic insulin resistance and T2D. *Journal of Endocrinology*. BioScientifica Ltd.; 2024.
41. Liu X, Luo D, Guan J, Chen J, Xu X. Mushroom polysaccharides with potential in anti-diabetes: Biological mechanisms, extraction, and future

perspectives: A review. Jia RB, editor. *Frontiers in Nutrition*. Frontiers Media S.A.; 2022.

42. Semnani-Azad Z, Connelly PW, Bazinet RP, Retnakaran R, Jenkins DJA, Harris SB, dkk. Adipose tissue insulin resistance is longitudinally associated with adipose tissue dysfunction, circulating lipids, and dysglycemia: The promise cohort. *Diabetes Care*. 1 Juli 2021;44(7):1682–91.
43. Dagogo S. Issue 4 1 Editorial Citation: Dagogo S. Euglycemic hyperinsulinemic clamp: A gold standard technique for assessing insulin sensitivity. *J Diabetol*. 2023;7(4):159.
44. Otowa-Suematsu N, Sakaguchi K, Kaneko A, Ito J, Morita Y, Miura H, dkk. Relation of cardiac function to insulin resistance as evaluated by hyperinsulinemic-euglycemic clamp analysis in individuals with type 2 diabetes. *J Diabetes Investig*. 1 Desember 2021;12(12):2197–202.
45. Ajani L. WikiHow [Internet]. 2025 [dikutip 17 Februari 2026]. How to Measure Your Waist Circumference? Tersedia pada: <https://www.wikihow.com/Measure-Your-Waist>
46. Wira Citerawati Y. *ANTROPOMETRI GIZI: Penggunaan, Pemeliharaan dan Kalibrasi Alat*. Hidayat R, editor. Unisma Press; 2022.
47. Ross R, Neeland IJ, Yamashita S, Shai I, Seidell J, Magni P, dkk. Waist circumference as a vital sign in clinical practice: a Consensus Statement from the IAS and ICCR Working Group on Visceral Obesity. *Nat Rev Endocrinol*. 1 Maret 2020;16(3):177–89.
48. Cavalcante RB de M, Leão LMCSM, Tavares ABW, Lopes KG, Kraemer-Aguiar LG. Fat Distribution and its Correlation with Insulin Resistance, Androgen Markers, and Proinflammatory Cytokines in Polycystic Ovary Syndrome. *Hormone and Metabolic Research*. 3 Januari 2024.
49. Kunnathodi F, Arafat AA, Alhazzani W, Mustafa M, Azmi S, Ahmad I, dkk. Unraveling the Genetic Architecture of Obesity: A Path to Personalized Medicine. *Diagnostics*. Multidisciplinary Digital Publishing Institute (MDPI); 2025.
50. Carrasquilla GD, García-Ureña M, Romero-Lado MJ, Kilpeläinen TO. Estimating causality between smoking and abdominal obesity by Mendelian randomization. *Addiction*. 1 Juni 2024;119(6):1024–34.

51. Ratna Sari D, Hartini Yuliawati T, Eko Purwantari K, Ardiani Saleh T, Susanto J. Abdominal skinfold merupakan penanda antropometri yang berkorelasi dengan kadar glukosa darah puasa pada individu dengan resistensi insulin di surabaya. Dalam: Prosiding Kongres XV & HUT ke-52 PAAI 2023 – 4th LUMMENS: The Role of Gut-Brain Axis in Indonesian Human Development. Surabaya: Fakultas Kedokteran Universitas Lambung Mangkurat; 2023. hlm. 539–48.
52. Kasper AM, Langan-evans C, Hudson JF, Brownlee TE, Harper LD, Naughton RJ, dkk. Come back skinfolds, all is forgiven: A narrative review of the efficacy of common body composition methods in applied sports practice. *Nutrients*. MDPI AG; 2021.
53. Sievenpiper JL, Jenkins DJA, Josse RG, Leiter LA, Vuksan V. Simple skinfold-thickness measurements complement conventional anthropometric assessments in predicting glucose tolerance. *American Journal of Clinical Nutrition*. 2001;73(3):567–73.
54. Dolan M. WikiHow [Internet]. 2026 [dikutip 17 Februari 2026]. How To Use Body Fat Calipers? Tersedia pada: <https://www.wikihow.com/Use-Body-Fat-Calipers>
55. Azhar M, Watson LPE, De Lucia Rolfe E, Ferraro M, Carr K, Worsley J, dkk. Association of insulin resistance with the accumulation of saturated intramyocellular lipid: A comparison with other fat stores. *NMR Biomed*. 1 Agustus 2024;37(8).
56. Aman AM, Soewondo P, Soelistijo SA, Arsana PM, Wismandari, Zufry H, dkk. Pengelolaan Dislipidemia di Indonesia. *Indonesia*; Juli 2021.
57. Adelin P, Efrida, Rita RS, Elfi EF. Integration of FAM19A5 Expression, Plasma Atherogenic Index and Coronary Artery Histopathology in Diet-Induced Obese Rats. *Pak J Biol Sci*. 1 Januari 2026;29(1):1–9.
58. Lee JH, Lee HS, Cho A ra, Lee YJ, Kwon YJ. Relationship between muscle mass index and LDL cholesterol target levels: Analysis of two studies of the Korean population. *Atherosclerosis*. 2021
59. AYDIN MK, BAHÇECI M. The Relationship Between Body Mass Index, Waist Circumference, Neck Circumference and Cardiovascular Risk Factors. *Journal of Drug Delivery and Therapeutics*. 15 Januari 2025;15(1):112–6.

60. Naik NG, Chandrasekaran B, Patil RN, Kamath SU. Relation of skinfold thickness with the serum lipids, glucose and blood pressure among Indian sedentary office workers. *J Health Popul Nutr.* 1 Desember 2024;43(1).
61. Kementerian Kesehatan Republik Indonesia. Ayo Sehat – Kemenkes RI [Internet]. 2025 [dikutip 23 Desember 2025]. Dewasa Usia 18-59 Tahun. Tersedia pada: <https://ayosehat.kemkes.go.id/kategori-usia/dewasa>
62. Coombe AH, Hayat MJ, Faulkner MS, Rogers AE, Lee J, Clark PC. Preliminary evidence of insulin resistance in young adults with impaired sleep. *Journal of American College Health.* 2022;70(6):1724–30.
63. Sutanto JC, Hartanto H, Yen LD. RELATIONSHIP OF NUTRITIONAL STATUS AND SLEEP QUALITY IN UKRIDA MEDICINE FACULTY STUDENTS, CLASS OF 2021. *Jurnal MedScientiae.* 5 Mei 2025;4(1).
64. Kaiser J. Medscape [Internet]. 2025 [dikutip 23 Desember 2025]. More Women Entering Medical School Than Men for the Sixth Straight Year. Tersedia pada: <https://www.medscape.com/viewarticle/more-women-entering-medical-school-than-men-sixth-straight-2025a100021y>
65. Kang SY, Park HS. Gender Differences in Comorbidities and Attitudes Regarding Weight Control among Young Adults with Obesity in Korea. *Obes Facts.* 13 Agustus 2022;15(4):581–9.
66. Lopez-Yus M, Casamayor C, Soriano-Godes JJ, Borlan S, Gonzalez-Irazabal Y, Garcia-Sobreviela MP, dkk. Isthmin-1 (ISM1), a novel adipokine that reflects abdominal adipose tissue distribution in individuals with obesity. *Cardiovasc Diabetol.* 1 Desember 2023;22(1).
67. Tumminia A, Milluzzo A, Carrubba N, Vinciguerra F, Baratta R, Frittitta L. Excessive generalized and visceral adiposity is associated with a higher prevalence of diabetic retinopathy in Caucasian patients with type 2 diabetes. *Nutrition, Metabolism and Cardiovascular Diseases.* 1 Maret 2024;34(3):763–70.
68. Chen Y, Huang R, Mai Z, Chen H, Zhang J, Zhao L, dkk. Association between systemic immune-inflammatory index and diabetes mellitus: mediation analysis involving obesity indicators in the NHANES. *Front Public Health.* 2023;11.
69. Vasan SK, Thomas N, Christopher S, Geethanjali FS, Paul T V., Sanjeevi CB. Anthropometric measurements for the prediction of the metabolic syndrome: A cross-sectional study on adolescents and young adults from southern India. *Heart Asia.* 2011;3(1):2–7.

70. Hocking S, Samochoa-Bonet D, Milner KL, Greenfield JR, Chisholm DJ. Adiposity and insulin resistance in humans: The role of the different tissue and cellular lipid depots. *Endocrine Reviews*. 2013. hlm. 463–500.
71. Kron V, Verner M, Smetana P, Horáková D, Šlégr J, Studnička F, dkk. The changes of cholesterol profile at the different insulin resistance range in the czech republic. *Medicina (Lithuania)*. 1 Maret 2021;57(3).
72. Smart NA, Downes D, van der Touw T, Hada S, Dieberg G, Pearson MJ, dkk. The Effect of Exercise Training on Blood Lipids: A Systematic Review and Meta-analysis. *Sports Medicine*. Springer Science and Business Media Deutschland GmbH; 2025. hlm. 67–78.
73. Moriyama K, Takahashi E. Small-dense LDL Cholesterol is Associated with Insulin Resistance in BMI <math>< 30 \text{ kg/m}^2</math>, Non-diabetic Japanese Population. *Ningen Dock International*. 2017.
74. Hernández-Reyes A, Vidal Á, Moreno-Ortega A, Cámara-Martos F, Moreno-Rojas R. Waist circumference as a preventive tool of atherogenic dyslipidemia and obesity-associated cardiovascular risk in young adults males: A cross-sectional pilot study. *Diagnostics*. 1 Desember 2020;10(12).
75. Abbas M, Mus R. Relationship between Waist Circumference (Abdomen) and Triglyceride and Low Density Lipoprotein-Cholesterol (LDL-C) Levels in Premenopausal Women. *Medula*. 2022;10(1).
76. De Mutsert R, Gast K, Widya R, De Koning E, Jazet I, Lamb H, dkk. Associations of Abdominal Subcutaneous and Visceral Fat with Insulin Resistance and Secretion Differ between Men and Women: The Netherlands Epidemiology of Obesity Study. *Metab Syndr Relat Disord*. 1 Februari 2018;16(1):54–63.
77. Bi X, Loo YT, Henry CJ. Ultrasound measurement of intraabdominal fat thickness as a predictor of insulin resistance and low HDL cholesterol in Asians. *Nutrition*. 1 November 2018;55–56:99–103.