



UNIVERSITAS ANDALAS

**ANALISIS FAKTOR RISIKO KEJADIAN STUNTING
PADA BALITA DI WILAYAH KERJA**

**PUSKESMAS ANDALAS
TAHUN 2019**



**Dr. Idral Purnakarya, SKM, MKM
dr. Zulkarnain Agus, MPH, MSc, Sp.GK**

**FAKULTAS KESEHATAN MASYARAKAT
UNIVERSITAS ANDALAS
PADANG, 2019**

FAKULTAS KESEHATAN MASYARAKAT
UNIVERSITAS ANDALAS

Skripsi, Oktober 2019

DIAH KURNIA SARI, No. BP. 1311212044

ANALISIS FAKTOR RISIKO KEJADIAN STUNTING PADA BALITA DI WILAYAH KERJA PUSKESMAS ANDALAS TAHUN 2019

xiv+ 85 halaman, 30 tabel, 4 gambar, 13 lampiran

ABSTRAK

Tujuan Penelitian

Stunting merupakan manifestasi jangka panjang faktor konsumsi diet berkualitas rendah, pola asuh tidak baik, dan lingkungan. Tujuan penelitian ini adalah mengetahui faktor risiko kejadian *stunting* pada balita di Wilayah Kerja Puskesmas Andalas tahun 2019.

Metode

Jenis penelitian ini adalah penelitian *mixed method* yaitu dengan menggunakan desain *case control* kemudian menggali lebih informasi dengan metode kualitatif. Penelitian dilakukan dari bulan April sampai Juli 2019. Populasi penelitian adalah seluruh balita usia 0 – 59 bulan di wilayah kerja Puskesmas Andalas Kota Padang dengan sampel sebanyak 112 responden. Teknik pengambilan sampel menggunakan metode *simple random sampling* dan sampel kontrol bebas. Pengumpulan data menggunakan kuisioner. Data dianalisis secara univariat dan bivariat menggunakan uji statistik *Chi-Square* dengan derajat kepercayaan 95% dengan *pvalue* < 0,05

Hasil

Hasil uji *chi-square* menunjukkan variabel yang berhubungan dengan kejadian *stunting* pada balita adalah tingkat pendidikan Ayah (OR=3,1), Pola Asuh Praktik Pemberian Makan (OR=2,61), Pola Asuh Psikososial (OR=5,26), *Personal Hygiene* Ibu (OR=2,43) dan Sanitasi Lingkungan (OR=3,33). Hasil penelitian kualitatif ditemukan bahwa kurang koordinasi terkait penanggulangan *stunting* antara tenaga kesehatan dengan kader posyandu di lapangan.

Kesimpulan

Terdapat hubungan yang bermakna antara variabel tingkat pendidikan Ayah, pola asuh praktik pemberian makan, pola asuh psikososial, *personal hygiene* Ibu dan sanitasi lingkungan dengan kejadian *stunting*. Diharapkan petugas Puskesmas lebih gencar dalam melakukan edukasi kepada Ibu balita terkait pola asuh dan perilaku hidup bersih dan sehat. Selain itu petugas di puskesmas harus meningkatkan koordinasi dengan kader posyandu.

Daftar Pustaka: 60 (1990-2019)

Kata Kunci: *Stunting*, Faktor Risiko *Stunting*, Puskesmas Andalas, Pola Asuh Ibu

**PUBLIC HEALTH FACULTY
ANDALAS UNIVERSITY**

Undergraduate Thesis, October 2019

DIAH KURNIA SARI, No.BP 1311212044

**ANALYSIS OF RISK FACTORS OF STUNTING IN THE WORKING AREAS
OF ANDALAS PUBLIC HEALTH CENTER IN 2019**

xiv + 85 pages, 30 tables, 4 images, 13 attachments

ABSTRACT

Objective

Stunting is a long-term manifestation of the factor of consumption of low quality food, poor parenting, and the environment. The purpose of this study was to study the risk factors for stunting in toddlers in the Andalas Public Health Center Working Area in 2019.

Method

This type of research is mixed methods research. The study was conducted from April to July 2019. The study population was toddlers 9 - 58 months in the work area of Andalas Public Health Center in Padang City with a sample of 112 respondents. The technique of taking samples using simple random sampling method. Data collection using questionnaires. Data were analyzed by univariate and bivariate using Chi-Square statistical test with 95% confidence interval with pvalue <0.05.

Result

Chi-square test results showed variables related to the incidence of stunting in infants are the level of education of the father (OR = 3.1), the practice of feeding practices (OR = 2.61), psychosocial parenting (OR = 5.26), Personal Hygiene of Mother (OR = 2.43) and Environmental Sanitation (OR = 3.33). The results of qualitative research found that lack of coordination related to stunting prevention between health workers and posyandu cadres in the field.

Conclusion

There is confidence indifference between the variable level of education of fathers, parenting practices of feeding, psychosocial parenting, mother's personal hygiene It is expected that Puskesmas officers will be more aggressive in conducting education for mothers of toddlers regarding parenting and protection for clean and healthy life. In addition, officers at the puskesmas must improve coordination with posyandu cadres.

References: 60 (1990-2019)

Keywords: Stunting, Risk Factors for Stunting, Andalas Public Health Center, Maternal Care