

DAFTAR PUSTAKA

1. Vidhiyanti A, Ahmad FA. Keanekaragaman Hayati Aset Berharga Indonesia. Badan Kebijakan Pembangunan Kesehatan (BKPK). 2025.
2. WHO. United Nations Office at Geneva. 2025. Traditional Medicine Use is Now a Global Reality: WHO.
3. Sofia Z, Safitri CINH, Suci PR, Khoiriyah M, Sebrina NP. Nutrasetikal Jelly Drink Kombinasi Ekstrak Daun Kelor Dan Rimpang Temulawak Sebagai Anti Stunting Secara in Vivo. *Medfarm J Farm dan Kesehat.* 2023;12(2):105–19.
4. Putri SH, Nadhilah H, Juliadmi D, Widyasanti A. Aktivitas Antioksidan Ekstrak Bunga Telang (*Clitoria ternatea* L.) dan Aplikasinya dalam Sediaan Serum. *Agrointek J Teknol Ind Pertan.* 2025;19(2):445–54.
5. Purba EC. Kembang Telang (*Clitoria ternatea* L.): Pemanfaatan dan Bioaktivitas. *EduMatSains.* 2020;4(2):111–24.
6. Ali Esmail AS. Pharmacological Importance of *Clitoria ternatea*. *IOSR J Pharm.* 2016;6(3):68–83.
7. Jaafar NF, Ramli ME, Salleh RM. Optimum Extraction Condition of *Clitoria ternatea* Flower on Antioxidant Activities, Total Phenolic, Total Flavonoid and Total Anthocyanin Contents. *Trop Life Sci Res.* 2020;31(2):1–17.
8. Widowati W, Darsono L, Lucianus J, Setiabudi E, Susang S, Stefani S, dkk. Butterfly Pea Flower (*Clitoria ternatea* L.) Extract Displayed Antidiabetic Effect Through Antioxidant, Anti-inflammatory, Lower Hepatic GSK-3B, and Pancreatic Glycogen on Diabetes Mellitus and Dyslipidemia Rat. *J King Saud Univ - Sci.* 2023;35(4):102579.
9. Fahamsya A, Istriningsih E, Novita SA. Formulasi Sediaan Gummy Candies Analgetic Kombinasi Ekstrak Daun Pepaya (*Carica papaya* L.) dan Daun Kelor (*Moringa oleifera* Lam.). *An-Najat J Ilmu Farm dan Kesehat.* 2024;2(3):135–49.
10. Rani KC, Wulan K, Ningrat C, Melinda S. Formulasi Chewable Gummy Daun Kelor (*Moringa oleifera*) dengan Gelling Agent Konjak Glukomanan dan Kappa Karagenan. *MPI (Media Pharm Indones.* 2022;4(1):1–12.
11. Mierza V, Mulidini, Dwiyantri SP, Nibullah SG, Abbas ZA. Development of Gummy Candy Formulations with Variations in Gelatin Concentrations as Gelling Agents. *J Pharm Sci.* 2023;6(2):649–54.
12. Nuraini A, Naila F. Formulation and Physicochemical Evaluation of Telang Flower (*Clitoria ternatea*) Extract Lotion as a Skin Moisturizer. *Indones J Pharm Educ.* 2025;5(3):269–79.
13. Sari TS, Munandar TE, Chang H i, Sholikhah I, Widyowati R. Formulation and Physicochemical Evaluation of Nanoemulgel Star Anise Essential Oil (*Illicium verum* Hook. f.) and Butterfly Pea Extract (*Clitoria ternatea* L.) as Antioxidant Cosmetics. 2025;22(11):1–14.
14. Yadav N, Gandhi P. Formulation and Evaluation of *Clitoria ternatea* and *Nyctanthes arbor-tristis* Emulgel for Topical Drug Delivery. *Pexacy Int J Pharm Sci.* 2023;(2):11.
15. Lonez HE. Butterfly Pea (*Clitoria ternatea*): A Natural Colorant for Soft Candy (Gummy Candy). *Indian J Sci Technol.* 2021;14(3):239–44.
16. Nur Dayini Wagiman, Muhammad Hail Haris Muhammad Hakim, Siti Roha Ab. Mutalib, Azizah Othman. Optimisation of Anthocyanin Co-

- pigmentation from Butterfly Pea (*Clitoria ternatea*) Flower and its Application in Gummy. *J Agrobiotechnology*. 2024;15:49–61.
17. Sharma PS, Singh JP. A Look at the Characteristics of Stevia Rebaudiana Bertoni: New Developments in Food Applications, Phytochemistry, and Health Benefits. *J Chem Heal Risks*. 2024;14:715–46.
 18. Gao Y, Xia W, Shao P, Wu W, Chen H, Fang X, dkk. Impact of Thermal Processing on Dietary Flavonoids. *Curr Opin Food Sci*. 2022;48:100915.
 19. Seczyk Ł, Gawlik-Dziki U, Swieca M. Influence of Phenolic-Food Matrix Interactions on In Vitro Bioaccessibility of Selected Phenolic Compounds and Nutrients Digestibility in Fortified White Bean Paste. *Antioxidants*. 2021;10:1825.
 20. Budiasih KS. Kajian Potensi Farmakologis Bunga Telang (*Clitoria ternatea*). *J Ilmu dan Teknol Pangan*. 2017;1(2):30–6.
 21. Gulewicz P, Martinez-Villaluenga C, Kasprowicz-Potocka M, Frias J. Non-nutritive compounds in Fabaceae family seeds and the improvement of their nutritional quality by traditional processing - A review. *Polish J Food Nutr Sci*. 2014;64(2):75–89.
 22. Narayan D M, Samuel T I, M. C. *Clitoria Ternatea*: A Multifaceted Plant Having Potential in Bioremediation, Cosmeceuticals and Food Engineering Applications. *Int J Res Innov Soc Sci*. 2025;9(3):2753–65.
 23. Setyowati H, Setyani W. Kefir: A New Role as Nutraceuticals. *J Kedokt dan Kesehat Indones*. 2016;7(5):200–9.
 24. Kementerian Kesehatan Republik Indonesia. *Farmakope Herbal Indonesia Edisi II*. Jakarta: Kementerian Kesehatan Republik Indonesia; 2017.
 25. Kuswandari F, Sinaga E, Husni A. Analysis of Total Phenols, Total Flavonoids and Anthocyanin Levels in Blue Pea Flowers (*Clitoria ternatea* L). *J Trop Biodivers*. 2022;2(3):2022.
 26. Lakshan SAT, Jayanath NY, Mendis Abeysekera WPK, Abeysekera WKSM. A Commercial Potential Blue Pea (*Clitoria ternatea* L.) Flower Extract Incorporated Beverage Having Functional Properties. *Evidence-Based Complement Altern Med*. 2019;1–13.
 27. Mehmood A, Ishaq M, Zhao L, Yaqoob S, Safdar B, Nadeem M, dkk. Impact of Ultrasound and Conventional Extraction Techniques on Bioactive Compounds and Biological Activities of Blue Butterfly Pea Flower (*Clitoria ternatea* L.). *Ultrason Sonochem*. 2019;51:12–9.
 28. Fatmawati A, Ariskha G, Putri A, Dewi R, Rahman IR, Yanuarto T. Formulation and Stability Test of Emulgel Extract of Butterfly Pea Flower (*Clitoria ternatea* L.) as Lotion. *J Pharm Sci*. 2023;6(2):616–25.
 29. Ludin NA, Al-Alwani MAM, Mohamad AB, Kadhum AAH, Hamid NH, Ibrahim MA, dkk. Utilization of Natural Dyes from *Zingiber officinale* Leaves and *Clitoria ternatea* Flowers to Prepare New Photosensitisers for Dye-Sensitised Solar Cells. *Int J Electrochem Sci*. 2018;13(8):7451–65.
 30. Srichaikul B. Ultrasonication extraction, bioactivity, antioxidant activity, total flavonoid, total phenolic and antioxidant of *Clitoria Ternatea* linn flower extract for anti-aging drinks. *Pharmacogn Mag*. 2018;14(56):322.
 31. Shen Y, Du L, Zeng H, Zhang X, Prinyawiwatkul W, Alonso-Marengo JR, dkk. Butterfly Pea (*Clitoria ternatea*) Seed and Petal Extracts Decreased HE p-2 Carcinoma Cell Viability. *Int J Food Sci Technol*. 2016;51(8):1860–8.

32. Ravindran DR, Bharathithasan M, Ramaiah P, Rasat MSM, Rajendran D, Srikumar S, dkk. Chemical Composition and Larvicidal Activity of Flower Extracts from *Clitoria ternatea* against *Aedes* (Diptera: Culicidae). *J Chem.* 2020;1–9.
33. Buddhika HDK, Dharmadasa RM, Arawwawala LDAM, Pakeerathan K. Phytochemical Properties of *Clitoria ternatea* L. (Fabaceae)-A Distinct Flower Morphometric Plants Available in Sri Lanka Phytochemical Properties of *Clitoria ternatea* L. (Fabaceae)-A Distinct Flower Morphometric Plants Available in Sri Lanka. *Proceedings.* 2021;1–6.
34. Srichaikul B. Ultrasonication Extraction, Bioactivity, Antioxidant Activity, Total Flavonoid, Total Phenolic and Antioxidant of *Clitoria ternatea* Linn Flower Extract for Anti-Aging Drinks. *Pharmacogn Mag.* 2018;14(56):322.
35. López Prado AS, Shen Y, Ardoin R, Osorio LF, Cardona J, Xu Z, dkk. Effects of different solvents on total phenolic and total anthocyanin contents of *Clitoria ternatea* L. petal and their anti-cholesterol oxidation capabilities. *Int J Food Sci Technol.* 2019;54(2):424–31.
36. Siti Azima AM, Noriham A, Manshoor N. Phenolics, Antioxidants and color Properties of Aqueous Pigmented Plant Extracts: *Ardisia Colorata* Var. *elliptica*, *Clitoria ternatea*, *Garcinia mangostana* and *Syzygium cumini*. *J Funct Foods.* 2017;38:232–41.
37. Sumartini, Ikrawan Y. Analisis Bunga Telang (*Clitoria ternatea*) Dengan Variasi Ph Metode Liquid Chromatograph-Tandem Mass Spectrometry (LC-MS/MS). *Pas Food Technol J.* 2020;7(2):70–7.
38. Chayaratanasin P, Caobi A, Suparpprom C, Saenset S, Pasukamonset P, Suanpairintr N, dkk. *Clitoria ternatea* Flower Petal Extract Inhibits Adipogenesis and Lipid Accumulation in 3T3-L1 Preadipocytes by Downregulating Adipogenic Gene Expression. *Molecules.* 2019;24(10):1894.
39. Lutfiah L. Aplikasi Kamus Simplisia Dan Resep Obat Tradisional (Sidota) Berbasis Android. *J Sains dan Inform.* 2022;8(1):61–9.
40. Fahmi N, Herdiana I, Rubiyanti R. Pengaruh Metode Pengeringan Terhadap Mutu Simplisia Daun Pulutan (*Urena lobata* L.). *Media Inf.* 2020;15(2):165–9.
41. Wijayanti ET, Herawati E. Preparasi Simplisia Bunga Telang Berpotensi Antibakteri Melalui Optimasi Suhu dan Waktu Microwave. *J Ilmu Kesehat.* 2022;11(1):15–22.
42. Kementerian Kesehatan Republik Indonesia. *Farmakope Indonesia edisi VI.* Jakarta: Kementerian Kesehatan Republik Indonesia; 2020.
43. Departemen Kesehatan Republik Indonesia. *Parameter Standar Umum Ekstrak Tumbuhan Obat.* Jakarta: Departemen Kesehatan Republik Indonesia; 2000.
44. Syamsul ES, Amanda NA, Lestari D. Perbandingan Ekstrak Lamur *Aquilaria malaccensis* Dengan Metode Maserasi Dan Refluks. *J Ris Kefarmasian Indones.* 2020;2(2):100;102.
45. Hujjatusnaini N, Ardiansyah, Indah B, Afritri E, Widyastuti R. *Buku Referensi Ekstraksi.* Institut Agama Islam Negeri Palangkaraya. Kalimantan Tengah; 2021.
46. Triyanti SB, Lestari FP, Fitriana PAN, Rostiana HR, Silalahi DD, Syalsabina

- TD, dkk. Pengaruh Metode Ekstraksi Maserasi, Sonikasi, dan Sokletasi Terhadap Nilai Rendemen Sampel Kulit Buah Naga (*Hylocereus polyrhizus*). *J Sains dan Edukasi Sains*. 2025;8(1):71–8.
47. Yurleni. Penggunaan Beberapa Metode Ekstraksi Pada Rimpang Curcuma Untuk Memperoleh Komponen Aktif Secara Kualitatif. *Biospecies*. 2018;11(1).
 48. Rosalina V, Efkar T, Tania L. Pengembangan Animasi Berbasis Simulasi Molekul pada Metode Kromatografi. *J Pendidik Pembelajaran Kim*. 2018;7(2):1–12.
 49. Noviana E, Indrayanto G, Rohman A. Advances in Fingerprint Analysis for Standardization and Quality Control of Herbal Medicines. *Front Pharmacol*. 2022;13:1–21.
 50. Dadi M, Yasir M. Spectroscopy and Spectrophotometry: Principles and Applications for Colorimetric and Related Other Analysis. *Colorimetry*. 2022;
 51. Azzahra, Nada Ayu Zalfa Latifah, Adhwaa Queen Putri, Ratu Amelia Mumtazkiyyatussa'baniah Al Hawari, Fakhri Faizal Pahlevi, Muhamad Reza Jafar, Sagita ND. Preformulasi Sediaan Farmasi: Peran Design Expert Dalam Pengembangan Formula. *J Kesehat Unggul Gemilang*. 2025;9(1).
 52. Tarahi M, Tahmouzi S, Kianiani MR, Ezzati S, Hedayati S, Niakousari M. Current Innovations in the Development of Functional Gummy Candies. *Foods*. 2024;13(1).
 53. Rowe RC. *Handbook of Pharmaceutical Excipients Eighth Edition*. 2017.
 54. Roudbari M, Barzegar M, Sahari MA, Gavlighi HA. Formulation of Functional Gummy Candies Containing Natural Antioxidants and Stevia. *Heliyon*. 2024;10(11):e31581.
 55. Nasir ANAH, Yusof YA, Yuswan MH, Kamaruddin SA, Shah AKNN, Baharuddin SA, dkk. Physicochemical and Texture Profile Analysis of Gummy Candy made of Nutritive and Non-nutritive Sweeteners. *e-Proceeding Int Conf Food Ind Crop*. 2022;25(5):99–103.
 56. Stroppel L, Schultz-Fademrecht T, Cebulla M, Blech M, Marhöfer RJ, Selzer PM, dkk. Antimicrobial Preservatives for Protein and Peptide Formulations: An Overview. *Pharmaceutics*. 2023;15(2):1–53.
 57. Milano F, Masi A, Madaghiele M, Sannino A, Salvatore L, Gallo N. Current Trends in Gelatin-Based Drug Delivery Systems. *Pharmaceutics*. 2023;15(5).
 58. Peteliuk V, Rybchuk L, Bayliak M, Storey KB, Lushchak O. Natural Sweetener Stevia Rebaudiana: Functionalities, Health Benefits and Potential Risks. *EXCLI J*. 2021;20:1412–30.
 59. Kusumawardhani S, Pujiastuti A, Penulis K. Aktivitas Antioksidan Clitoria Gummy Sari Bunga Telang (*Clitoria ternatea* L.). *J Ilm Biosaintropis (Bioscience-Tropic)*. 2025;10(2):108–18.
 60. Rani KC, Ningrat KWC, Melinda S, Jayani NIE. Formulasi Chewable Gummy Daun Kelor (*Moringa oleifera*) dengan Gelling Agent Konjak Glukomanan dan Kappa Karagenan. *MPI (Media Pharm Indones)*. 2022;4(1):1–12.
 61. Gohel MC, Parikh RK, Nagori SA, Shah SN, Dabhi MR. Preparation and Evaluation of Soft Gellan Gum Gel Containing Paracetamol. *Indian J Pharm*

- Sci. 2009;71(2):120–4.
62. Khairunnisa AF, Adrianto D, Binawan U. Formulasi dan Uji Tingkat Kesukaan Gummy Candy dari Puree Terong Ungu (*Solanum melongena*) Sebagai Suplemen Makanan. *Indones J Heal Sci*. 2024;4(4):347–56.
 63. Kowalski G, Kijowska K, Witzak M, Kuterasiński L, Lukasiwicz M. Synthesis and Effect of Structure on Swelling Properties of Hydrogels Based on High Methylated Pectin and Acrylic Polymers. *Polymers (Basel)*. 2019;11(1):1–16.
 64. Kadhim ZM, Ali WK. Preparation and Evaluation of Granisetron Chewable Pediatric Oral Jelly. *Int J Drug Deliv Technol*. 2019;9(3).
 65. Azzahra F, Yulianti R, Indra I. Optimasi Gelatin-Gliserin Pada Sediaan Gummy Candies Ekstrak Biji Jinten Hitam. *J Pharmacopolium*. 2022;5(2).
 66. Cahyaningsih E, Yuda PESK, Santoso P. Skrining Fitokimia dan Uji Aktivitas Antioksidan Ekstrak Etanol Bunga Telang (*Clitoria ternatea L.*) dengan Metode Spektrofotometri UV-VIS. *J Ilm Medicam*. 2019;5(1):51–7.
 67. Departemen Kesehatan Republik Indonesia. *Materia Medika Indonesia Jilid V*. Jakarta: Departemen Kesehatan Republik Indonesia; 1989.
 68. Wandira A, Cindiannya, Rosmayati J, Frida R, Anandari, Naurah SA, dkk. Menganalisis Pengujian Kadar Air Dari Berbagai Simplisia Bahan Alam Menggunakan Metode Gravimetri. *J Ilm Wahana Pendidik*. 2023;9(17):190–3.
 69. Mastura M, Amna U, Niaci S, Pebiola T. Determination Of Total Flavonoids Extract of White (*Magnolia Alba (Dc.) Figlar*) Using Spectrophotometry UV-Vis Method. *J Carbazon*. 2024;2(1):31–7.
 70. Gusman NS. Ekstraksi dan Peningkatan Kelarutan Flavonoid pada Bunga Telang (*Clitoria ternatea L.*) Melalui Pembuatan Sistem Dispersi Padat dengan HPMC Menggunakan Metode Freeze Drying. Universitas Andalas; 2025.
 71. Abuzaid H, Amin E, Moawad A, Usama Ramadan, Abdelmohsen, Hetta M, dkk. Liquid Chromatography High-Resolution Mass Spectrometry Analysis, Phytochemical and Biological Study of Two Aizoaceae Plants: A New Kaempferol Derivative from *Trianthema portulacastrum L.* *Pharmacognosy Res*. 2020;10:24–30.
 72. Goyal SK, Samsher, Goyal RK. Stevia (*Stevia rebaudiana*) a bio- sweetener : A review. *Int J Food Sci Nutr*. 2010;61(1):1–10.
 73. Lele V, Ruzauskas M, Zavistanaviciute P, Laurusiene R, Rimene G, Kiudulaite D, dkk. Development and Characterization of the Gummy–Supplements, Enriched with Probiotics and Prebiotics. *CYTA - J Food*. 2018;16(1):580–7.
 74. Asdini WT, Arifian H, Mita N, Rusli R. Formulasi dan Evaluasi Nutrasetikal Gummy Candy dari Perasan Daun Kelakai (*Stenochlaena Palustris (Burm.F.) Bedd.*). *Proceeding Mulawarman Pharm Conf*. 2021;14:326–31.
 75. Rismayuti BA, Supriningrum R, Tinggi S, Kesehatan I. Karakterisasi dan Skrining Fitokimia Ekstrak Bunga Telang (*Clitoria ternatea L.*). *J Ilm Manuntung Sains Farm dan Kesehat*. 2024;10(2):114–24.
 76. Garcinia M, Guntarti A, Annisa J, Mughniy M, Rizqi F. *Jurnal Kedokteran dan Kesehatan Indonesia Effect of Regional Variation on the Total Flavonoid Level of Ethanol*. 2017;136–43.

77. Zulkifli SA, Gani SSA, Zaidan UH, Halmi MIE. Optimization of Total Phenolic and Flavonoid Contents of Defatted Pitaya (*Hylocereus polyrhizus*) Seed Extract and Its Antioxidant Properties. *Molecules*. 2020;25:787.
78. Rojsanga P, Bunsupa S, Sithisarn P. Flavones Contents in Extracts from *Oroxylum indicum* Seeds and Plant Tissue Cultures. *Molecules*. 2020;25:1545.
79. Zhou X yu, Yu J hu. Effect of Gelatin Content and Oral Processing Ability on Vitamin C Release in Gummy Jelly. *J Food Sci Technol [Internet]*. 2022;59(2):677–85. Tersedia pada: <https://doi.org/10.1007/s13197-021-05061-0>
80. Pelawi JM, Bimantio MP. Karakteristik Permen Gummy Temumangga (*Curcuma mangga* Val.) dengan Penambahan Sari Buah Nangka. *Biofoodtech J Bioenergy Food Technol*. 2024;2(02):61–74.
81. Desideria D. Karakteristik Permen Jelly Sari Kunyit Putih (*Curcuma Mangga* Val.) Yang Diformulasi Menggunakan Konsentrasi Gelatin: Universitas Semarang; 2019.
82. Cebin AV, Bunić M, Jarić AM, Šeremet D, Komes D. Physicochemical and Sensory Stability Evaluation of Gummy Candies Fortified with Mountain Germander Extract. *Polymers (Basel)*. 2024;16(2):259.
83. Amaria EF, Luliana S. Formulasi Sediaan Gummy Candies Ekstrak Herba Pegagan (*Centella asiatica*) Menggunakan Pektin dari Daun Cincau Hijau (*Cyclea barbata* Miers). *J Mhs Farm Fak Kedokt UNTAN*. 2016;5(1).
84. Susilawati, Rizal S, Nurainy F, Syafita A. Formulasi Ekstrak Temu Mangga (*Curcuma mangga* Val.) dan Sari Buah Mangga Arumanis (*Mangifera indica* L. Var arumanis) Terhadap Sifat Fisik dan Sensori Permen Jelly Selama Penyimpanan Suhu Ruang. *J Agroindustri Berkelanjutan*. 2022;1(1):149–66.

