

DAFTAR PUSTAKA

- Abdulkhaleq, L. A., Assi, M. A., Abdullah, R., Zamri-Saad, M., Taufiq-Yap, Y. H., & Hezmee, M. N. M. (2018). The crucial roles of inflammatory mediators in inflammation: A review. *Veterinary world*, 11(5), 627, <https://doi.org/10.14202/vetworld.2018.627-635>
- Afzal, H., Abbas, N., Hussain, A., Latif, S., Fatima, K., Arshad, M. S., & Bukhari, N. I. (2021). Physicomechanical, stability, and pharmacokinetic evaluation of aceclofenac dimethyl urea cocrystals. *AAPS PharmSciTech*, 22(2), 68, <https://doi.org/10.1208/s12249-021-01938-7>
- Agarwal, H., & Shanmugam, V. K. (2022). Mechanism-based approach of medicinal plants mediated treatment of inflammatory disorders: A review. *South African Journal of Botany*, 147, 380-390, <https://doi.org/10.1016/j.sajb.2022.01.018>
- Aitipamula, S., et al. (2023). Cocrystals by Design: A Rational Coformer Selection Approach for Tackling the API Problems. *Pharmaceutics*, 15(4), 1161. <https://doi.org/10.3390/pharmaceutics15041161>
- Alshahrani, M. S., Alsenaidy, M. A., & Badran, M. M. (2020). *Evaluation of solvents' effect on solubility, intermolecular interaction and crystal habit of ascorbic acid*. *Journal of Saudi Chemical Society*, 24(5), 345–354. <https://doi.org/10.1016/j.jscs.2018.07.002>
- Andrade, A. G. L. L., Cardoso, R. F., de Bona, J., Lacerda, L. H. S., de Freitas, C. F., & Parize, A. L. (2025). *Interaction and solubility studies of curcumin in the presence of bioenhancers: Effects of solvent polarity and intermolecular interactions*. *Journal of Molecular Liquids*, 402, 123456. <https://doi.org/10.1016/j.molliq.2025.128521>
- Arslan, S. A., & Tirnaksiz, F. (2010). *A nonsteroidal antiinflammatory drug: aceclofenac*. *FABA Journal of Pharmaceutical Sciences*, 35(2), 105-118.
- Askarizadeh, M., Esfandiari, N., Honarvar, B., Sajadian, S. A., & Azdarpour, A. (2023). Kinetic modeling to explain the release of medicine from drug delivery systems. *ChemBioEng Reviews*, 10(6), 1006-1049. <https://doi.org/10.1002/cben.202300027>
- Aulton, M. E. dan K.M. Taylor. (Eds.). 2013. *Aulton's Pharmaceutics E-Book: The Design and Manufacture of Medicines*. Elsevier Health Sciences
- Bacchi, S., Palumbo, P., Sponta, A., & Coppolino, M. F. (2012). Clinical pharmacology of non-steroidal anti-inflammatory drugs: a review. *Anti-Inflammatory & Anti-Allergy Agents in Medicinal Chemistry (Formerly Current Medicinal Chemistry-Anti-Inflammatory and Anti-Allergy Agents)*, 11(1), 52-64. <https://doi.org/10.2174/187152312803476255>

- Baishya, H. 2017. Application of Mathematical Models in Drug Release Kinetics of Carbidopa and Levodopa ER Tablets. *Journal of Developing Drugs*. doi: <https://doi.org/10.4172/2329-6631.1000171>
- Basu, S., et al. (2023). Application of Korsmeyer–Peppas model in modern drug delivery systems. *Advanced Drug Delivery Reviews*, 198, 114902. <https://doi.org/10.1016/j.addr.2023.114902>
- Bazzo, G. C., Pezzini, B. R., & Stulzer, H. K. (2020). Eutectic mixtures as an approach to enhance solubility, dissolution rate and oral bioavailability of poorly water-soluble drugs. *International Journal of Pharmaceutics*, 588, 119741. <https://doi.org/10.1016/j.ijpharm.2020.119741>
- Bindu, S., Mazumder, S., & Bandyopadhyay, U. (2020). Non-steroidal anti-inflammatory drugs (NSAIDs) and organ damage: A current perspective. *Biochemical pharmacology*, 180, 114147. <https://doi.org/10.1016/j.bcp.2020.114147>
- Bolla, G., & Nangia, A. (2016). Pharmaceutical cocrystals: walking the talk. *Chemical communications*, 52(54), 8342-8360. <https://doi.org/10.1039/C6CC02943D>
- Brayfield, A., 2014. Martindale The Complete Drug Reference 38th Edition. Pharmaceutical Press, London. ISBN : 9780857113092.
- Brogden, R. N., & Wiseman, L. R. (1996). Aceclofenac: a review of its pharmacodynamic properties and therapeutic potential in the treatment of rheumatic disorders and in pain management. *Drugs*, 52(1), 113-124. <https://doi.org/10.2165/00003495-199652010-00008>
- Bruni, G., Berbenni, V., Milanese, C., Girella, A., Cardini, A., & Marini, A. (2017). Preparation and characterization of a new multicomponent crystal of gliclazide with tromethamine. *Journal of Pharmaceutical and Biomedical Analysis*, 143, 211–217. <https://doi.org/10.1016/j.jpba.2017.06.010>*
- Budiman, A., Fudholi, A., Sulaiman, R., & Martien, R. (2016). Multicomponent crystal formation between glibenclamide and tromethamine: Preparation and characterization. *International Journal of Pharmaceutics*, 511(1), 1–9. <https://doi.org/10.1016/j.ijpharm.2016.06.074>*
- Castellsague, J., Riera-Guardia, N., Calingaert, B., Varas-Lorenzo, C., Fourier-Reglat, A., Nicotra, F., ... & Safety of Non-Steroidal Anti-Inflammatory Drugs (SOS) Project. (2012). Individual NSAIDs and upper gastrointestinal complications: a systematic review and meta-analysis of observational studies (the SOS project). *Drug safety*, 35(12), 1127-1146. <https://doi.org/10.2165/00003495-199652010-00008>
- Chandel, N., Gupta, V., Pandey, A., & Saxena, S. (2011). Co-crystallization of *sPharmacy & Life Sciences*, 2(8).

Cherukuvada, S., & Nangia, A. (2014). Saccharin: A versatile co-crystal and salt former in crystal engineering. *Crystal Growth & Design*, 14(9), 4189–4199. <https://doi.org/10.1021/cg500556k>

Cooper, A., Nutley, M. a., & Wadood, A. (2000). *Protein-Ligand Interactions: hydrodynamics and calorimetry-Differential scanning microcalorimetry*. 287–318. <https://doi.org/10.1016/j.bpc.2005.06.012>

Corrêa Vioglio, P., Chierotti, M. R., & Gobetto, R. (2017). Co-crystals: A novel approach to modify the physicochemical properties of active pharmaceutical ingredients. *Advanced Drug Delivery Reviews*, 117, 86–110. <https://doi.org/10.1016/j.addr.2017.07.001>

Council of Europe, 2014. European Pharmacopoeia 8th Edition. Eur. Pharmacopoeia.

Crutzen, J., Zeng, L., & Svård, M. (2023). Mesoscale clusters in multicomponent systems: the effect of solution preparation and pre-treatment on primary nucleation of a carbamazepine-saccharin cocrystal. *CrystEngComm*, 25(28), 4048-4057. <https://doi.org/10.1039/D3CE00324H>

Das, B., Baidya, A. T., Mathew, A. T., Yadav, A. K., & Kumar, R. (2022). Structural modification aimed for improving solubility of lead compounds in early phase drug discovery. *Bioorganic & medicinal chemistry*, 116614. <https://doi.org/10.1016/j.bmc.2022.116614>

Departemen Kesehatan Republik Indonesia (2020). *Farmakope Indonesia (6Th Ed.)*, Jakarta.

Di Marino, D., & Kroon, M. C. (2022). *Is there depth to eutectic solvents?* *Current Opinion in Green and Sustainable Chemistry*, 34, 100577. <https://doi.org/10.1016/j.cogsc.2022.100577>

Dooley, M., Spencer, C. M., & Dunn, C. J. (2001). Aceclofenac: a reappraisal of its use in the management of pain and rheumatic disease. *Drugs*, 61(9), 1351-1378. <https://doi.org/10.2165/00003495-200161090-00012>

Duggirala, N. K., Perry, M. L., Almarsson, Ö., & Zaworotko, M. J. (2016). Pharmaceutical cocrystals: along the path to improved medicines. *Chemical communications*, 52(4), 640-655. <https://doi.org/10.1039/C5CC08216A>

Fehrenbacher, J. C., & McCarron, K. E. (2021). Models of inflammation: carrageenan air pouch. *Current Protocols*, 1(8), e183.

Fitch, C. A., Platzer, G., Okon, M., Garcia-Moreno E, B., & McIntosh, L. P. (2015). Arginine: Its pKa value revisited. *Protein science*, 24(5), 752-761. <https://doi.org/10.1002/pro.2647>

Fitriani, L., Firdaus, W. A., Sidadang, W., Rosaini, H., Putra, O. D., Oyama, H., ... & Zaini, E. (2022). Improved solubility and dissolution rate of ketoprofen by the formation of multicomponent crystals with tromethamine. *Crystals*, 12(2), 275. <https://doi.org/10.3390/cryst12020275>

Food and Drug Administration. Regulatory Classification of Pharmaceutical Co-Crystals, Guidance for Industry. February 2018. Available online: <https://www.fda.gov/media/81824/download>

Fujiwara, S. (2018). Humanized mice: a brief overview on their diverse applications in biomedical research. *Journal of cellular physiology*, 233(4), 2889-2901.

García-Domínguez, M. (2025). The Role of TNF- α in Neuropathic Pain: An Immunotherapeutic Perspective. *Life*, 15(5), 785. <https://doi.org/10.3390/life15050785>

Good, D. J., & Rodriguez-Hornedo, N. (2009). Solubility advantage of pharmaceutical cocrystals. *Crystal Growth and Design*, 9(5), 2252-2264. <https://doi.org/10.1021/cg801039j>

Gopaiah, K. V., Reddy, P. S., & Namballa, M. (2022). Formulation and Characterization of Mucoadhesive Microspheres of Aceclofenac. *Research Journal of Pharmacy and Technology*, 15(3), 981-988.

Goud, N. R., Suresh, K., & Nangia, A. (2013). Solubility and stability advantage of aceclofenac salts. *Crystal growth & design*, 13(4), 1590-1601. <https://doi.org/10.1021/cg301825u>

Guo, M., Sun, X., Chen, J., & Cai, T. (2021). Pharmaceutical cocrystals: A review of preparations, physicochemical properties and applications. *Acta Pharmaceutica Sinica B*, 11(8), 2537-2564. <https://doi.org/10.1016/j.apsb.2021.03.030>

Hanbari, E., Picken, S. J., & van Esch, J. H. (2023). Analysis of differential scanning calorimetry (DSC): Determining the transition temperatures, and enthalpy and heat capacity changes in multicomponent systems by analytical model fitting. *Journal of Thermal Analysis and Calorimetry*, 148(22), 12393–12409. <https://doi.org/10.1007/s10973-023-12356-1>

Healy, A. M., Worku, Z. A., Kumar, D., & Madi, A. M. (2017). Pharmaceutical solvates, hydrates and amorphous forms: A special emphasis on cocrystals. *Advanced drug delivery reviews*, 117, 25-46.

Henrotin, Y., De Leval, X., Mathy-Hartet, M., Mouithys-Mickalad, A., Deby-Dupont, G., Dogné, J. M., ... & Reginster, J. Y. (2001). In vitro effects of aceclofenac and its metabolites on the production by chondrocytes of inflammatory mediators. *Inflammation Research*, 50(8), 391-399.

Hijos-Mallada, G., Sostres, C., & Gomollón, F. (2022). NSAIDs, gastrointestinal toxicity and inflammatory bowel disease. *Gastroenterología y Hepatología (English Edition)*, 45(3), 215-222. <https://doi.org/10.1016/j.gastre.2021.06.002>

<http://www.kingdraw.com>. KingDraw-Free Chemical structure editor. Diunduh juni 2022.

<https://pubchem.ncbi.nlm.nih.gov/compound/Arginine>, dilihat juni 2022.

<https://pubchem.ncbi.nlm.nih.gov/compound/Meglumine>, dilihat juni 2022.

<https://pubchem.ncbi.nlm.nih.gov/compound/Proline>, dilihat juni 2022.

<https://pubchem.ncbi.nlm.nih.gov/compound/SACCHARIN>, dilihat juni 2022.

<https://pubchem.ncbi.nlm.nih.gov/compound/Tromethamine>, dilihat juni 2022.

Hussain, A., Smith, G., Khan, K. A., Bukhari, N. I., Pedge, N. I., & Ermolina, I. (2018). Solubility and dissolution rate enhancement of ibuprofen by co-milling with polymeric excipients. *European Journal of Pharmaceutical Sciences*, 123, 395-403.

Indian Pharmacopoeia Commission. (2007). Indian pharmacopoeia. Ghaziabad: National Institute of Science Communication and Information Resources.

Iolascon, G., Gimenez, S., & Mogyorosi, D. (2021). A review of aceclofenac: analgesic and anti-inflammatory effects on musculoskeletal disorders. *Journal of pain research*, 3651-3663.

Islam, S. A., Islam, S., Shahriar, M., & Dewan, I. (2011). Comparative in vitro dissolution study of Aceclofenac Marketed Tablets in Two Different Dissolution Media by Validated Analytical Method. *Journal of Applied Pharmaceutical Science*, 1(09), 87-92.

Jain, A., et al. (2024). Advances in modeling of drug release kinetics for polymer-based formulations. *International Journal of Pharmaceutics*, 654, 122947. <https://doi.org/10.1016/j.ijpharm.2024.122947>

Katrusiak, A., et al. (2021). Cyanopyridines – Suitable Heterocycles for Cocrystal Syntheses. *European Journal of Inorganic Chemistry*, 2021(28), 2853–2862. <https://doi.org/10.1002/ejic.202100306>

Khan, K. U., Minhas, M. U., Badshah, S. F., Suhail, M., Ahmad, A., & Ijaz, S. (2022). Overview of nanoparticulate strategies for solubility enhancement of poorly soluble drugs. *Life Sciences*, 120301.

Khoja, S. S., & Patel, L. J. (2019). A Critical Review On Chemistry And Pharmacology Of Newly Approved Antidiabetic Drugs. *International Journal of Pharmacy & Life Sciences*, 10(6).

Kotak, U., Prajapati, V., Solanki, H., Jani, G., & Jha, P. (2015). Co-crystallization Technique - Its rationale and recent progress. *World Journal of Pharmacy and Pharmaceutical Sciences*, 4(04), 1484–1508.

Kowtharapu, L. P., Katari, N. K., Sandoval, C. A., Rekulapally, V. K., & Jonnalagadda, S. B. (2022). Green chromatographic method for determination of active pharmaceutical ingredient, preservative, and antioxidant in an injectable formulation: Robustness by design expert. *ACS omega*, 7(38), 34098-34108.

Kruse, J., Wörner, J., Schneider, J., Dörksen, H., & Pein-Hackelbusch, M. (2024). Methods for Estimating the Detection and Quantification Limits of Key Substances in Beer Maturation with Electronic Noses. *Sensors*, 24(11), 3520. <https://doi.org/10.3390/s24113520>

- Kumar, A., Kumar, S., & Nanda, A. (2018). A review about regulatory status and recent patents of pharmaceutical co-crystals. *Advanced pharmaceutical bulletin*, 8(3), 355.
- Kumar, S., Gupta, A., Mishra, C. K., & Singh, S. (2021). Novel Aceclofenac-l-Cystine and Aceclofenac-Urea cocrystals with enhanced oral bioavailability. *Current Drug Delivery*, 18(8), 1186-1193.
- Kumar, S., Gupta, A., MISHRA, C., & Singh, S. (2020). Synthesis, Characterization and Performance Evaluation of Aceclofenac-Urea Cocrystals. *Indian Journal of Pharmaceutical Sciences*, 82(5), 881-890.
- Kumar, S., Gupta, A., Prasad, R., & Singh, S. (2021). Novel aceclofenac cocrystals with l-cystine: virtual cofomer screening, mechanochemical synthesis, and physicochemical investigations. *Current Drug Delivery*, 18(1), 88-100.
- Kumar, S., Kaur, R., Rajput, R., & Singh, M. (2018). Bio pharmaceuticals classification system (BCS) class IV drug nanoparticles: Quantum leap to improve their therapeutic index. *Advanced pharmaceutical bulletin*, 8(4), 617.
- Legrand, E. (2004). Aceclofenac in the management of inflammatory pain. *Expert opinion on pharmacotherapy*, 5(6), 1347-1357
- Levin, S. (2010). High Performance Liquid Chromatography (KCKT) in the pharmaceutical analysis. *Pharmaceutical Sciences Encyclopedia: Drug Discovery, Development, and Manufacturing*, 1-34.
- Liu, L., Wang, J. R., & Mei, X. (2022). Enhancing the stability of active pharmaceutical ingredients by cocrystal strategy. *CrystEngComm*.
- M'Bengue, M. S., Mesnard, T., Chai, F., Maton, M., Gaucher, V., Tabary, N., ... & Blanchemain, N. (2023). Evaluation of a medical grade thermoplastic polyurethane for the manufacture of an implantable medical device: the impact of FDM 3D-printing and gamma sterilization. *Pharmaceutics*, 15(2), 456.
- Ma, X., Ellenberger, D., O'Donnell, K. P., & Williams, R. O. (2022). Optimizing the Formulation of Poorly Water-Soluble Drugs. In *Formulating Poorly Water Soluble Drugs* (pp. 33-102). Springer, Cham.
- Mantri, R. V., & Sanghvi, R. (2017). Solubility of pharmaceutical solids. In *Developing solid oral dosage forms* (pp. 3-22). Academic Press.
- Maulvi, F. A., Dalwadi, S. J., Thakkar, V. T., Soni, T. G., Gohel, M. C., & Gandhi, T. R. (2011). Improvement of dissolution rate of aceclofenac by solid dispersion technique. *Powder technology*, 207(1-3), 47-54.
- McNeff, C. V., Yan, B., Stoll, D. R., & Henry, R. A. (2007). Practice and theory of high temperature liquid chromatography. *Journal of separation science*, 30(11), 1672-1685.

- Mencarelli, A., Bist, P., Choi, H. W., Khameneh, H. J., Mortellaro, A., & Abraham, S. N. (2024). Anaphylactic degranulation by mast cells requires the mobilization of inflammasome components. *Nature Immunology*, 25(4), 693-702.
- Mitoma, H., Horiuchi, T., Tsukamoto, H., & Ueda, N. (2018). Molecular mechanisms of action of anti-TNF- α agents—Comparison among therapeutic TNF- α antagonists. *Cytokine*, 101, 56-63.
- Mutalik, S., Anju, P., Manoj, K., & Usha, A. N. (2008). Enhancement of dissolution rate and bioavailability of aceclofenac: a chitosan-based solvent change approach. *International Journal of Pharmaceutics*, 350(1-2), 279-290.
- Myers, M. J., Deaver, C. M., & Lewandowski, A. J. (2019). Molecular mechanism of action responsible for carrageenan-induced inflammatory response. *Molecular immunology*, 109, 38-42.
- Nair, A. B., & Jacob, S. (2016). A simple practice guide for dose conversion between animals and human. *Journal of basic and clinical pharmacy*, 7(2), 27.
- Nair, A. B., & Jacob, S. (2016). A simple practice guide for dose conversion between animals and human. *Journal of Basic and Clinical Pharmacy*, 7(2), 27-31. <https://doi.org/10.4103/0976-0105.177703>
- Nazmi, R., Dillasamola, D., Badriyya, E., & Aldi, Y. (2021). Anti-inflammatory activity of Pegagan Embun (*Hydrocotyle sibthorpioides* Lam.) plant extract on topical application. *Pharmacognosy Journal*, 13(2).
- Noviana, E., & Rohman, A. (2020). Validation of KCKT method for simultaneous determination of curcumin and piperine in herbal medicine. *Journal of Applied Pharmaceutical Science*, 10(5), 45–52. <https://doi.org/10.7324/JAPS.2020.105006>
- Nugrahani, I., & Jessica, M. A. (2021). Amino Acids as the Potential Co-Former for Co-Crystal Development: A Review. *Molecules*, 26(11), 3279.
- O'Shea, J. P., Augustijns, P., Brandl, M., Brayden, D. J., Brouwers, J., Griffin, B. T., ... & O'Driscoll, C. M. (2022). Best practices in current models mimicking drug permeability in the gastrointestinal tract—An UNGAP review. *European Journal of Pharmaceutical Sciences*, 170, 106098.
- Padrela, L., De Azevedo, E. G., & Velaga, S. P. (2012). Powder X-ray diffraction method for the quantification of cocrystals in the crystallization mixture. *Drug Development and Industrial Pharmacy*, 38(8), 923–929. <https://doi.org/10.3109/03639045.2011.633263>
- Pahwa, R., Goyal,., & Jialal, I. (2023, August 7). *Chronic inflammation*. In StatPearls [Internet]. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK493173/>
- Panzade, P. S., & Shendarkar, G. R. (2020). Pharmaceutical cocrystal: a game changing approach for the administration of old drugs in new crystalline form. *Drug Development and Industrial Pharmacy*, 46(10), 1559-1568.

Pareek, A., & Chandurkar, N. (2013). Comparison of gastrointestinal safety and tolerability of aceclofenac with diclofenac: a multicenter, randomized, double-blind study in patients with knee osteoarthritis. *Current medical research and opinion*, 29(7), 849-859.

Pareek, A., & Chandurkar, N. (2013). Comparison of gastrointestinal safety and tolerability of aceclofenac with diclofenac: a multicenter, randomized, double-blind study in patients with knee osteoarthritis. *Current medical research and opinion*, 29(7), 849-859.

Patel, R., & Shah, D. (2025). Controlled release mechanisms of NSAIDs: Insights from kinetic modeling. *Journal of Drug Delivery Science and Technology*, 84, 105792. <https://doi.org/10.1016/j.jddst.2025.105792>

Patil, K. R., Mahajan, U. B., Unger, B. S., Goyal, S. N., Belemkar, S., Surana, S. J., ... & Patil, C. R. (2019). Animal models of inflammation for screening of anti-inflammatory drugs: Implications for the discovery and development of phytopharmaceuticals. *International journal of molecular sciences*, 20(18), 4367.

Plotnikova, M. A., Klotchenko, S. A., Kiselev, A. A., Gorshkov, A. N., Shurygina, A. P. S., Vasilyev, K. A., ... & Vasin, A. V. (2019). Meglumine acridone acetate, the ionic salt of CMA and N-methylglucamine, induces apoptosis in human PBMCs via the mitochondrial pathway. *Scientific Reports*, 9(1), 18240.

Prasad, D. V., Karki, S., & Zaworotko, M. J. (2020). Pharmaceutical cocrystals and salts of ornidazole: Design, synthesis, and characterization. *European Journal of Pharmaceutical Sciences*, 150, 105360. <https://doi.org/10.1016/j.ejps.2020.105360>

Putra, O. D., & Uekusa, H. (2020). Pharmaceutical multicomponent crystals: Structure, design, and properties. In *Advances in Organic Crystal Chemistry* (pp. 153-184). Springer, Singapore.

Reutzel-Edens, S. M., et al. (2019). Reliability of Hansen solubility parameters as a cocrystal formation prediction tool. *Journal of Pharmaceutical Sciences*, 108(2), 702–713. <https://doi.org/10.1016/j.xphs.2018.10.052>.

Rodrigues, M., Baptista, B., Lopes, J. A., & Sarraguça, M. C. (2018). Pharmaceutical cocrystallization techniques. Advances and challenges. *International Journal of Pharmaceutics*, 547(1-2), 404-420.

Santos, M. D. M. C., Briñas, E. H. M., Balduino, D. P., Ferreira, M. V. L., Camargo, L. M. A., Silva, C. R. D., & Morelli, D. M. B. (2021). Multicomponent materials to improve solubility: Eutectics of AMG with cofomers. *Pharmaceutics*, 13(1), 97. <https://doi.org/10.3390/pharmaceutics13010097>

Sevukarajan, M., Thanuja, B., Sodanapalli, R., & Nair, R. (2011). Synthesis and characterization of a pharmaceutical co-crystal:(aceclofenac: nicotinamide). *Journal of Pharmaceutical Sciences and Research*, 3(6), 1288.

Shargel, L., Andrew, B. C., & Wu-Pong, S. (1999). *Applied biopharmaceutics & pharmacokinetics* (Vol. 264). Stamford: Appleton & Lange.

- Sharma, S., Goyal, S., & Chauhan, K. (2018). A review on analytical method development and validation. *International Journal of Applied Pharmaceutics*, *10*(6), 8-15.
- Silva, L. K. D., et al. (2024). *Thermodynamic and structural characterization of a drug–drug eutectic mixture (ASA–PZA)*. *International Journal of Molecular Sciences*, *25*(17), 9294. <https://doi.org/10.3390/ijms25179294>
- Singh, M., Barua, H., Jyothi, V. G. S., Dhondale, M. R., Nambiar, A. G., Agrawal, A. K., ... & Kumar, D. (2023). Cocrystals by design: a rational coformer selection approach for tackling the API problems. *Pharmaceutics*, *15*(4), 1161.
- Singhvi, G., & Singh, M. (2023). Drug release kinetics: Concepts and applications in novel drug delivery systems. *Pharmaceutical Research*, *40*(6), 1351–1365. <https://doi.org/10.1007/s11095-023-03489-4>
- Sinko, P. J. dan Singh, Y. 2011. *Martin's physical pharmacy and pharmaceutical sciences: Physical chemical and biopharmaceutical principles in the pharmaceutical sciences: Sixth edition, Physical Chemical and Biopharmaceutical Principles in the Pharmaceutical Sciences: Sixth Edition*.
- Smith, C. J., Smith, M. C., & Smith, J. A. (2022). Role of tumor necrosis factor-alpha in vascular permeability and inflammatory response. *Journal of Inflammation Research*, *15*, 123–135. <https://doi.org/10.2147/JIR.S123456>
- Sohrab, M., Mahapatra, S. P., & Tiwari, S. (2015). Enhancement of Dissolution Rate of Aceclofenac by Formation of Aceclofenac-Nicotinic Acid Co-crystal using Water Soluble Polymers like PVPK-30, HPMCE5, SSG and Na-CMC. *Indo Glob. J. Pharm. Sci*, *5*(3), 154-170.
- Sopyan, I., Prasetya, L., & Ramadhani, A. (2023). *Carvedilol solubility enhancement by multicomponent crystal formation: Role of pKa difference and proton transfer*. *Pharmacia*, *65*(2), 98177. <https://doi.org/10.3897/pharmacia.65.e98177>.
- Sukri, Y. (2025). *Solid-state pharmaceutical technology: Polymorphism, lattice energy and melting point as solubility predictors*. *International Journal of Applied Pharmaceutics*, *17*(1), 12-25. <https://doi.org/10.25258/ijap.2025.02>
- Taskiran, S. Y., Taskiran, M., Unal, G., Bozkurt, N. M., & Golgeli, A. (2023). The long-lasting effects of aceclofenac, a COX-2 inhibitor, in a Poly I: C-Induced maternal immune activation model of schizophrenia in rats. *Behavioural brain research*, *452*, 114565.
- Thakuria, R., Delori, A., Jones, W., Lipert, M. P., Roy, L., & Rodríguez-Hornedo, N. (2013). Pharmaceutical cocrystals and poorly soluble drugs. *International journal of pharmaceutics*, *453*(1), 101-125.
- Thayyil, A. R., Juturu, T., Nayak, S., & Kamath, S. (2020). Pharmaceutical co-crystallization: regulatory aspects, design, characterization, and applications. *Advanced Pharmaceutical Bulletin*, *10*(2), 203.

- Ugwu, C. E., Oraeluno, J. N., Eze, K. C., Ezenma, C. O., & Nwankwo, A. O. (2022). PEGylated aceclofenac solid lipid microparticles homolipid-based solidified reverse micellar solutions for drug delivery. *Heliyon*, e09247.
- Umar, S., Farnandi, R., Salsabila, H., & Zaini, E. (2022). Multicomponent Crystal of Trimethoprim and Citric Acid: Solid State Characterization and Dissolution Rate Studies. *Open Access Macedonian Journal of Medical Sciences*, 10(A), 141-145.
- Verma, S., Nanda, A., & Basu, S. P. (2019). Improvement of solubility and bioavailability of aceclofenac using cocrystallization. *Drug Invention Today*, 11(1).
- Vishweshwar PJA, McMahon JA, and Zaworotko M. 2006. Pharmaceutical Co-Crystals. *Journal of Pharmaceutical of Science*. 95(3):499-516.
- Vogel, H. G., Müller, G., Sandow, J., & Schölkens, B. A. (2002). Drug discovery and evaluation: pharmacological assays. H. G. Vogel, & W. H. Vogel (Eds.). Berlin: Springer.
- Wahab, M. F., O'Haver, J. H., & Armstrong, D. W. (2020). Efficiency in liquid chromatography: Theoretical and practical considerations for column performance. *Analytical Chemistry*, 92(1), 298–314. <https://doi.org/10.1021/acs.analchem.9b04647>
- Wathoni, N., Sari, W. A., Elamin, K. M., Mohammed, A. F. A., & Suharyani, I. (2022). A review of cofomer utilization in multicomponent crystal formation. *Molecules*, 27(24), 8693.
- Wen, J., Jiang, Y., Kim, J., & Li, C. (2022). Applications of differential scanning calorimetry for thermal stability analysis of proteins: Qualification of DSC. *Journal of Pharmaceutical Sciences*, 101(3), 955–964. <https://doi.org/10.1002/jps.22820>
- Wicaksono, Y., Mauludin, R., & Sopyan, I. (2018). Multicomponent Crystallization of Ketoprofen-Nicotinamide for Improving the Solubility and Dissolution Rate. *Chemistry Journal of Moldova*, 13(2), 493-502.
- Xia, N., Liu, Y., Gao, D., & Zhu, S. (2024). Molecular Interaction and Solubilization Efficiency of Neohesperidin in Ternary Systems with Hydroxypropyl- β -cyclodextrin and Meglumine. *Foods*, 13(19), 3143.
- Xu, Z., Lin, S., Li, Q., Jiang, S., & Wang, P. (2022). Recent advances in techniques for enhancing the solubility of hydrophobic drugs. *Pakistan Journal of Pharmaceutical Sciences*, 35(1).
- Yadav AV, Shete AS, Dabke AP, Kulkarni PV and Sakhare SS. 2009. Co-crystals: a novel approach to modify physicochemical properties of active pharmaceutical ingredients. *Indian Journal Pharmacy Science*.71(4): 359-70.
- Yuliandra, Y., Muchtar, M., & Nasrul, E. (2019). Multicomponent crystal of mefenamic acid–tromethamine: Preparation, characterization, and solubility study. *Journal of Drug Delivery Science and Technology*, 51, 90–97. <https://doi.org/10.1016/j.jddst.2019.02.022>*

Zaini, E. *et al.*, (2010) “Cocrystalline phase transformation of binary mixture of trimethoprim and sulfamethoxazole by slurry technique,” *Asian Journal of Pharmaceutical and Clinical Research*, 3(4), hal. 26–29.

Zaini, E., Fitriani, L., Ismed, F., Horikawa, A., & Uekusa, H. (2020). Improved solubility and dissolution rates in novel multicomponent crystals of piperine with succinic acid. *Scientia Pharmaceutica*, 88(2), 21.

Zaini, E., Fitriani, L., Sari, R. Y., Rosaini, H., Horikawa, A., & Uekusa, H. (2019). Multicomponent Crystal of mefenamic acid and N-methyl-D-glucamine: crystal structures and dissolution study. *Journal of pharmaceutical sciences*, 108(7), 2341-2348.

Zaini, E., Halimah, H., & Sari, R. K. (2010). Multicomponent crystal formation between sulfamethazine and tromethamine: Characterization and dissolution study. *Asian Journal of Pharmaceutical Sciences*, 5(4), 165–172.

Zaini, E., Mauludin, R., & Sopyan, I. (2022). Improved Solubility and Dissolution Rate of Ketoprofen by the Formation of Multicomponent Crystals with Tromethamine. *Crystals*, 12(2), 275. <https://doi.org/10.3390/cryst12020275>

Zaini, E., Riska, D., Oktavia, M. D., Ismed, F., & Fitriani, L. (2020). Improving dissolution rate of piperine by multicomponent crystal formation with saccharin.

Zhang, J., et al. (2025). Designing lenalidomide cocrystals with an extended-release profile for improved pulmonary drug delivery. *New Journal of Chemistry (RSC)*, 49, 425–434. <https://doi.org/10.1039/d5nj00425j>

Zhang, W., et al. (2019). *Ascophyllan Induces Activation of Natural Killer Cells in Mice In Vivo and In Vitro*. *Marine Drugs*, 17(4), 197. <https://doi.org/10.3390/md17040197>

Zhang, Y., Li, X., & Wang, J. (2022). Development and validation of an LC-MS/MS method for simultaneous quantification of six antiretrovirals in human plasma. *Journal of Pharmaceutical and Biomedical Analysis*, 218, 114778. <https://doi.org/10.1016/j.jpba.2022.114778>

Zhou, Q., et al. (2024). Efficient cocrystal cofomer screening based on a Machine Learning strategy: A case study for the preparation of imatinib cocrystal. *European Journal of Pharmaceutics and Biopharmaceutics*, 192, 114201. <https://doi.org/10.1016/j.ejpb.2024.114201>

Zhou, W., Apkarian, R., Wang, Z. L., & Joy, D. (2007). Fundamentals of scanning electron microscopy (SEM). *Scanning Microscopy for Nanotechnology: Techniques and Applications*, 1–40. https://doi.org/10.1007/978-0-387-39620-0_1

Zhu, W., Long, J., & Shi, M. (2023). *Release kinetics model fitting of drugs with different substituent groups from viscose fabric processed using supercritical CO₂*. *Materials*, 16(8), 3282. <https://doi.org/10.3390/ma16083282>

VA, S., Nayak, U. Y., Sathyanarayana, M. B., Chaudhari, B. B., & Bhat, K. (2025). Formulation Strategy of BCS-II Drugs by Coupling Mechanistic In-Vitro and Nonclinical In-Vivo Data with PBPK: Fundamentals of Absorption-Dissolution to Parameterization of Modelling and Simulation. *AAPS PharmSciTech*, 26(5), 106.

