

DAFTAR PUSTAKA

- Abubakar, E. M. M. (2009). Efficacy Of Crude Extracts Of Garlic (*Allium Sativum* Linn.) Against Nosocomial *Escherichia Coli*, *Staphylococcus Aureus*, *Streptococcus Pneumoniae* And *Pseudomonas Aeruginosa*. *Journal Of Medicinal Plants Research*, 3(4), 179–185.
- Abdelrahman, K. N. (2024). Anthocyanins from chili pepper fruit with multiple biofunctions: Antibacterial, antioxidant, and anticancer. *Heliyon*, 10(11), e32222. <https://doi.org/10.1016/j.heliyon.2024.e32222>
- Abilkassymova, M., et al. (2024). Metabolomic profiling of *Capsicum* species reveals key secondary metabolites contributing to bioactivity. *Food Chemistry*, 440, 137091.
- Abubakar, E. M. M. (2009). Efficacy of crude extracts of garlic (*Allium sativum* Linn.) against nosocomial *Escherichia coli*, *Staphylococcus aureus*, *Streptococcus pneumoniae* and *Pseudomonas aeruginosa*. *Journal of Medicinal Plants Research*, 3(4), 179–185.
- Agilent Technologies. (2018). Best practices for compound identification in LC/MS metabolomics workflows. Agilent Application Note.
- Akhter, M. J. (2024). Varietal influence on bioactive compounds and antioxidant activity in chilies during development stages. *Heliyon*, 10, e37406..2024.e37406
- Al-Bachir, M. (2017). Effect of processing and storage on quality of dried chili pepper: Implications for lipid and nutrient changes. *Radiation Physics and Chemistry*, 130, 232–237.
- Antonious, G. F. (2009). Antioxidant capacity and phenolic content in hot pepper. *Journal of Food Composition and Analysis*, 22(4), 296–302.
- Arya, R. (2024). Flavonoids as potent antioxidants: Structural and functional perspectives. *Journal of Food Biochemistry*, 48(2), e14532.
- BSN. (1995). SNI 01-3709-1995: Bubuk Cabai. Jakarta: *Badan Standardisasi Nasional* (BSN).
- Carvalho, D. O. (2020). Phenolic compounds in *Capsicum* species: Functional properties and implications for human health. *Food Research International*, 136, 109470.

- Carvalho, R. (2020). Metabolomic and bioactive compound profiling in *Capsicum* species: Insights into antioxidant and antimicrobial potential. *Plant Foods for Human Nutrition*, 75(3), 289–302.
- Cho, J. (2020). Flavonoid composition and antioxidant capacity of *Capsicum* species and cultivars. *Food Chemistry*, 325, 126943.
- Deepa, N., Kaur, C., George, B., Singh, B., & Kapoor, H. C. (2007). Antioxidant constituents in some sweet pepper (*Capsicum annuum* L.) genotypes during maturity. *LWT - Food Science and Technology*, 40(1), 121–129.
- De Jonge, L. (2022). Untargeted LC–HRMS metabolomics: Considerations for identification confidence and quantitative follow-up. *Metabolites*, 12(8), 742.
- Ernawati, T., & ... (2020). Variasi varietas cabai terhadap kandungan air dan daya simpan bubuk cabai. *Jurnal Ilmiah Pertanian Indonesia*, 25(2), 101–109.
- Fal, Rahman. (2020). Tracing the origins of rendang and its development. *Foods Tech*, 7(1), 1–11. <https://doi.org/10.1186/s42779-020-00065-1>.
- Fellows, P. (2017). *Food Processing Technology*. CRC Press.
- Gunawan, A., & ... (2019). Analisis kandungan gizi cabai rawit dan cabai keriting kering sebagai bahan baku industri pangan. *Jurnal Gizi dan Pangan*, 11(1), 45–52.
- Gupta, A. K. (2023). Mapping of nutraceutical and sensorial properties of stuffed red chili pickle: Effect of storage on quality. *Journal of Agricultural and Food Research*, 11, 100504. <https://doi.org/10.1016/j.jafr.2023.100504>
- Han, C. B. (2025). Minimizing the local oxygen transport resistance in PEMEC via CCM drying process optimization. *International Journal of Hydrogen Energy*, 124(4), 263–270.
- Handayani, R. P. (2020). Pengaruh metode pengeringan terhadap mutu bubuk cabai merah. *Jurnal Teknologi Pangan*, 11(2), 115–123.
- Hidayat, R. A. (2020). Karakter morfologi beberapa varietas cabai (*Capsicum* spp.) di lahan tropis. *Jurnal Hortikultura Indonesia*, 11(2), 89–97.
- Hwang, E. S. (2019). Effect of moisture content on the quality

- characteristics and shelf-life of red pepper powder. *Food Science and Biotechnology*, 28(2), 517–524.
- Jang, S. (2024). Comparative metabolomic profiling of *Capsicum* fruits reveals biosynthetic diversity in phenylpropanoid and terpenoid pathways. *Journal of Agricultural and Food Chemistry*, 72(4), 1561–1575.
- Jurenka, J. (2020). Capsaicin: Chemistry and pharmacology. *Critical Reviews in Food Science and Nutrition*, 60(2), 1–12.
- Kaddah, M., et al. (2025). Advances in LC–MS-based metabolite identification using high-resolution mass spectrometry. *Analytical Chemistry*, 97(3), 1213–1227.
- Katajamaa, M., & Orešič, M. (2007). Data processing for mass spectrometry-based metabolomics. *Journal of Chromatography A*, 1158(1–2), 318–328.
- Kim, S., Kim, M. J., & Kang, S. J. (2023). Comprehensive metabolite profiling of *Capsicum* species using LC–MS/MS and chemometric analysis. *Food Chemistry*, 405, 135091.
- Ko, H. L. (2023). Terpenoids and their defensive roles in plants: Biosynthesis and bioactivity. *Phytochemistry Reviews*, 22(1), 157–176.
- Kumar, A. (2022). Polyphenols and procyanidins: Redox mechanisms and health implications. *Food Chemistry*, 395, 133637.
- Lakitan, B. (2019). *Dasar-dasar fisiologi tumbuhan*. Jakarta: Rajawali Pers.
- Lee, Y. H., & Choi, S. H. (2022). Identification of capsaicinoids and phenolic compounds in chili peppers (*Capsicum* spp.) using UPLC–MS/MS. *Journal of Food Composition and Analysis*, 111, 104589.
- Lemos, M. A. (2019). Phenolic composition of red pepper (*Capsicum annuum* L.) and its relation to pungency and antioxidant activity. *Food Research International*, 115, 241–249.
- Materska, M., & Perucka, I. (2005). Antioxidant activity of the main phenolic compounds isolated from hot pepper fruit (*Capsicum annuum* L.). *Journal of Agricultural and Food Chemistry*, 53(5), 1750–1756.
- Mosley, J. R. (2024). Best practices in LC–MS-based untargeted

- metabolomics: QA/QC and data annotation standards. *Metabolites*, 14(2), 126–142.
- Mujumdar, A. S. (2014). *Handbook of Industrial Drying* (4th ed.). CRC Press.
- Nurdiani, D., et al. (2021). Characterization of bioactive compounds in Indonesian chili powder by LC–MS/MS analysis. *Indonesian Journal of Agricultural Science*, 26(3), 185–196.
- Oboh, G., Puntel, R. L., & Rocha, J. B. T. (2007). Comparative antioxidant and free radical scavenging properties of *Capsicum* species. *Food Chemistry*, 102(1), 178–185.
- Oney-Montalvo, J. (2020). Proanthocyanidin structures and antioxidant mechanisms in plant polyphenols. *Food Research International*, 136, 109589.
- Pitt, J. J. (2009). Principles and applications of liquid chromatography–mass spectrometry in clinical biochemistry. *The Clinical Biochemist Reviews*, 30(1), 19–34.
- Pratama, Y. S. (2018). Pengaruh suhu pengeringan terhadap kandungan gizi sayuran lokal. *Jurnal Teknologi Hasil Pertanian*, 9(1), 55–63.
- Reyes-Escogido, M. L., Gonzalez-Mondragon, E. G., & Vazquez-Tzompantzi, E. (2011). Chemical and pharmacological aspects of capsaicin. *Molecules*, 16(2), 1253–1270.
- Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1997). Antioxidant properties of phenolic compounds. *Trends in Plant Science*, 2(4), 152–159.
- Sanatombi, K., & Sharma, G. J. (2008). Capsaicin content and pungency of different *Capsicum* spp. cultivars. *Journal of Food Science and Technology*, 45(5), 494–496.
- Sim, K. H. (2008). Antioxidant activities of red pepper (*Capsicum annuum*) pericarp and seed extracts. *International Journal of Food Science & Technology*, 43(10), 1813–1823.
- Srinivasan, K. (2016). Biological activities of red pepper (*Capsicum annuum*) and its pungent principle capsaicin: A review. *Critical Reviews in Food Science and Nutrition*, 56(9), 1488–1500.
- Szolcsányi, J. (2004). Forty years in capsaicin research for sensory pharmacology and physiology. *Progress in Drug*

- Research, 68, 1–37.
- Wahyuni, Y., Ballester, A. R., Sudarmonowati, E., Bino, R. J., & Bovy, A. G. (2013). Metabolite biodiversity in pepper (*Capsicum*) fruits of thirty-two diverse accessions: Variation in health-related compounds and implications for breeding. *Phytochemistry*, 93, 49–62.
- Warsi, W., & ... (2020). Antioxidant activity of methanolic extract from yellow paprika (*Capsicum annum L.*) by DPPH radical scavenging method. *Pharmaciana*, 7(2), 202–208.
- Zhang, Y. H. (2015). A comparative study of the capsaicinoid and phenolic contents and in vitro antioxidant activities of the peppers of the genus *Capsicum*: An application of chemometrics. *Journal of Food Science and Technology*, 52(12), 8086–8094.
- Zhang, Y. (2014). Signal processing and feature detection in untargeted LC–MS metabolomics. *Bioinformatics*, 30(2), 204–212.
- Zhao, Y., et al. (2017). Kaurane diterpenoids and their bioactivities. *Phytochemistry Reviews*, 16(2), 333–367.

