

## DAFTAR PUSTAKA

1. Barthold J, Hagerty J. Etiology, Diagnosis, and Management of the Undescended Testis. In: Campbell-Walsh-Wein Urology. 12th ed. Philadelphia; 2021.
2. Kolon T, Herndon C, Baker L, et al. Evaluation and Treatment of Cryptorchidism: AUA Guideline. *J Urol*. 2014;(192):337.
3. Baker LA, Docimo SG, Surer I, Peters C, Cisek L, Diamond DA, et al. A multi-institutional analysis of laparoscopic orchidopexy. *BJU Int*. 2001 Apr;87(6):484–9.
4. Fariz J, Syahrir S, Palinrungi M. A study of undescended testis in Makassar, Indonesia. *Int J Urol*. 2019;(26):111–233.
5. Kaefer M, Diamond D, Hendren WH, Vemulapalli S, Bauer SB, Peters CA, et al. The incidence of intersexuality in children with cryptorchidism and hypospadias: stratification based on gonadal palpability and meatal position. *J Urol*. 1999 Sep;162(3 Pt 2):1003–6; discussion 1006-7.
6. Hadziselimovic F, Herzog B. The importance of both an early orchidopexy and germ cell maturation for fertility. *Lancet*. 2001 Oct 6;358(9288):1156–7.
7. Lee PA. Fertility after cryptorchidism: epidemiology and other outcome studies. *Urology*. 2005 Aug;66(2):427–31.
8. Walsh TJ, Dall’Era MA, Croughan MS, Carroll PR, Turek PJ. Prepubertal orchiopey for cryptorchidism may be associated with lower risk of testicular cancer. *J Urol*. 2007 Oct;178(4 Pt 1):1440–6; discussion 1446.

9. Novaes HFF, Carneiro Neto JA, Macedo A, Barroso Júnior U. Single scrotal incision orchiopexy - a systematic review. *Int Braz J Urol.* 2013;39(3):305–11.
10. Wayne C, Chan E, Nasr A, Canadian Association of Paediatric Surgeons Evidence-Based Resource. What is the ideal surgical approach for intra-abdominal testes? A systematic review. *Pediatr Surg Int.* 2015 Apr;31(4):327–38.
11. Shi Z. Laparoscopic vs. open surgery: A comparative analysis of wound infection rates and recovery outcomes. *Int Wound J.* 2024 Mar;21(3):14474.
12. Penson D, Krishnaswami S, Jules A, McPheeters ML. Effectiveness of hormonal and surgical therapies for cryptorchidism: a systematic review. *Pediatrics.* 2013 Jun;131(6):e1897-907.
13. Kollin C, Ritzén EM. Cryptorchidism: a clinical perspective. *Pediatr Endocrinol Rev.* 2014 Feb;11 Suppl 2:240–50.
14. Wahyudi I, Rodjani A, Yudha Hutahaean A, Santosa A, Renaldo J, Sibarani J, et al. *Panduan tatalaksana urologi pediatrik di indonesia.* 4th ed. Rodjani A, Wahyudi I, Renaldo J, editors. Ikatan Ahli Urologi Indonesia; 2022.
15. Santosa A, Rais S. Undescensus Testis (UDT). In: *Panduan Tata Laksana Urologi Pediatrik di Indonesia.* 4th ed. Jakarta Utara: Ikatan Ahli Urologi Indonesia; 2022. p. 146–56.
16. Barthold JS, González R. The epidemiology of congenital cryptorchidism, testicular ascent and orchiopexy. *J Urol.* 2003 Dec;170(6 Pt 1):2396–401.

17. Khatwa UA, Menon PS. Management of undescended testis. *Indian J Pediatr.* 2000 Jun;67(6):449–54.
18. Leslie S, Sajjad H, Villanueva C. StatPearls Publishing. 2025. Cryptorchidism.
19. Shin J, Jeon GW. Comparison of diagnostic and treatment guidelines for undescended testis. *Clin Exp Pediatr.* 2020 Nov;63(11):415–21.
20. Hutson JM, Thorup JM, Beasley SW. Descent of the Testis. Cham: Springer International Publishing; 2016.
21. Hadziselimovic F. On the descent of the epididymo-testicular unit, cryptorchidism, and prevention of infertility. *Basic Clin Androl.* 2017;27:21.
22. Cendron M, Huff DS, Keating MA, Snyder HM, Duckett JW. Anatomical, morphological and volumetric analysis: a review of 759 cases of testicular maldescent. *J Urol.* 1993 Mar;149(3):570–3.
23. Braga LH, Kim S, Farrokhyar F, Lorenzo AJ. Is there an optimal contralateral testicular cut-off size that predicts monorchism in boys with nonpalpable testicles? *J Pediatr Urol.* 2014 Aug;10(4):693–8.
24. Elert A, Jahn K, Heidenreich A, Hofmann R. Population-based investigation of familial undescended testis and its association with other urogenital anomalies. *J Pediatr Urol.* 2005 Dec;1(6):403–7.
25. Hrebinko RL, Bellinger MF. The limited role of imaging techniques in managing children with undescended testes. *J Urol.* 1993 Aug;150(2 Pt 1):458–60.

26. Tasian GE, Copp HL. Diagnostic performance of ultrasound in nonpalpable cryptorchidism: a systematic review and meta-analysis. *Pediatrics*. 2011 Jan;127(1):119–28.
27. Krishnaswami S, Fonnesbeck C, Penson D, McPheeters ML. Magnetic resonance imaging for locating nonpalpable undescended testicles: a meta-analysis. *Pediatrics*. 2013 Jun;131(6):e1908-16.
28. Berger C, Haid B, Becker T, Koen M, Roesch J, Oswald J. Nonpalpable testes: Ultrasound and contralateral testicular hypertrophy predict the surgical access, avoiding unnecessary laparoscopy. *J Pediatr Urol*. 2018 Apr;14(2):163.e1-163.e7.
29. Elder JS. Ultrasonography is unnecessary in evaluating boys with a nonpalpable testis. *Pediatrics*. 2002 Oct;110(4):748–51.
30. Siregar GP, Rodjani A, Wahyudi I. Unpalpable undescendant testes management evaluation in cipto mangunkusumo hospital. *Indonesian Journal of Urology*. 2015 Oct 1;22(2).
31. Braga LH, Lorenzo AJ, Romao RLP. Canadian Urological Association-Pediatric Urologists of Canada (CUA-PUC) guideline for the diagnosis, management, and followup of cryptorchidism. *Can Urol Assoc J*. 2017 Jul;11(7):E251–60.
32. Kurz D, Tasian G. Current Management of Undescended Testes. *Curr Treat Options Pediatr*. 2016 Mar;2(1):43–51.
33. Misra M, MacLaughlin DT, Donahoe PK, Lee MM. Measurement of Mullerian inhibiting substance facilitates management of boys with

microphallus and cryptorchidism. *J Clin Endocrinol Metab.* 2002 Aug;87(8):3598–602.

34. Wenzler DL, Bloom DA, Park JM. What is the Rate of Spontaneous Testicular Descent in Infants With Cryptorchidism? *Journal of Urology.* 2004 Feb;171(2):849–51.
35. Park KH, Lee JH, Han JJ, Lee SD, Song SY. Histological evidences suggest recommending orchiopexy within the first year of life for children with unilateral inguinal cryptorchid testis. *Int J Urol.* 2007 Jul;14(7):616–21.
36. Engeler DS, Hösli PO, John H, Bannwart F, Sulser T, Amin MB, et al. Early orchiopexy: prepubertal intratubular germ cell neoplasia and fertility outcome. *Urology.* 2000 Jul;56(1):144–8.
37. Wei Y, Wang Y, Tang X, Liu B, Shen L, Long C, et al. Efficacy and safety of human chorionic gonadotropin for treatment of cryptorchidism: A meta-analysis of randomised controlled trials. *J Paediatr Child Health.* 2018 Aug;54(8):900–6.
38. Radmayr C, Dogan HS, Hoebeke P, Kocvara R, Nijman R, Silay S, et al. Management of undescended testes: European Association of Urology/European Society for Paediatric Urology Guidelines. *J Pediatr Urol.* 2016 Dec;12(6):335–43.
39. Kim JK, Chua ME, Ming JM, Santos J Dos, Zani-Ruttenstock E, Marson A, et al. A critical review of recent clinical practice guidelines on management of cryptorchidism. *J Pediatr Surg.* 2018 Oct;53(10):2041–7.



40. Pyörälä S, Huttunen NP, Uhari M. A review and meta-analysis of hormonal treatment of cryptorchidism. *J Clin Endocrinol Metab.* 1995 Sep;80(9):2795–9.
41. Forest MG, David M, David L, Chatelain PG, François R, Bertrand J. Undescended testis: comparison of two protocols of treatment with human chorionic gonadotropin. Effect on testicular descent and hormonal response. *Horm Res.* 1988;30(4–5):198–205; discussion 205-6.
42. Rajfer J, Handelsman DJ, Swerdloff RS, Hurwitz R, Kaplan H, Vandergast T, et al. Hormonal therapy of cryptorchidism. A randomized, double-blind study comparing human chorionic gonadotropin and gonadotropin-releasing hormone. *N Engl J Med.* 1986 Feb 20;314(8):466–70.
43. Hagberg S, Westphal O. Treatment of undescended testes with intranasal application of synthetic LH-RH. *Eur J Pediatr.* 1982 Dec;139(4):285–8.
44. Kollin C, Karpe B, Hesser U, Granholm T, Ritzén EM. Surgical treatment of unilaterally undescended testes: testicular growth after randomization to orchiopexy at age 9 months or 3 years. *J Urol.* 2007 Oct;178(4 Pt 2):1589–93; discussion 1593.
45. Ritzén EM. Undescended testes: a consensus on management. *Eur J Endocrinol.* 2008 Dec;159 Suppl 1:S87-90.
46. Williams K, Baumann L, Shah A, Abdullah F, Johnson EK, Oyetunji TA. Age at orchiopexy for undescended testis in the United States. *J Pediatr Surg.* 2017 Oct 12;

47. Yiee JH, Saigal CS, Lai J, Copp HL, Churchill BM, Litwin MS, et al. Timing of orchiopexy in the United States: a quality-of-care indicator. *Urology*. 2012 Nov;80(5):1121–6.
48. Jiang DD, Acevedo AM, Bayne A, Austin JC, Seideman CA. Factors associated with delay in undescended testis referral. *J Pediatr Urol*. 2019 Aug;15(4):380.e1-380.e6.
49. Schneuer FJ, Milne E, Jamieson SE, Pereira G, Hansen M, Barker A, et al. Association between male genital anomalies and adult male reproductive disorders: a population-based data linkage study spanning more than 40 years. *Lancet Child Adolesc Health*. 2018 Oct;2(10):736–43.
50. Rodprasert W, Virtanen HE, Mäkelä JA, Toppari J. Hypogonadism and Cryptorchidism. *Front Endocrinol (Lausanne)*. 2019;10:906.
51. Thorup J, Cortes D. Surgical Management of Undescended Testis - Timetable and Outcome: A Debate. *Sex Dev*. 2019;13(1):11–9.
52. Docimo SG. The results of surgical therapy for cryptorchidism: a literature review and analysis. *J Urol*. 1995 Sep;154(3):1148–52.
53. Prentiss RJ, Weickgenant CJ, Moses JJ, Frazier DB. Undescended testis: surgical anatomy of spermatic vessels, spermatic surgical triangles and lateral spermatic ligament. *J Urol*. 1960 May;83:686–92.
54. Na SW, Kim SO, Hwang EC, Oh KJ, Jeong S II, Kang TW, et al. Single scrotal incision orchiopexy for children with palpable low-lying undescended testis: early outcome of a prospective randomized controlled study. *Korean J Urol*. 2011 Sep;52(9):637–41.

55. Parsons JK, Ferrer F, Docimo SG. The low scrotal approach to the ectopic or ascended testicle: prevalence of a patent processus vaginalis. *J Urol*. 2003 May;169(5):1832–3; discussion 1833.
56. Cortesi N, Ferrari P, Zambarda E, Manenti A, Baldini A, Morano FP. Diagnosis of bilateral abdominal cryptorchidism by laparoscopy. *Endoscopy*. 1976 Feb;8(1):33–4.
57. Kirsch AJ, Escala J, Duckett JW, Smith GH, Zderic SA, Canning DA, et al. Surgical management of the nonpalpable testis: the Children’s Hospital of Philadelphia experience. *J Urol*. 1998 Apr;159(4):1340–3.
58. Fowler R, Stephens FD. The role of testicular vascular anatomy in the salvage of high undescended testes. *Aust N Z J Surg*. 1959 Aug;29:92–106.
59. Shehata S, Shalaby R, Ismail M, Abouheba M, Elrouby A. Staged laparoscopic traction-orchiopey for intraabdominal testis (Shehata technique): Stretching the limits for preservation of testicular vasculature. *J Pediatr Surg*. 2016 Feb;51(2):211–5.
60. Abouheba MAS, Younis W, Elsokary A, Roshdy W, Waheeb S. Early Clinical Outcome of Staged Laparoscopic Traction Orchidopexy for Abdominal Testes. *J Laparoendosc Adv Surg Tech A*. 2019 Apr;29(4):531–7.
61. Niedzielski J, Balinska K, Wilk D, Slowikowska-Hilczer J. The effect of the two-stage laparoscopic Fowler-Stevens operation on testicular growth and risk of atrophy in boys with intra-abdominal testes. *Arch Med Sci*. 2022;18(3):666–71.

62. Shehata SM. Laparoscopically assisted gradual controlled traction on the testicular vessels: a new concept in the management of abdominal testis. A preliminary report. *Eur J Pediatr Surg.* 2008 Dec;18(6):402–6.
63. Alkatout I, Mechler U, Mettler L, Pape J, Maass N, Biebl M, et al. The Development of Laparoscopy—A Historical Overview. *Front Surg.* 2021 Dec 15;8(799442).
64. Levy L, Tsaltas J. Recent advances in benign gynecological laparoscopic surgery. *Fac Rev.* 2021;10:60.
65. Nugroho D, Wahyudi I, Rodjani A. Profil Pasien Undescensus Testis di Rumah Sakit Cipto Mangunkusumo Jakarta Periode 2002 - 2010. *J Indon Med Assoc.* 2012 Feb;62(2):51–5.

