

## REFERENCES

- [1] A. Ahmad, F. Banat, H. Alsafar, and S. W. Hasan, "An overview of biodegradable poly (lactic acid) production from fermentative lactic acid for biomedical and bioplastic applications," *Biomass Convers. Biorefinery*, vol. 14, no. 3, pp. 3057–3076, 2024, doi: 10.1007/s13399-022-02581-3.
- [2] C. Series, "Preparation and Characterization of Biodegradable Polylactic Acid ( PLA ) Film for Food Packaging Application : A Review Preparation and Characterization of Biodegradable Polylactic Acid ( PLA ) Film for Food Packaging Application : A Review", doi: 10.1088/1742-6596/1892/1/012037.
- [3] Kadriadi *et al.*, "A novel active packaging film based on polyvinyl alcohol/bajakah tampala (*Spatholobus littoralis* hassk) extract: Enhancing mechanical, UV protection, thermal stability, antimicrobial, and barrier properties," *Food Biosci.*, vol. 68, no. March, 2025, doi: 10.1016/j.fbio.2025.106500.
- [4] F. Products, *Biopolymers and Their Industrial Applications*.
- [5] M. Niaounakis, *Biopolymers applications and trends*. William Andrew, 2015. [Online]. Available: [https://books.google.com/books?hl=en&lr=&id=6\\_ucBAAAQBAJ&oi=fnd&pg=PP1&dq=biopolymers&ots=5Y1E6E82y&sig=IYhgZB0xmcDu9-g\\_65Ro5Lz48vA](https://books.google.com/books?hl=en&lr=&id=6_ucBAAAQBAJ&oi=fnd&pg=PP1&dq=biopolymers&ots=5Y1E6E82y&sig=IYhgZB0xmcDu9-g_65Ro5Lz48vA)
- [6] B. Ipcb-cnr, "Polymer additives," pp. 1–20, 2020, doi: 10.1515/psr-2016-0130.
- [7] S. Farah, D. G. Anderson, and R. Langer, "Physical and mechanical properties of PLA, and their functions in widespread applications — A comprehensive review," *Adv. Drug Deliv. Rev.*, vol. 107, pp. 367–392, 2016, doi: 10.1016/j.addr.2016.06.012.
- [8] M. Jamshidian, E. A. Tehrani, M. Imran, M. Jacquot, and S. Desobry, "Poly-Lactic Acid: Production, applications, nanocomposites, and release studies," *Compr. Rev. Food Sci. Food Saf.*, vol. 9, no. 5, pp. 552–571, 2010, doi:

10.1111/j.1541-4337.2010.00126.x.

- [9] M. Jamshidian, E. Arab, M. Imran, M. Javeed, F. Cleymand, and S. Desobry, "Structural , mechanical and barrier properties of active PLA – antioxidant films," vol. 110, pp. 380–389, 2012, doi: 10.1016/j.jfoodeng.2011.12.034.
- [10] E. Setyowati, E. F. Irzani, C. F. Mochtar Luthfi, and H. Hamzah, "Tracing the Antibacterial, Antifungal and Anti-Biofilm Activities of Root Extract Bajakah Tampala (*Spatholobus Littoralis* Hassk)," *J. Farm. Sains dan Prakt.*, vol. 10, no. 1, pp. 32–41, 2024, doi: 10.31603/pharmacy.v10i1.8804.
- [11] H. Hamzah, S. U. T. Pratiwi, A. Jabbar, and E. Nandini, "Efficacy of Bajakah Tampala Ethanol Extract, a Typical Plant of Kalimantan Island (Borneo), Against *Candida Albicans* Biofilm," *Eur. Chem. Bull.*, vol. 11, no. 5, pp. 59–63, 2022, doi: 10.31838/ecb/2022.11.05.009.
- [12] S. Girdthep, W. Punyodom, R. Molloy, and W. Channuan, "Effect of Tween 80 on the Mechanical and Thermal Properties of Solution-Cast Blends of Poly ( lactic acid ) and Cellulose Acetate Butyrate Films," *Int. Conf. Chem. Chem. Process*, vol. 10, no. April 2015, pp. 95–100, 2011, [Online]. Available: <http://www.ipcbee.com/vol10/19-V00032.pdf>
- [13] S. Tu, X. Ren, J. He, and Z. Zhang, "Stress–strain curves of metallic materials and post-necking strain hardening characterization: A review," *Fatigue Fract. Eng. Mater. Struct.*, vol. 43, no. 1, pp. 3–19, 2020, doi: 10.1111/ffe.13134
- [14] D. Roylance, "STRESS-STRAIN CURVES David," pp. 1–14, 2001.
- [15] Z. Raheem, *Standard Test Method for Tensile Properties of Plastics 1*. 2019. doi: 10.1520/D0638-14.
- [16] F. Pan *et al.*, "Bio-based UV protective films prepared with polylactic acid (PLA) and Phoebe zhennan extractives," *Int. J. Biol. Macromol.*, vol. 119, pp. 582–587, 2018, doi: 10.1016/j.ijbiomac.2018.07.189.
- [17] O. Cheerarot and S. Saikrasun, "Effects of different preparation methods ( solvent casting and melt blending ) on properties of chitosan- fi lled

polylactic acid biocomposite films,” vol. 55, no. 8, pp. 1173–1198, 2023, doi: 10.1177/00952443231198468.

- [18] J. Rhim, S. Hong, and C. Ha, “LWT - Food Science and Technology Tensile , water vapor barrier and antimicrobial properties of PLA / nanoclay composite films,” vol. 42, pp. 612–617, 2009, doi: 10.1016/j.lwt.2008.02.015.
- [19] D. W. Yang, E. Fortunati, F. Dominici, J. M. Kenny and Puglia, “Effect of processing conditions and lignin content on thermal, mechanical and degradative,” *Eur. Polym. J.*, pp. 126–139, 2015, doi: <https://doi.org/10.1016/j.eurpolymj.2015.07.051>.
- [20] D. G. Lazaridis, V. K. Karabagias, A. N. Kalarakis, N. D. Andritsos, A. E. Giannakas, and I. K. Karabagias, “Bioactive PLA-based films reinforced with agro-industrial by-products for the shelf-life evaluation of fresh-cut pineapple ( *Ananas comosus L.* ) slices,” *Food Res. Int.*, vol. 221, no. P4, p. 117602, 2025, doi: 10.1016/j.foodres.2025.117602.

