

DAFTAR PUSTAKA

- Akbıyık, S. Y., Bakır, Ş., Bakır, E. P., & Polat, G. (2023). Effect of different tea solutions on the color stability of composite resins. *Journal of Dental Sciences and Education*, 1(4), 101–104. <https://doi.org/10.51271/jdse-0018>
- Al Kheraif, A. A. A., Qasim, S. S. Bin, Ramakrishnaiah, R., & Rehman, I. ur. (2013). Effect of different beverages on the color stability and degree of conversion of nano and microhybrid composites. *Dental Materials Journal*, 32(2), 326–331. <https://doi.org/10.4012/dmj.2011-267>
- Alenezi, A. Y., AlEyada, A. M., Aldhafiri, Y. H., Alsubaie, M. S., Alshahrani, M. S., & Shenoy, M. (2025). Color Stability of Tooth-Colored Restorative Materials After Exposure to Arabic Coffee and Black Tea: A Systematic Review. *Cureus*, 17(9), 1–8. <https://doi.org/10.7759/cureus.92294>
- Alhotan, A., Abdelraouf, R. M., Alhijji, S., De Vera, M. A. T., Sufyan, A., Matinlinna, J. P., & Hamdy, T. M. (2023). Colour Parameters and Changes of Tea-Stained Resin Composite Exposed to Whitening Pen (In Vitro Study). *Polymers*, 15(14). <https://doi.org/10.3390/polym15143068>
- Alkhudhayri, S. L., Alhassani, S. L., Alahmadi, R. J., Alharbi, M. R., Redwan, H. S., & Hawsawi, R. A. (2024). Water Sorption and Solubility of Highly Aesthetic Single-Shade Nano-Hybrid Resin Composites. *Cureus*, 1–11. <https://doi.org/10.7759/cureus.65548>
- Al-Shami, A. M., Alshami, M. A., Al-Kholani, A. I., & Al-Sayaghi, A. A. M. (2023). Color stability of nanohybrid and microhybrid composites after immersion in common coloring beverages at different times: a laboratory study. *BDJ Open*, 9(1), 1–7. <https://doi.org/10.1038/s41405-023-00161-9>
- Altıparmak, E. T., Oktay, E. A., Karaoğlanoğlu, S., Aydın, N., Ersöz, B., & Özarslantürk, S. (2022). The effect of cold drinks on the coloration of resin-containing restorative materials. *International Dental Research*, 12(1), 14–20. <https://doi.org/10.5577/intdentres.2022.vol12.no2.3>
- Amala, F. N., Nugroho, R., & Lestari, S. (2022). The Effect of Glycerin Application on The Surface of Microhybrid Composite Resin to Its Compressive Strength with Immersed in Pure Coffee Solution. *Journal of Indonesian Dental Association*, 5(1), 15–19. <https://doi.org/10.32793/jida.v5i1.744>
- Anas, R., Irawati, E., Kirana Mattulada, I., Fairuz, A., Eva, Z., & Suardi, S. (2024). Perubahan Warna Resin Komposit Nanofiller Setelah Perendaman Obat Kumur Beralkohol dan Non-alkohol. *Denthalib Journal*, 2(2), 28–32.

- Anggraini, T. (2017). *Buku Proses Dan Manfaat Teh - UNAND* (I. Rambe, Ed.). CV. Rumahkayu Pustaka Utama.
- Anusavice, K. J., Shen, C., & Rawls, R. (2021). *phillips-science-of-dental-materials* (13th ed.). Elsevier.
- Astutik, S. A., Benyamin, B., & Pratiwi, R. (2022). The Difference In Color Change Of Preheated And Non-Preheated Nanofiller Composite Resin After Immersion In Non-Instant And Instant Coffee. *Medali Journal*, 4(2), 123–129. <https://doi.org/10.30659/medali.4.2.123-129>
- Aufari, M. A., Robianto, S., & Manurung, R. (2013). Pemurnian Crude Glycerine Melalui Proses Bleaching Dengan Menggunakan Karbon Aktif. *Jurnal Teknik Kimia USU*, 2(1), 44–48. <https://doi.org/10.32734/jtk.v2i1.1426>
- Bancin, U. A., Erlita, I., & Diana, S. (2022). Pengaruh Jarak Penyinaran Terhadap Nilai Derajat Konversi Resin Komposit Bioaktif. *Jur. Ked. Gigi*, VI(2), 82–86.
- Batihalim, C. N., & Ratnasari, D. (2021). The Effect of Polishing Techniques on Color Change of Nanofill Composite Resin Immersed in Green Tea (*Camellia sinensis*). *Indonesian Dental Association Journal of Indonesian Dental Association*, 4(1), 21–27. <https://doi.org/10.32793/jida.v4i1.471>
- Bijelic-Donova, J., Garoushi, S., Lassila, L. V. J., & Vallittu, P. K. (2015). Oxygen inhibition layer of composite resins: Effects of layer thickness and surface layer treatment on the interlayer bond strength. *European Journal of Oral Sciences*, 123(1), 53–60. <https://doi.org/10.1111/eos.12167>
- Borges, M. G., Silva, G. R., Neves, F. T., Soares, C. J., & Faria-E-silva, A. L. (2021). Oxygen inhibition of surface composites and its correlation with degree of conversion and colorstability. *Brazilian Dental Journal*, 31(1), 91–97. <https://doi.org/10.1590/0103-6440202103641>
- Budimulia, B., & Aryanto, M. (2018). Kebocoran mikro tumpatan resin komposit bulkfill flowable pada berbagai jarak penyinaran. *Jurnal Kedokteran Gigi Universitas Padjadjaran*, 30(1), 1–7. <https://doi.org/10.24198/jkg.v30i1.17878>
- Butt, M. S., Imran, A., Sharif, M. K., Ahmad, R. S., & Xiao, H. (2014). Black Tea Polyphenols: A Mechanistic Treatise. *Critical Reviews in Food Science and Nutrition*, 54(8), 1002–1011. <https://doi.org/10.1080/10408398.2011.623198>
- Catelan, A., De Araújo, L. S. N., Da Silveira, B. C. M., Kawano, Y., Ambrosano, G. M. B., Marchi, G. M., & Aguiar, F. H. B. (2015). Impact of the distance of light curing on the degree of conversion and microhardness of a composite resin. *Acta Odontologica Scandinavica*, 73(4), 298–301. <https://doi.org/10.3109/00016357.2014.946965>

- Chafid, M. (2024). *Outlook Komoditas Perkebunan Teh* (A. A. Susanti & R. W Kencanaputra, Eds.). Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian.
- Chen, M. H. (2010). Update on dental nanocomposites. *Journal of Dental Research*, 89(6), 549–560. <https://doi.org/10.1177/0022034510363765>
- Chittem, J., Sajjan, G. S., & Kanumuri, M. V. (2017). Spectrophotometric evaluation of colour stability of nano hybrid composite resin in commonly used food colourants in Asian countries. *Journal of Clinical and Diagnostic Research*, 11(1), 61–65. <https://doi.org/10.7860/JCDR/2017/22919.9193>
- Chu, S. J., Devigus, A., Paravina, R., & Mieleszko, A. J. (2010). *Fundamentals of Color: Shade Matching and Communication in Esthetic Dentistry, Second Edition* (M. Read, Ed.; 2nd ed.). Angelina Sanchez.
- Chu, S. J., Paravina, R. D., Sailer, I., & Mieleszko, A. J. (2017). *Color in Dentistry: A Clinical Guide to Predictable Esthetics* (L. Huffman, Ed.). Quintessence Publishing Co, Inc.
- Darvell, B. W. (2017). *Materials Science for Dentistry* (N. Welford, Ed.; 10th edition). Elsevier/Woodhead Publishing.
- Diansari, V., Ningsih, D. S., & Arbie, T. A. (2015). Pengaruh Minuman Kopi Luwak Terhadap Perubahan Warna Resin Komposit Nanohibrid. *Cakradonya Dent J*, 7(1), 745–806.
- Duratbegović, D., Pervan, N., Jakupović, S., & Kobašlija, S. (2024). The Effects of Intensity, Exposure Time, and Distance of Polymerization Light on Vickers Microhardness and Temperature Rise of Conventional Resin-Based Composite. *Polymers*, 16(22), 1–20. <https://doi.org/10.3390/polym16223175>
- Duzyol, M., Duzyol, E., & Çarıkçioğlu, B. (2024). Assessing one-shade composite resin color stability in response to everyday drinks. *BMC Oral Health*, 24(821), 1. <https://doi.org/10.1186/s12903-024-04612-z>
- El-Najjar, A., Nour, K., Samaha, A., Soliman, Z., & El Askary, F. (2025). Effect of different finishing and polishing procedures on color stability of Ormocer- and methacrylate-based composites. *BMC Oral Health*, 25(1). <https://doi.org/10.1186/s12903-025-07054-3>
- El-Safty, S., Akhtar, R., Silikas, N., & Watts, D. C. (2012). Nanomechanical properties of dental resin-composites. *Dental Materials*, 28(12), 1292–1300. <https://doi.org/10.1016/j.dental.2012.09.007>
- Endro, H. (2025). Differences in Compressive Strength of Hybrid Composites and NanoHybrid Post-Curing Composites Using Dry Heat. *Jurnal Eduhealth*, 16(3), 1496–1508. <https://doi.org/10.54209/eduhealth.v16i03>

- Fernández, L. R., Guzmán, P. del R. C., Heredia, J. J. V., Canales, J. O. G., & Vadillo, R. M. (2022). ¿La glicerina influye en la estabilidad del color de la resina compuesta? Does glycerin influence the color stability of composite resin? *Órgano Oficial de la Sociedad Cubana de Ciencias Estomatológicas*, 59(2), 1. <http://www.revestomatologia.sld.cu/index.php/est/article/view/3758>
- Ferreto-Gutiérrez, I., & Hernández-Mata, A. (2024). Mathematical-Physical Description of the Oxygen-Inhibited Layer (OIL) in Nanofilled Dental Polymers. *Odovtos - International Journal of Dental Sciences*, 26(1), 65–75. <https://doi.org/10.15517/ijds.2023.56092>
- García-Contreras, R., Scougall-Vilchis, R., Acosta-Torres, L., Arenas-Arrocena, C., García-Garduño, R., & de la Fuente-Hernández, J. (2015). Vickers microhardness comparison of 4 composite resins with different types of filler. *Journal Oral Of Research*, 4(5), 313–320. <https://doi.org/10.17126/joralres.2015.061>
- Gaviria-Martinez, A., Castro-Ramirez, L., Ladera-Castañeda, M., Cervantes-Ganoza, L., & Cachay-Criado, H. (2022). Surface roughness and oxygen inhibited layer control in bulk-fill and conventional nanohybrid resin composites with and without polishing: in vitro study. *BMC Oral Health*, 22(258), 1–13. <https://doi.org/10.1186/s12903-022-02297-w>
- Hamrun, N., & Darlan, N. S. P. (2023). Potensi Ekstrak Buah Stroberi (*Fragaria x ananassa*) dalam Meningkatkan Kecerahan Email Gigi. *Sinnun Maxillofacial Journal*, 05(1), 24–31. <http://e-jurnal.fkg.umi.ac.id/index.php/Sinnunmaxillofacial>
- Hartini, I. G. A. A., Tista, I. G. N. B., & Pratiwi, S. A. M. D. (2023). The effect of imposing apple (*Malussylvestris* Mill) juice on discoloration of nanofiller and nanohybrid composites. *Makassar Dental Journal*, 12(2), 260–263. <https://doi.org/10.35856/mdj.v12i2.777>
- Hasanain, F. A. (2022). Effect of Ageing, Staining and Polishing on the Colour Stability of a Single, a Group Shade and Nano Fill Dental Composite: An In-vitro Study. *Journal of Clinical and Diagnostic Research*, 16(7), 26–30. <https://doi.org/10.7860/jcdr/2022/57606.16627>
- Hong, G., Yang, J., Jin, X., Wu, T., Dai, S., Xie, H., & Chen, C. (2020). Mechanical properties of nanohybrid resin composites containing various mass fractions of modified zirconia particles. *International Journal of Nanomedicine*, 15(1), 9891–9907. <https://doi.org/10.2147/IJN.S283742>
- Huang, W., Ren, L., Cheng, Y., Xu, M., Luo, W., Zhan, D., Sano, H., & Fu, J. (2022). Evaluation of the Color Stability, Water Sorption, and Solubility of Current Resin Composites. *Materials*, 15(19), 1–14. <https://doi.org/10.3390/ma15196710>
- Hussain, S. K., Al-Abbasi, S. W., Refaat, M. M., & Hussain, A. M. (2021). The effect of staining and bleaching on the color of two different types of composite restoration.

Journal of Clinical and Experimental Dentistry, 13(12), 1233–1238.
<https://doi.org/10.4317/jced.58837>

HZ, Y., & Zaman J, Q. (2012). MALAYSIAN DENTAL JOURNAL Colour Stability of Composite Resins: A General Overview. *Malaysian Dental Journal*, 34(2), 1–9.

Ibrahim, I., Alawiyah, T., & Maheswari, N. D. (2024). The Effect of Kluwak Extract on Discoloration Nanohybrid Composite Resin. *Jurnal Kesehatan Gigi*, 11(1), 73–79.
<http://ejournal.poltekkes-smg.ac.id/ojs/index.php/jkg/index>

Inami, T., Tanimoto, Y., Minami, N., Yamaguchi, M., & Kasai, K. (2015). Color stability of laboratory glass-fiber-reinforced plastics for esthetic orthodontic wires. *Korean Journal of Orthodontics*, 45(3), 130–135.
<https://doi.org/10.4041/kjod.2015.45.3.130>

İskender, N., Ersöz, B., Aydın, N., Karaoğlanoğlu, S., & Oktay, E. A. (2021). Investigation of Water Absorption and Color Change of Indirect Composite Resins. *European Annals of Dental Sciences*, 48(2), 46–51.
<https://doi.org/10.52037/eads.2021.0021>

James, A., Mathew, J., Theruvil, R., George, S., Baby, A., & Joseph, M. N. (2024). IMPACT OF OXYGEN INHIBITION LAYER ON DENTAL COMPOSITE RESTORATIONS: A REVIEW OF CURRENT UNDERSTANDING AND APPROACHES. *World Journal of Pharmaceutical and Medical Research* *Www.Wjpmr.Com* |, 10(11), 103–106. www.wjpmr.com

Jannah, K. R., Amelia, P. A., Hafizah, S. L., Yanti, R. D. R., & Aprianti. (2023). Hubungan Kebiasaan Konsumsi Teh Sesudah Makan Terkait dengan Anemia pada Remaja Putri di Lingkungan Kampus Gizi Politeknik Kesehatan Banjarmasin. *Jurnal Nutrisia*, 20(11), 203–213. <https://doi.org/10.29238/jnutri.vxxx.xxx>

Joiner, A., & Luo, W. (2017). Tooth colour and whiteness: A review. *Journal of Dentistry*, 67(1), 8–11. <https://doi.org/10.1016/j.jdent.2017.09.006>

Kharisma, N., Nugroho, R., & Budirahardjo, R. (2020). Pengaruh Aplikasi Gliserin pada Kekerasan Resin Komposit Nanofiller dengan Perendaman Cuka Apel. *e-Journal Pustaka Kesehatan*, 8(2), 87–92.
<https://doi.org/10.19184/pk.v8i2.11322>

Khoirunnisa, N. F., Budiono, & Jayanti, L. W. (2019). Korespondensi: Perubahan Warna Permukaan Resin Komposit Nanohybrid Pasca Perendaman Dalam Cuko Pempek. *Jurnal Material Kedokteran gigi*, 12(1), 12–16.
<https://doi.org/10.32793/jmkggv8i1.408>

Korać, S., Ajanović, M., Džanković, A., Konjhodžić, A., Hasić-Branković, L., Gavranović-Glamoč, A., & Tahmišćija, I. (2022). Color Stability of Dental

- Composites after Immersion in Beverages and Performed Whitening Procedures. *Acta Stomatologica Croatica*, 56(1), 22–32. <https://doi.org/10.15644/asc56/1/3>
- Korkut, B. (2018). Smile makeover with direct composite veneers: A two-year follow-up report. *Journal of Dental Research, Dental Clinics, Dental Prospects*, 12(2), 146–151. <https://doi.org/10.15171/joddd.2018.023>
- Lehmann, A., Nijakowski, K., Mroczyk, M., Podgórski, F., Czarnecka, B., & Surdacka, A. (2024). Influence of Exposure Distance on Light Irradiance of Dental Curing Lamps in Various Operating Modes. *Applied Sciences (Switzerland)*, 14(21). <https://doi.org/10.3390/app14219999>
- Mahajan, N., Dhoot, R., Palwe, S., Newase, P., Satpute, P., & Mahadik, Y. (2023). Evaluation Of The Thickness Of Oxygen Inhibition Layer Produced On Two Different Composite Materials: A Stereomicroscopic Study. *Journal of Population Therapeutics & Clinical Pharmacology*, 30(01), 7877–7886. <https://doi.org/10.53555/jptcp.v30i1.4218>
- Manojlovic, D., Lenhardt, L., Milićević, B., Antonov, M., Miletic, V., & Dramićanin, M. D. (2015). Evaluation of Staining-Dependent Colour Changes in Resin Composites Using Principal Component Analysis. *Scientific Reports*, 5, 1–8. <https://doi.org/10.1038/srep14638>
- Mardianti, T. F., Sukaton, & Sampoerna, G. (2021). Benefit of Glycerine on Surface Hardness of Hybrid & Nanofill Resin Composite. *CDJ Conservative Dentistry Journal*, 11(1), 28–31. <https://doi.org/https://doi.org/10.20473/cdj.v11i1.2021.28-31>
- Marsoro, E. (2024). *STATISTIK TEH INDONESIA 2023* (Solimah, Wahyunindarsih, U. Widiyantoro, Mawarsari. Ucik, D. Susilo, Gusmiati, A. Y. Kurniawan, Lasmiyati, Syaipulloh Muhammad, A. S. Muslikhah, R. A. Asyanti, A. S. Nusaliyawati, & N. D. Camalia, Eds.; M. Syaipulloh, Tran.; Vol. 17). Badan Pusat Statistik/BPS–Statistics Indonesia.
- Miletic, V. (2018). Dental Composite Materials for Direct Restorations. In *Dental Composite Materials for Direct Restorations*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-60961-4>
- Modily, N. G. (2024). Efek Konsumsi Teh Hitam dan Jus Apel Terhadap Stabilitas Warna Laminate Veneer Resin Komposit Indirek (The Effect of Consumption of Black Tea and Apple Juice on Colour Stability of Laminate Veneer Indirect Resin Composite). *Jurnal Stomatognatic*, 21(1), 43–47. <https://doi.org/https://doi.org/10.19184/stoma.v21i1.47333>
- Mohamad-Kharib, A., Chamorro-Petronacci, C., Pérez-Jardón, A., Castelo-Baz, P., Martín-Biedma, B., Ginzo-Villamayor, M. J., & García-García, A. (2023). Staining Susceptibility of Microhybrid and Nanohybrid Composites on Exposure to

- Different Color Solutions. *Applied Sciences (Switzerland)*, 13(20), 1–14. <https://doi.org/10.3390/app132011211>
- Mushlih, M., & Rosyidah, R. (2020). *Statistika “Aplikasi di Dunia Kesehatan”* (G. R. Hanum, Ed.). Umsida Press.
- Naguib, G. H., Mazhar, J., Alnowaiser, A., Mira, A., Mously, H., Aljawi, R., Abuzinadah, S. H., & Hamed, M. T. (2025). Mechanical Behaviour of Novel Nanohybrid Resin Composite Using Two Light Cure Systems. *International Dental Journal*, 75(2), 1136–1147. <https://doi.org/10.1016/j.identj.2024.07.004>
- Naveed, S., & Hameed, A. (2015). Consumption of Tea in Professionals and Non-professionals. *SOJ Pharmacy & Pharmaceutical Sciences*, 1(3), 1–4. <https://doi.org/10.15226/2374-6866/1/3/00116>
- Nugrahenny, G., Nugraheni, T., & Hadriyanto, W. (2016). Pengaruh Teknik Penyinaran Ramped, Pulse-Delayed, Dan Konvensional Terhadap Kekerasan Mikro Resin Komposit Nanofil. *Jurnal Kedokteran Gigi*, 7(2), 68–72.
- Osman, E. Z., Betamar, N. M., Bubteina, N. H., & Mohamed, R. A. (2022). Effect of Staining and Bleaching on Color Change of Resin Composite Restorative Materials. *Libyan Journal of Dentistry*, 6(1), 27–35. <https://doi.org/https://doi.org/10.37376/ljd.v6i1.3731>
- Park, H.-H., & Lee, I.-B. (2011). Effect of glycerin on the surface hardness of composites after curing. *Journal of Korean Academy of Conservative Dentistry*, 36(6), 483–488. <https://doi.org/10.5395/jkacd.2011.36.6.483>
- Păstrav, M., Păstrav, O., Chisnoiu, A. M., Chisnoiu, R. M., Cuc, S., Petean, I., Saroși, C., & Feștilă, D. (2024). Properties of Nanohybrid Dental Composites—A Comparative In Vitro Study. *Biomedicines*, 12(1), 1–14. <https://doi.org/10.3390/biomedicines12010243>
- Pirolo, R., Mondelli, R. F. L., Correr, G. M., Gonzaga, C. C., & Furuse, A. Y. (2014). Effect of coffee and a cola-based soft drink on the color stability of bleached bovine incisors considering the time elapsed after bleaching. *Journal of Applied Oral Science*, 22(6), 534–540. <https://doi.org/10.1590/1678-775720130578>
- Pisano, M., Iandolo, A., Abdellatif, D., Chiacchio, A., Galdi, M., & Martina, S. (2024). Effects of different curing methods on the color stability of composite resins. *Restorative Dentistry and Endodontics*, 49(4), 1–11. <https://doi.org/10.5395/rde.2024.49.e33>
- Poggio, C., Ceci, M., Beltrami, R., Mirando, M., Wassim, J., & Colombo, M. (2016). Color stability of esthetic restorative materials: a spectrophotometric analysis. *Acta Biomaterialia Odontologica Scandinavica*, 2(1), 95–101. <https://doi.org/10.1080/23337931.2016.1217416>

- Pou, K. R. J., Paul, S. K., & Malakar, S. (2019). Industrial processing of CTC black tea. In *Caffeinated and Cocoa Based Beverages: Volume 8. The Science of Beverages* (pp. 131–134). Elsevier. <https://doi.org/10.1016/B978-0-12-815864-7.00004-0>
- Prabowo, S., Sutrisno, C. K. U., Candra, K. P., Rahmadi, A., & Yuliani. (2023). Colorimeter design for dry food-products inspection using TCS3200 sensor and Arduino Mega-2560. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 6(2), 134–141.
- Pratap, B., Gupta, R. K., Bhardwaj, B., & Nag, M. (2019). Resin based restorative dental materials: characteristics and future perspectives. In *Japanese Dental Science Review* (Vol. 55, Number 1, pp. 126–138). Elsevier Ltd. <https://doi.org/10.1016/j.jdsr.2019.09.004>
- Puspitasari, D., & Herda, E. (2016). Perlakuan Permukaan Pada Reparasi Resin Komposit Dan Pengaruhnya Terhadap Kuat Rekat Resin Komposit Baru-Resin Komposit Lama. *Jurnal Kedokteran Gigi*, 1(1), 47–51. <https://doi.org/https://dx.doi.org/10.20527/dentino.v1i1.420>
- Rafi, M. A., Andryas, I., & Wahyuni, S. (2025). Perbedaan arah sudut dan jarak penyinaran pada ketepatan marginal mahkota sementara resin komposit Urethane Dimethacryla: Studi eksperimental. *Padjadjaran Journal of Dental Researchers and Students*, 9(2), 190–199. <https://doi.org/10.24198/pjdrs.v9i2.61936>
- Rahayu, I. (2024). *Statistik Konsumsi Pangan 2024* (Saefudin & S. Wahyuningsih, Eds.). Pusat Data dan Sistem Informasi Pertanian.
- Rahman, K. N., Damiyanti, M., Irawan, B., & Noerdin, A. (2018). Effect of Green Tea (*Camellia sinensis*) Solution on Color Change of Silorane- and Methacrylate-Based Composite Resins. *Journal of Physics: Conference Series*, 1073(3), 1–6. <https://doi.org/10.1088/1742-6596/1073/3/032004>
- Riada, M. I., Gamal, W. M., & Morsy, A. S. (2020). Color Matching of a Single Shade Structurally Colored Universal Resin Composite with the Surrounding Hard Dental Tissues. *Egyptian Dental Journal*, 66(4), 2721–2727. <https://doi.org/10.21608/edj.2020.36824.1192>
- Ritter, A. V, Boushell, L. W., & Walter, R. (2018). *Sturdevant's Art and Science of Operative Dentistry - 7th Edition* (seventh). Elsevier. www.konkur.in
- Rohdiana, D. (2015). Teh: Proses, Karakteristik dan Komponen Fungsionalnya. *Foodreview Indonesia*.
- Sabbagh, J., & McConnell, R. (2023). *Bulk Fill Resin Composites in Dentistry* (J. Sabbagh & R. McConnell, Eds.). Springer Nature Switzerland AG. <https://doi.org/https://doi.org/10.1007/978-3-031-16388-3>

- Saber, E. H., Abielhassan, M. H., Abed, Y. A., & Fahim, S. E. (2024). Color Stability of Bioactive Restorative Material vs Nanohybrid Resin Composite: An In Vitro Study. *Journal of Contemporary Dental Practice*, 25(3), 221–225. <https://doi.org/10.5005/jp-journals-10024-3654>
- Saetikho, S. G., Lestari, S., & Nugroho, R. (2022). Effect of Glycerin Application on Discoloration of Nanofiller Composite in Instant Coffee. *Journal of Indonesian Dental Association*, 5(1), 33–38. <https://doi.org/10.32793/jida.v5i1.749>
- Sakaguchi, R., Ferracane, J., & Powers, J. (2019). *Craig's restorative dental materials* (J. Ferracane & J. Powers, Eds.; Fourteenth Edition). Elsevier.
- Salama, F., Eldesouky, M., Alnuwaiser, M., & Abdullah, E. (2024). Color Stability of Resin-Composites After Staining with a Black Tea. *EC DENTAL SCIENCE*, 23(7), 1–6.
- Sari, W. P., Ferdina, R., & Ramadani, R. M. (2025). Pengaruh Lama Perendaman Pada Larutan Teh (*Camellia Sinensis*) Terhadap Perubahan Warna Resin Komposit. *Jurnal Penelitian dan Kajian Ilmiah*, 19(2), 798–807.
- Sarna-Boś, K., Skic, K., Sobieszcański, J., Boguta, P., & Chałas, R. (2021). Contemporary approach to the porosity of dental materials and methods of its measurement. *International Journal of Molecular Sciences*, 22(16), 1–19. <https://doi.org/10.3390/ijms22168903>
- Shahmoon, R., Tamir, Y., Beiderman, Y., Agdarov, S., Beiderman, Y., & Zalevsky, Z. (2022). Analysis of swallowing in infants and adults using speckle pattern analysis. *Scientific Reports*, 12(1), 1–11. <https://doi.org/10.1038/s41598-022-07895-w>
- Shawkat, E. S., Shortall, A. C., Addison, O., & Palin, W. M. (2009). Oxygen inhibition and incremental layer bond strengths of resin composites. *Dental Materials*, 25(11), 1338–1346. <https://doi.org/10.1016/j.dental.2009.06.003>
- Soares, L. de M., Romano, B. de C., André, C. B., & Giannini, M. (2025). Effect of glycerin gel application for post-curing process on the flexural strength, elastic modulus, and microhardness of 3D printing resins. *Brazilian Dental Journal*, 36(1), 1–9. <https://doi.org/10.1590/0103-644020256361>
- Sofiani, E., & Rovi, F. (2020). Pengaruh Lama Penyinaran dan Ketebalan Resin Komposit Bulk Fill Terhadap Kebocoran Mikro. *Insisiva Dental Journal : Majalah Kedokteran Gigi Insisiva*, 9(2), 72–81. <https://doi.org/10.18196/di.9221>
- Sukatn, Prasetyo, E. P., Almira, A. H., Santiaji, D. B., & Sukandar, W. (2023). Compressive strength of nanohybrid composite resin after the application of glycerin immersed in fermented milk. *Conservative Dentistry Journal*, 13(1), 1–6. <https://doi.org/10.20473/cdj.v13i1.2023.1-6>

- Sukatun, Pribadi, N., Almira, A. H., Laksmi, W. A., & Mustika, R. (2022). The difference between glycerin coating and without glycerin coating before curing process on nanohybrid composite resin against porosity of the restoration surface. *International Journal of Dental Research*, 4(1), 67–70. www.dentaljournal.net
- Sukatun, Sampoerno, G., Laksmi, W. A., & Santiaji, D. B. (2023). Color changes of nanofiller composite resin after glycerin application immersed in turmeric extract. *Conservative Dentistry Journal*, 13(1), 37–41. <https://doi.org/10.20473/cdj.v13i1.2023.37-41>
- Sukmawati, A., Laeha, N., & Suprpto. (2017). Efek Gliserin sebagai Humectan Terhadap Sifat Fisik dan Stabilitas Vitamin C dalam Sabun Padat The Effect of Glycerin as Humectant Towards Physical Properties and Stability of Vitamin C in Solid Soap. *Jurnal Farmasi Indonesia*, 14(2), 40–47. <http://journals.ums.ac.id/index.php/pharmacon>
- Suprihatini, R., Batubara, I., Mariya, S., Mulyatni, A. S., Sokoastri, V., & Hakim, A. R. (2021). *Teh Camellia sinensis Indonesia: Lebih Menyehatkan* (I. Setyawan, Ed.). PT Riset Perkebunan Nusantara.
- Tangkudung, M. U., & Trilaksana, A. C. (2019). Glycerin for resin composite restoration: Literature Review Penggunaan gliserin pada restorasi resin komposit: kajian pustaka. *Makassar Dent J*, 8(3), 169–173.
- Thakkar, R., Maini, A. P., Mogla, S., Qadri, S. S. H., Varma, P. K., & Dubey, A. (2024). Effect of Staining Beverages on Color Stability of Composite: A Spectrophotometric Study. *Journal of Pharmacy and Bioallied Sciences*, 16(1), S389–S392. https://doi.org/10.4103/jpbs.jpbs_611_23
- Tian, W., Zhang, Y., Wang, S., Yan, J., & Wang, Y. (2024). Association of tea consumption with life expectancy in US adults. *Nutrition Journal*, 23(148), 1–11. <https://doi.org/10.1186/s12937-024-01054-9>
- Tista, I. G. N. (2023). Long exposure time can increase the surface hardness of composite. *Makassar Dental Journal*, 12(1), 92–97. <https://doi.org/10.35856/mdj.v12i1.721>
- Tobing, F. P. D., Iskandar, B. O., & Stefani, R. (2024). Pengaruh perendaman dengan red wine terhadap perubahan warna restorasi resin komposit one shade. *Jurnal Kedokteran Gigi Terpadu*, 6(1), 138–142. <https://doi.org/10.25105/jkgt.v6i1.20968>
- Ugurlu, M., Husain, N. A. H., & Özcan, M. (2022). Repair of Bulk-Fill and Nanohybrid Resin Composites: Effect of Surface Conditioning, Adhesive Promoters, and Long-Term Aging. *Materials*, 15(13), 1–13. <https://doi.org/10.3390/ma15134688>
- Verma, J., Padhye, L., & Verma, S. (2021). Effect of brushing on the color stability of nanohybrid composite after immersion in brewed beverages – an in vitro study.

Medicine and Pharmacy Reports, 94(4), 465–470. <https://doi.org/10.15386/mpr-1850>

- Wibowo, N. K., Rudyanto, M., & Purwanto, D. A. (2022). Aktivitas Antioksidan Teh Hijau dan Teh Hitam. *Clinical, Pharmaceutical, Analytical and Pharmacy Community Journal*, 1(2), 48–55.
- Widodo, H., Saing, B., & Fhauziah, E. (2021). Studi Ekstraksi Teh Hitam terhadap Kandungan Tanin. *Jurnal Jaring SainTek (JJST)*, 3(1), 1–5.
- Widyastuti, W., & Tri Septiani, A. (2024). Perubahan Warna Pada Bahan Restorasi Resin Komposit Nanofiller Terhadap Perendaman Saliva Buatan Dengan pH 5. *Jurnal Kedokteran Gigi Terpadu*, 6(1), 1–5. <https://doi.org/10.25105/jkgt.v6i1.20795>
- Yolanda, Aripin, D., & Hidayat, T. (2017). Comparison of surface roughness of nanofill and nanohybrid composite resin polished by aluminum oxide and diamond particle paste. *Padjadjaran Journal of Dentistry*, 29(2), 123–129. <https://doi.org/10.24198/pjd.vol29no2.13659>
- Yousif, Y. H., & Kadhim, A. J. (2023). The Effect of Immediate Dentin Sealing on the Marginal Adaptation of Lithium Disilicate Overlay Restorations using different types of luting agents. *Brazilian Dental Science*, 26(3), 1–12. <https://doi.org/10.4322/BDS.2023.E3925>
- Yudhit, A., Rusfian, & CW, I. (2013). Penyerapan air dan kelarutan resin komposit mikrohibrid dan nanohibrid. *MakkassarDentalJ*, 2(4), 1–5.
- Zajkani, E., Tabrizi Abdoh, M., Ghasemi, A., Torabzade, H., & Kharazifard, M. J. (2013). Effect of Staining Solutions and Repolishing on Composite Resin Color Change. *Journal of Islamic Dental Association of IRAN (JIDAI)*, 25(2), 83–90.
- Zakiyah, D., Effendy, R., & Arif, E. P. (2018). The effect of glycerin on the surface hardness and roughness of nanofill composite. *Conservative Dentistry Journal*, 8(2), 104–111. <https://doi.org/https://doi.org/10.20473/cdj.v8i2.2018.104-111>