

DAFTAR PUSTAKA

- Almolda, B., González, B., dan Castellano, B. (2015). Are Microglial Cells the Regulators of Lymphocyte Responses in the CNS? *Front Cell Neurosci* 9. <https://doi.org/10.3389/fncel.2015.00440>
- Asano, T., Ichiki K., Koizumi S., Kaizu K., Hatori T., Fujino O., *et al.* (2010) 'IL-17 is elevated in cerebrospinal fluids in bacterial meningitis in children', *Cytokine*, 51(1), pp. 101–106. doi:10.1016/j.cyto.2010.03.001.
- Bahr, N.C., Tugume, L., Rajasingham, R., Kiggundu, R., Williams, D.A., Morawski, B., *et al.* (2015). Improved diagnostic sensitivity for tuberculous meningitis with Xpert (R) M.TB /RIF of centrifuged CSS. *The International Journal of Tuberculosis and Lung Disease* 19, 1209–1215. <https://doi.org/10.5588/ijtld.15.0253>
- Bahr, N.C., Marais, S., Caws, M., Van Crevel, R., Wilkinson, R.J., Tyagi, J.S., *et al.* (2016). GeneXpert M.TB /Rif to Diagnose Tuberculous Meningitis: Perhaps the First Test but not the Last. *Clinical Infectious Diseases* 62, 1133–1135. <https://doi.org/10.1093/cid/ciw083>
- Bahr, N.C., Halupnick, R., Linder, G., Kiggundu, R., Nabeta, H.W., Williams, D.A., *et al.* (2018a). Delta-Like 1 Protein, Vitamin D Binding Protein and Fetuin for Detection of *Mycobacterium Tuberculosis* Meningitis. *Biomark Med* 12, 707–716. <https://doi.org/10.2217/bmm-2017-0373>
- Bahr, N.C., Nuwagira, E., Evans, E.E., Cresswell, F. V, Bystrom, P. V, Byamukama, A., *et al.* (2018b). Diagnostic accuracy of Xpert M.TB /RIF Ultra for tuberculous meningitis in HIV-infected adults: a prospective cohort study. *Lancet Infect Dis* 18, 68–75. [https://doi.org/10.1016/S1473-3099\(17\)30474-7](https://doi.org/10.1016/S1473-3099(17)30474-7)
- Bansal-Mutalik R, dan Nikaido H. (2014). Mycobacterial outer membrane is a lipid bilayer and the inner membrane is unusually rich in diacyl phosphatidylinositol dimannosides. *Proc. Natl Acad. Sci. USA* 111(13), 4958–4963
- Be, N., Bishai, W. dan Jain, S. (2012) 'Role of mycobacterium tuberculosis pknd in the pathogenesis of Central Nervous System tuberculosis', *BMC Microbiology*, 12(1). doi:10.1186/1471-2180-12-7.

- Bourgi, K., Fiske, C., dan Sterling, T. R. (2017). Tuberculosis Meningitis. *Current Infectious Disease Reports*, 19(11), 4–12. <https://doi.org/10.1007/s11908-017-0595-4>
- Cao, W.-F., Leng, E.-L., Liu, S.-M., Zhou, Y.-L., Luo, C.-Q., Xiang, Z.-B., *et al.* (2023). Recent advances in microbiological and molecular biological detection techniques of tuberculous meningitis. *Front Microbiol* 14. <https://doi.org/10.3389/fmicb.2023.1202752>
- Carballeira, N.M., (2008). New advances in fatty acids as antimalarial, antimycobacterial and antifungal agents. *Prog Lipid Res* 47, 50–61. <https://doi.org/10.1016/j.plipres.2007.10.002>
- Cárdenas, A., Villalba, A., de Juan Romero, C., Picó, E., Kyrousi, C., Tzika, A.C., *et al.* (2018). Evolution of Cortical Neurogenesis in Amniotes Controlled by Robo Signaling Levels. *Cell* 174, 590-606.e21. <https://doi.org/10.1016/j.cell.2018.06.007>
- Centers for Disease Control and Prevention (2024). *Tuberculosis risk factors*. [online] Tuberculosis (TB). Available at: <https://www.cdc.gov/tb/risk-factors/index.html>.
- Chandrasekaran, P., Saravanan N., Bethunaickan R., dan Tripathy S. (2017) ‘Malnutrition: Modulator of immune responses in tuberculosis’, *Frontiers in Immunology*, 8. doi:10.3389/fimmu.2017.01316.
- Chen, X., Wei, J., Zhang, M., Su, B., Ren, M., Cai, M., *et al.* (2024). Prevalence, incidence, and case fatality of tuberculous meningitis in adults living with HIV: a systematic review and meta-analysis. *BMC Public Health*, 24(1). doi:<https://doi.org/10.1186/s12889-024-19683-4>.
- Christie, D., Rashid, H., El-Bashir, H., Sweeney, F., Shore, T., Booy, R., *et al.* (2017). Impact of meningitis on intelligence and development: A systematic review and meta-analysis. *PLoS One* 12, e0175024. <https://doi.org/10.1371/journal.pone.0175024>
- Davis, A.G., Rohlwick, U.K., Proust, A., Figaji, A.A. dan Wilkinson, R.J. (2019). The Pathogenesis of Tuberculous Meningitis. *Journal of leukocyte biology*, [online] 105(2), pp.267–280. doi:<https://doi.org/10.1002/JLB.MR0318-102R>.

- De Nardo, D. (2015) . Toll-like receptors: Activation, signalling and transcriptional modulation. *Cytokine*, 74(2), pp.181–189. <https://doi.org/10.1016/j.cyto.2015.02.025>.
- Dharmana, S.N., Singla N., Sharma K., Modi M., dan Goyal M. (2025) ‘Prevalence of seizures in patients with tuberculous meningitis (TBM) and their clinical outcomes’, *Cureus* [Preprint]. doi:10.7759/cureus.77210.
- Dodd, P.J., Osman, M., Cresswell, F.V., Stadelman, A.M., Lan, N.H., Thuong, N.T.T. *et al.* (2021). The global burden of tuberculous meningitis in adults: A modelling study. *PLOS Global Public Health*, 1(12), p.e0000069. doi:<https://doi.org/10.1371/journal.pgph.0000069>.
- Donovan, J., Figaji, A., Imran, D., Phu, N.H., Rohlwick, U., dan Thwaites, G.E. (2019). The neurocritical care of tuberculous meningitis. *Lancet Neurol* 18, 771–783. [https://doi.org/10.1016/S1474-4422\(19\)30154-1](https://doi.org/10.1016/S1474-4422(19)30154-1)
- Forghany, Z., Robertson, F., Lundby, A., Olsen, J. V., dan Baker, D.A. (2018). Control of endothelial cell tube formation by Notch ligand intracellular domain interactions with activator protein 1 (AP-1). *Journal of Biological Chemistry* 293, 1229–1242. <https://doi.org/10.1074/jbc.M117.819045>
- Franco, Juan VA., Bongaerts B., Metzendorf M., Risso A., Guo Y., *et.al.* (2024) “Undernutrition as a Risk Factor for Tuberculosis Disease.” *The Cochrane Database of Systematic Reviews*, vol. 2024, no. 6, 11 June 2024, p. CD015890, <https://doi.org/10.1002/14651858.CD015890.pub2>.
- Gu J, Xiao H, Wu F, Ge Y, Ma J, dan Sun W. (2015). Prognostic factors of tuberculous meningitis: a single-center study. *Int J Clin Exp Med*. 8(3):4487–93. PMID: 26064373; PMCID: PMC4443207.
- Gen Cards The Human Gene Database Delta Like Ligand I. (2025). Weizmann Institute of Science. Diakses 11 Agustus 2025. <https://www.genecards.org/cgi-bin/carddisp.pl?gene=DLL1#summaries>
- Gupta, M., Geetha Srikrishna, Klein, S.L. dan Bishai, W.R. (2022). Genetic and hormonal mechanisms underlying sex-specific immune responses in tuberculosis. *Trends in Immunology*, 43(8), pp.640–656. doi:<https://doi.org/10.1016/j.it.2022.06.004>.

- Guo, C., Liu, K.-W., Tong, J. dan Gao, M.-Q. (2025). Prevalensi dan signifikansi prognostik risiko malnutrisi pada pasien dengan meningitis tuberkulosis. *Frontiers in Public Health*, [online] 12. doi:<https://doi.org/10.3389/fpubh.2024.1391821>.
- Hai, H.T., Sabiiti, W., Thu, D.D.A., Phu, N.H., Gillespie, S.H., Thwaites, G.E. *et al.* (2021). Evaluation of the molecular bacterial load assay for detecting viable *Mycobacterium tuberculosis* in cerebrospinal fluid before and during tuberculous meningitis treatment. *Tuberculosis*, 128, p.102084. doi:<https://doi.org/10.1016/j.tube.2021.102084>.
- He H., Xu J., Peng Q., Li Y., Huang, Y., Zhang, Y.-L. *et al.* (2024). The application value of cerebrospinal fluid immunoglobulin in tuberculous meningitis. *Microbiology Spectrum*, 12(6). doi:<https://doi.org/10.1128/spectrum.00157-24>.
- Heemskerck, A.D., Bang, N.D., Mai, N.T.H., Chau, T.T.H., Phu, N.H., Loc, P.P. *et al.* (2016). Intensified Antituberculosis Therapy in Adults with Tuberculous Meningitis. *New England Journal of Medicine*, 374(2), pp.124–134. doi:<https://doi.org/10.1056/nejmoa1507062>.
- HGNC. (2025). *DLL1 delta like canonical Notch ligand 1 [Homo sapiens (human)] - Gene - NCBI*. Dilihat 8 Juli 2025. <https://www.ncbi.nlm.nih.gov/gene/28514>
- Hildebrand D., Florian U., Delal S., Ute K., Markus A.W., dan Klaus H. (2018). The Interplay of Notch Signaling and STAT3 in TLR-Activated Human Primary Monocytes Cell. *Infect. Microbiol.*, <https://doi.org/10.3389/fcimb.2018.00241>
- Ho, J., Marais, B.J., Gilbert, G.L., dan Ralph, A.P. (2013). Diagnosing tuberculous meningitis – have we made any progress? *Tropical Medicine & International Health* 18, 783–793. <https://doi.org/10.1111/tmi.12099>
- Horton, K.C., MacPherson, P., Houben, R.M.G.J., White, R.G. dan Corbett, E.L. (2016). Sex Differences in Tuberculosis Burden and Notifications in Low- and Middle-Income Countries: A Systematic Review and Meta-analysis. *PLoS medicine*, 13(9), p.e1002119. <https://doi.org/10.1371/journal.pmed.1002119>.
- Isabel, B.E., dan Rogelio, H.P. (2014). Pathogenesis and immune response in tuberculous meningitis. *Malays J Med Sci* 21, 4–10.

- Jahantigh, D., Salimi, S., Alavi-Naini, R., Emamdadi, A., Owaysee Osquee, H., dan Farajian Mashhadi, F. (2013). Association between TLR4 and TLR9 gene polymorphisms with development of pulmonary tuberculosis in Zahedan, southeastern Iran. *TheScientificWorldJournal*, [online] 2013, p.534053. doi:<https://doi.org/10.1155/2013/534053>.
- Jain, S.K., Tobin, D.M., Tucker, E.W., Venketaraman, V., Ordonez, A.A., Jayashankar, L. *et al.* (2018) 'Tuberculous meningitis: a roadmap for advancing basic and translational research', *Nature immunology*, 19(6), pp. 521–525.
- Javaud, N., Certal, R.D.S., Stirnemann, J., Morin, A.-S., Chamouard, J.-M., Augier, A. *et al.* (2011). Tuberculous cerebral vasculitis: Retrospective study of 10 cases. *European Journal of Internal Medicine*, 22(6), pp.e99–e104. doi:<https://doi.org/10.1016/j.ejim.2011.04.004>.
- Krishna, B.M., Jana, S., Singhal, J., Horne, D., Awasthi, S., Salgia, R. *et al.* (2019). Notch signaling in breast cancer: From pathway analysis to therapy. *Cancer Lett* 461, 123–131. <https://doi.org/10.1016/j.canlet.2019.07.012>
- Kurien, R., Sudarsanam, T.D., S., S., dan Thomas, K. (2013). Tuberculous Meningitis: A Comparison of Scoring Systems for Diagnosis. *Oman Med J* 28, 163–166. <https://doi.org/10.5001/omj.2013.47>
- Lee, S.-A., Kim, S.-W., Chang, H.-H., Jung, H., Kim, Y., Hwang, S. *et al.* (2018) . A New Scoring System for the Differential Diagnosis between Tuberculous Meningitis and Viral Meningitis. *J Korean Med Sci* 33. <https://doi.org/10.3346/jkms.2018.33.e201>
- Li, Jinghong, Li, Jinyi, dan Jia, Y. (2012). Levels of soluble delta-like ligand 1 in the serum and cerebrospinal fluid of tuberculous meningitis patients. *Neural Regen Res* 7, 874–8. <https://doi.org/10.3969/j.issn.1673-5374.2012.11.013>
- Liu, R.-Z., Mita, R., Beaulieu, M., Gao, Z., dan Godbout, R. (2010). Fatty acid binding proteins in brain development and disease. *Int J Dev Biol* 54, 1229–39. <https://doi.org/10.1387/ijdb.092976rl>
- Luo, M., Wang, W., Zeng, Q., Luo, Y., Yang, H. dan Yang, X. (2018). Tuberculous meningitis diagnosis and treatment in adults: A series of 189 suspected

cases. *Experimental and Therapeutic Medicine*.
doi:<https://doi.org/10.3892/etm.2018.6496>.

- Maleki Rad, M., Haddad, M., Sheybani, F., Shirazinia, M. dan Dadgarmoghaddam, M. (2025). Mortality predictors and diagnostic challenges in adult tuberculous meningitis: a retrospective cohort of 100 patients. *Tropical Medicine and Health*, [online] 53(1). doi:<https://doi.org/10.1186/s41182-025-00738-0>.
- Mall, M., Kareta, M.S., Chanda, S., Ahlenius, H., Perotti, N., Zhou, B. *et al.* (2017). Myt1l safeguards neuronal identity by actively repressing many non-neuronal fates. *Nature* 544, 245–249. <https://doi.org/10.1038/nature21722>
- Manyelo, C.M., Solomons, R.S., Walzl, G., dan Chegou, N.N., (2021). Tuberculous Meningitis: Pathogenesis, Immune Responses, Diagnostic Challenges, and the Potential of Biomarker-Based Approaches. *J Clin Microbiol* 59. <https://doi.org/10.1128/JCM.01771-20>
- Marais, S., Thwaites, G., Schoeman, J.F., Török, M.E., Misra, U.K., Prasad, K. *et al.* (2010). Tuberculous meningitis: a uniform case definition for use in clinical research. *Lancet Infect Dis* 10, 803–12. [https://doi.org/10.1016/S1473-3099\(10\)70138-9](https://doi.org/10.1016/S1473-3099(10)70138-9)
- Marx, G.E., dan Chan, E.D. (2011). Tuberculous Meningitis: Diagnosis and Treatment Overview. *Tuberc Res Treat* 2011, 1–9. <https://doi.org/10.1155/2011/798764>
- Méchaï, F., dan Bouchaud, O. (2019). Tuberculous meningitis: Challenges in diagnosis and management. *Rev Neurol (Paris)* 175, 451–457. <https://doi.org/10.1016/j.neurol.2019.07.007>
- Misra, UK, Kumar, M. dan Kalita, J. (2018). Kejang pada meningitis tuberkulosis. *Epilepsy Research*, 148, hlm. 90–95. doi:<https://doi.org/10.1016/j.eplepsyres.2018.10.005>.
- Mizuhara, E., Nakatani, T., Minaki, Y., Sakamoto, Y., Ono, Y., dan Takai, Y. (2005). MAGI1 recruits Dll1 to cadherin-based adherens junctions and stabilizes it on the cell surface. *J Biol Chem* 280, 26499–507. <https://doi.org/10.1074/jbc.M500375200>
- Modi, M., Sharma, K., Sharma, M., Sharma, A., Sharma, N., Sharma, S. *et al.* (2016). Multitargeted loop-mediated isothermal amplification for rapid

- diagnosis of tuberculous meningitis. *The International Journal of Tuberculosis and Lung Disease* 20, 625–630. <https://doi.org/10.5588/ijtld.15.0741>
- Mondiani, Yeni Quinta, Iryawati D., dan Munir B. (2025) “Non-Specific Headache As The Main Manifestation Of Tuberculous Meningitis: A Rare Case Report.” *MNJ (Malang Neurology Journal)*, vol. 11, no. 2, pp. 241–246, <https://doi.org/10.21776/ub.mnj.2025.011.02.15>. Accessed 19 Feb. 2026.
- Nagdev, K.J., Kashyap, R.S., Parida, M.M., Kapgate, R.C., Purohit, H.J., Taori, G.M. *et al.* (2011). Loop-Mediated Isothermal Amplification for Rapid and Reliable Diagnosis of Tuberculous Meningitis. *J Clin Microbiol* 49, 1861–1865. <https://doi.org/10.1128/JCM.00824-10>
- Oemijati, S., Budijanto, A. dan Setiobody, R. (2010). Pedoman etik penelitian kedokteran Indoneisa. Fakultas Kedokteran Universitas Indonesia. Jakarta.
- O’Garra, A., Redford, P.S., McNab, F.W., Bloom, C.I., Wilkinson, R.J., dan Berry, M.P.R. (2013). The Immune Response in Tuberculosis. *Annu Rev Immunol* 31, 475–527. <https://doi.org/10.1146/annurev-immunol-032712-095939>
- Oo, N. and K, D. (2025). Epidemiology, Pathogenesis, Clinical Manifestations, and Management Strategies of Tuberculous Meningitis. *Archives of Internal Medicine Research*, pp.48–58. doi:<https://doi.org/10.26502/aimr.0195>.
- Pavlinac, P.B., Lokken, E.M., Walson, J.L., Richardson, B.A., Crump, J.A. dan John-Stewart, G.C. (2016). Mycobacterium tuberculosis bacteremia in adults and children: a systematic review and meta-analysis. *The international journal of tuberculosis and lung disease : the official journal of the International Union against Tuberculosis and Lung Disease*, 20(7), pp.895–902. <https://doi.org/10.5588/ijtld.15.0773>.
- Peer, V., Schwartz, N. dan Green, M.S. (2023). Gender differences in tuberculosis incidence rates—A pooled analysis of data from seven high-income countries by age group and time period. *Frontiers in Public Health*, 10. doi:<https://doi.org/10.3389/fpubh.2022.997025>.
- Peng, T., Zhou, Y., Li, Jinyi, Li, Jinghong, Wan, W., dan Jia, Y. (2014). Detection of Delta-like 1 ligand for the diagnosis of tuberculous meningitis: An effective and rapid diagnostic method. *Journal of International Medical Research* 42, 728–736. <https://doi.org/10.1177/0300060513498669>

- Pienaar, M., Andronikou, S., dan Van Toorn, R. (2009). MRI to demonstrate diagnostic features and complications of TBM not seen with CT. *Child's Nervous System* 25, 941–947. <https://doi.org/10.1007/s00381-008-0785-3>
- Poplin, V., Boulware, D.R., dan Bahr, N.C. (2020). Methods for Rapid Diagnosis of Meningitis Etiology in Adults. *Biomark Med* 14, 459–479. <https://doi.org/10.2217/bmm-2019-0333>
- Purohit, H.J., Cheema, S., Lal, S., Raut, C.P., dan Kalia, V.C. (2007). In Search of Drug Targets for Mycobacterium tuberculosis. *Infect Disord Drug Targets* 7, 245–50. <https://doi.org/10.2174/187152607782110068>
- Proteinatlas.org. (2021). *DLL1 protein expression summary - The Human Protein Atlas*. [online] Available at: <https://www.proteinatlas.org/ENSG00000198719-DLL1> [Accessed 25 Feb. 2026].
- Rahman N, Pannu AK, Yadav R, Sethi S, Saroch A, Garg M, Kumar D., *et al.* (2022). Tuberculous meningitis in the elderly. *QJM*. 115(6):381–387. doi: <https://doi.org/10.1093/qjmed/hcab162>. pmid: 34100953..
- Rock, R.B., Hu, S., Gekker, G., Sheng, W.S., May, B., Kapur, V. *et al.* (2005). *Mycobacterium tuberculosis*– Induced Cytokine and Chemokine Expression by Human Microglia and Astrocytes: Effects of Dexamethasone. *J Infect Dis* 192, 2054–2058. <https://doi.org/10.1086/498165>
- Rohlwink, U.K., Figaji, A., Wilkinson, K.A., Horswell, S., Sesay, A.K., Deffur, A., *et al.* (2019). Tuberculous meningitis in children is characterized by compartmentalized immune responses and neural excitotoxicity. *Nat Commun* 10, 3767. <https://doi.org/10.1038/s41467-019-11783-9>
- Rossini, M., Martini, F., Torreggiani, E., Fortini, F., Aquila, G., Vieceli, F. *et al.* (2021). Metformin Induces Apoptosis and Inhibits Notch1 in Malignant Pleural Mesothelioma Cells. *Frontiers in Cell and Developmental Biology*, 8. doi:<https://doi.org/10.3389/fcell.2020.534499>.
- Scihiel W.M, Richard J.W., dan Christina M.M. (2014). *Infections of The Central Nervous System* Fourt edition. Philadelphia: Wolters Kluwer Health
- Shi, X., dan Wang, R. (2017). Glioma cell fate decisions mediated by Dll1-Jag1-Fringe in Notch1 signaling pathway. *BMC Syst Biol* 11, 84. <https://doi.org/10.1186/s12918-017-0457-6>

- Slane, V.H. dan Unakal, C.G. (2024). *Tuberculous Meningitis*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK541015/>.
- Soria, J., Metcalf, T., Mori, N., Newby, R.E., Montano, S.M., Huaroto, L. *et al.* (2019). Mortality in hospitalized patients with tuberculous meningitis. *BMC Infect Dis* 19, 9. <https://doi.org/10.1186/s12879-018-3633-4>
- Spanos, J.P., Hsu, N.-J., dan Jacobs, M. (2015). Microglia are crucial regulators of neuro-immunity during central nervous system tuberculosis. *Front Cell Neurosci* 9. <https://doi.org/10.3389/fncel.2015.00182>
- Takebe, N., Nguyen, D., dan Yang, S.X. (2014). Targeting notch signaling pathway in cancer: clinical development advances and challenges. *Pharmacol Ther* 141, 140–9. <https://doi.org/10.1016/j.pharmthera.2013.09.005>
- Tan, Y.-J., Zhang, Y.-B., Feng, D.-Y., Xie, B., Lin, Z.-Y., Chen, H.-G. *et al.* (2004). The change and the clinical significance of peripheral blood Th1/Th2 cells in patients with pulmonary tuberculosis. *Zhonghua Jie He He Hu Xi Za Zhi* 27, 385–9.
- Tara W.U., Estiasari R., Imran D., Irman D., Kalista K.L., dan Safri, A.S. (2023). *Gangguan Fungsi Hati dan Pengaruhnya terhadap Terapi OAT Fase Intensif serta Luaran pada Meningitis Tuberkulosis di RSUPN Dr. Cipto Mangunkusumo = Liver Dysfunction and It's Impact to Intensive Phase of AntiTuberculosis Therapy and Outcome in Tuberculosis Meningitis at Dr. Cipto Mangunkusumo National General Hospital. | Perpustakaan FKUI.* [online] [Ui.ac.id. Available at: https://library.fk.ui.ac.id/index.php?p=show_detail&id=32053&keywords=](https://library.fk.ui.ac.id/index.php?p=show_detail&id=32053&keywords=) [Accessed 7 Mar. 2026].
- Terwin, K., Ferreira, M., Minnie, C., Marangellis, K., Darby, R., Berlyn, J. *et al.* (2022). The epidemiological profile of meningitis among adults in a South African district hospital. *Pan African Medical Journal*, 41. doi:<https://doi.org/10.11604/pamj.2022.41.256.30015>.
- Thakur, K., Das, M., Dooley, K., dan Gupta, A. (2018). The Global Neurological Burden of Tuberculosis. *Semin Neurol* 38, 226–237. <https://doi.org/10.1055/s-0038-1651500>

- Thwaites, G. (2017). Tuberculous meningitis. *Medicine* 45, 670–673. <https://doi.org/10.1016/j.mpmed.2017.08.010>
- Thwaites, G., Chau, T., Stepniewska, K., Phu, N., Chuong, L., Sinh, D. *et al.* (2002). Diagnosis of adult tuberculous meningitis by use of clinical and laboratory features. *The Lancet* 360, 1287–1292. [https://doi.org/10.1016/S0140-6736\(02\)11318-3](https://doi.org/10.1016/S0140-6736(02)11318-3)
- Thwaites, G.E., van Toorn, R., dan Schoeman, J. (2013). Tuberculous meningitis: more questions, still too few answers. *Lancet Neurol* 12, 999–1010. [https://doi.org/10.1016/S1474-4422\(13\)70168-6](https://doi.org/10.1016/S1474-4422(13)70168-6)
- Tiara A., Salim H. dan Winugroho W., (2022). *Buku Ajar Neurologi Klinis Edisi Kedua*. Jakarta: Yayasan Otak Sehat Indonesia.
- Tomidy, J., Satriadinatha, G.B.Y., Liwang, F.K., Maharani, K., Imran, D. dan Estiasari, R. (2023). Prognostic identifier of cerebrovascular complications in tuberculous meningitis: Meta-analysis. *Journal of Stroke and Cerebrovascular Diseases*, 32(11), p. 107371.
- UniProt Consortium. UniProtKB entry O00548. (2025). Delta-like canonical Notch ligand 1” (DLL1). Diakses 11 Agustus 2025. Available from: <https://www.uniprot.org/uniprotkb/O00548/entry>
- Urban, S.L., Berg, L.J. and Welsh, R.M. (2016). Type 1 interferon licenses naïve CD8 T cells to mediate anti-viral cytotoxicity. *Virology*, 493, pp.52–59. doi:<https://doi.org/10.1016/j.virol.2016.03.005>.
- Van Toorn, R., dan Solomons, R. (2014). Update on the Diagnosis and Management of Tuberculous Meningitis in Children. *Semin Pediatr Neurol* 21, 12–18. <https://doi.org/10.1016/j.spen.2014.01.006>
- Varghese, R.K., Venkatesh Mittapalli dan Govindraju Chikkana (2025). Tuberculous Meningitis Complicated by Communicating Hydrocephalus and Lacunar Infarcts: A Case Report. *Cureus*. doi:<https://doi.org/10.7759/cureus.88572>.
- Vishnu, V. dan Vinny, P. (2019). Meningitis tuberkulosis: Tinjauan naratif. *Jurnal Penelitian Terkini dalam Kedokteran Ilmiah*, 5(1), hal.13. doi:https://doi.org/10.4103/jcrsm.jcrsm_17_19.

- Wang, M.M. (2011). Notch signaling and Notch signaling modifiers. *Int J Biochem Cell Biol* 43, 1550–62. <https://doi.org/10.1016/j.biocel.2011.08.005>
- Wang, S., Chen, Y., Wang, D., Wu, Y., Zhao, D., Zhang. *et al.* (2019). The Feasibility of Metagenomic Next-Generation Sequencing to Identify Pathogens Causing Tuberculous Meningitis in Cerebrospinal Fluid. *Front Microbiol* 10. <https://doi.org/10.3389/fmicb.2019.01993>
- Wang, C., Forsman D.L., Wang, S., Wang, S., Shao, G., Xiong, H. *et al.* (2024). The diagnostic performance of GeneXpert MTB/RIF in tuberculosis meningitis: A multicentre accuracy study. *Diagnostic Microbiology and Infectious Disease*, 109(3), pp.116277–116277. doi:<https://doi.org/10.1016/j.diagmicrobio.2024.116277>
- Wei, Z., Zhang, Xiaoping, Wei, C., Yao, L., Li, Y. *et al.* (2019). Diagnostic accuracy of in-house real-time PCR assay for Mycobacterium tuberculosis: a systematic review and meta-analysis. *BMC Infect Dis* 19, 701. <https://doi.org/10.1186/s12879-019-4273-z>
- Wen, A., Cao, W.F., Liu, S.M., Zhou, Y.L., Xiang, Z.B., Hu, F. *et al.* (2023). Incidence and Risk Factors of Cranial Nerve Palsy in Patients with Tuberculous Meningitis: A Retrospective Evaluation. *Infection and Drug Resistance*, Volume 16, pp.829–841. doi:<https://doi.org/10.2147/idr.s396022>.
- World Health Organization. (2022). *Global Tuberculosis Report*.
- World Health Organization. (2025a). *Tuberculosis*. [online] World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/tuberculosis>.
- World Health Organization (WHO) (2025b). *Gender and Health*. [online] World Health Organization. Available at: https://www.who.int/health-topics/gender#tab=tab_1.
- Wilkinson, R.J., Rohlwick, U., Misra, U.K., van Crevel, R., Mai, N.T.H., Dooley, K.E. *et al.* (2017). Tuberculous meningitis. *Nat Rev Neurol* 13, 581–598. <https://doi.org/10.1038/nrneurol.2017.120>
- Xie, J., Chen, Y., Chen, S., Long, H., Zhang, W. dan Liu, G. (2023). The potential value of Notch1 and DLL1 in the diagnosis and prognosis of patients with

- active TB. *Frontiers in Immunology*, 14. doi:<https://doi.org/10.3389/fimmu.2023.1134123>.
- Xiu, M.X., Liu, Y.M., dan Kuang, B.H. (2020). The role of dlls in cancer: A novel therapeutic target. *Onco Targets Ther* 13, 3881–3901. <https://doi.org/10.2147/OTT.S244860>
- Yao, K., Zhan, X.-Y., Feng, M., Yang, K.-F., Zhou, M.-S., dan Jia, H. (2024). Furin, ADAM, and γ -secretase: Core regulatory targets in the Notch pathway and the therapeutic potential for breast cancer. *Neoplasia* 57, 101041. <https://doi.org/10.1016/j.neo.2024.101041>
- Yue P., JIA Yanjie, Wang Cuiqin, Zhang Gangyu, dan Peng Tao. (2013). The clinical value of cerebrospinal fluid of Notch1 of DLL1 detection of infectious diseases of the central nervous system. *Life Sci J*;10(1):1503- 1507] (ISSN:1097-8135).
- Yustika, A.I., Wiriansya, E.P., Wardani, E. dan Arief, E. (2024). Karakteristik Demografi Penderita Meningitis Tuberculosis Di Rumah Sakit Wahidin Sudirohusodo Tahun 2020-2022. *Jurnal Kesehatan Masyarakat*, 8, pp.4791–4798.
- Zamboni, M., Llorens-Bobadilla, E., Magnusson, J.P., dan Frisé, J. (2020). A Widespread Neurogenic Potential of Neocortical Astrocytes Is Induced by Injury. *Cell Stem Cell* 27, 605-617.e5. <https://doi.org/10.1016/j.stem.2020.07.006>
- Zanotti, S., Yu, J., Adhikari, S. dan Canalis, E. (2018). Glucocorticoids inhibit notch target gene expression in osteoblasts. *Journal of Cellular Biochemistry*, 119(7), pp.6016–6023. doi:<https://doi.org/10.1002/jcb.26798>.
- Zhu, X., He, N., Tong, L., Gu, Z.H. dan Li, H. (2023). Clinical characteristics of tuberculous meningitis in older patients compared with younger and middle-aged patients: a retrospective analysis', *BMC Infectious Diseases*, 23(1), p. 699.
- Zhou, B., Lin, W., Long, Y., Yang, Y., Zhang, H., Wu, K. *et al.* (2022). Notch signaling pathway: architecture, disease, and therapeutics. *Signal Transduct Target Ther* 7, 95. <https://doi.org/10.1038/s41392-022-00934-y>

Zirnsak B.F., Segebrecht L, Schubach M, Charles P, Alderman E, Brown K. *et al.* (2019). Haploinsufficiency of the Notch Ligand DLL1 Causes Variable Neurodevelopmental Disorders. *Am J Hum Genet*, 05(3):631-639. doi: 10.1016/j.ajhg.2019.07.002.

