

DAFTAR PUSTAKA

- Abbasi, M., Moradi, Z., Mirzaei, M., Kharazifard, M. J., & Rezaei, S. (2018). Polymerization Shrinkage of Five Bulk-Fill Composite Resins in Comparison with a Conventional Composite Resin. *Journal of Dentistry*, *15*(6), 365–374.
- Abdelaziz, K. M., & Saleh, A. A. (2024). Effect of Habitual intakes on Hardness and Color of Resin Composites. *Dental Research and Oral Health*, *7*(3), 66–73.
- Aktug Karademir, S., Atasoy, S., Akarsu, S., & Karaaslan, E. (2025). Effects of post-curing conditions on degree of conversion, microhardness, and stainability of 3D printed permanent resins. *BMC Oral Health*, *25*(1), 304.
- AlShaafi, M. M. (2016). Effects of different temperatures and storage time on the degree of conversion and microhardness of resin-based composites. *Journal of Contemporary Dental Practice*, *17*(3), 217–223.
- AlShaafi, M. M. (2017). Factors affecting polymerization of resin-based composites: A literature review. *Saudi Dental Journal*, *29*(2), 48–58.
- Alsharif, S., Alhareb, A., & Abudalazez, A. (2024). Components of Dental Resin Composites: A Literature Review. *AlQalam Journal of Medical and Applied Sciences*, *7*(3), 427–440.
- Arbildo-Vega, H. I., Lapinska, B., Panda, S., Lamas-Lara, C., & Khan, A. S. (2020). Clinical effectiveness of bulk-fill and conventional resin composite restorations: Systematic review and meta-analysis. *Polymers*, *12*, 1786.
- Atalı, P. Y., Kaya, B. D., Özen, A. M., Tarçın, B., & Senol, A. A. (2022). Assessment of Micro-Hardness, Degree of Conversion, and Flexural Strength for Single-Shade Universal Resin Composites. *Polymers*, *14*(22), 1–16.
- Ayub, K. V, Santos, G. C., Rizkalla, A. S., Bohay, R., & Pegoraro, L. F. (2014). Effect of Preheating on Microhardness and Viscosity of Four Resin Composites. *J Can Dent Assoc*, *80*(12), 1–8.
- Baldo, V. de O., Pedrosa, M., & Medeiros, I. (2021). Post-cure Heat Treatments Influence on Mechanical and Optical Properties of Resin Composites. *Brazilian Dental Journal*, *32*(4), 96–105.
- Barszczewska-Rybarek Izabela Maria. (2019). A guide through the dental dimethacrylate polymer network structural characterization and interpretation of physico-mechanical properties. *Materials*, *12*(24), 1–30.

- Campana, C., Leger, R., Sonnier, R., Ferry, L., & Ienny, P. (2018). Effect of post curing temperature on mechanical properties of a flax fiber reinforced epoxy composite. *Composites Part A: Applied Science and Manufacturing*, 107, 171–179.
- Cangul, S., & Adiguzel, O. (2017). The Latest Developments Related to Composite Resins. *International Dental Research*, 7(2), 32–41.
- Chesterman, J., Jowett, A., Gallacher, A., & Nixon, P. (2017). Bulk-fill resin-based composite restorative materials: A review. *British Dental Journal*, 222(5), 337–344.
- Chun, K. J., Choi, H. H., & Lee, J. Y. (2014). Comparison of mechanical property and role between enamel and dentin in the human teeth. *Journal of Dental Biomechanics*, 5(1), 1–7.
- Chun, K., Kim, C., & Lee, J. (2016). Mechanical behaviors of enamel, dentin, and dental restorative materials by Three-point bending test. *Dental, Oral and Craniofacial Research*, 2(4).
- Comba, A., Scotti, N., Maravić, T., Mazzoni, A., Carossa, M., Breschi, L., & Cadenaro, M. (2020). Vickers hardness and shrinkage stress evaluation of low and high viscosity bulk-fill resin composite. *Polymers*, 12, 1477.
- D'Amario, M., Pacioni, S., Capogreco, M., Gatto, R., & Baldi, M. (2013). Effect of repeated preheating cycles on flexural strength of resin composites. *Operative Dentistry*, 38(1), 33–38.
- Darabi, F., Tayefeh-Davalloo, R., Tavangar, S. M., Naser-Alavi, F., & Boorboo-Shirazi, M. (2020). The effect of composite resin preheating on marginal adaptation of class II restorations. *Journal of Clinical and Experimental Dentistry*, 12(7), 682–687.
- Değirmenci, A., & Can, D. B. (2022). Pre-Heating Effect on the Microhardness and Depth of Cure of Bulk-Fill Composite Resins. *Odovtos - International Journal of Dental Sciences*, 24(1), 99–112.
- Dejak, B., & Młotkowski, A. (2015). A comparison of stresses in molar teeth restored with inlays and direct restorations, including polymerization shrinkage of composite resin and tooth loading during mastication. *Dental Materials*, 31(3), 77-e87.
- Dias, M. F., Espíndola-Castro, L. F., Lins-Filho, P. C., Teixeira, H. M., Silva, C. H. V., & Guimarães, R. P. (2020). Influence of different thermopolymerization methods on composite resin microhardness. *Journal of Clinical and Experimental Dentistry*, 12(4), 335–341.
- Dionysopoulos, D. (2016). Bulk Fill Composite Resins. A Novelty in Resin-Based Restorative Materials. *ARC Journal of Dental Science*, 1(2), 1–3.

- Eakle, S., & Bastin, K. G. (2021). *Dental Materials : Clinical Applications for Dental Assistants and Dental Hygienists* (4th ed.). Elsevier.
- Elfakhri, F., Alkahtani, R., Li, C., & Khaliq, J. (2022). Influence of filler characteristics on the performance of dental composites: A comprehensive review. *Ceramics International*, 48(19), 27280–27294.
- Elkady, M., Abdelhakim, S. H., & Riad, M. (2024). Impact of repeated preheating of bulk-fill resin composite on postoperative hypersensitivity; a randomized controlled clinical trial. *BMC Oral Health*, 24, 453.
- Elkaffas, A. A., Eltoukhy, R. I., Elnegoly, S. A., & Mahmoud, S. H. (2019). The effect of preheating resin composites on surface hardness: a systematic review and meta-analysis. *Restorative Dentistry & Endodontics*, 44(4), 1–13.
- Enginler Ozlen, R. H., Ozduman, Z. C., Oglacki Ozkoc, B., & Eliguzeloglu Dalkilic, E. (2024). Comparison of Microhardness and Surface Roughness of New Nanofiber Filled Flowable Composite. *Bezmailem Science*, 12(4), 406–412.
- Fawzy, A., & Fayed, A. M. (2017). Influence of Post Curing Heat and Pressure Activation for Resin Composite on It's Surface Hardness. *Egyptian Dental Journal*, 63(1), 841–848.
- Ferracane, J. L. (2024). A Historical Perspective on Dental Composite Restorative Materials. *Journal of Functional Biomaterials*, 15, 173.
- Gopinath, V. K. (2017). Comparative evaluation of microleakage between bulk esthetic materials versus resinmodified glass ionomer to restore Class II cavities in Primary Molars. *Journal of Indian Society of Pedodontics and Preventive Dentistry*, 35(3), 238–243.
- Grazioli, G., Francia, A., Cuevas-Suárez, C. E., Zanchi, C. H., & De Moraes, R. R. (2019). Simple and low-cost thermal treatments on direct resin composites for indirect use. *Brazilian Dental Journal*, 30(3), 279–284.
- Ilie, N., Bucuta, S., & Draenert, M. (2013). Bulk-fill resin-based composites: An in vitro assessment of their mechanical performance. *Operative Dentistry*, 38(6), 618–625.
- Istikharoh, F. (2018). *Dental Resin Komposit: Teori, Instrumentasi, dan Aplikasi*. Universitas Brawijaya Press.
- Jafarpour, D., Ferooz, R., Ferooz, M., & Bagheri, R. (2022). Physical and Mechanical Properties of Bulk-Fill, Conventional, and Flowable Resin Composites Stored Dry and Wet. *International Journal of Dentistry*, 2022, 1–12.
- Jang, J. H., Park, S. H., & Hwang, I. N. (2015). Polymerization shrinkage and depth of cure of bulk-fill resin composites and highly filled flowable resin. *Operative Dentistry*, 40(2), 172–180.

- Kahnamouei, M. A., Bahari, M., Chaharom, M. E. E., Kimyai, S., & Daneshpooy, M. (2024). The effect of preheating on microhardness and flexural strength of bulk-fill resin composites: an in-vitro study. *European Oral Research*, 58(3), 133–138.
- Kashi, T. S. J., Fereidouni, F., Khoshroo, K., Heidari, S., Masaeli, R., & Mohammadian, M. (2015). *Effect of Preheating on the Microhardness of Nanohybrid Resin-based Composites*. 2(1), 15–22.
- Keleş, Z. H., & Tarim, B. (2024). Effect of Preheating on Microhardness, Degree of Conversion, and Depth of Cure of Various Bulk-Fill Composites. *Selcuk Dental Journal*, 11(1), 27–32.
- Kincses, D., Böddi, K., Ori, Z., Lovász, B. V., & Jeges, S. (2021). Pre-Heating Effect on Monomer Elution and Degree of Conversion of Contemporary and Thermoviscous Bulk-Fill Resin-Based Dental Composites. *Polymers*, 13, 3599.
- Kowalska, A., Sokolowski, J., & Bociong, K. (2021). The Photoinitiators Used in Resin Based Dental Composite – A Review and Future Perspectives. *Polymers*, 13, 470.
- Leprince, J. G., Palin, W. M., Vanacker, J., Sabbagh, J., & Devaux, J. (2014). Physico-mechanical characteristics of commercially available bulk-fill composites. *Journal of Dentistry*, 42(8), 993–1000.
- Ling, L., Lai, T., & Malyala, R. (2022). Fracture toughness and brittleness of novel CAD/CAM resin composite block. *Dental Materials*, 38(12), 308–317.
- Manappallil, J. J. (2016). *Basic Dental Materials* (4th ed.). Jaypee Brothers Medical Publishers.
- Manojlovic, D., Dramićanin, M. D., Lezaja, M., Pongprueksa, P., Van Meerbeek, B., & Miletic, V. (2016). Effect of resin and photoinitiator on color, translucency and color stability of conventional and low-shrinkage model composites. *Dental Materials*, 32(2), 183–191.
- Mei, M. L., So, S. Y. C., Li, H., & Chu, C. H. (2015). Effect of heat treatment on the physical properties of provisional crowns during polymerization: An in Vitro study. *Materials*, 8, 1766–1777.
- Melkumyan, T. V., Sheraliava, S. S., Mendosa, E. J., Khabadze, Z. S., & Makeeva, M. K. (2023). Effect of Preheating on Mechanical Properties of Different Commercially Available Dental Resin Composites. *International Journal of Biomedicine*, 13(4), 317–322.
- Miletic, V. (2018). Dental Composite Materials for Direct Restorations. In *Dental Composite Materials for Direct Restorations*. Springer International Publishing.

- Moharam, L. M., El-Hoshy, A. Z., & Abou-Elenein, K. (2017). The effect of different insertion techniques on the depth of cure and vickers surface micro-hardness of two bulk-fill resin composite materials. *Journal of Clinical and Experimental Dentistry*, *9*(2), 266–271.
- Mona, D., Fadil, R., & Andang, M. A. (2016). The difference of lower and upper surface hardness ratio between LED-activated hybrid composite resin and nano composite resin. *Padjadjaran Journal of Dentistry*, *28*(2), 136–141.
- Mona, D., & Rismayansari, I. (2019). Effect of 10% carbamide peroxide bleaching gels on surface hardness of nano filled composite resin. *Padjadjaran Journal of Dentistry*, *31*(3), 220–225.
- Moyin, S., Lahiri, B., Sam, G., Nagdev, P., & Kumar, N. N. (2020). Evaluation of the impact of acidic drink on the microhardness of different esthetic restorative materials: An in vitro study. *Journal of Contemporary Dental Practice*, *21*(3), 233–237.
- Nada, K., & El-Mowafy, O. (2011). Effect of Precuring Warming on Mechanical Properties of Restorative Composites. *International Journal of Dentistry*, *2011*, 1–5.
- Noort, R. V., & Barbour, M. E. (2023). *Introduction to Dental Materials* (5th ed.). Elsevier.
- Paolone, G., Moratti, E., Goracci, C., Gherlone, E., & Vichi, A. (2020). Effect of finishing systems on surface roughness and gloss of full-body bulk-fill resin composites. *Materials*, *13*(24), 5657.
- Piemjai, M., & Santiwarapan, P. (2022). An Enamel Based Biopolymer Prosthesis for Dental Treatment with the Proper Bond Strength and Hardness and Biosafety. *Polymers*, *14*(3), 538.
- Poubel, D. L. D. N., Da Silva, R. C., Ribeiro, A. P. D., & Garcia, F. C. P. (2024). Effect of preheating on the viscosity of composite resins. *Journal of Conservative Dentistry and Endodontics*, *27*(4), 360–365.
- Powers, J. M., & Wataha, J. C. (2017). *Dental Materials: Foundations and Applications* (11th ed.). Elsevier.
- Pratap, B., Gupta, R. K., Bhardwaj, B., & Nag, M. (2019). Resin based restorative dental materials: characteristics and future perspectives. *Japanese Dental Science Review*, *55*(1), 126–138.
- Razibi, D., & Nahzi, M. Y. I. (2017). Perbandingan Jarak Penyinaran dan Ketebalan Bahan terhadap Kekerasan Permukaan Resin Komposit Tipe Bulk- Fill. *Dentino (Jurnal Kedokteran Gigi)*, *2*(2), 211–214.

- Rezaei, S., Abbasi, M., Sadeghi Mahounak, F., & Moradi, Z. (2020). Curing Depth and Degree of Conversion of Five Bulk-Fill Composite Resins Compared to a Conventional Composite. *The Open Dentistry Journal*, 13(1), 422–429.
- Rosatto, C. M. P., Bicalho, A. A., Veríssimo, C., Bragança, G. F., & Rodrigues, M. P. (2015). Mechanical properties, shrinkage stress, cuspal strain and fracture resistance of molars restored with bulk-fill composites and incremental filling technique. *Journal of Dentistry*, 43(12), 1519–1528.
- Saati, K., Khansari, S., Mahdisiar, F., & Valizadeh, S. (2022). Evaluation of Microhardness of Two Bulk-fill Composite Resins Compared to a Conventional Composite Resin on Surface and in Different Depths. *J Dent Shiraz Univ Med Sci*, 23(1), 58–64.
- Saceleanu, A., Fratila, A. M., Arcas, V. C., Arcas, C. A.-M., Dadarlat, D. A., & Stef, L. (2026). Direct and Semi-Direct Composite Techniques in Posterior Teeth: A Two-Year Follow-Up Comparative Study. *Journal of Clinical Medicine*, 15(2), 687.
- Sakaguchi, R. L. ., Ferracane, J. L. ., & Powers, J. M. . (2019). *Craig's Restorative Dental Materials* (14th ed.). Elsevier.
- Santos, M., Fidalgo-Pereira, R., Torres, O., Carvalho, O., Henriques, B., Özcan, M., & Souza, J. C. M. (2024). The impact of inorganic fillers, organic content, and polymerization mode on the degree of conversion of monomers in resin-matrix cements for restorative dentistry: a scoping review. *Clinical Oral Investigations*, 28(8), 1519–1528.
- Sengupta, A., Naka, O., Mehta, S. B., & Banerji, S. (2023). The clinical performance of bulk-fill versus the incremental layered application of direct resin composite restorations: a systematic review. *Evidence-Based Dentistry*, 24(3), 143.
- Septyarini, B. E., Dwianthono, I., & Imam, D. A. N. (2020). The different effects of preheating and heat treatment on the surface microhardness of nanohybrid resin composite. *Dental Journal*, 53(1), 6–9.
- Shen, C., Ralph Rawls, H., & Esquivel-Upshaw, J. F. (2022). *Phillips' Science of Dental Materials* (13th ed.). Elsevier.
- Shimane, T., Endo, K., Zheng, J. H., Yanagi, T., & Ohno, H. (2010). Wear of opposing teeth by posterior composite resins - Evaluation of newly developed wear test methods-. *Dental Materials Journal*, 29(6), 713–720. <https://doi.org/10.4012/dmj.2008-031>
- Singha, A., Dhanesha, A., Nair, S., Patel, R., Behera, S., & Nanda, S. (2024). Pre-heating effect on micro-hardness and depth of cure for three bulk-fill composite resins: An in vitro study. *Bioinformation*, 20(9), 1128–1131.

- Tauböck, T. T., Tarle, Z., Marovic, D., & Attin, T. (2015). Pre-heating of high-viscosity bulk-fill resin composites: Effects on shrinkage force and monomer conversion. *Journal of Dentistry*, 43(11), 1358–1364.
- Theobaldo, J. D., Aguiar, F. H. B., Pini, N. I. P., Lima, D. A. N. L., Liporoni, P. C. S., & Catelan, A. (2017). Effect of preheating and light-curing unit on physicochemical properties of a bulk fill composite. *Clinical, Cosmetic and Investigational Dentistry*, 9, 39–43.
- Thyab, A., Al-Marroof, Ahmed, S., & Ali, A. (2020). Effect of Preheating on Microhardness of different Composite Resins. *Indian Journal of Forensic Medicine & Toxicology*, 14(3), 1423–1427.
- Todd, J.-C., & Wanner, D. (2014). *Tetric N-Ceram Bulk-Fill Sci Doc Ivoclar Vivadent*.
- Torres, C. R. G., Zanatta, R. F., Huhtala, M. F. R. L., & Borges, A. B. (2017). Semidirect posterior composite restorations with a flexible die technique: A case series. *Journal of the American Dental Association*, 148(9), 671–676.
- Vergheze, R. P., Nair, R. S., Mathai, V., Angelo, J. M. C., Christopher, S. R., & Ravi, V. V. (2023). A comparative evaluation of preheat treatment, postcure heat treatment, and combined heat treatment on degree of conversion of a bulk-fill composite: An in vitro study. *Journal of Conservative Dentistry*, 26(2), 207–211.
- Viana, M. O. S., Lopes, T. C. S., Lopes, M. A. B. S., Pires, L. G. S., Campos, M. R. O., & Brandim, A. S. (2023). Evaluation of the Microhardness of Different Types of Bulk Fill Resins. *European Journal of Dental and Oral Health*, 4(5), 7–11.
- Zamalloa-Quintana, M., López-Gurreonero, C., Santander-Rengifo, F. M., Ladera-Castañeda, M., & Castro-Pérez Vargas, A. (2022). Effect of Additional Dry Heat Curing on Microflexural Strength in Three Types of Resin Composite: An In Vitro Study. *Crystals*, 12(8), 1045.