

DAFTAR PUSTAKA

- Ammirati, A. L. (2020). Chronic Kidney Disease. *Revista da Associação Médica Brasileira*, 66(1), s53–s59. <https://doi.org/https://doi.org/10.1590/1806-9282.66.S1.3>
- Aresté, N., & colleagues. (2023). Prevalence of CKD-aP: A multicenter observational study. *Clinical Kidney Journal*.
- Arriyani, F., & Wahyono, T. Y. M. (2023). Faktor Risiko Penyakit Ginjal Kronis pada Kelompok Usia Dewasa : Literature Review. *Media Publikasi Promosi Kesehatan Indonesia (MPPKI)*, 6(5), 788–797. <https://doi.org/10.56338/mppki.v6i5.3239>
- Atikawati, D., & Marhana, I. A. (2015). Sequelae Tuberkulosis dengan Hemoptisis Rekurens. *Jurnal Respirasi*, 1(3), 88–93.
- Babitt, J. L., & Lin, H. Y. (2012). Mechanisms of anemia in CKD. *Journal of the American Society of Nephrology: JASN*, 23(10), 1631–1634. <https://doi.org/https://doi.org/10.1681/ASN.2011111078>
- Budi, S. L. (2024). *Gambaran Status Nutrisi pada Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di Kota Surabaya* *Description of Nutritional Status in Patients with Chronic Kidney Diseasepatients Undergoing Hemodialysis in the City of Surabaya*.
- Çeçen, S., & Lafci, D. (2022). Integrated Treatment Methods Applied for Fatigue in Hemodialysis Patients. *Bezmialem Science*, 10(4), 523–528. <https://doi.org/10.14235/bas.galenos.2021.5188>
- Chen, T. K., Knicely, D. H., & Grams, M. E. (2019). Chronic Kidney Disease Diagnosis and Management: A Review. *JAMA*, 322(13), 1294–1304.

<https://doi.org/10.1001/jama.2019.14745>

Dasopang, E. S., Almunadia, A., Hasibuan, E., Sandika, T., & Ratu, Y. (2025). *Pemberian Eritropoietin pada Pasien End-Stage Renal Disease : Nilai Saturasi Transferin dan Ferritin Serum Erythropoietin Administration in End-Stage Renal Disease Patients : The Transferrin Saturation and Serum Ferritin Values*. 14(2).
<https://doi.org/10.15416/ijcp.2025.v14i2.54229>

Fahrurodzi, D. S. (2025). Analisis determinan penyakit gagal ginjal kronis di indonesia berdasarkan data survei kesehatan indonesia tahun 2023. *Jurnal Ilmiah Rekam Medis dan Informatika Kesehatan*, 15(2), 86–94.

Faizah, M. U., & Sulastri. (2022). Efek samping tindakan hemodialisis pada pasien chronic kidney disease (CKD). *Jurnal Ilmiah Keperawatan Indonesia*, 5(1), 75–82.

Francis, A., Harhay, M. N., Ong, A. C. M., Tummalapalli, S. L., Ortiz, A., Fogo, A. B., Fliser, D., Roy-Chaudhury, P., Fontana, M., Nangaku, M., Wanner, C., Malik, C., Hradsky, A., Adu, D., Bavanandan, S., Cusumano, A., Sola, L., Ulasi, I., & Jha, V. (2024). Chronic kidney disease and the global public health agenda: an international consensus. *Nature Reviews Nephrology*, 20(7), 473–485.
<https://doi.org/10.1038/s41581-024-00820-6>

Gemeay, E., Gaber, S., Kanona, A., & Alshebel, A. (2022). Impact of hemodialysis on the psychosocial state of patients with end-stage renal disease. *Life Science Journall*, 9(4), 5867–5871.

Gluba-brz, A., Franczyk, B., Olszewski, R., & Rysz, J. (2020). *The Influence of Inflammation on Anemia in CKD Patients*.

Habibzadeh, H., Dalavan, O. W., Alilu, L., Wardle, J., Khalkhali, H., & Nozad, A. (2020). Effects of foot massage on severity of fatigue and quality of life in

- hemodialysis patients: A randomized controlled trial. *International Journal of Community Based Nursing and Midwifery*, 8(2), 92–102.
<https://doi.org/10.30476/IJCBNM.2020.81662.0>
- Hamed, S. A. (2019). Neurologic conditions and disorders of uremic syndrome. *Expert Review of Clinical Pharmacology*, 12(1), 61–90.
<https://doi.org/10.1080/17512433.2019.1552137>
- Han, J., Chung, M., Kim, Y., & Choi, J. (2011). Effects of foot reflexology on fatigue , sleep and pain : a systematic review and meta-analysis. *Journal Korean Academy Nursing*, 41(6), 821–833.
- Hasanah, U., & Rachmadi, A. (2020). Hubungan kadar ureum dan kreatinin dengan tingkat fatigue pada pasien chronic kidney disease (CKD) yang menjalani hemodialisa. 8(2), 86–92.
- Hashmi, M. F., Shaikh, H., & Rout, P. (2024). *Anemia of Chronic Kidney Disease*. National Library of Medicine.
- Hornsby, B. W. Y., Naylor, G., & Bess, F. H. (2017). A Taxonomy of Fatigue Concepts and Their Relation to Hearing Loss. *Ear Hearing*, 37(1), 136S-144S.
<https://doi.org/https://doi.org/10.1097/AUD.0000000000000289>
- Hruska, K. A., Sugatani, T., Agapova, O., & Fang, Y. (2017). Pathophysiology of chronic kidney disease–mineral bone disorder. *Bone*, 100, 80–86.
<https://doi.org/10.1016/j.bone.2017.02.015>
- Ichsan, B. I. (2019). *Literasi Informasi Ilmiah Untuk Kedokteran Dan Kesehatan. Mengakses, menilai, dan mengaplikasikan jurnal-jurnal ilmiah dan sumber ilmiah lainnya* (R. Ratlin (ed.)). Muhammadiyah University Press.
- Irfa, I., Medison, I., & Iryani, D. (2012). *Gambaran Kejadian Hemoptisis pada Pasien*

di Bangsal Paru RSUP Dr . M . Djamil Padang Periode Januari 2011 – Desember.
3(3), 397–404.

Jing, Y., Liu, S., Pan, C., Jian, Y., Wang, M., & Ni, B. (2022). *The effects of foot reflexology on vital signs : a meta-analysis of randomized controlled trials*. 2022.

Kalani, L., Kheirandish, V., Beigom Bigdeli Shamloo, M., Zanganeh, M., Valiani, M., Mojab, F., Moazen, J., & Rashidi, N. (2023). Comparing the Effect of Geranium Aromatherapy and Foot Reflexology on Fatigue and Daily Activities of Patients Undergoing Hemodialysis: A Randomized Controlled Trial. *Trends in Medical Sciences*, 2(4). <https://doi.org/10.5812/tms-136136>

Khadija, S., Harun, S., & Setiawati, E. M. (2024). Hubungan antara fatigue dengan kualitas tidur pada pasien CKD yang menjalani hemodialisa di RS PKU muhammadiyah yogyakarta. *Prosiding Seminar Nasional*, 2(September), 1352–1357.

Khusniyati, N., Yona, S., & Kariasa, I. M. (2019). Fatigue, depresi, dan kualitas hidup pasien hemodialisa. *Jurnal Keperawatan Terpadu*, 1(2), 1–8.

Kovesdy, C. P. (2022). Epidemiology of chronic kidney disease: an update 2022. *Kidney International Supplements*, 12(1), 7–11. <https://doi.org/10.1016/j.kisu.2021.11.003>

Kraut, J. A., & Madias, N. E. (2010). Metabolic acidosis of CKD: an update. *American Journal of Kidney Diseases*, 56(3), 547–556. <https://doi.org/10.1053/j.ajkd.2010.01.014>

Lameire, N. H., Levin, A., Kellum, J. A., Cheung, M., Jadoul, M., Winkelmayer, W. C., & Stevens, P. E. (2021). Harmonizing acute and chronic kidney disease definition and classification: report of a kidney disease: Improving Global Outcomes

- (KDIGO) consensus conference. *Nephrology and Dialysis*, 100(3), 516–526.
<https://doi.org/https://doi.org/10.1016/j.kint.2021.06.028>
- Lazarus, E. R., Deva Amirtharaj, A., Jacob, D., Chandrababu, R., & Isac, C. (2020). The effects of an olive-oil massage on hemodialysis patients suffering from fatigue at a hemodialysis unit in southern India - a randomized controlled trial. *Journal of Complementary and Integrative Medicine*, 18(2), 397–403.
<https://doi.org/10.1515/jcim-2019-0338>
- Lerdal, A. (2020). Fatigue Severity Scale. In F. Maggino (Ed.), *Encyclopedia of Quality of Life and Well-Being Research* (hal. 1–5). Springer International Publishing.
https://doi.org/10.1007/978-3-319-69909-7_1018-3
- Listiani, D., & Hartanti, R. D. (2021). Pengaruh foot reflexology terhadap penurunan kelelahan pada pasien gagal ginjal kronik yang menjalani terapi hemodialisa : literature review. *Prosiding Seminar Nasional Kesehatan*, 1383–1392.
- Liyanage, T., Toyama, T., Hockham, C., Ninomiya, T., Perkovic, V., Woodward, M., Fukagawa, M., Matsushita, K., & Praditpornsilpa, K. (2022). *Prevalence of chronic kidney disease in Asia : a systematic review and analysis*. 1–9.
<https://doi.org/10.1136/bmjgh-2021-007525>
- Luh, N., Intan, G., Kadek, N., & Lestari, Y. (2024). Tingkat fatigue pada pasien yang menjalani hemodialisis. *Journal Nursing Research Publication Media*, 3(5), 75–82. <https://doi.org/10.55887/nrpm.v3i2.128>
- Mampesi, A., Muhith, A., & Zahro, C. (2023). Foot reflexology and back massage reduce fatigue levels in chronic kidney disease : literature review. *Journal of Applied Nursing and Health*, 5(2), 267–275.
- Massy, Z. A., Chesnaye, N. C., Larabi, I. A., Dekker, F. W., Evans, M., Caskey, F. J.,

- Torino, C., Porto, G., Szymczak, M., Drechsler, C., Wanner, C., Jager, K. J., & Alvarez, J. C. (2022). The relationship between uremic toxins and symptoms in older men and women with advanced chronic kidney disease. *Clinical Kidney Journal*, *15*(4), 798–807. <https://doi.org/10.1093/ckj/sfab262>
- Mituhu, A. P., Dwiantoro, L., & Kristina, T. N. (2021). Pengembangan Sistem Aplikasi Online untuk Penerapan Evidence Based Nursing Practice. *Jurnal Kepemimpinan dan Manajemen Keperawatan*, *4*(1). <https://doi.org/10.32584/jkkm.v4i1.839>
- Molfinio, A., Imbimbo, G., Amabile, M. I., Ammann, T., Lionetto, L., Salerno, G., Simmaco, M., Chiappini, M. G., & Muscaritoli, M. (2023). Fatigue in patients on chronic hemodialysis: the role of and muscularity. *Nutrients*, *15*(87), 2–11. <https://doi.org/https://doi.org/10.3390/nu15040876>
- National Kidney Foundation. (2023). *Chronic Kidney Disease (CKD)*.
- Nugrahandari, A. S. I., Setyani, F. A., & Suparmi, L. (2022). Faktor-faktor yang mempengaruhi fatigue pada pasien gagal ginjal kronik yang menjalani hemodialisis rutin di rumah sakit pusat angkatan udara dr. Suhardi hardjolukito yogyakarta. *Jurnal Ilmu Kesehatan*, *1*(1), 66–77.
- Nugroho, H. A., & Lazuardi, N. (2021). Risk factors affecting intradialytic hypertension in hemodialysis patients. *South East Asia Nursing Research*, *3*(4), 167–171.
- Olfah, Y., & Ghofur, A. (2016). *Dokumentasi Keperawatan*. Kementerian Kesehatan Republik Indonesia.
- Pangesti, T. A., Sutrisno, R. Y., & Widiyanto, P. (2024). Pengaruh Terapi Foot Massage terhadap Penurunan Tingkat Keletihan pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisa. *Jurnal Ilmu Kesehatan*, *1*(2), 103–113.
- Patimah, S., Kusumajaya, H., & Faizal, M. (2024). Faktor - faktor yang berhubungan

dengan fatigue pada pasien gagal ginjal kronis yang menjalani hemodialisis di rumah sakit umum daerah depatin bahrin sungai liat tahun 2024. *Jurnal Kesehatan Tambuasai*, 5, 11003–11012.

PPNI. (2017). *Standar Diagnosis Keperawatan Indonesia: Definisi dan Indikator Diagnostik* (Edisi 1). DPP PPNI.

Prasetya, E. N., Hudiawati, D., & Herianto, A. (2022). *Gambaran Kasus Tn . W Dengan Pneumonia Pada Gagal Ginjal Kronis Di RSUP Soeradji Tirtonegoro Klaten : A Case Report*. 1, 9–23.

Prastiwi, F. (2021). Factors associated with fatigue in chronic kidney disease patients undergoing hemodialysis : a systematic review. *Jurnal Kedokteran Brawijaya*, 31(4), 260–268.

Prastiwi, F., Wihastuti, T. A., Dewi, D., & Lestari, S. (2025). Faktor yang berhubungan dengan kelelahan pada pasien gagal ginjal kronik yang menjalani hemodialisis. *Jurnal Kesehatan Poltekkes Kemenkes Ternate*, 18(1), 56–65. <https://doi.org/10.32763/vy49hs69>

Price, S. A., & Wilson, L. M. (2006). *Patofisiologi Konsep Klinis Proses-Proses Penyakit* (Edisi 6). ECG.

Putri, T. D., & Mongan, A. E. (2016). Gambaran kadar albumin serum pada pasien penyakit ginjal kronik stadium 5 non dialisis. *Jurnal Biomedik*, 4, 173–177.

Quinn, D., & Bence, S. (2025). *Foot Reflexology Chart: How it Works, Potential Risks, and Benefits*. Healthline.

Rajabi, R., Akhlaghi, F., & Asadi, N. (2025). *The Effect of Foot Reflexology Massage on Fatigue and Sleep Quality in Hemodialysis Patients*. <https://doi.org/10.1177/23779608251364099>

- Rao, T. M., Ram, R., Swarnalatha, G., Pai, B. H. S., Ramesh, V., & Rao, C. S. S. (2013). Tuberculosis in haemodialysis patients : A single centre experience. *Indian Journal of Nephrology*, *23*(5), 340–345. <https://doi.org/10.4103/0971-4065.116296>
- Reiss, A. B., Jacob, B., Zubair, A., Srivastava, A., Johnson, M., & De Leon, J. (2024). Fibrosis in chronic kidney disease: Pathophysiology and therapeutic targets. *Journal of Clinical Medicine*, *13*(7), 1881. <https://doi.org/10.3390/jcm13071881>
- Rifa'i, A., Ayu, I., Satiti, D., Sagala, I. M., Setyabudhi, V., Rifa, I. A., & Satiti, A. (2024). Validity And Reliability Of Fatigue Severity Scale In Patients With Chronic Kidney Disease On Dialysis In Indonesia Achmad. *Crjim*, *x*(x), 1–5.
- Şahan, S., & Güler, S. (2023). The effect of foot reflexology on fatigue in hemodialysis patients: a meta-analysis study. *Revista latino-americana de enfermagem*, *31*, e4022. <https://doi.org/10.1590/1518-8345.6804.4022>
- Samarehfekri, A., Zakeri, M. A., Mirza, H. K., Aziz, A. R., & Dehghan, M. (2020). Effect of Foot Reflexology on Laboratory Tests after Kidney Transplantation Surgery: A Secondary Analysis of a Parallel Randomized Controlled Trial Study. *OBM Transplantation*, *7*(2). <https://doi.org/10.21926/obm.transplant.2302186>
- Saowapa, S., Chairimaneepan, N., Adu, Y., Thongpiya, J., Yingchoncharoen, P., Bell, A. L., Polpichai, N., Siladech, P., & Payne, J. D. (2024). Massive hemoptysis with end stage renal disease (ESRD): An initial symptom of rare disease. *January*, 1–4. <https://doi.org/10.1002/ccr3.8614>
- Sen, D. J., Nandi, K., & Saha, D. (2022). HYPNOSIS: THE NETWORK TO CONTROL ONE'S MIND. *World Journal of Pharmaceutical Research*, *11*(4), 1867–1888. <https://doi.org/10.20959/wjpr20224-23661>
- Shady, R. H. A., & Ali, H. M. A. (2019). Effect of Reflexology Foot Message on

- Fatigue level for Patients Undergoing Hemodialysis. *International Journal of Nursing*, 6(1), 151–170. <https://doi.org/10.15640/ijn.v6n1a17>
- Shahid, A., Wilkinson, K., & Marcu, S. (2011). STOP, THAT and One Hundred Other Sleep Scales. In C. M. Shapiro (Ed.), *Sustainability (Switzerland)* (Vol. 11, Nomor 1). Springer New York Dordrecht Heidelberg. <https://doi.org/10.1007/978-1-4419-9893-4>
- Sharifi, S., Navidian, A., Jahantigh, M., & Lori, A. S. (2018). *Investigating the Impact of Foot Reflexology on Severity of Fatigue in Patients Undergoing Hemodialysis : A Clinical Trial Study*. 7(1), 1–5. <https://doi.org/10.5812/msnj.81634>.Research
- Singh, A. P., Heldaus, J., & Msaki, A. P. (2023). Hemodialysis Complications: A Clinical Insight. *International Journal of All Research Education and Scientific Methods*, 11(03), 640–647. <https://doi.org/10.56025/ijaresm.2023.11323640>
- Sirisha, G., Pharmad, V., Reddy, D. R. B., & Mohan, T. J. (2025). Impact of diabetes and hypertension on chronic kidney disease progression. *Journal of Pharmaceutical Research and Applications*, 10(2), 1447–1450. <https://doi.org/10.35629/4494-100214471450>
- So'emah, E. N., Roifah, I., & Sudarsih, S. (2018). *Kenali fatigue dan solusi praktis (evidence based practice)*.
- Stevens, P. E., Ahmed, S. B., Carrero, J. J., Foster, B., Francis, A., Hall, R. K., Herrington, W. G., Hill, G., Inker, L. A., Kazancıoğlu, R., Lamb, E., Lin, P., Madero, M., McIntyre, N., Morrow, K., Roberts, G., Sabanayagam, D., Schaeffner, E., Shlipak, M., ... Levin, A. (2024). KDIGO 2024 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kidney International*, 105(4), S117–S314. <https://doi.org/10.1016/j.kint.2023.10.018>

- Sukron. (2025). Manajemen post dialisis effect: fatigue oleh pasien end stage renal disease (ESRD). *Jurnal Inspirasi Kesehatan*, 3(1), 66–74.
- Susanto, F. H. (2020). *Penyakit Ginjal Kronis (Chronic Kidney Disease) dan Hipertensi* (S. R. Wicaksono (ed.); Vol. 19, Nomor 5). Seribu Bintang.
- Unal, K. S., & Balci Akpınar, R. (2016). The effect of foot reflexology and back massage on hemodialysis patients' fatigue and sleep quality. *Complementary Therapies in Clinical Practice*, 24, 139–144. <https://doi.org/10.1016/j.ctcp.2016.06.004>
- Vaidya, S. R., & Aeddula, N. R. (2024). *Chronic kidney disease*. StatPearls. https://www.ncbi.nlm.nih.gov.translate.google/books/NBK535404/?_x_tr_sl=en&_x_tr_tl=id&_x_tr_hl=id&_x_tr_pto=tc
- Vaidya, S. R., & Aeddula, N. R. (2025). *Chronic Kidney Disease*. StatPearls Publishing, Treasure Island (FL).
- Varaei, S., Jalalian, Z., Yekani Nejad, M. S., & Shamsizadeh, M. (2021). Comparison the effects of inhalation and massage aromatherapy with lavender and sweet orange on fatigue in hemodialysis patients: A randomized clinical trial. *Journal of Complementary and Integrative Medicine*, 18(1), 193–200. <https://doi.org/10.1515/jcim-2018-0137>
- Visiedo, L., Rey, L., Rivas, F., López, F., Tortajada, B., Giménez, R., & Abilés, J. (2022). The impact of nutritional status on health - related quality of life in hemodialysis patients. *Scientific Reports*, 1–8. <https://doi.org/10.1038/s41598-022-07055-0>
- Wang, J., & colleagues. (2023). Real-world data on CKD-aP burden: Global patient-

reported outcomes. *Scientific Reports*, 13, 2977. <https://doi.org/10.1038/s41598-023-29644-4>

Zaccarini, S., Fernandez, A., Wolff, A., Magnusson, L., Rehberg-Klug, B., Grape, S., Schoettker, P., & Berna, C. (2023). Hypnosis in the operating room: are anesthesiology teams interested and well-informed? *BMC Anesthesiology*, 23(1), 1–7. <https://doi.org/10.1186/s12871-023-02229-3>

Zebua, Y. A., Dakhi, R. J. Y., Situmeang, F. K. B., Sakina, B., Lestari, R. H., & Kaban, K. B. (2025). *The relationship between body massage and fatigue patients in the hemodialysis ward of royal prima hospital 2025*. 10(1), 926–929.

