

## DAFTAR PUSTAKA

- [1] M. N. Shakib et al., "Measurement of a compact Boomarang-shaped microstrip antenna for wireless sensor network applications," *Cognitive Systems Research*, Aug. 2021, doi: 10.1016/J.COGSYS.2021.03.002.
- [2] A. Poonia, A. Jha, R. Sharma, H. B. Singh, A. K. Rai, and N. Sharma, "Detection of adulteration in milk: A review," *International Journal of Dairy Technology*, Feb. 2017, doi: 10.1111/1471-0307.12274.
- [3] Y. Khanna and Y. K. Awasthi, "Dual-Band Microwave Sensor for Investigation of Liquid Impurity Concentration Using a Metamaterial Complementary Split-Ring Resonator," *Journal of Electronic Materials*, Jan. 2020, doi: 10.1007/S11664-019-07761-Y.
- [4] Md. S. Rana, A. Mallik Avi, S. Hossain, S. Biswas Rana, A. A. Habib, and Md. M. Rahman, "Design and Performance Analysis of Rectangular Microstrip Patch Antenna for Wireless Applications," Dec. 2022. doi: 10.1109/I4C57141.2022.10057907.
- [5] S. U. Nafisah, A. A. Pramudita, dan Edwar, "Perancangan dan Analisis Antena Mikrostrip untuk Mendeteksi Glukosa Dalam Sebuah Produk," *e-Proceeding of Engineering*, vol. 8, no. 6, pp. 3433–3438, Des. 2022.
- [6] H. Amar, H. Ghodbane, M. Amir, M. A. Zidane, C. Hamouda, and A. Rouane, "Microstrip sensor for product quality monitoring," *Journal of Computational Electronics*, Sep. 2020, doi: 10.1007/S10825-020-01517-2.
- [7] V. E. S. Silva, D. D. Costa, F. S. M. Sinfrônio, and A. K. Barros, "Application of Dielectric Constant for Identification of Dilution in Raw Milk," Jan. 2021, doi: 10.18178/JOAAT.8.1.25-29.
- [8] S. M. Norzeli, I. Ismail, N. M. Din, M. T. Ali, A. A. Almisreb, and A. A. Alkahtani, "A rectangular CSRR based microstrip UHF reader patch antenna for RFID applications," *Indonesian Journal of Electrical Engineering and Computer Science*, Mar. 2020, doi: 10.11591/IJEECS.V17.I3.PP1434-1441.
- [9] V. J. Murthy, N. S. Kiranmai, dan S. Kumar, "Study of dielectric properties of adulterated milk concentration and freshness," *IOP Conf. Ser.: Mater. Sci. Eng.*, vol. 225, p. 012285, 2017, doi: 10.1088/1757-899X/225/1/012285.
- [10] J. Lee and A. Ciccomancini Scogna, "Antenna device and electronic device comprising antenna device," Aug. 01, 2019
- [11] N. M. Ravindra, "Antennas," 2022. doi: 10.1016/b978-0-08-102812-4.00016-4.
- [12] L. Jing and L. Xiaoming, "Antenna work method and mobile terminal," Nov. 16, 2018

- [13] H. H. Das, M. S. Sharma, and Q. Xu, "Microstrip Antenna: An Overview and Its Performance Parameter," 2022. doi: 10.1007/978-3-030-76636-8\_1.
- [14] "Design and Performance Analysis of Rectangular Microstrip Patch Antenna for Wireless Applications," Dec. 2022. doi: 10.1109/i4c57141.2022.10057907.
- [15] Abid, F.A., al-azzwi, F.F., and Khamees, R.A., "Circular-Shaped Fractal Microstrip Patch Antenna with Square-Shaped Slots for Various Wireless Applications," *2021 Fourth International Conference on Electrical, Computer and Communication Technologies (ICECCT)*, pp. 1-7, 2021.
- [16] Hariyadi, T., Rodiah, N., and Pantjawati, A.B., "The Effect of Split Ring Resonator (SRR) Metamaterials on the Bandwidth of Circular Microstrip Patch Antennas," *Journal of Physics: Conference Series*, vol. 1387, no. 1, p. 012095, Nov. 2019, doi: 10.1088/1742-6596/1387/1/012095.
- [17] C. Cheng *et al.*, "A display substrate, a display apparatus, and a method for operating the display apparatus," Jul. 30, 2020
- [18] T.-Y. Tan, Z. Xiao, and Y. Tao, "Patch antenna with reconfigurable directional diagram," Jul. 17, 2020
- [19] A. Giurgiuman *et al.*, "The Analysis, Modelling and Comparison between Circular and Rectangular Patch Antennas," in *International Conference and Exposition on Electrical and Power Engineering*, Oct. 2020. doi: 10.1109/EPE50722.2020.9305549.
- [20] Y. Soshino, "About Microstrip Antennas," *Applied science and innovative research*, Jun. 2022, doi: 10.22158/asir.v6n3p1.
- [21] G. Ji and G. Minmin, "A standing wave ratio adjusting device," Jan. 08, 2019
- [22] B. Yu, C. Wang, W. Liu, and L. Liu, "A method, apparatus, system and device for testing a bandwidth," Aug. 04, 2017
- [23] B. N. Kim and I. S. Jang, "High Gain Antenna," Dec. 27, 2018
- [24] U. Chasanah, "Pola Radiasi Antena Patch dalam Skala Linier," Oct. 2022, doi: 10.58578/yasin.v2i5.895.
- [25] J. Hu and T.-L. Ren, "Study on Quality Factor of the Ring Electrode QCM Resonator," in *2022 Joint Conference of the European Frequency and Time Forum and IEEE International Frequency Control Symposium (EFTF/IFCS)*, Apr. 2022. doi: 10.1109/eftf/ifcs54560.2022.9850869.
- [26] E. Thakur, D. Kumar, N. Jaglan, S. D. Gupta, and S. Srivastava, "Mathematical Analysis of Commonly Used Feeding Techniques in Rectangular Microstrip Patch Antenna," 2019. doi: 10.1007/978-981-13-2553-3\_3.
- [27] **Antesky**, "Principle & Design of Parabolic Antenna—Prime Focus Antenna," *Antesky*, 2019. [Online]. Tersedia: <https://www.antesky.com/principledesign-of-parabolic-antenna-prime-focus-antenna/>.

- [28] A. Rao, "Fractal Microstrip Antenna for enhancement of bandwidth to operate at multi-frequencies," 2019. [Online]. Tersedia: <https://doi.org/10.13140/RG.2.2.24590.31048>.
- [29] G. Maenhout, T. Markovic, I. Ocket, and B. Nauwelaers, "Complementary Split-Ring Resonator With Improved Dielectric Spatial Resolution," *IEEE Sensors Journal*, Feb. 2021, doi: 10.1109/JSEN.2020.3029560.
- [30] N. Yao *et al.*, "An Atomic Insight into the Chemical Origin and Variation of the Dielectric Constant in Liquid Electrolytes.," *Angewandte Chemie*, Jul. 2021, doi: 10.1002/ANIE.202107657.
- [31] I. Z. Denislamov, Yu. V. Zeigman, A. A. Imamutdinova, and A. I. Denislamova, "Substance concentration is an information indicator of technological processes in oil production," Jun. 2021, doi: 10.17122/NTJ-OIL-2021-3-9-19.
- [32] C. L. Sánchez, L. Franco, P. Regal, A. Lamas, A. Cepeda, and C. A. Fente, "Breast Milk: A Source of Functional Compounds with Potential Application in Nutrition and Therapy.," *Nutrients*, Mar. 2021, doi: 10.3390/NU13031026.
- [33] "Chemistry of Milk and Milk Products," 2022. doi: 10.1007/978-981-19-4796-4\_13.
- [34] K. Kumar, A. Sharma, and S. L. Tripathi, "Sensors and their application," 2021. doi: 10.1016/B978-0-323-85172-5.00021-6.
- [35] N. O. Zweifel and M. J. Z. Hartmann, "Defining 'active sensing' through an analysis of sensing energetics: homeoactive and alloactive sensing.," *Journal of Neurophysiology*, May 2020, doi: 10.1152/JN.00608.2019.
- [36] R. Wang, "The principle of linearity," *Project Baikaj*, Jul. 2022, doi: 10.51461/projectbaikaj.72.1973.
- [37] P. Vishwanathan, Z. Shunfeng, and S. Manat, "Validating Accuracy of Sensor Measurements," Jun. 25, 2020.
- [38] G. O'Regan, "Wi-Fi Technology," 2018. doi: 10.1007/978-3-030-02619-6\_55.
- [39] "A 2-Bit Voltage-Controlled Oscillator (VCO) for Multiband Wireless Applications," *IEEE Microwave and Wireless Components Letters*, Nov. 2022, doi: 10.1109/lmwc.2022.3182020.
- [40] F. Louche, A. Křivská, A. M. Messiaen, and T. Wauters, "Simulation of cold magnetized plasmas with the 3D electromagnetic software CST Microwave Studio," *Epj Web of Conferences*, Oct. 2017, doi: 10.1051/EPJCONF/201715703031.
- [41] T. Qin, "Measurement and Application of VNA," *Highlights in Science, Engineering and Technology*, Dec. 2022, doi: 10.54097/hset.v27i.3828.
- [42] V. R. Prasetyo, H. Lazuardi, A. A. Mulyono, and C. Lauw, "Penerapan Aplikasi RapidMiner Untuk Prediksi Nilai Tukar Rupiah Terhadap US Dollar Dengan Metode Linear Regression," *Jurnal Nasional Teknologi dan Sistem Informasi*, vol. 7, no. 1, pp. 8–17, May 2021, doi: 10.25077/teknosi.v7i1.2021.8-17.