

DAFTAR PUSTAKA

- Adrinal, R., Ardi, R., & Ardiman, A. (2024). Studi sika tanah pada budi daya tembakau (*Nicotiana tabacum* L) di berbagai kemiringan lahan. *Jurnal Ilmu Pertanian Indonesia*, 29(4), 526–535. <https://doi.org/10.18343/jipi.29.4.526>
- Agarwal, M., Shrivastava, N., & Padh, H. (2008). Advances in molecular marker techniques and their applications in plant sciences. *Plant Cell Reports*, 27, 617–631.
- Aini, I., Usman, Y., & Yusmarni. (2018). Analisis usaha tani tembakau (*Nicotiana tabacum*) varietas Rudau Teleng di Kec. Bukit Barisan Kab. Lima Puluh Kota. *JOSETA: Journal of Socio Economic on Tropical Agriculture*, 1(1), 79–88.
- Balittas. (1998). *Monograf Tembakau Virginia*. Kementerian Pertanian Republik Indonesia.
- Basyir. (2006). *Budidaya tanaman tembakau*. Universitas Sumatera Utara.
- Batista, E. D. R., Bertão, M. R., Palmieri, D. A., Zaniboni, C. B., & Moraes, M. C. (2024). Optimization of DNA Extraction and RAPD Protocols for Dry *Capsicum* Seeds. *Brazilian Archives of Biology and Technology*, 67, e24240151. <https://doi.org/10.1590/1678-4324-2024240151>
- Bermawie, N. (2005). Karakterisasi plasma nutfah tanaman. Dalam *Pedoman Pengelolaan Plasma Nutfah Perkebunan* (hlm. 38–52). Pusat Penelitian dan Pengembangan Perkebunan.
- Cahyono, B. (2005). *Tembakau: Budidaya dan analisis usaha tani*. Kanisius.
- Candra, S. A., & Maharani, E. (2018). Produksi tembakau Sumbar stagnan. *Republika*.
- Chase, M. W., & Hills, H. H. (1991). Silica gel: An ideal material for field preservation of leaf samples for DNA studies. *Taxon*, 40(2), 215–220. <https://doi.org/10.2307/1222975>
- Cheng, K. T., Chang, H. C., Su, C. H., & Hsu, F. L. (1997). Identification of dried rhizomes of *Coptis* species using random amplified polymorphic DNA. *Botanical Bulletin of Academia Sinica*, 38, 241–244
- Darvishzadeh, R., et al. (2011). Morphological diversity analysis of tobacco (*Nicotiana tabacum* L.) germplasm. *Industrial Crops and Products*, 33, 347–352.
- Dinas Tanaman Pangan Hortikultura dan Perkebunan Kabupaten Lima Puluh Kota. (2025). *Database tanaman pangan hortikultura dan perkebunan tahun 2025*. Sarilamak: Pemerintah Kabupaten Lima Puluh Kota.

- Doctor of Agricultural Sciences. (2020). *The importance of plantation crops*. Universitas Medan Area. <https://doktor.pertanian.uma.ac.id/2020/09/pentingnya-tanaman-perkebunan>
- Falconer, D. S., & Mackay, T. F. C. (1996). *Introduction to quantitative genetics*. London: Longman.
- Ferita, I., Tawarati, & Syarif, Z. (2015). Identifikasi dan karakterisasi tanaman enau (*Arenga pinnata*) di Kabupaten Gayo Lues. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 1(1), 31–37.
- Gusman, M. (2010). *Konsep eksplorasi*. Fakultas Teknik, Universitas Negeri Padang.
- Hanum, C. (2008). *Teknik budidaya tanaman*. Departemen Pendidikan Nasional.
- Hassan, S., & Al-Asadi, A. D. A.-A. (2025, Juni 1). *Using random amplification polymorphism (RAPD-PCR) markers to determine the genetic variability of some local and tissue cultured date palm Phoenix dactylifera L. cultivars*. University of Thi-Qar Journal of Agricultural Research, 14(1), 221–234. <https://doi.org/10.54174/99b6sd83>
- Herison, C., Handajaningsih, M., Fahrurrozi, & Rustikawati. (2017). Wet season trials on growth and yield of six newly developed chili pepper hybrids at three different locations. *International Journal on Advanced Science, Engineering and Information Technology*, 7(5), 1913–1919. <https://doi.org/10.18517/ijaseit.7.5.2515>
- Hidayat, N. Z., Saptadi, D., & Soetopo, L. (2016). Relationship analysis of 20 species of Dendrobium orchid based on morphological characteristics. *Jurnal Produksi Tanaman*, 4(4), 291–297.
- Joshi, T., Jeffrey, C., Nickolai, B., Alexandro, & Xu, D. (2004). Genome-scale gene function prediction using multiple sources of high-throughput data in yeast *Saccharomyces cerevisiae*. *OMICS: A Journal of Integrative Biology*, 8(4), 322–333.
- Karimah, A. Z., Siswoyo, T. A., Kim, K. M., & Ubaidillah, M. (2021). Genetic diversity of rice germplasm (*Oryza sativa* L.) of Java Island, Indonesia. *Journal of Crop Science and Biotechnology*, 24(1), 93–101. <https://doi.org/10.1007/s12892-020-00063-4>
- Karp, A., et al. (1997). Molecular technologies for biodiversity evaluation: Opportunities and challenges. *Nature Biotechnology*, 15(7), 625–628.
- Kumar, R., Das, S. P., Choudhury, B. U., Kumar, A., Prakash, N. R., Verma, R., Chakraborti, M., Devi, A. G., Bhattacharjee, B., Das, R., Das, B., Devi, H. L., Das, B., & Rawat, S. (2024). Advances in genomic tools for plant breeding: Harnessing DNA molecular markers, genomic selection, and genome editing. *Biological Research*, 57(1), 80. <https://doi.org/10.1186/s40659-024-00562-6>

- Kumar, Senthil, N., & Gurusubramanian, G. (2011). Random amplified polymorphic DNA (RAPD) markers and its applications. *Science Vision*, 11(3), 116–124.
- Lestari, P., Wikan, D., Rosdianti, I., & Sabran, M. (2016). Morphological variability of Indonesian rice germplasm and the associated SNP markers. *Emirates Journal of Food and Agriculture*, 28(9), 660–670.
- Litbang. (2004). *Pelestarian plasma nutfah sudah mendesak*. Badan Litbang Pertanian, Kementerian Pertanian.
- Mahgoub, Y. A., Mahmoud, H. A., El-Sebakhy, N. A., & Abdallah, I. I. (2025). Unravelling *Artemisia* species genetic variation via DNA barcoding, ISSR and RAPD with the development of eco-specific SCAR markers. *BMC Plant Biology*, 25, 1034. <https://doi.org/10.1186/s12870-025-07058-9>
- Matnawi, M. (2012). *Sistematika tanaman tembakau (Nicotiana tabacum L.)*. Universitas Sumatera Utara.
- Martono, N. (2010). *Metode Penelitian Kuantitatif: Analisis Isi dan Analisis Data Sekunder*. Jakarta: Raja Grafindo.
- McGregor, C. E., Lambert, C. A., Greyling, M. M., Louw, J. H., & Warnich, L. (2000). A comparative assessment of DNA fingerprinting techniques (RAPD, ISSR, AFLP and SSR) in tetraploid potato (*Solanum tuberosum* L.) germplasm. *Euphytica*, 113, 135–144.
- Milla, R., et al. (2005). Use of RAPD and SCAR markers for the identification of tobacco cultivars. *Euphytica*, 146, 77–84. <https://doi.org/10.1007/s10681-005-0259-4>
- Mohammadi, S. A., & Prasanna, B. M. (2003). Analysis of genetic diversity in crop plants—Salient statistical tools and considerations. *Crop Science*, 43, 1235–1248.
- Mondini, L., Noorani, A., & Pagnotta, M. A. (2009). Assessing plant genetic diversity by molecular tools. *Diversity*, 1, 19–35.
- Nadeem, M. A., Nawaz, M. A., Shahid, M. Q., Doğan, Y., Comertpay, G., Yıldız, M., Hatipoğlu, R., Ahmad, F., Alsaleh, A., Labhane, N., Özkan, H., Chung, G., & Baloch, F. S. (2018). DNA molecular markers in plant breeding: current status and recent advancements in genomic selection and genome editing. *Biotechnology & Biotechnological Equipment*, 32(2), 261–285. <https://doi.org/10.1080/13102818.2017.1400401>
- Nadifah, F., & Daryono, B. S. (2017). The genetic variations and relationship of Madura tobacco (*Nicotiana tabacum* L.) based on molecular characteristics. *Indonesian Journal of Biotechnology*, 21(2), 70–75. <https://doi.org/10.22146/ijbiotech.10582>
- Powell, W., Morgante, M., Andre, C., et al. (1996). The comparison of RFLP, RAPD, AFLP and SSR markers for germplasm analysis. *Molecular Breeding*, 2, 225–238.

- Rahayu, S. E., & Handayani, S. (2008). Keanekaragaman morfologi dan anatomi Pandanus (Pandanaceae) di Jawa Barat. *VIS VITALIS*, 1(2), 2008.
- Reece, J. D., & Haribabu, E. (2007). Genes to feed the world: The weakest link. *Food Policy*, 32(4), 459–479.
- Sambrook, J., & Russell, D. W. (2001). *Molecular Cloning: A Laboratory Manual* (3rd ed., Vol. 1). Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press.
- Sarjani, T. M., Mawardi, E. S., Pandia, & Wulandari, D. (2017). Identifikasi morfologi dan anatomi tipe stomata famili Piperaceae di Kota Langsa. *Jurnal IPA dan Pembelajaran IPA*, 1(2), 182–191.
- Simangunsong, A. D., & Damanhuri, R. (2017). Eksplorasi dan karakterisasi pisang emas di Kabupaten Nganjuk, Mojokerto, Lumajang dan Kediri. *Jurnal Produksi Tanaman*, 5(3), 363–367.
- Sujiprihati, S., Arif, A. B & Syukur, M. (2012). Pendugaan parameter genetik pada beberapa karakter kuantitatif pada persilangan antara cabai besar dengan cabai keriting (*Capsicum annum* L.). *Jurnal Agronomi Indonesia*, 40, 119–124.
- Sumantri, C., & Gunawan, A. (2008). Pendugaan nilai campuran fenotipik dan jarak genetik domba garut dan persilangannya. *Jurnal Ilmu Ternak Tropika Indonesia*, 33(3), 176–185.
- Sun, L., Lai, M., Ghouri, F., Nawaz, M. A., Ali, F., Baloch, F. S., Nadeem, M. A., Aasim, M., & Shahid, M. Q. (2024). Modern plant breeding techniques in crop improvement and genetic diversity: From molecular markers and gene editing to artificial intelligence—A critical review. *Plants*, 13(19), 2676. <https://doi.org/10.3390/plants13192676>
- Supriyanti, Supriyanta, & Kristantini. (2015). Karakterisasi dua puluh padi (*Oryza sativa*. L.) lokal di Daerah Istimewa Yogyakarta. *Vegetalika*, 4(3), 29–41.
- Suwarso, Rochman, F., & Yulaikah, S. (2011). *Morfologi dan Biologi Tembakau Virginia*. Malang: Balai Penelitian Tanaman Tembakau dan Serat (Balittas).
- Suwarto. (2014). *Top 15 tanaman perkebunan*. Penebar Swadaya.
- Wahyudi, M., & Abdulah, A. S. (2019). Berbagai taraf pemberian pupuk SS dan pupuk kandang terhadap pertumbuhan dan produksi tembakau Payakumbuh. *Jurnal Penelitian Lumbung*, 18(2), Agustus 2019.
- Weising, K., Nybom, H., Wolff, K., & Kahl, G. (2005). *DNA Fingerprinting in Plants: Principles, Methods, and Applications* (2nd ed.). Boca Raton, FL: CRC Press. <https://doi.org/10.1201/9781420040043>
- Williams, J. G. K., et al. (1990). DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research*, 18(22), 6531–6535. <https://doi.org/10.1093/nar/18.22.6531>

- Yadav, A., Singh, R., Yadav, V., Mishra, D. S., Sahil, A., Khapte, P. S., Siddiqui, M. H., & Khan, S. (2025). *Assessment of morphological and molecular diversity in tomato accessions using quantitative traits and RAPD markers. Scientific Reports*, 15, 37151. <https://doi.org/10.1038/s41598-025-21062-x>
- Yazid, W. A. B., Respatijarti, & Damanhuri. (2016). Eksplorasi dan identifikasi karakter morfologi tanaman cincau hitam (*Mesona palustris* BL) di Pacitan, Magetan dan Ponorogo. *Jurnal Produksi Tanaman*, 4(4), 306–310.
- Yusuf, M. (2008). *Metode eksplorasi, inventarisasi, evaluasi dan konservasi plasma nutfah*. Pusat Penelitian Bioteknologi, Institut Pertanian Bogor.
- Zaman, W., Ayaz, A., & Park, S. (2025). *Integrating morphological and molecular data in plant taxonomy*. Pak. J. Bot. (Discusses integrative methods).
- Zulfahmi. (2013). Penanda molekuler untuk analisis genetik pada tanaman. *Jurnal Agroteknologi*, 3(2). Fakultas Pertanian dan Peternakan, Universitas Islam Negeri Sultan Syarif Kasim Riau.

