

DAFTAR PUSTAKA

- Adinugroho, W. C., Kusmana, C., & Mansur, I. (2019). Karakteristik tanah lahan pasca tambang dan upaya perbaikannya. *Jurnal Ilmu Tanah Dan Lingkungan*, 21(2), 115–124.
- Agus, F. (2004). Indonesian soil database and predicted stock of soil carbon. In *World Soil Resources Reports*. FAO.
- Ahsan, N., Jalil, M. A., & Diba, F. (2019). Assessment of heavy metals uptake and translocation by *Aquilaria malaccensis* planted in soils containing sewage sludge. *Applied Ecology and Environmental Research*, 17(2), 2149–2164. https://doi.org/10.15666/aeer/1702_21492164
- Ali, M. S., Saleem, M., & Ali, Z. (2013). Azulene derivatives and their biological activities. *Natural Product Research*, 27(6), 593–602. <https://doi.org/10.1080/14786419.2012.671921>
- Alloway, B. J. (1995). *Heavy metals in soils*. Blackie Academic & Professional.
- Alloway, B. J. (2013). *Heavy metals in soils: Trace metals and metalloids in soils and their bioavailability* (3rd ed.). Springer. <https://doi.org/10.1007/978-94-007-4470-7>
- Alwis, W. N. H. de, Subasinghe, S., & Hettiarachchi, D. S. (2019). Characterisation and Variation of Agarwood Resins From *Gyrinops Walla*. *Journal of Tropical Forest Science*. <https://doi.org/10.26525/jtfs2019.31.2.222229>
- AOAC (2005). *Official Methods of Analysis of the AOAC International* (18th ed.). AOAC International.
- Asiedu, Y., & Gu, P. (1998). Product life cycle cost analysis: State of the art review. *International Journal of Production Research*, 36(4), 883–908.
- Atikah, N., Yusoff, M., Tajuddin, S. N., Hisyam, A., Adila, N., & Omar, M. (2015). Agarwood Essential Oil: Study on Optimum Parameter and Chemical Compounds of Hydrodistillation Extraction. *Journal of Applied Science and Agriculture J. Appl. Sci. & Agric*, 10(105), 1–5. www.aensiweb.com/JASA
- ATSDR (2017). *Toxicological profile for antimony*. U.S. Department of Health and Human Services.
- Awliya, U. T., & Suryaningtyas, D. T. (2023). Effectiveness of mine land reclamation in Indonesia: Case studies and innovative approaches for ecosystem restoration. *Jurnal Pengelolaan Lingkungan Pertambangan*, 2(1). <https://doi.org/10.70191/jplp.v2i1.62277>
- Azwanida, N. N. (2015). A review on the extraction methods used in medicinal plants: Principles, strengths, and limitations. *Medicinal & Aromatic Plants*,

4(3), 1–6. <https://doi.org/10.4172/2167-0412.1000196>

- Badan Standardisasi Nasional. (2011). *Gaharu* (Issue SNI 7631:2011). Badan Standardisasi Nasional.
- Baser, K. H. C., & Buchbauer, G. (2015). *Handbook of Essential Oils: Science, Technology, and Applications* (2nd ed.). CRC Press.
- Batubara, R., Surjanto, Hanum, T., Handika, A., & Affandi, O. (2020). The Screening of Phytochemical and Antioxidant Activity of Agarwood Leaves (*Aquilaria Malaccensis*) From Two Sites in North Sumatra, Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(4). <https://doi.org/10.13057/biodiv/d210440>
- Begum, K., Das, A., Ahmed, R., Akhtar, S., Kulkarni, R., & Banu, S. (2024). Genome-wide analysis of respiratory burst oxidase homolog (Rboh) genes in *Aquilaria* species and insight into ROS-mediated metabolites biosynthesis and resin deposition. *Frontiers in Plant Science*, 14, 1326080. <https://doi.org/10.3389/fpls.2023.1326080>
- Bekti, H. S., Budi, S., & Wibowo, C. (2022). Arbuscular Mycorrhizal Fungi Inoculum and Soil Ameliorants Enhance the Growth of *Falcataria Moluccana* in Revegetation of Post-Silica Sand Mining Land in Sukabumi, Indonesia. *Biodiversitas Journal of Biological Diversity*, 23(2). <https://doi.org/10.13057/biodiv/d230264>
- Bent, S., Padula, A., Moore, D., Patterson, M., & Mehling, W. (2006). Valerian for sleep: A systematic review and meta-analysis. *American Journal of Medicine*, 119(12), 1005–1012.
- Bernard, A. B., & Jones, C. I. (1996). Comparing apples to oranges: Productivity convergence and measurement across industries and countries. *The American Economic Review*, 86(5), 1216–1238.
- Bharadwaj, R., Sahoo, D., & Mohanty, K. (2019). Effect of microwave and ultrasonic assisted extraction on the release of bioactive compounds from lignocellulosic biomass. *Bioresource Technology*, 285, 121314. <https://doi.org/10.1016/j.biortech.2019.121314>
- Bhuiyan, M. N. I., Begum, J., & Bhuiyan, M. N. H. (2009). Analysis of essential oil of agarwood tree (*Aquilaria agallocha* Roxb.) grown in Bangladesh. *Bangladesh Journal of Pharmacology*, 4(1), 24–28.
- Blank, L. T., & Tarquin, A. J. (2018). *Engineering Economy* (8th ed.). McGraw-Hill Education.
- Boland, M. (2009). *What is Value-added Agriculture?* Department of Agricultural Economics, Kansas State University.
- Brunton, L. L., Hilal-Dandan, R., & Knollmann, B. C. (2018). *Goodman and*

Gilman's The Pharmacological Basis of Therapeutics (13th ed.). McGraw-Hill Education.

- Budiadi, B., Marsoem, S. N., & Indrajaya, Y. (2018). Pengembangan gaharu dalam sistem agroforestri di lahan marginal. *Jurnal Penelitian Hutan Tanaman*, *15*(2), 91–104.
- Bunte, F. (2006). *Pricing and Performance in Agri-Food Supply Chains* (First Edit). LEI, Wageningen University and Research Centre.
- Burdock, G. A. (2010). *Fenaroli's Handbook of Flavor Ingredients* (6th ed.). CRC Press.
- Calder, P. C. (2015). Marine omega-3 fatty acids and inflammatory processes: Effects, mechanisms and clinical relevance. *Biochimica et Biophysica Acta - Molecular and Cell Biology of Lipids*, *1851*(4), 469–484. <https://doi.org/10.1016/j.bbali.2014.08.010>
- Canaj, K., Parente, A., D'Imperio, M., Boari, F., Buono, V., Toriello, M., Mehmeti, A., & Montesano, F. F. (2021). Can precise irrigation support the sustainability of protected cultivation? A life-cycle assessment and life-cycle cost analysis. *Water*, *14*(1), 6. <https://doi.org/10.3390/w14010006>
- Chan, C. H., Yusoff, R., Ngoh, G. C., & Kung, F. W. L. (2011). Microwave-assisted extractions of active ingredients from plants. *Journal of Chromatography A*, *1218*(37), 6213–6225. <https://doi.org/10.1016/j.chroma.2011.07.040>
- Chandran, M., Prasad, M. N. V, & Freitas, H. (2018). Rehabilitation of coal mine degraded lands: A review on ecological restoration approaches. *Ecological Engineering*, *112*, 100–116.
- Chemat, F., Rombaut, N., Sicaire, A. G., Meullemiestre, A., Fabiano-Tixier, A. S., & Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications: A review. *Ultrasonics Sonochemistry*, *34*, 540–560. <https://doi.org/10.1016/j.ultsonch.2016.06.035>
- Chen, F., Zhang, Q., & Guo, Y. (2019). Ultrasound-assisted extraction and structural characterization of bioactive compounds from lignocellulosic biomass. *Ultrasonics Sonochemistry*, *56*, 52–61. <https://doi.org/10.1016/j.ultsonch.2019.04.002>
- Chen, H. Q., Wei, J. H., Yang, J. S., Zhang, Z., Yang, Y., Gao, Z. H., & Sui, C. (2012). Chemical constituents of agarwood originating from the wound-induced *Aquilaria sinensis*. *Chemistry & Biodiversity*, *9*(2), 236–250. <https://doi.org/10.1002/cbdv.201100078>
- Chen, Y., Xie, M. Y., Nie, S. P., Li, C., & Wang, Y. X. (2020). Ultrasound-assisted extraction of bioactive compounds from plants and its application in the food industry. *Food Research International*, *137*, 109711.

<https://doi.org/10.1016/j.foodres.2020.109711>

- Chhipa, H., & Kaushik, N. (2017). Fungal and bacterial diversity associated with agarwood: A review. *Current Research in Environmental & Applied Mycology*, 7(3), 205–218.
- Coltrain, D., Barton, D., & Boland, M. (2000). *Value Added: Opportunities and Strategies*. Arthur Capper Cooperative Center, Department of Agricultural Economics, Kansas State University.
- Dai, J., & Mumper, R. J. (2010). Plant phenolics: Extraction, analysis and their antioxidant and anticancer properties. *Molecules*, 15(10), 7313–7352. <https://doi.org/10.3390/molecules15107313>
- De Menna, F., Loubiere, M., Dietershagen, J., Unger, N., & Vittuari, M. (2016). *Methodology for evaluating Life Cycle Costing (LCC)*. European Union Horizon Programme.
- Depkes RI, D. K. R. I. (2008). *Farmakope Herbal Indonesia* (Edisi I). Departemen Kesehatan Republik Indonesia.
- Desbois, A. P., & Smith, V. J. (2010). Antibacterial free fatty acids: Activities, mechanisms and biotechnological potential. *Applied Microbiology and Biotechnology*, 85(6), 1629–1642. <https://doi.org/10.1007/s00253-009-2355-3>
- Dhillon, B. S. (2010). *Life Cycle Costing for Engineers*. CRC Press. <https://doi.org/10.1201/9781420072554>
- Dong, J., Liu, Y., Liang, Z., & Wang, W. (2011). Microwave-assisted extraction of total phenolic compounds from *Commiphora africana* resin. *Food Chemistry*, 129(2), 747–752. <https://doi.org/10.1016/j.foodchem.2011.05.021>
- Eurlings, M. C. M., Gravendeel, B., & van Beek, H. H. (2010). Molecular identification of agarwood (*Aquilaria* spp., Thymelaeaceae) in illegal trade. *Biological Conservation*, 144(5), 1451–1461.
- Fabrycky, W. J., & Blanchard, B. S. (1991). *Life-Cycle Cost and Economic Analysis*. Prentice Hall.
- Fageria, N. K., Baligar, V. C., & Clark, R. B. (2011). *Physiology of crop plants* (2nd ed.). CRC Press.
- Faizal, A., Azar, A. W. P., Turjaman, M., & Esyanti, R. R. (2020). *Fusarium Solani* Induces the Formation of Agarwood in *Gyneros Versteegii* (Gilg.) Domke Branches. *Symbiosis*. <https://doi.org/10.1007/s13199-020-00677-w>
- Faizal, A., Esyanti, R. R., Adn'ain, N., Rahmani, S., Azar, A. W. P., Iriawati, &

- Turjaman, M. (2021). Methyl Jasmonate and Crude Extracts of Fusarium Solani Elicit Agarwood Compounds in Shoot Culture of Aquilaria Malaccensis Lamk. *Helicon*. <https://doi.org/10.1016/j.helicon.2021.e06725>
- Fauziah, D. R., Satria, A. W., & Yuniarti, R. (2022). Studi Kinetika Ekstraksi Minyak Gaharu Dengan Kombinasi Fermentasi. *Jurnal Integrasi Proses*, 11(2), 34. <https://doi.org/10.36055/jip.v11i2.14640>
- Ferreira, S. R. S., Zabet, G. L., & Meireles, M. A. A. (2015). Extraction of bioactive compounds from lignocellulosic materials by supercritical fluids: Fundamentals, applications and perspectives. *Journal of Supercritical Fluids*, 96, 520–541. <https://doi.org/10.1016/j.supflu.2014.10.023>
- Finkbeiner, M., Schau, E. M., Lehmann, A., & Traverso, M. (2010). Towards life cycle sustainability assessment. *Sustainability*, 2(10), 3309–3322.
- Finnveden, G., Hauschild, M. Z., Ekvall, T., Guinée, J., Heijungs, R., Hellweg, S., & Suh, S. (2009). Recent developments in life cycle assessment. *Journal of Environmental Management*, 91(1), 1–21. <https://doi.org/10.1016/j.jenvman.2009.06.018>
- Foy, C. D., & Adams, F. (1984). Physiological effects of hydrogen, aluminum, and manganese toxicities in acid soil. In *Soil acidity and liming* (2nd ed., pp. 57–97). American Society of Agronomy.
- Gao, X., Wu, J., Zhao, Y., Wang, M., & Dong, Y. (2019). Ultrasound-assisted extraction of plant bioactive compounds: Mechanisms, techniques, combinations, optimization, and applications. *Critical Reviews in Food Science and Nutrition*, 59(11), 2256–2274. <https://doi.org/10.1080/10408398.2018.1442310>
- Garcia-Vaquero, M., Rajauria, G., O'Doherty, J. V., & Sweeney, T. (2021). Evaluation of ultrasound, microwave, ultrasound–microwave, hydrothermal and high-pressure assisted extraction technologies for the recovery of phytochemicals and antioxidants from brown macroalgae. *Marine Drugs*, 19(6), 309. <https://doi.org/10.3390/md19060309>
- Gogoi, R., Sarma, N., Begum, T., Chanda, S. K., Lekhak, H., Sastry, G. N., & Lal, M. (2023). Agarwood (*Aquilaria malaccensis* L.) a quality fragrant and medicinally significant plant based essential oil with pharmacological potentials and genotoxicity. *Industrial Crops and Products*, 197, 116535. <https://doi.org/https://doi.org/10.1016/j.indcrop.2023.116535>
- Guenther, E. (1987). *The Essential Oils: History Origin in Plants Production Analysis* (Vol. 1). D. Van Nostrand Company.
- Guinee, J. B., Heijungs, R., Huppes, G., Zamagni, A., Masoni, P., Buonamici, R., & Rydberg, T. (2011). Life cycle assessment: Past, present, and future. *Environmental Science & Technology*, 45(1), 90–96.

<https://doi.org/10.1021/es101316v>

- Guinée, J. B., Heijungs, R., Huppés, G., Zamagni, A., Masoni, P., Buonamici, R., & Rydberg, T. (2011). Life cycle assessment: Past, present, and future. *Environmental Science & Technology*, 45(1), 90–96. <https://doi.org/10.1021/es101316v>
- Gunstone, F. D., Harwood, J. L., & Dijkstra, A. J. (2007). *The Lipid Handbook* (3rd ed.). CRC Press.
- Hakim, N., Lubis, A. M., Nugroho, S. G., Diha, M. A., Hong, G. B., & Bailey, H. H. (2018). *Dasar-dasar Ilmu Tanah*. Rajawali Pers.
- Hannouf, M., & Assefa, G. (2017). Life cycle sustainability assessment for sustainability improvements: A case study of high-density polyethylene production in Alberta, Canada. *Sustainability*, 9(12). <https://doi.org/10.3390/su9122332>
- Harborne, J. B. (1987). *Introduction to ecological biochemistry* (4th ed.). Academic Press.
- Harborne, J. B. (1998). *Phytochemical methods: A guide to modern techniques of plant analysis* (3rd ed.). Chapman and Hall.
- Hardiansyah, G., & Prayogo, C. (2019). Rehabilitasi lahan pasca tambang melalui revegetasi dan pengelolaan tanah. *Jurnal Tanah Dan Lingkungan*, 21(1), 45–54.
- Hashim, Y. Z. H.-Y., Kerr, P. G., Abbas, P., & Mohd Salleh, H. (2016). Aquilaria spp. (agarwood) as source of health beneficial compounds: A review of traditional use, phytochemistry and pharmacology. *Journal of Ethnopharmacology*, 189, 331–360. <https://doi.org/https://doi.org/10.1016/j.jep.2016.06.055>
- Haslina Abd Latib, E., Moyeenul Huq, A. K. M., Zareen, S., & Nizam Tajuddin, S. (2023). Gas chromatography mass spectrometry couple with quadrupole time-of-flight (GC-QTOF MS) as a powerful tool for profiling of oxygenated sesquiterpenes in agarwood oil. *Arabian Journal of Chemistry*, 16(9), 105025. <https://doi.org/https://doi.org/10.1016/j.arabjc.2023.105025>
- Hunkeler, D., Lichtenvort, K., & Rebitzer, G. (2008). *Environmental life cycle costing*. CRC Press.
- Hemwimon, S., Pavasant, P., & Shotipruk, A. (2017). Microwave-assisted extraction of antioxidative anthraquinones from roots of *Morinda citrifolia*. *Separation and Purification Technology*, 54(1), 44–50.

<https://doi.org/10.1016/j.seppur.2006.08.022>

- Hendayana, S. (1994). *Kimia Analitik Instrumen* (Edisi kesa). IKIP Press.
- Hendrickson, C., Lave, L. B., & Matthews, H. S. (2006). *Environmental Life Cycle Assessment of Goods and Services: An Input-Output Approach*. Resources for the Future.
- Herman, W., Sutarta, E. S., & Rachman, A. (2024). Variation in soil characteristics of ex-coal mining areas under different revegetation ages. *BIO Web of Conferences*, 82, 5010. <https://doi.org/10.1051/bioconf/20248205010>
- Hernandez, R., Raharjo, I. B., & Siregar, A. Z. (2019). Tolerance and accumulation of heavy metals in *Aquilaria malaccensis* seedlings grown in contaminated soils. *Journal of Tropical Forest Science*, 31(2), 213–222.
- Hidayat, A., Santoso, B., & Nurjanah, S. (2021a). Phytochemical profile and bioactivity of agarwood (*Aquilaria* spp.) essential oil: A review. *Journal of Applied Research on Medicinal and Aromatic Plants*, 25, 100328. <https://doi.org/10.1016/j.jarmap.2021.100328>
- Hidayat, R., Santosa, L. W., & Dewi, P. (2021b). Community-based post-mining land use: Lessons from Sawahlunto, Indonesia. *Journal of Sustainable Development*, 14(1), 45–58.
- Hidayat, S. (2012). *Model Penyeimbangan Nilai Tambah Berdasarkan Tingkat Resiko Pada Rantai Pasok Minyak Sawit*. Institut Pertanian Bogor.
- Hines, T. (2004). *Supply Chain Strategies: Customer-driven and Customer-Focused*. Elsevier Butterworth-Heinemann.
- Holka, M., & Bienkowski, J. (2020). Carbon footprint and life-cycle costs of maize production in conventional and non-inversion tillage systems. *Agronomy*, 10(12), 1877. <https://doi.org/10.3390/agronomy10121877>
- Houghton, P. J. (1999). The scientific basis for the reputed activity of Valerian. *Journal of Pharmacy and Pharmacology*, 51(5), 505–512.
- Huang, B., Zhao, J., Chai, J., Xue, B., Zhao, F., & Wang, X. (2017). Environmental influence assessment of China's multi-crystalline silicon (multi-Si) photovoltaic modules considering recycling process. *Solar Energy*, 143, 132–141. <https://doi.org/10.1016/j.solener.2016.12.038>
- ICH. (2015). *Q3D Guideline for Elemental Impurities*. International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use.
- IEC. (2004). *IEC 60300-3-3: Application guide—Life cycle costing*. International

Electrotechnical Commission.

- Iskandar, I., Riani, E., Sulistyantara, B., & Santosa, P. B. (2022). The regulatory role of mine soil properties in the growth of pioneer species in post-coal mining reclamation areas. *Ecological Indicators*, 142, 109212. <https://doi.org/10.1016/j.ecolind.2022.109212>
- Iskandar, Sujatmiko, & Gautama, R. S. (2011). Acid Mine Drainage Management in Indonesian Mines. In *7th Australian Workshop on Acid Mine Drainage*.
- ISO (2006). *ISO 14040:2006 Environmental management - Life cycle assessment - Principles and framework*. International Organization for Standardization.
- Jabbar, A., Jayuska, A., & Burhanuddin. (2015). Pengaruh Fermentasi *Rhizopus sp* . Terhadap Senyawa Sesquiterpen pada kayu Gaharu *Aquilaria malaccensis*. *Jurnal Kimia Khatulistiwa*, 4(2), 89–94. <https://jurnal.untan.ac.id/index.php/jkkmipa/article/view/11863>
- Jenkins, B., West, J. A., & Koulman, A. (2015). A review of odd-chain fatty acid metabolism and health implications. *Molecular Nutrition & Food Research*, 59(5), 745–759. <https://doi.org/10.1002/mnfr.201400632>
- Jok, V. A., Radzi, N. C., & Hamid, K. H. K. (2015). Agarwood oil rendement as a result of changes in cell morphology due to soaking process. *Procedia - Social and Behavioral Sciences*, 195, 2443–2450. <https://doi.org/10.1016/j.sbspro.2015.06.387>
- Jong, P. L., Tsan, P., & Mohamed, R. (2014). Gas chromatography-mass spectrometry analysis of agarwood extracts from mature and juvenile *Aquilaria malaccensis*. *International Journal of Agriculture and Biology*, 16, 644–648.
- Kabata-Pendias, A. (2011). *Trace elements in soils and plants* (4th ed.). CRC Press.
- Kapoor, K., & Bawa, A. (2022). Hybrid approaches and optimization strategies for natural product extraction: Balancing efficiency, cost and sustainability. *Critical Reviews in Food Science and Nutrition*, 62(15), 3976–3990.
- Kemenuh (2003). *Budidaya Gaharu*. Badan Penelitian dan Pengembangan Kehutanan.
- Khabnadideh, S. (2003). Synthesis and antimicrobial evaluation of imidazole derivatives. *Bioorganic & Medicinal Chemistry Letters*, 13(17), 2863–2865.
- Koa, W. Y., Hsiang, C. Y., & Ho, S. C. (2018). Chemical profiles of incense smoke ingredients from agarwood by headspace gas chromatography-tandem mass spectrometry. *Molecules*, 23(11), 2969–2982.
- Kumar, A., Maiti, S. K., & Singh, A. K. (2017). Metal contamination of soil and plants in the vicinity of coal mining areas: A case study from India.

Environmental Earth Sciences, 76(3), 152.

- Kusrini, E., Sumarni, W., & Syahbanu, I. (2019). Application of ultrasound-assisted extraction in essential oils isolation: A review. *IOP Conference Series: Materials Science and Engineering*, 509(1), 12064. <https://doi.org/10.1088/1757-899X/509/1/012064>
- Leggett, J. D., Aspley, S., Beckett, S. R., D'Antona, A. M., & Kendall, D. A. (2004). Oleamide is a selective endogenous agonist of rat and human CB1 cannabinoid receptors. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 71(1), 35–41. <https://doi.org/10.1016/j.plefa.2004.02.004>
- Li, C., Jia, Z., Ma, S., Liu, X., Zhang, J., & Müller, C. (2023). Plant and Native Microorganisms Amplify the Positive Effects of Microbial Inoculant. *Microorganisms*, 11(3), 570. <https://doi.org/10.3390/microorganisms11030570>
- Li, Y., Fabiano-Tixier, A. S., Tomao, V., & Chemat, F. (2019). Green ultrasound-assisted extraction of carotenoids based on the bio-refinery concept using sunflower oil as an alternative solvent. *Ultrasonics Sonochemistry*, 54, 287–296. <https://doi.org/10.1016/j.ultsonch.2019.02.006>
- Lianfu, Z., & Zelong, L. (2008). Optimization and comparison of ultrasound/microwave assisted extraction (UMAE) and ultrasonic assisted extraction (UAE) of lycopene from tomatoes. *Separation and Purification Technology*, 62(2), 421–426. <https://doi.org/10.1016/j.seppur.2008.02.020>
- Liu, X., Zhang, Y., & Li, H. (2022). Ultrasound-assisted extraction enhances yield and kinetics of green pepper oleoresin. *Frontiers in Nutrition*, 9, 998840.
- Liu, Y., Chen, H., Yang, Y., Zhang, Z., Wei, J., Meng, H., Chen, W., Feng, J., Gan, B., Chen, X., Gao, Z., Huang, J., Chen, B., & Chen, H. (2013). Whole-Tree Agarwood-Inducing Technique: An Efficient Novel Technique for Producing High-Quality Agarwood in Cultivated *Aquilaria Sinensis* Trees. *Molecules*, 18(3), 3086–3106. <https://doi.org/10.3390/molecules18033086>
- Liu, Y., Zhu, Z., Zhang, R., & Zhao, X. (2024). Life cycle assessment and life cycle cost analysis of *Jatropha* biodiesel production in China. *Biomass Conversion and Biorefinery*, 14, 28635. <https://doi.org/10.1007/s13399-022-03614-7>
- Liu, Z., Wang, Y., & He, T. (2019). Recent advances in extraction techniques and applications of phenolic compounds from plants. *Journal of Separation Science*, 42(1), 35–50. <https://doi.org/10.1002/jssc.201800534>
- Liunokas, R., & Karwur, F. (2020). Strategi pengembangan model bisnis dan analisis biaya produksi dalam industri gaharu. *AGRIMOR*, 5(3), 48–52. <https://doi.org/10.32938/ag.v5i3.1063>
- Lottermoser, B. G. (2010). *Mine wastes: Characterization, treatment and environmental impacts*. Springer.

- Lukman, L., Dinarti, D., Siregar, U. J., Turjaman, M., & Sudarsono, S. (2023). Isolation and Molecular Identification of Agarwood-Inducing Fungi and Their Virulence Test Using *Aquilaria* Sp. Seedlings. *Biodiversitas Journal of Biological Diversity*, 24(1). <https://doi.org/10.13057/biodiv/d240118>
- Luthfi, M. Z., & Jerry, J. (2021). Ekstraksi Minyak Gaharu Dengan Pelarut Etanol Secara Maserasi. *Reactor Journal of Research on Chemistry and Engineering*. <https://doi.org/10.52759/reactor.v2i2.39>
- Lv, F., Yang, Y., Sun, P., Zhang, Y., Liu, P., Fan, X., Xu, Y., & Wei, J. (2022). Comparative Transcriptome Analysis Reveals Different Defence Responses During the Early Stage of Wounding Stress in Chi-Nan Germplasm and Ordinary *Aquilaria Sinensis*. *BMC Plant Biology*, 22(1). <https://doi.org/10.1186/s12870-022-03821-4>
- Maiti, S. K. (2013). *Ecorestoration of the coalmine degraded lands*. Springer.
- Mandal, V., Mohan, Y., & Hemalatha, S. (2007). Microwave assisted extraction— an innovative and promising extraction tool for medicinal plant research. *Pharmacognosy Reviews*, 1(1), 7–18. <https://doi.org/10.4103/0973-7847.95855>
- Mechoulam, R., Fride, E., & Di Marzo, V. (2002). Endocannabinoids. *European Journal of Pharmacology*, 359(1), 1–18. [https://doi.org/10.1016/S0014-2999\(98\)00392-6](https://doi.org/10.1016/S0014-2999(98)00392-6)
- Mei, W. L., Yang, D. L., Wang, H., Yang, J. L., Zeng, Y. B., Guo, Z. K., & Dai, H. F. (2013). Characterization and identification of chromones in agarwood by HPLC–DAD–MS. *Journal of Separation Science*, 36(5), 824–831.
- Mei, W. L., Zeng, Y. B., Wu, J., Dai, H. F., & Zhao, Y. X. (2019). Chemical constituents and pharmacological activities of agarwood and *Aquilaria* plants. *Molecules*, 24(17), 3203. <https://doi.org/10.3390/molecules24173203>
- Mei, W. L., Zeng, Y. B., Wu, J., Guo, Z. K., & Dai, H. F. (2014). A rapid method for identification of agarwood by FTIR. *Journal of Wood Chemistry and Technology*, 34(2), 77–87.
- Mithofer, A., & Boland, W. (2012). Plant defense against herbivores: chemical aspects. *Annual Review of Plant Biology*, 63, 431–450. <https://doi.org/10.1146/annurev-arplant-042110-103854>
- Mochahari, D., Kharnaior, S., Sen, S. K., & Thomas, S. (2020). Isolation of Endophytic Fungi From Juvenile *Aquilaria Malaccensis* and Their Antimicrobial Properties. *Journal of Tropical Forest Science*, 32(1), 97–104. <https://doi.org/10.26525/jtfs32.1.97>
- Mohamed, R., Jong, P. L., & Kamziah, A. K. (2014a). Fungal inoculation induces

agarwood in young *Aquilaria malaccensis* trees in the nursery. *Journal of Forestry Research*, 25(1), 201–204.

Mohamed, R., Jong, P. L., & Zali, M. S. (2014b). Agarwood (*Aquilaria malaccensis*) oil: A review of its traditional uses, phytochemistry, and pharmacology. *Natural Product Communications*, 9(3), 373–380. <https://doi.org/10.1177/1934578X1400900321>

Mulyadi, A., Ekasari, D., & Hasanah, Y. (2023). Optimasi ekstraksi minyak biji pepaya menggunakan response surface methodology (RSM). *JRST (Jurnal Riset Dan Sain Teknologi)*, 7(2), 127. <https://doi.org/10.30595/jrst.v7i2.15295>

Naef, R. (2011). The volatile and semi-volatile constituents of agarwood, the infected heartwood of *Aquilaria* species: A review. *Flavour and Fragrance Journal*, 26(2), 73–87. <https://doi.org/10.1002/ffj.2034>

Nair, P. K. R. (2011). Agroforestry systems and environmental quality: introduction. *Journal of Environmental Quality*, 40(3), 784–790.

Nelly, S., Suprihardi, Ridwan, Teuku, R., Nurhanifa, A., & Een, S. (2022). Distilasi Minyak Gaharu Untuk Bahan Baku Minyak Wangi Dengan Memanfaatkan Sumber Energi Matahari (Photovoltaic). *Jurnal Reaksi (Journal of Science and Technology)*, 20(02).

Ng, L. T., Chang, Y. S., & Kadir, A. A. (1997). A review on agar (gaharu) producing *Aquilaria* species. *Journal of Tropical Forest Products*, 2(2), 272–285.

Nuryanto, E., Wibisono, Y., & Nurhasanah, Y. (2019). Prospek dan tantangan pengembangan gaharu sebagai komoditas ekspor Indonesia. *Jurnal Penelitian Hasil Hutan*, 37(3), 205–216.

Norris, G. A. (2001). Integrating life cycle cost analysis and LCA. *The International Journal of Life Cycle Assessment*, 6(2), 118–120.

Okudera, Y., & Ito, M. (2009). Production of agarwood fragrant constituents in *Aquilaria calli* and cell suspension cultures. *Plant Biotechnology*, 26(3), 307–315.

Omran, N., Sharaai, A. H., & Hashim, A. H. (2021). Visualization of the Sustainability Level of Crude Palm Oil Production: A Life Cycle Approach. *Sustainability*, 13(4), 1607. <https://doi.org/10.3390/su13041607>

Patel, R., & Kumar, S. (2023). Green solvents in natural product extraction: A review of 2-MeOx, ethanol and bio-based media. *Journal of Cleaner Production*, 382, 135375.

Patrick, G. L. (2013). *An Introduction to Medicinal Chemistry* (5th ed.). Oxford University Press.

- Pelletier, N. (2015). Life cycle thinking, measurement and management for food system sustainability. *Environmental Science & Technology*, 49(13), 7515–7519. <https://doi.org/10.1021/acs.est.5b00441>
- Peters, M. S., Timmerhaus, K. D., & West, R. E. (2003). *Plant design and economics for chemical engineers* (5 (ed.)). McGraw-Hill.
- Porter, M. E. (1985). *Competitive Advantage: Creating and Sustaining Superior Performance*. Free Press.
- Prasetyo, B. H., & Subardja, D. (2019). Karakteristik tanah mineral di Indonesia dan implikasinya terhadap pengelolaan lahan. *Jurnal Tanah Dan Iklim*, 43(2), 135–148.
- Pratama, B., Irianti, T., & Purnomo, H. (2023). Identification of compounds and antidiabetic activities of the ethyl acetate fraction of yacon (*Smallanthus sonchifolius*) leaves using in silico and in vitro approaches. *Majalah Obat Tradisional*, 28(3). <https://doi.org/10.22146/mot.85748>
- Preckel, P. V, Grey, A., Boehlje, M., & Kim, S. (2004). Risk and value chains: Participants sharing risks and rewards. *Journal on Chain and Network Science*, 4(1), 25–32.
- Putra, H. M., Lestari, D., & Rahayu, S. (2021). Potensi pemanfaatan fly ash dan bottom ash (FABA) serta risiko lingkungannya. *Jurnal Teknologi Lingkungan*, 22(3), 155–168.
- Radzi, N. C., & Kasim, F. A. (2020). Effect of microwave pretreatment on gaharu essential oil using hydrodistillation method. *Indonesian Journal of Chemistry*, 20(4), 960–966. <https://doi.org/10.22146/ijc.43191>
- Rahayu, G., Santoso, E., & Wulandari, E. (2010). Efektivitas dan interaksi antara *Acremonium* sp. dan *Fusarium* sp. dalam pembentukan gubal gaharu pada *Aquilaria microcarpa* Baill. *Info Hutan*, 7(2), 155–164.
- Rebitanim, N. Z., Said, N. F. S., Hassan, W. H. W., Hashim, R., & Ibrahim, M. (2021). Life cycle assessment of agarwood (*Aquilaria malaccensis*) plantation in Malaysia. *IOP Conference Series: Earth and Environmental Science*, 756(1), 12069. <https://doi.org/10.1088/1755-1315/756/1/012069>
- Rebitzer, G., Ekvall, T., Frischknecht, R., et al. (2004). Life cycle assessment: Part 1 Framework, goal and scope definition. *Environment International*, 30, 701–720.
- Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1997). Antioxidant properties of phenolic compounds. *Free Radical Biology and Medicine*, 20(7), 933–956. [https://doi.org/10.1016/S0891-5849\(96\)00368-7](https://doi.org/10.1016/S0891-5849(96)00368-7)

- Rodríguez-Pérez, C., Quirantes-Piné, R., Fernández-Gutiérrez, A., & Segura-Carretero, A. (2020). Effect of extraction method and solvent on antioxidant and antimicrobial activity of plant extracts. *Food Chemistry*, 320, 126631.
- Rohmah, F., Santoso, B. B., & Andayani, N. N. (2020). The development of agarwood (*Aquilaria malaccensis*) plantation and its potential for community-based forest management in Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(7), 3150–3157. <https://doi.org/10.13057/biodiv/d210744>
- Roshetko, J. M., Mulawarman, & Widayati, A. (2018). Praktik silvikultur untuk pengembangan tanaman penghasil gaharu (*Aquilaria* spp.) di lahan marginal. *Jurnal Hutan Tropis*, 6(1), 33–42.
- Rostagno, M. A., & Prado, J. M. (2013). *Natural product extraction: Principles and applications*. Royal Society of Chemistry.
- Rostagno, M. A., Prado, J. M., & Meireles, M. A. A. (2015). *Natural products extraction: Principles and applications*. Royal Society of Chemistry.
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients* (6th ed.). Pharmaceutical Press.
- Rudiana, T., Merru, E. S. Y., Hendrawati, H., & Sukandar, D. (2021). Characterization and Anticancer Activity from Gaharu (*Aquilaria malaccensis*) Stem Bark Extract. *EduChemia (Jurnal Kimia Dan Pendidikan)*, 6(2), 197. <https://doi.org/10.30870/educhemia.v6i2.10983>
- Sadliwala, M. S., & Gogate, N. G. (2022). Life Cycle Costing Methodology for Sustainable Construction. *Iop Conference Series Earth and Environmental Science*, 1084(1), 12023. <https://doi.org/10.1088/1755-1315/1084/1/012023>
- Samadi, M., Abidin, Z. Z., Yunus, R., Biak, D. R. A., Yoshida, H., & Lok, E. H. (2016). Assessing the kinetic model of hydro-distillation and chemical composition of *Aquilaria malaccensis* leaves essential oil. *Chinese Journal of Chemical Engineering*.
- Santoso, A., Prasetyo, E., & Handayani, T. (2020). Environmental influence on heavy metal accumulation in post-mining soils and plants. *Environmental Monitoring and Assessment*, 192, 451. <https://doi.org/10.1007/s10661-020-08438-7>
- Santoso, E., Totok, K., & Turjaman, M. (2010). *Teknologi Induksi Pohon Penghasil Gaharu*. Pusat Penelitian dan Pengembangan Hutan dan Konservasi Alam.
- Sastrohamidjojo, H., & Pranowo, H. D. (1985). *Kromatografi* (Edisi pert). Penerbit Liberti.
- Satria, B., Martinsyah, R. H., Armansyah, A., Hervani, D., & Warnita, dan. (2023). The Effect of Addition of AMF (Arbuscular Mycorrhizal Fungi) and Yomari Liquid Organic Fertilizer Concentration on the Growth of Agarwood

Production Plants (*Aquilaria Malacensis* Lamk.) on Ex-Lime Mining Soil. *International Journal of Environment Agriculture and Biotechnology*, 8(2), 75–83. <https://doi.org/10.22161/ijeab.82.8>

Setyaningsih, D., Apriyantono, A., & Sari, M. P. (2010). *Analisis Sensori untuk Industri Pangan dan Agro* (1st ed.). IPB Press.

Shahidi, F., & Ambigaipalan, P. (2018). Omega-3 polyunsaturated fatty acids and their health benefits. *Journal of Functional Foods*, 45, 1–12. <https://doi.org/10.1016/j.jff.2018.03.044>

Shahidi, F., & Zhong, Y. (2010). Lipid oxidation and improving the oxidative stability. *Chemical Society Reviews*, 39(11), 4067–4079. <https://doi.org/10.1039/b922183m>

Sheoran, V., Sheoran, A. S., & Poonia, P. (2010). Soil reclamation of abandoned mine land by revegetation: a review. *International Journal of Soil, Sediment and Water*, 3(2), 1–20.

Siburian, R. H. S., Siregar, U. J., Siregar, I. Z., Santoso, E., & Wahyudi, I. (2013). Identification of anatomical characteristics in its interaction with *Aquilaria microcarpa* *Fusarium solani*. *BIOTROPIA*, 20(2), 104–111.

Sidiyasa, K. (2019). Ekologi dan potensi pengembangan tanaman penghasil gaharu (*Aquilaria* spp.) di Indonesia. *Biodiversitas*, 20(5), 1341–1350.

Singh, A., & Sharma, R. K. (2020). Effects of heavy metals on secondary metabolism of plants: A review. *Environmental Chemistry Letters*, 18(4), 1247–1275.

Singleton, V. L., Orthofer, R., & Lamuela-Raventós, R. M. (1999). Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin–Ciocalteu reagent. *Methods in Enzymology*, 299, 152–178. [https://doi.org/10.1016/S0076-6879\(99\)99017-1](https://doi.org/10.1016/S0076-6879(99)99017-1)

Siregar, C. A., Suryaningtyas, D., & Supriyanto, W. (2020). Dampak pertambangan batubara terhadap lingkungan dan upaya reklamasi di Indonesia. *Jurnal Rekayasa Lingkungan Pertambangan*, 11(1), 23–34.

Sitepu, I. R., Turjaman, M., & Santoso, E. (2011). The roles of fungi in the development of agarwood in *Aquilaria* species. *Indonesian Journal of Forestry Research*, 8(2), 123–132.

Smith, J., & Lee, H. (2021). Solvent selection in natural product extraction: Polar vs non-polar solvents and green alternatives. *Natural Product Communications*, 16(12), 1–10.

Sparkman, O. D., Penton, Z., & Kitson, F. G. (2011). *Gas Chromatography and*

Mass Spectrometry: A Practical Guide (2nd ed.). Academic Press.

- Subasinghe, S. M. C. U. P., Hettiarachchi, D. S., & Rathnamalala, E. (2019). Agarwood production and induction techniques: A review. In *Journal of Forestry Research* (Vol. 30, Issue 2). <https://doi.org/10.1007/s11676-018-0627-4>
- Suh, S., & Huppel, G. (2005). Methods for life cycle inventory of a product. *Journal of Cleaner Production*, 13(7), 687–697. <https://doi.org/10.1016/j.jclepro.2003.04.001>
- Sulaiman, N., Idayu, M. I., Ramlan, A. Z., Fashya, M. N., Farahiyah, A. N. N., Mailina, J., & Azah, M. A. N. (2015). Effects of extraction methods on yield and chemical compounds of gaharu (*Aquilaria malaccensis*). *Journal of Tropical Forest Science*, 27(4).
- Sulaiman, R., Ibrahim, N., & Mamat, H. (2017). Synergistic effects of ultrasound and microwave-assisted extraction on bioactive compounds from plant materials. *Journal of Applied Research on Medicinal and Aromatic Plants*, 7, 1–9. <https://doi.org/10.1016/j.jarmap.2017.03.003>
- Sumarna, Y. (2009). *Gaharu Budidaya dan Rekayasa Produksi*. Penebar Swadaya.
- Susanti, L., Widodo, S., Yusuf, M., & Sari, R. (2020). Formulation of ointment from extract combination of lemongrass (*Cymbopogon nardus* L. Rendle), green betel leaf (*Piper betle* L.) and natural zeolite as an antibacterial agent. *Jurnal Biota*, 6(2), 92–99. <https://doi.org/10.19109/biota.v6i2.6363>
- Suwardi, P. O., Oktariani, P., Putri, A., & Situmorang, S. (2023). Reclamation technology for coal post-mining land contaminated by acid mine drainage. *Jurnal Pengelolaan Lingkungan Pertambangan*, 2(1). <https://doi.org/10.70191/jplp.v2i1.62331>
- Swarr, T., Hunkeler, D., Klöpffer, W., Pesonen, H., Citroth, A., Brent, A. C., & Pagan, R. J. (2011). Environmental Life-Cycle Costing: A Code of Practice. *The International Journal of Life Cycle Assessment*, 16(5), 389–391. <https://doi.org/10.1007/s11367-011-0287-5>
- Tan, C. S., Isa, N. M., Ismail, I., & Zainal, Z. (2019). A review on agarwood induction methods and its quality. *Journal of Forestry Research*, 30(1), 1–13. <https://doi.org/10.1007/s11676-018-0628-3>
- Tordoff, G. M., Baker, A. J. M., & Willis, A. J. (2000). Current approaches to the revegetation and reclamation of metalliferous mine wastes. *Chemosphere*, 41(1–2), 219–228.
- Triesty, I., & Mahfud, M. (2017). Ekstraksi minyak atsiri dari gaharu (*Aquilaria malaccensis*) dengan menggunakan metode microwave hydrodistillation dan

- soxhlet extraction. *Jurnal Teknik ITS*, 6(2).
- Tripathi, N., Singh, R. S., & Chauhya, S. K. (2016). Environmental issues of coal mining: A case study of Jharia coalfield, India. *International Journal of Mining, Reclamation and Environment*, 30(5), 342–352.
- Turjaman, M., & Hidayat, I. (2017). Development of agarwood induction technology in Indonesia. *Indonesian Journal of Forestry Research*, 4(2), 99–110.
- UNESCO (2019). *Ombilin Coal Mining Heritage of Sawahlunto (World Heritage List Nomination No. 1610)*. United Nations Educational, Scientific and Cultural Organization. <https://whc.unesco.org/en/list/1610>
- Valliere, J. M., D'Agui, H. M., Dixon, K. W., Nevill, P. G., Wong, W. S., Zhong, H., & Veneklaas, E. J. (2022). Stockpiling disrupts the biological integrity of topsoil for ecological restoration. *Plant and Soil*, 471(1–2), 409–426. <https://doi.org/10.1007/s11104-021-05217-z>
- Wahyuni, S., & Yuliana, N. (2021). Analisis biaya dan keuntungan usaha penyulingan minyak gaharu dan hidrosol gaharu. *Jurnal Teknologi Industri Pertanian*, 31(2), 215–223.
- Wandani, K. (2023). *Ekstraksi oleoresin gaharu dengan pretreatment maserasi, microwave, dan ultrasonik*. UIN Syarif Hidayatullah Jakarta.
- Wang, H., Chen, L., & Zhang, Z. (2009). Anti-inflammatory and anticancer activities of atractylenolide compounds. *Fitoterapia*, 80(2), 83–88. <https://doi.org/10.1016/j.fitote.2008.10.007>
- Wang, L., & Weller, C. L. (2006). Recent advances in extraction of nutraceuticals from plants. *Trends in Food Science & Technology*, 17(6), 300–312. <https://doi.org/10.1016/j.tifs.2005.12.004>
- Wang, W., Yan, Y., Liu, H., Qi, K., Zhu, X., Wang, X., & Guangyong, Q. (2021). Subcritical Low Temperature Extraction Technology and Its Application in Extracting Seed Oils. *Journal of Food Process Engineering*. <https://doi.org/10.1111/jfpe.13805>
- Wang, Y., & Zhao, J. (2017). Kinetic modeling of solvent extraction for natural products: Principles and applications. *Journal of Separation Science*, 40(9).
- WHO (2001). *Joint FAO/WHO food standards programme codex committee on contaminants in foods*. Codex Alimentarius Commission.
- WHO. (2007). *WHO Guidelines for Assessing Quality of Herbal Medicines with Reference to Contaminants and Residues*. World Health Organization.
- Widyati, E. (2013). Pengelolaan kolong bekas tambang untuk budidaya perikanan air tawar. *Jurnal Teknologi Lingkungan*, 14(2), 75–82.

- Woodward, D. G. (1997). Life cycle costing—Theory, information acquisition and application. *International Journal of Project Management*, 15(6), 335–344. [https://doi.org/10.1016/S0263-7863\(96\)00089-0](https://doi.org/10.1016/S0263-7863(96)00089-0)
- Yagura, T., Ito, M., Kiuchi, F., Honda, G., & Shimada, Y. (2003). Four new 2-(2-phenylethyl)chromone derivatives from agarwood. *Chemical & Pharmaceutical Bulletin*, 51(5), 560–564.
- Yang, L., Qiao, L., Xie, D., Yuan, Y., & Chen, H. (2016). Sesquiterpenes from agarwood: Chemistry and biological activities. *Chinese Journal of Natural Medicines*, 14(1), 10–23. <https://doi.org/10.3724/SP.J.1009.2016.00010>
- Yuliani, N., Sari, R., & Prasetyo, A. (2020). Revegetasi lahan pasca tambang dan perannya dalam pemulihan ekosistem. *Jurnal Reklamasi Dan Revegetasi Lahan*, 6(2), 89–98.
- Yulizah, Y., Rahajoe, J. S., Fefirenta, A. D., & Nugroho, A. (2022). The Population and Distribution of Agarwood Producing Tree (*Aquilaria Malaccensis*) in Riau Province. *Reinwardtia*, 21(1), 1–11. <https://doi.org/10.14203/reinwardtia.v21i1.3874>
- Yusoff, M. M., Azzreena, N. I., & Nor Azah, M. A. (2022). Microscopic and chemical characterization of agarwood (*Aquilaria* spp.) for quality assessment. *Industrial Crops and Products*, 177, 114456. <https://doi.org/10.1016/j.indcrop.2021.114456>
- Yuwono, S. B., Alawiyah, A., Riniarti, M., & Dermiyati, D. (2021). The Roles of Ameliorants on Tree Seedling Growth for Land Rehabilitation. *Biodiversitas Journal of Biological Diversity*, 22(5). <https://doi.org/10.13057/biodiv/d220531>
- Zakaria, F., Talip, B. A., Kahar, E. E. M., Muhammad, N., Abdullah, N., & Basri, H. (2020). Solvent used in extraction process of agarwood: A systematic review. *Food Research*, 4(3), 731–737. [https://doi.org/10.26656/fr.2017.4\(3\).333](https://doi.org/10.26656/fr.2017.4(3).333)
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine*, 13(20), 1–26. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhang, Z., Meng, X., Ran, J., Gao, M., Li, N., Ma, Y., Sun, Y., & Li, Y. (2022). *Fusarium Oxysporum* Infection-Induced Formation of Agarwood (FOIFA): A Rapid and Efficient Method for Inducing the Production of High Quality Agarwood. *Plos One*. <https://doi.org/10.1371/journal.pone.0277136>
- Zheljzakov, V. D., & Jekov, P. (1996). Heavy metal uptake by peppermint and cornmint and its effect on essential oil content. *Journal of Essential Oil Research*, 8(4), 395–399.

Zipper, E., Skousen, J., & Jage, C. (2011). Passive treatment of acid-mine drainage. In *Reclamation Guidelines for Surface Mined Land in Southwest Virginia* (Issue Publication 460-133). Virginia Cooperative Extension.

Zubair, M. (2008). Agarwood: Science behind the fragrance. *Journal of Tropical Forest Science*, 20(3), 201–206.

