

## DAFTAR PUSTAKA

- Aggelis, G. G., Gavala, H. N., & Lyberatos, G. (2001). SE—Structures and Environment: Combined and Separate Aerobic and Anaerobic Biotreatment of Green Olive Debittering Wastewater. *Journal of Agricultural Engineering Research*, 80(3), 283–292. <https://doi.org/10.1006/JAER.2001.0732>
- Agrawal, L. K., Ohashi, Y., Mochida, E., Okui, H., Ueki, Y., Harada, H., & Ohashi, A. (1997). Treatment of raw sewage in a temperate climate using a UASB reactor and the hanging sponge cubes process. *Water Science and Technology*, 36(6–7), 433–440. [https://doi.org/10.1016/S0273-1223\(97\)00552-0](https://doi.org/10.1016/S0273-1223(97)00552-0)
- Aini, A., Sriasih, M., & Kisworo, D. (2017). Studi Pendahuluan Cemaran Air Limbah Rumah Potong Hewan di Kota Mataram. *Jurnal Ilmu Lingkungan*, 15(1), 42. <https://doi.org/10.14710/JIL.15.1.42-48>
- Al-Gheethi, A. A., Mohamed, R. M. S. R., Rahman, M. A. A., Johari, M. R., & Kassim, A. H. M. (2016). Treatment of Wastewater From Car Washes Using Natural Coagulation and Filtration System. *IOP Conference Series: Materials Science and Engineering*, 136(1), 012046. <https://doi.org/10.1088/1757-899X/136/1/012046>
- Al-Mutairi, N. Z., Hamoda, M. F., & Al-Ghusain, I. (2004). Coagulant selection and sludge conditioning in a slaughterhouse wastewater treatment plant. *Bioresour Technol*, 95(2), 115–119. <https://doi.org/10.1016/J.BIORTECH.2004.02.017>
- Amelia, S. (2022). *Kinerja Sistem Upflow Anaerobic Sludge Blanket (UASB)-Downflow Hanging Sponge (DHS) Dalam Penyisihan COD Limbah Cair Rumah Potong Hewan Pada Periode Start-Up* [Universitas Andalas]. <http://scholar.unand.ac.id/114438/5/FULL TEXT TA.pdf>
- Amri, K., & Wesen, P. (2015). Pengolahan Air Limbah Domestik Menggunakan Biofilter Anaerob Bermedia Plastik (Bioball). *Jurnal Ilmiah Teknik Lingkungan*, 7(2).
- Angraini, A., Sutisna, M., & Pratama, Y. (2014). Pengolahan Limbah Cair Tahu secara Anaerob menggunakan Sistem Batch. *Jurnal Reka Lingkungan*, 2(1), 31–40. <https://doi.org/10.26760/REKALINGKUNGAN.V2I1>

- Anielak, A. M., & Kłeczek, A. (2022). Humus Acids in the Digested Sludge and Their Properties. *Materials* 2022, Vol. 15, Page 1475, 15(4), 1475. <https://doi.org/10.3390/MA15041475>
- Ansar, B. S. K., Kavusi, E., Dehghanian, Z., Pandey, J., Lajayer, B. A., Price, G. W., & Astatkie, T. (2023). Removal of organic and inorganic contaminants from the air, soil, and water by algae. *Environmental science and pollution research international*, 30(55), 116538–116566. <https://doi.org/10.1007/S11356-022-21283-X>
- APHA, AWWA, & WEF. (2017). *Standard Methods for the Examination of Water and Wastewater, 23rd Edition*.
- Araki, N., Ohashi, A., Machdar, I., & Harada, H. (1999). Behaviors of nitrifiers in a novel biofilm reactor employing hanging sponge-cubes as attachment site. *Water Science and Technology*, 39(7), 23–31. [https://doi.org/10.1016/S0273-1223\(99\)00146-8](https://doi.org/10.1016/S0273-1223(99)00146-8)
- Aryal, N., Kvist, T., Aryal, N., & Kvist, T. (2018). Alternative of Biogas Injection into the Danish Gas Grid System—A Study from Demand Perspective. *ChemEngineering* 2018, Vol. 2, 2(3), 1–11. <https://doi.org/10.3390/CHEMENGINEERING2030043>
- Asano, K., Watari, T., Hatamoto, M., & Yamaguchi, T. (2022). Development of UASB–DHS system for anaerobically-treated tofu processing wastewater treatment under ambient temperature. *Environmental Technology (United Kingdom)*, 43(25), 3973–3982. <https://doi.org/10.1080/09593330.2021.1938242;PAGE:STRING:ARTICLE/CHAPTER>
- Ashoka, H., & Bhat, P. (2012). Comparative Studies on Electrodes for the Construction of Microbial Fuel Cell. *International Journal of Advanced Biotechnology and Research*, 3, 785–789. <http://www.bipublication.com>
- Asta, I. P. (2023). *Optimalisasi Kinerja Sistem Upflow Anaerobic Sludge Blanket-Downflow Hanging Sponge (UASB-DHS) Dalam Penyisihan Padatan Tersuspensi Limbah Rumah Potong Hewan Dengan Variasi Hydraulic Retention Time* [Universitas Andalas]. <http://scholar.unand.ac.id/215911/2/SKRIPSI FULL TEXT.pdf>

- Aufa, H. R. (2023). *Optimalisasi Kinerja Sistem Upflow Anaerobic Sludge Blanket-Downflow Hanging Sponge Dalam Penyisihan COD Limbah Rumah Potong Hewan Dengan Variasi Hydraulic Retention Time* [Universitas Andalas]. [http://scholar.unand.ac.id/216753/4/TA FULL HANIF.pdf](http://scholar.unand.ac.id/216753/4/TA%20FULL%20HANIF.pdf)
- Azman, S., Khadem, A. F., Plugge, C. M., Stams, A. J. M., Bec, S., & Zeeman, G. (2017). Effect of humic acid on anaerobic digestion of cellulose and xylan in completely stirred tank reactors: inhibitory effect, mitigation of the inhibition and the dynamics of the microbial communities. *Applied Microbiology and Biotechnology*, *101*(2), 889–901. <https://doi.org/10.1007/S00253-016-8010-X/FIGURES/5>
- Bagherzadeh, F., Mehrani, M. J., Basirifard, M., & Roostaei, J. (2021). Comparative study on total nitrogen prediction in wastewater treatment plant and effect of various feature selection methods on machine learning algorithms performance. *Journal of Water Process Engineering*, *41*, 102033. <https://doi.org/10.1016/J.JWPE.2021.102033>
- Barana, A. C., Lopes, D. D., Martins, T. H., Pozzi, E., Damianovic, M. H. R. Z., Del Nery, V., & Foresti, E. (2013). Nitrogen and organic matter removal in an intermittently aerated fixed-bed reactor for post-treatment of anaerobic effluent from a slaughterhouse wastewater treatment plant. *Journal of Environmental Chemical Engineering*, *1*(3), 453–459. <https://doi.org/10.1016/J.JECE.2013.06.015>
- Bardone, E., Marzocchella, A., Keshavarz, T., Sawasdee, V., & Pisutpaisal, N. (2018). Microbial Community from Tannery Wastewater in Microbial Fuel Cell. *CHEMICAL ENGINEERING TRANSACTIONS*, *64*. <https://doi.org/10.3303/CET1864067>
- Bilotta, G. S., & Brazier, R. E. (2008). Understanding the influence of suspended solids on water quality and aquatic biota. *Water Research*, *42*(12), 2849–2861. <https://doi.org/10.1016/j.watres.2008.03.018>
- Boiocchi, R., Zhang, Q., Gao, M., & Liu, Y. (2022). Modeling and optimization of an upflow anaerobic sludge blanket (UASB) system treating blackwaters. *Journal of Environmental Chemical Engineering*, *10*(3), 107614. <https://doi.org/10.1016/J.JECE.2022.107614>

- Bundy, C. A., Wu, D., Jong, M. C., Edwards, S. R., Ahammad, Z. S., & Graham, D. W. (2017). Enhanced denitrification in Downflow Hanging Sponge reactors for decentralised domestic wastewater treatment. *Bioresource Technology*, 226, 1–8. <https://doi.org/10.1016/J.BIORTECH.2016.11.122>
- Bustillo-Lecompte, C. (2017). *Slaughterhouse Wastewater Treatment, Management and Resource Recovery*. [https://books.google.com/books/about/Physico\\_Chemical\\_Wastewater\\_Treatment\\_an.html?id=dhCQDwAAQBAJ](https://books.google.com/books/about/Physico_Chemical_Wastewater_Treatment_an.html?id=dhCQDwAAQBAJ)
- Bustillo-Lecompte, C. F., & Mehrvar, M. (2015). Slaughterhouse wastewater characteristics, treatment, and management in the meat processing industry: A review on trends and advances. *Journal of Environmental Management*, 161, 287–302. <https://doi.org/10.1016/J.JENVMAN.2015.07.008>
- Bustillo-Lecompte, C. F., & Mehrvar, M. (2017). Treatment of actual slaughterhouse wastewater by combined anaerobic–aerobic processes for biogas generation and removal of organics and nutrients: An optimization study towards a cleaner production in the meat processing industry. *Journal of Cleaner Production*, 141, 278–289. <https://doi.org/10.1016/j.jclepro.2016.09.060>
- Bustillo-Lecompte, C. F., Mehrvar, M., & Quiñones-Bolaños, E. (2013). Combined anaerobic-aerobic and UV/H<sub>2</sub>O<sub>2</sub> processes for the treatment of synthetic slaughterhouse wastewater. *Journal of Environmental Science and Health, Part A*, 48(9), 1122–1135. <https://doi.org/10.1080/10934529.2013.774662>
- Bustillo-Lecompte, C. F., Mehrvar, M., & Quiñones-Bolaños, E. (2014). Cost-effectiveness analysis of TOC removal from slaughterhouse wastewater using combined anaerobic–aerobic and UV/H<sub>2</sub>O<sub>2</sub> processes. *Journal of Environmental Management*, 134, 145–152. <https://doi.org/10.1016/J.JENVMAN.2013.12.035>
- Cakir, F. Y., & Stenstrom, M. K. (2005). Greenhouse gas production: A comparison between aerobic and anaerobic wastewater treatment technology. *Water Research*, 39(17), 4197–4203. <https://doi.org/10.1016/J.WATRES.2005.07.042>
- Caporaso, J. G., Kuczynski, J., Stombaugh, J., Bittinger, K., Bushman, F. D.,

- Costello, E. K., Fierer, N., Pěa, A. G., Goodrich, J. K., Gordon, J. I., Huttley, G. A., Kelley, S. T., Knights, D., Koenig, J. E., Ley, R. E., Lozupone, C. A., McDonald, D., Muegge, B. D., Pirrung, M., ... Knight, R. (2010). QIIME allows analysis of high-throughput community sequencing data. *Nature Methods* 2010 7:5, 7(5), 335–336. <https://doi.org/10.1038/nmeth.f.303>
- Carayo, C. C., Culango, K. C., Estrera, D., Largo, D. B., & Dy, D. T. (2008). Correlation of inorganic nutrients to the standing crop of “green tide” algae during the peak growth season in eastern Mactan island, central Philippines. *The Philippine Scientist*, 42(0). <https://doi.org/10.3860/PSCI.V42I0.357>
- Cassidy, D. P., & Belia, E. (2005). Nitrogen and phosphorus removal from an abattoir wastewater in a SBR with aerobic granular sludge. *Water Research*, 39(19), 4817–4823. <https://doi.org/10.1016/J.WATRES.2005.09.025>
- Chan, Y. J., Chong, M. F., Law, C. L., & Hassell, D. G. (2009). A review on anaerobic–aerobic treatment of industrial and municipal wastewater. *Chemical Engineering Journal*, 155(1–2), 1–18. <https://doi.org/10.1016/J.CEJ.2009.06.041>
- Chen, X. H., Huang, Y. H., Lü, H., Mo, C. H., Xiang, L., Feng, N. X., Zhao, H. M., Li, H., Li, Y. W., & Cai, Q. Y. (2022). Plant-scale hyperthermophilic composting of sewage sludge shifts bacterial community and promotes the removal of organic pollutants. *Bioresource Technology*, 347, 126702. <https://doi.org/10.1016/J.BIORTECH.2022.126702>
- Devi, M. K., Manikandan, S., Oviyapriya, M., Selvaraj, M., Assiri, M. A., Vickram, S., Subbaiya, R., Karmegam, N., Ravindran, B., Chang, S. W., & Awasthi, M. K. (2022). Recent advances in biogas production using Agro-Industrial Waste: A comprehensive review outlook of Techno-Economic analysis. *Bioresource Technology*, 363, 127871. <https://doi.org/10.1016/J.BIORTECH.2022.127871>
- Doma, H. S., El-Kamah, H. M., & El-Qelish, M. (2016). Slaughterhouse wastewater treatment using UASB reactor followed by down flow hanging sponge unit. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 7(2), 568–576.
- Dwivedi, K. A., Huang, S. J., Wang, C. T., & Kumar, S. (2022). Fundamental understanding of microbial fuel cell technology: Recent development and

- challenges. *Chemosphere*, 288, 132446.  
<https://doi.org/10.1016/J.CHEMOSPHERE.2021.132446>
- Feng, F., Wu, C. H., Li, F., Wang, X., Zhu, J., Zhang, R., & Chen, S. C. (2024). Research on the integration of microbial fuel cells with conventional wastewater treatment technology: Advantages of anaerobic fermentation. *Energy Conversion and Management: X*, 23, 100680.  
<https://doi.org/10.1016/J.ECMX.2024.100680>
- Fu, G., Han, J., Yu, T., Huangshen, L., & Zhao, L. (2019). The structure of denitrifying microbial communities in constructed mangrove wetlands in response to fluctuating salinities. *Journal of Environmental Management*, 238, 1–9. <https://doi.org/10.1016/J.JENVMAN.2019.02.029>
- Ghasemi, M., Halakoo, E., Sedighi, M., Alam, J., & Sadeqzadeh, M. (2015). Performance Comparison of Three Common Proton Exchange Membranes for Sustainable Bioenergy Production in Microbial Fuel Cell. *Procedia CIRP*, 26, 162–166. <https://doi.org/10.1016/J.PROCIR.2014.07.169>
- Guerra, R. (2005). Water Analysis | Industrial Effluents. In *Encyclopedia of Analytical Science: Second Edition* (hal. 289–299). Elsevier.  
<https://doi.org/10.1016/B0-12-369397-7/00111-4>
- Gumilar, J., Triatmojo, S., Mira Yusiati, L., Pertiwiningrum, A., & Gadjah Mada, U. (2015). *Pengaruh Penggunaan Enzim Keratinase dari Bakteri exiguobacterium sp. Dg1 Pada Proses Buang Rambut Ramah Lingkungan Terhadap Kualitas Limbah Cair (Effect Of The Keratinase Enzyme from Exiguobacterium Sp. DGI Bacteria Used In Environmentally Friendly Dehairing Process To Liquid Waste Quality)*. 15(1).
- Ibrahim, B., Suptijah, P., & Adjani, Z. N. (2017). Kinerja Microbial Fuel Cell Penghasil Biolistrik dengan Perbedaan Jenis Elektroda Pada Limbah Cair Industri Perikanan. *JPHPI* 2017, 20(2).  
<https://doi.org/10.17844/jphpi.v20i2.17946>
- Iqbal, A., Bhatti, Z. A., Maqbool, F., Siddiqui, M. F., Zeb, S., Zhao, Y. G., Xu, L., Ahmad, S., & Hussain, Z. (2024). Effect of electrode in UASB-MFC reactor for nitrogen removal under anammox condition and its microbial community profile. *Desalination and Water Treatment*, 318.

<https://doi.org/10.1016/J.DWT.2024.100300>

- Jabari, L., Gannoun, H., Khelifi, E., Cayol, J. L., Godon, J. J., Hamdi, M., & Fardeaub, M. L. (2016). Bacterial ecology of abattoir wastewater treated by an anaerobic digester. *Brazilian Journal of Microbiology*, *47*(1), 73–84. <https://doi.org/10.1016/J.BJM.2015.11.029>
- Jia, H., Liu, W., Wang, J., Ngo, H. H., Guo, W., & Zhang, H. (2018). Optimization of sensing performance in an integrated dual sensors system combining microbial fuel cells and upflow anaerobic sludge bed reactor. *Chemosphere*, *210*, 931–940. <https://doi.org/10.1016/J.CHEMOSPHERE.2018.07.119>
- Jia, H., Yang, G., Wang, J., Ngo, H. H., Guo, W., Zhang, H., & Zhang, X. (2016). Performance of a microbial fuel cell-based biosensor for online monitoring in an integrated system combining microbial fuel cell and upflow anaerobic sludge bed reactor. *Bioresource Technology*, *218*, 286–293. <https://doi.org/10.1016/J.BIORTECH.2016.06.064>
- Jiang, C., Zhong, H., Jin, Y., Xiong, H., Wang, Q., Xiao, J., Xu, Y., & Huang, L. (2024). Mechanisms of microbial fuel cells alleviating bio-clogging in constructed wetlands. *Journal of Water Process Engineering*, *67*, 106275. <https://doi.org/10.1016/J.JWPE.2024.106275>
- Karki, R., Chuenchart, W., Surendra, K. C., Sung, S., Raskin, L., & Khanal, S. K. (2022). Anaerobic co-digestion of various organic wastes: Kinetic modeling and synergistic impact evaluation. *Bioresource Technology*, *343*, 126063. <https://doi.org/10.1016/J.BIORTECH.2021.126063>
- Kassab, G., Halalsheh, M., Klapwijk, A., Fayyad, M., & van Lier, J. B. (2010). Sequential anaerobic–aerobic treatment for domestic wastewater – A review. *Bioresource Technology*, *101*(10), 3299–3310. <https://doi.org/10.1016/J.BIORTECH.2009.12.039>
- Khanh, V. Q. A. (2022). *Kinerja Sistem Upflow Anaerobic Sludge Blanket (UASB)- Downflow Hanging Sponge (DHS) Dalam Penyisihan Padatan Tersuspensi Air Limbah Rumah Potong Hewan Pada Periode Start-Up* [Universitas Andalas]. [http://scholar.unand.ac.id/114829/4/Tugas Akhir Full Text.pdf](http://scholar.unand.ac.id/114829/4/Tugas%20Akhir%20Full%20Text.pdf)
- Kothari, R., Azam, R., Bharti, A., Gorla, K., Allen, T., Ashokkumar, V., Pathania, D., Singh, R. P., & Tyagi, V. V. (2024). Biobased treatment and resource

- recovery from slaughterhouse wastewater via reutilization and recycling for sustainable waste approach. *Journal of Water Process Engineering*, 58, 104712. <https://doi.org/10.1016/J.JWPE.2023.104712>
- Kubota, K., Hayashi, M., Matsunaga, K., Iguchi, A., Ohashi, A., Li, Y. Y., Yamaguchi, T., & Harada, H. (2014). Microbial community composition of a down-flow hanging sponge (DHS) reactor combined with an up-flow anaerobic sludge blanket (UASB) reactor for the treatment of municipal sewage. *Bioresource Technology*, 151, 144–150. <https://doi.org/10.1016/J.BIORTECH.2013.10.058>
- Kumar, S., Kumar, H. D., & K, G. B. (2012). A study on the electricity generation from the cow dung using microbial fuel cell. *Journal of Biochemical Technology*, 3(4), 442–447. <https://jbiochemtech.com/storage/models/article/MUfdrXbaEwzMJ2n9JUL2Tx7LxiBtMoyuu0JtcP4nmJPBM6Tkwa75lSaawye8/a-study-on-the-electricity-generation-from-cow-dung-using-microbial-fuel-cell.pdf>
- Kuroda, K., Chosei, T., Nakahara, N., Hatamoto, M., Wakabayashi, T., Kawai, T., Araki, N., Syutsubo, K., & Yamaguchi, T. (2015). High organic loading treatment for industrial molasses wastewater and microbial community shifts corresponding to system development. *Bioresource Technology*, 196, 225–234. <https://doi.org/10.1016/J.BIORTECH.2015.07.070>,
- Li, D., & Liu, S. (2019). Detection of River Water Quality. In *Water Quality Monitoring and Management* (hal. 211–220). Academic Press. <https://doi.org/10.1016/B978-0-12-811330-1.00007-7>
- Li, Z., Haynes, R., Sato, E., Shields, M. S., Fujita, Y., & Sato, C. (2014). Microbial Community Analysis of a Single Chamber Microbial Fuel Cell Using Potato Wastewater. *Water Environment Research*, 86(4), 324–330. <https://doi.org/10.2175/106143013X13751480308641>
- Liu, H., & Logan, B. E. (2004). Electricity Generation Using an Air-Cathode Single Chamber Microbial Fuel Cell in the Presence and Absence of a Proton Exchange Membrane. *Environmental Science and Technology*, 38(14), 4040–4046. <https://doi.org/10.1021/ES0499344>
- Logan, B. E., Hamelers, B., Rozendal, R., Schröder, U., Keller, J., Freguia, S.,

- Aelterman, P., Verstraete, W., & Rabaey, K. (2006). Microbial fuel cells: Methodology and technology. *Environmental Science and Technology*, 40(17), 5181–5192. <https://doi.org/10.1021/ES0605016>
- Luo, J., Tian, W., Jin, H., Yang, J., Li, J., Wang, Y., Shen, W., Ren, Y., & Zhou, M. (2023). Recent advances in microbial fuel cells: A review on the identification technology, molecular tool and improvement strategy of electricigens. *Current Opinion in Electrochemistry*, 37, 101187. <https://doi.org/10.1016/J.COEELEC.2022.101187>
- Machdar, I., Harada, H., Ohashi, A., Sekiguchi, Y., Okui, H., & Ueki, K. (1997). A novel and cost-effective sewage treatment system consisting of UASB pre-treatment and aerobic post-treatment units for developing countries. *Water Science and Technology*, 36(12), 189–197. [https://doi.org/10.1016/S0273-1223\(97\)00739-7](https://doi.org/10.1016/S0273-1223(97)00739-7)
- Machdar, I., Sekiguchi, Y., Sumino, H., Ohashi, A., & Harada, H. (2000). Combination of a UASB reactor and a curtain type DHS (downflow hanging sponge) reactor as a cost-effective sewage treatment system for developing countries. *Water Science and Technology*, 42(3–4), 83–88. <https://doi.org/10.2166/WST.2000.0362>
- Maharjan, N., Dehama, K., Ohtsuki, K., Saito, Y., Miyaoka, Y., Tshering, T., Nakamura, A., Hatamoto, M., & Yamaguchi, T. (2014). An Integrated System of UASB-DHS-A2SBR for Effective Removal of Organic Matter and Nutrients from Municipal Wastewater. *Journal of Water and Environment Technology*, 12(5), 421–429. <https://doi.org/10.2965/JWET.2014.421>
- Maheepala, S. S., Hatamoto, M., Mitsuishi, Y., Watari, T., & Yamaguchi, T. (2023). A syphon-downflow hanging sponge (DHS) reactor for improving the denitrification efficiency of sewage water treatment. *Environmental Technology & Innovation*, 31, 103205. <https://doi.org/10.1016/J.ETI.2023.103205>
- Mahmoud, N., Zeeman, G., Gijzen, H., & Lettinga, G. (2003). Solids removal in upflow anaerobic reactors, a review. *Bioresource Technology*, 90(1), 1–9. [https://doi.org/10.1016/S0960-8524\(03\)00095-6](https://doi.org/10.1016/S0960-8524(03)00095-6)
- Mao, C., Feng, Y., Wang, X., & Ren, G. (2015). Review on research achievements

- of biogas from anaerobic digestion. *Renewable and Sustainable Energy Reviews*, 45, 540–555. <https://doi.org/10.1016/J.RSER.2015.02.032>
- Mareddy, A. R. (2017). Technology in EIA. In *Environmental Impact Assessment* (hal. 421–490). Butterworth-Heinemann. <https://doi.org/10.1016/B978-0-12-811139-0.00012-8>
- Martínková, L., Uhnáková, B., Pátek, M., Nešvera, J., & Křen, V. (2009). Biodegradation potential of the genus *Rhodococcus*. *Environment International*, 35(1), 162–177. <https://doi.org/10.1016/J.ENVINT.2008.07.018>
- Maulana, L., Suprayogi, A., & Wijaya, A. P. (2015). Analisis Pengaruh Total Suspended Solid dalam Penentuan Kedalaman Laut Dangkal dengan Metode Algoritma Van Hengel dan Spitzer. *Jurnal Geodesi Undip*, 4(2), 139–148. <https://doi.org/10.14710/JGUNDIP.2015.8512>
- Metcalf & Eddy. (2014). *Wastewater Engineering: Treatment and Resource Recovery* (F. L. Burton, G. Tchobanoglous, R. Tsuchihashi, & H. D. Stensel (ed.); 5 ed.). McGraw-Hill Education. [https://www.abpsoil.com/images/Books/Wastewater\\_Engineering\\_Treatment\\_Resource\\_Recovery\\_Metcalf\\_Eddy\\_5th.pdf](https://www.abpsoil.com/images/Books/Wastewater_Engineering_Treatment_Resource_Recovery_Metcalf_Eddy_5th.pdf)
- Michael-Kordatou, I., Michael, C., Duan, X., He, X., Dionysiou, D. D., Mills, M. A., & Fatta-Kassinos, D. (2015). Dissolved effluent organic matter: Characteristics and potential implications in wastewater treatment and reuse applications. *Water Research*, 77, 213–248. <https://doi.org/10.1016/J.WATRES.2015.03.011>
- Munoz-Cupa, C., Hu, Y., Xu, C., & Bassi, A. (2021). An overview of microbial fuel cell usage in wastewater treatment, resource recovery and energy production. *Science of The Total Environment*, 754, 142429. <https://doi.org/10.1016/J.SCITOTENV.2020.142429>
- Nakhate, P. H., Patil, H. G., Shah, V., Salvi, T., & Marathe, K. V. (2019). Process validation of integrated bioelectrochemical and membrane reactor for synchronous bioenergy extraction and sustainable wastewater treatment at a semi-pilot scale. *Biochemical Engineering Journal*, 151, 107309. <https://doi.org/10.1016/J.BEJ.2019.107309>

- Nawaz, A., ul Haq, I., Qaisar, K., Gunes, B., Raja, S. I., Mohyuddin, K., & Amin, H. (2022). Microbial fuel cells: Insight into simultaneous wastewater treatment and bioelectricity generation. *Process Safety and Environmental Protection*, *161*, 357–373. <https://doi.org/10.1016/J.PSEP.2022.03.039>
- Nurmiyanto, A., & Ohashi, A. (2019). Downflow Hanging Sponge (DHS) Reactor for Wastewater Treatment - A Short Review. *MATEC Web of Conferences*, *280*, 05004. <https://doi.org/10.1051/MATECCONF/201928005004>
- Onodera, T., Okubo, T., Uemura, S., Yamaguchi, T., Ohashi, A., & Harada, H. (2016). Long-term performance evaluation of down-flow hanging sponge reactor regarding nitrification in a full-scale experiment in India. *Bioresource Technology*, *204*, 177–184. <https://doi.org/10.1016/J.BIORTECH.2016.01.005>
- Pahazri, N. F., Mohamed, R. M. S. R., Al-Gheethi, A. A., & Kassim, A. H. M. (2016). Production and harvesting of microalgae biomass from wastewater: a critical review. *Environmental Technology Reviews*, *5*(1), 39–56. <https://doi.org/10.1080/21622515.2016.1207713>
- Parkash, A. (2015). Design and Fabrication of a Double Chamber Microbial Fuel Cell for Voltage Generation from Biowaste. *Journal of Bioprocessing & Biotechniques*, *05*(08). <https://doi.org/10.4172/2155-9821.1000246>
- Peraturan Menteri Lingkungan Hidup Nomor 5 Tahun 2014 tentang Baku Mutu Air Limbah (2014).
- Pohan, N. (2008). *Pengolahan Limbah Cair Industri Tahu Dengan Proses Biofilter Aerobik* [Universitas Sumatera Utara]. <https://repositori.usu.ac.id/handle/123456789/41741>
- Purba, I. R. K. (2012). *Performa Reaktor Down-flow Hanging Sponge (DHS) dalam Mengolah Air Limbah Domestik di Jakarta*. Universitas Indonesia.
- Purnaweni, H., Djumiarti, T., Roziqin, A., & Santoso, B. (2024). How do local government strategies advance social accountability? The challenges from environmental management of Slaughterhouse in Semarang City, Indonesia. *Local Environment*, *29*(2), 245–261. <https://doi.org/10.1080/13549839.2023.2282094>
- Putra, A. A. (2025). *Pengembangan Reaktor Upflow Anaerobic Sludge Blanket –*

*Downflow Hanging Sponges (UASB-DHS) dalam Mengolah Air Limbah Rumah Potong Hewan (RPH) di Sumatera Barat (Laporan Teknik).*

- Rabii, A., Aldin, S., Dahman, Y., & Elbeshbishy, E. (2019). A Review on Anaerobic Co-Digestion with a Focus on the Microbial Populations and the Effect of Multi-Stage Digester Configuration. *Energies* 2019, Vol. 12, Page 1106, 12(6), 1106. <https://doi.org/10.3390/EN12061106>
- Rahmawan, I. (2022). *Pengolahan Limbah Cair Rumah Potong Hewan (RPH) Menggunakan Kombinasi Teknologi Microbubble Generator Dan Filter Bioball*. Universitas Islam Negeri Ar-Raniry.
- Ranti, W., & Amelia, S. (2021). *Operasional dan Pemeliharaan Instalasi Pengolahan Air Limbah (IPAL) di Rumah Potong Hewan Kota Padang Panjang (Laporan KP)*.
- Rehman, M. L. U., Iqbal, A., Chang, C. C., Li, W., & Ju, M. (2019). Anaerobic digestion. *Water Environment Research*, 91(10), 1253–1271. <https://doi.org/10.1002/WER.1219;WGROU:STRING:PUBLICATION>
- Rekrak, A., Chiboub Fellah, A., & boulefred, S. (2020). Dependability and purification performance of a semi-arid zone: A case study of Algeria's wastewater treatment plant. *Egyptian Journal of Aquatic Research*, 46(1), 41–47. <https://doi.org/10.1016/j.ejar.2020.02.001>
- Rizki, N., Endro Sutrisno, I., Sumiyati, S., Sudarto, J. H., & Tembalang Semarang, S. (2015). Penurunan Konsentrasi COD Dan TSS Pada Limbah Cair Tahu dengan Teknologi Kolam (Pond) - Biofilm Menggunakan Media Biofilter Jaring Ikan dan Bioball. *Jurnal Teknik Lingkungan*, 4(1), 1–9. <https://www.neliti.com/id/publications/190421/>
- Rossi, R., Yang, W., Zikmund, E., Pant, D., & Logan, B. E. (2018). In situ biofilm removal from air cathodes in microbial fuel cells treating domestic wastewater. *Bioresource Technology*, 265, 200–206. <https://doi.org/10.1016/J.BIORTECH.2018.06.008>
- Roy, H., Rahman, T. U., Tasnim, N., Arju, J., Rafid, M. M., Islam, M. R., Pervez, M. N., Cai, Y., Naddeo, V., & Islam, M. S. (2023). Microbial Fuel Cell Construction Features and Application for Sustainable Wastewater Treatment. *Membranes*, 13(5), 490. <https://doi.org/10.3390/MEMBRANES13050490/S1>

- Rozali, R. (Rozali), Mubarak, M. (Mubarak), & Nurrachmi, I. (Irvina). (2016). Patterns of Distribution Total Suspended Solid (TSS) in River Estuary Kampar Pelalawan. *Jurnal Online Mahasiswa Fakultas Perikanan dan Ilmu Kelautan Universitas Riau*, 3(2), 1–13. <https://www.neliti.com/id/publications/199805/>
- Said, N. I., & Firly, F. (2005). Uji Performance Biofilter Anaerobik Unggun Tetap Menggunakan Media Biofilter Sarang Tawon Untuk Pengolahan Air Limbah Rumah Potong Ayam. *Jurnal Air Indonesia*, 1(3), 289–303. <https://doi.org/10.29122/JAI.V1I3.2357>
- Sari, F. R. (Febrina), Annissa, R. (Raudhah), & Tuhuloula, A. (Abubakar). (2013). Perbandingan Limbah Dan Lumpur Aktif Terhadap Pengaruh Sistem Aerasi Pada Pengolahan Limbah Cpo. *Jurnal Konversi UNLAM*, 2(1), 39–44. <https://www.neliti.com/id/publications/107605/>
- Sato, A., Utomo, P., & Abineri, H. S. B. (2015). Pengolahan Limbah Tahu Secara Anaerobik-Aerobik. *Seminar Nasional Sains dan Teknologi Terapan III 2015*, 185–191. <https://studylibid.com/doc/353342/pengolahan-limbah-tahu-secara-anaerobik-aerobik>
- Seferlis, P., & Voutetakis, S. (2008). Measurement and process control for water and energy use in the food industry. In *Handbook of Water and Energy Management in Food Processing* (hal. 387–418). Woodhead Publishing. <https://doi.org/10.1533/9781845694678.3.367>
- Seghezzo, L., Zeeman, G., Van Lier, J. B., Hamelers, H. V. M., & Lettinga, G. (1998). A review: The anaerobic treatment of sewage in UASB and EGSB reactors. *Bioresource Technology*, 65(3), 175–190. [https://doi.org/10.1016/S0960-8524\(98\)00046-7](https://doi.org/10.1016/S0960-8524(98)00046-7)
- Setianingsih, N. I., Hadiyanto, Budihardjo, M. A., Yuliasni, R., Vistanty, H., Budiono, Sudarno, & Warsito, B. (2024). Effective sludge activation in a sequencing batch reactor (SBR) towards aerobic granular sludge (AGS) technology. *Desalination and Water Treatment*, 320, 100774. <https://doi.org/10.1016/J.DWT.2024.100774>
- Shahid, S. B., Rashid, I., & Mamtaz, R. (2018). *Performance Evaluation of UASB Followed by DHS Reactor Treatment Process and its Cost in Treating Textile Wastewater*.

- Sirinutsomboon, B. (2014). Modeling of a membraneless single-chamber microbial fuel cell with molasses as an energy source. *International Journal of Energy and Environmental Engineering*, 5(2–3), 1–9. <https://doi.org/10.1007/S40095-014-0093-5/FIGURES/7>
- Su, X., Lu, J., Jiang, Y., Liu, F., Zhong, C., Yang, M., Zhang, H., Cui, J., & Meng, H. (2026). A synthetic *Glutamicibacter* consortium efficiently removes ammonium and nitrite from aquaculture wastewater. *Bioresource Technology*, 442, 133683. <https://doi.org/10.1016/J.BIORTECH.2025.133683>
- Tamakloe, R. Y., Opoku-Donkor, T., Donkor, M. K. E., & Agamasu, H. (2015). Comparative study of double-chamber microbial fuel cells (DC-MFCs) using Mfensi clay as ion-exchange-partition: Effect of electrodes. *African Journal of Science, Technology, Innovation and Development*, 7(3), 207–210. <https://doi.org/10.1080/20421338.2015.1043706>
- Tandukar, M., Machdar, I., Uemura, S., Ohashi, A., & Harada, H. (2006). Potential of a Combination of UASB and DHS Reactor as a Novel Sewage Treatment System for Developing Countries: Long-Term Evaluation. *Journal of Environmental Engineering*, 132(2), 166–172. [https://doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:2\(166\)](https://doi.org/10.1061/(ASCE)0733-9372(2006)132:2(166))
- Tandukar, M., Ohashi, A., & Harada, H. (2007). Performance comparison of a pilot-scale UASB and DHS system and activated sludge process for the treatment of municipal wastewater. *Water Research*, 41(12), 2697–2705. <https://doi.org/10.1016/J.WATRES.2007.02.027>
- Tandukar, M., Uemura, S., Machdar, I., Ohashi, A., & Harada, H. (2005). A low-cost municipal sewage treatment system with a combination of UASB and the “fourth-generation” downflow hanging sponge reactors. *Water Science and Technology*, 52(1–2), 323–329. <https://doi.org/10.2166/WST.2005.0534>
- Tarigan, A. P. (2021). *Studi Kinetika Degradasi Chemical Oxygen Demand (COD) dan Pertumbuhan Volatile Suspended Solid (VSS) pada Proses Asidogenesis Limbah Cair Pabrik Kelapa Sawit (LCPKS) pada Variasi Laju Pengadukan* [Universitas Sumatera Utara]. <https://repositori.usu.ac.id/handle/123456789/42491>
- Tawfik, A., El-Gohary, F., Ohashi, A., & Harada, H. (2006). The influence of

- physical–chemical and biological factors on the removal of faecal coliform through down-flow hanging sponge (DHS) system treating UASB reactor effluent. *Water Research*, 40(9), 1877–1883.  
<https://doi.org/10.1016/J.WATRES.2006.02.038>
- Tawfik, A., Hassan, G. K., Awad, H., Hassan, M., Rojas, P., Sanz, J. L., Elsamadony, M., Pant, D., & Fujii, M. (2021). Strengthen “the sustainable farm” concept via efficacious conversion of farm wastes into methane. *Bioresource Technology*, 341, 125838.  
<https://doi.org/10.1016/J.BIORTECH.2021.125838>
- Uemura, S., & Harada, H. (2010). Application of UASB technology for sewage treatment with a novel post-treatment process. *Environmental Anaerobic Technology: Applications and New Developments*, 91–112.  
[https://doi.org/10.1142/9781848165434\\_0005](https://doi.org/10.1142/9781848165434_0005)
- Uemura, S., Suzuki, S., Abe, K., Kubota, K., Yamaguchi, T., Ohashi, A., Takemura, Y., & Harada, H. (2010). Removal of organic substances and oxidation of ammonium nitrogen by a down-flow hanging sponge (DHS) reactor under high salinity conditions. *Bioresource Technology*, 101(14), 5180–5185.  
<https://doi.org/10.1016/J.BIORTECH.2010.02.040>
- Uemura, S., Takahashi, K., Takaishi, A., Machdar, A., Ohashi, A., & Harada, H. (2002). Removal of indigenous coliphages and fecal coliforms by a novel sewage treatment system consisting of UASB and DHS units. *Water Science and Technology*, 46(11–12), 303–309.  
<https://doi.org/10.2166/WST.2002.0754>
- Vera, M., Aspé, E., Martí, M. C., & Roeckel, M. (1999). Optimization of a Sequential Anaerobic-Aerobic Treatment of a Saline Fishing Effluent. *Process Safety and Environmental Protection*, 77(5), 275–290.  
<https://doi.org/10.1205/095758299530152>
- Verma, A., Wei, X., & Kusiak, A. (2013). Predicting the total suspended solids in wastewater: A data-mining approach. *Engineering Applications of Artificial Intelligence*, 26(4), 1366–1372.  
<https://doi.org/10.1016/j.engappai.2012.08.015>
- Vidales, A. G., Omanovic, S., & Tartakovsky, B. (2019). Combined energy storage

- and methane bioelectrosynthesis from carbon dioxide in a microbial electrosynthesis system. *Bioresource Technology Reports*, 8, 100302. <https://doi.org/10.1016/J.BITEB.2019.100302>
- Wang, F., Li, J., Su, Y., Li, Q., Gao, B., Yue, Q., & Zhou, W. (2019). Adsorption and recycling of Cd(II) from wastewater using straw cellulose hydrogel beads. *Journal of Industrial and Engineering Chemistry*, 80, 361–369. <https://doi.org/10.1016/J.JIEC.2019.08.015>
- Watari, T., Tanikawa, D., Kuroda, K., Nakamura, A., Fujii, N., Yoneyama, F., Wakisaka, O., Hatamoto, M., & Yamaguchi, T. (2015). Development of UASB-DHS System for Treating Industrial Wastewater Containing Ethylene Glycol. *Journal of Water and Environment Technology*, 13(2), 131–140. <https://doi.org/10.2965/JWET.2015.131>
- Wentzel, M. C., Ekama, G. A., & Loewenthal, R. E. (2003). Fundamentals of biological behaviour and wastewater strength tests. In *Handbook of Water and Wastewater Microbiology* (hal. 145–173). Academic Press. <https://doi.org/10.1016/B978-012470100-7/50010-8>
- Wi, J., Lee, S., & Ahn, H. (2023). Influence of Dairy Manure as Inoculum Source on Anaerobic Digestion of Swine Manure. *Bioengineering*, 10(4), 432. <https://doi.org/10.3390/BIOENGINEERING10040432>
- Widya, N., Budiarsa, W. S., Mahendra, dan M., & Peternakan Kabupaten Badung, D. (2012). Studi Pengaruh Air Limbah Pematangan Hewan dan Unggas terhadap Kualitas Air Sungai Subak Pakel I di Desa Darmasaba Kecamatan Abiansemal Kabupaten Badung. *Ecotrophic*, 3(2), 378215. <https://www.neliti.com/id/publications/378215/>
- Wu, C. Y., Zhuang, L., Zhou, S. G., Li, F. B., & He, J. (2011). *Corynebacterium humireducens* sp. nov., an alkaliphilic, humic acid-reducing bacterium isolated from a microbial fuel cell. *International journal of systematic and evolutionary microbiology*, 61(Pt 4), 882–887. <https://doi.org/10.1099/IJS.0.020909-0>
- Xu, Y. Bin, Hou, M. Y., Li, Y. F., Huang, L., Ruan, J. J., Zheng, L., Qiao, Q. X., & Du, Q. P. (2017). Distribution of tetracycline resistance genes and AmpC  $\beta$ -lactamase genes in representative non-urban sewage plants and correlations with treatment processes and heavy metals. *Chemosphere*, 170, 274–281.

<https://doi.org/10.1016/J.CHEMOSPHERE.2016.12.027>

- Yaakob, M. A., Mohamed, R. M. S. R., Al-Gheethi, A. A. S., & Kassim, A. H. M. (2018). Characteristics of chicken slaughterhouse wastewater. *Chemical Engineering Transactions*, *63*, 637–642. <https://doi.org/10.3303/CET1863107>
- Yue, Z. B., Li, W. W., & Yu, H. Q. (2013). Application of rumen microorganisms for anaerobic bioconversion of lignocellulosic biomass. *Bioresource Technology*, *128*, 738–744. <https://doi.org/10.1016/J.BIORTECH.2012.11.073>
- Yulianto, A. (2012). Studi Kelayakan Lokasi Rumah Potong Hewan (RPH) di Kota Bontang: Analisis Pengelolaan Air Limbah RPH Eksisting Gunung Telihan sebagai Bagian Dasar Perbaikan Pengelolaan Lingkungan RPH. *Jurnal Sains & Teknologi Lingkungan*, *4*(2), 137–147. <https://doi.org/10.20885/JSTL.VOL4.ISS2.ART7>
- Zhang, Y. H., Dong, X. B., Liu, X. Y., Xu, J. Q., & Xu, Z. L. (2023). Isolation of a Novel Heterotrophic Nitrification-Aerobic Denitrification Bacterium *Paracoccus* sp. QD-19 and Its Characterization of Removing Nitrogen. *Biotechnology Bulletin*, *39*(3), 301. <https://doi.org/10.13560/J.CNKI.BIOTECH.BULL.1985.2022-0834>
- Zhu, G., Peng, Y., Wu, S., Wang, S., & Xu, S. (2007). Simultaneous nitrification and denitrification in step feeding biological nitrogen removal process. *Journal of Environmental Sciences*, *19*(9), 1043–1048. [https://doi.org/10.1016/S1001-0742\(07\)60170-3](https://doi.org/10.1016/S1001-0742(07)60170-3)
- Zhu, X., Liu, J., Li, L., Zhen, G., Lu, X., Zhang, J., Liu, H., Zhou, Z., Wu, Z., & Zhang, X. (2023). Prospects for humic acids treatment and recovery in wastewater: A review. *Chemosphere*, *312*, 137193. <https://doi.org/10.1016/J.CHEMOSPHERE.2022.137193>