

DAFTAR PUSTAKA

1. Vergnano S, Sharland M, Kazembe P, Mwansambo C, Heath PT. Neonatal sepsis: an international perspective. *Arch Dis Child Fetal Neonatal.* 2005;90:220-4.
2. Gandhi S, Ranjan KP, Ranjan N, Sapre N, Masani M. Incidence of neonatal sepsis in tertiary care hospital: an overview. *Int J Med Sci Public Health.* 2013;2:548-52.
3. Short MA. Linking the sepsis triad of inflammation, coagulation and suppressed fibrinolysis to infants. *Adv Neonatal Care.* 2004;5:258-73.
4. Enrione MA, Powell KR. Sepsis, septic shock, and systemic inflammatory response syndrome. Dalam: Kliegman RM, Behrman RE, Jenson HB, Stanton BF, penyunting. Nelson textbook of pediatrics. Edisi ke-18. Philadelphia: WB Saunders; 2007. h. 1094-9.
5. Gomella TL. Sepsis. Dalam: Gomella TL, Cunningham MD, Eyal FG, Tutle D, penyunting. Neonatology management, procedures, on-call problems, diseases, and drugs. Edisi ke- 6. Philadelphia: Mc Graw Hill Companies; 2009. h. 665-71.
6. Afsharpaiman S, Torkman M, Saburi A, Farzaampur A, Amirsalari S, Kavehmanesh Z. Trends in incidence of neonatal sepsis and antibiotic susceptibility of causative agents in two neonatal intensive care units in Tehran. *J Clin Neonatol.* 2012;1:124–30.
7. Roeslani RD, Amir I, MH, Suryani. Penelitian awal; faktor resiko pada sepsis awitan dini. *Sari Pediatri.* 2013;14:363-8.
8. Dessauer BV, Bongain J, Molina V, Quilodrán J, Castillo R, Rodrigo R. Oxidative stress as a novel target in pediatric sepsis management. *J Crit Care.* 2011;26:103-7.
9. Wilson JX. Mechanism of action of vitamin C in sepsis: Ascorbate modulates redox signaling in endothelium. *PMC.* 2009;35:5-13.
10. Car ACC, Zhu BZ, Frei. Potential antiatherogenic mechanism of ascorbate (vitamin C) and tokoferol (vitamin E). *Circul Resp.* 2000;87:349-54.
11. Kunwar A PK. Free radicals, oxidative stress and importance of antioxidants in human health. *J Med Allied Sci.* 2011;1:53-60.
12. Rahardani KB. Hubungan antara malondialdehyde (MDA) dengan hasil luaran sepsis neonatorum. *Sari pediatri.* 2010;12:1-8.
13. Cherian dkk. Oxidative stress in sepsis in children. *Indian J Med Res.* 2007;2:143-148.
14. Goldstein B, Grior B, Randolph A. International pediatric sepsis consensus conference : definitions for sepsis and organ dysfunction in pediatrics. *Pediatr Crit Care Med.* 2005;6: 2-8.
15. Weston EJ. The burden of invasive early-onset neonatal sepsis in the United States. *Pediatr Infect Dis J.* 2011; 30: 937–941.

16. Stoll B. Neonatal infection : a global prospective. In: Remington J, Klein J, editors. *Infection disease of the fetus and newborn*. Philadelphia. WB Saunders; 2000. p 139-68.
17. Rohsiswatmo R. Kontroversi diagnosis sepsis neonatorum. In: Hegar B, Trihono PP, Ifran EB, editor. *Update of neonatal infection*. Pendidikan Dokter Berkelanjutan Ilmu Kesehatan Anak XLVII. Departemen Ilmu Kesehatan Anak FKUI/RSCM . Jakarta. 2005. p 32-43.
18. Ananthakrishnan D, Gunasekaran D. Etiology and risk factors for early neonatal sepsis. *Indian J Medical Microbiol*. 2009;27:279.
19. Awoniyi DO US, Oguntibeju OO. An epidemiological survey of neonatal sepsis in a hospital in western Nigeria. *African Journal of Microbiology Research*. 2009;3:385-9.
20. Hafidh Y, Hidayah D. Factor affecting mortality of neonatal sepsis in Moewardi Hospital. *Paediatr Indones*. 2007;47:74-7.
21. Kardana IM. Incidence and factors associated with mortality of neonatal sepsis. *Paediatr Indones*. 2011;51:144-8.
22. Putri SI, Djamal A, Rahmatini. Sensititas Bakteri Penyebab Sepsis Neonatorum di *Neonatal Intensive Care Unit* dan Perinatologi RSUP DR M Djamil Padang. *Jurnal Kesehatan Andalas*. 2014;3:477-81.
23. Castellheim A, Brekke O-L, Espesvik T, Harboe M, Mollnes T. Innate immune responses to danger signals in systemic inflammatory response syndrome and sepsis. *Journal of Immunology*. 2009;69:p.479–91.
24. Wilar R, Kumalasari E, Suryanto DY, Gunawan S. Faktor Risiko Sepsis Awitan Dini. *Sari Pediatr*. 2010;12:265-9.
25. Rini AE. Faktor risiko air ketuban keruh dengan terhadap kejadian sepsis awitan dini pada bayi baru lahir. *Sari Pediatr*.2010;12:135-41.
26. Russell JA. Management of sepsis. *NEJM* 2006;355:p.1699-713.
27. Glauser MP. Pathophysiology basis of sepsis:considerations for future strategies of intervention. *J Crit Care Med*. 2000;28:p.4-8.
28. Toussaint S, Gerlach H. Activates protein C for sepsis. *NEJM* 2009; 361:p.2646-52.
29. Rabson A, Roitt IM, Delves PJ. Immunity to infection. In: *Really essential medical immunology*.2nd edition. Blackwell Publishing;2005.p.114-26.
30. Matondang CS, Notoatmojo H, Kurniati N. Mekanisme imun penyakit infeksi. Dalam: Akib AAP, Munasir Z, Kurniati N. *Buku Ajar Alergi-Imunologi.IDAI*. 2007:132-153.
31. Vautier S,MacCallum DM, Brown GD.C-type leptin receptors and cytokines in fungal immunity. *Cytokine*.2011;4:1-11.
32. Thomas NJ, Tamburro RF, Hall MW, Rajasekaran S, Venglarcik JS. Bacterial sepsis and mechanisms of microbial pathogenesis. Dalam : Nichols DG, penyunting. *Roger's Textbook of Pediatric Intensive Care*. Edisi ke-4. Baltimore: Lippincott Williams & Wilkins, 2008;p477-88.

33. Arief S. Radikal bebas. Ilmu Kesehatan Anak FK UNAIR/RSU Rd. Soetomo. Surabaya.2010.1-12
34. Alfadda AA, Sallam RR. Reactive oxygen species in health and disease. Journal of biomedicine and biotechnology. 2012;5:1-14.
35. Burhan H. Penggunaan antioksidan pada anak. Naskah lengkap continuing education ilmu Kesehatan anak XXXV. Surabaya. 2005. h 5-10.
36. Jonston CS, Steinberg. Ascorbic Acid. In: Rucker RB, Suttie JW, McCormick DB, Machlin LJ, editors. Handbook of vitamin. 3 ed. New York. Marcel Dekker Inc; 2001:p529-46.
37. ML G. The nutrients and their metabolism. In: LK M, editor. Krause's foos and nutrition therapy. 12 ed. Canada: Elsevier Inc; 2008:39-143.
38. R K. Vitamin. In: C D, editor. Nutrition in pediatrics. 4 ed. India: BC Decker Inc; 2008:40-114.
39. Li Y. New Developments and Novel Therapeutic Perspectives for Vitamin. J Nutr 2007;137:2171-84.
40. Carcamo JM, Pedraza A, Djedz OB, Zhang B, Sanches R, Golden W. Vitamin C is a Kinase inhibitor: Dehydroascorbic Acid Inhibits IkB α Kinase β . Molecular and Cellular Biology.2004;24:6645-52.
41. Naidu KA. Vitamin C in human health and disease is still a mystery ? An overview. Nutr J 2003;2:1-10.
42. Putra PJ. Insiden dan Faktor-Faktor yang Berhubungan dengan Sepsis Neonatus di RSUP Sanglah Denpasar. Sari Pediatri. 2012;14:205-10.
43. Rasyidah. Pola Kuman dan Uji Kepekaan Antibiotik pada Sepsis Neonatorum di Unit Perawatan Neonatus RSUD dr. Pirngadi Kota Medan. Sari Pediatri. 2014;15:341-4.
44. Mia Nurlaili. Bakterimia pada neonatus : pola kuman dan kepekaannya terhadap antibiotika di RSUD Moewardi. 2014.
45. Magzoub OS, Ahmed MA, Abdelgadir YS. Clinical presentation of neonatal sepsis in paediatric ward at Khartoum North Teaching Hospital, Sudan. Journal of Medicine and Clinical Science.2015;4:116-120.
46. Jonnala RN, Eluzai Z, Rao NS. Clinical and laboratory profile of neonatal sepsis. International journal of medical and applied sciences. 2013;2:4-16.
47. Jyothi, Basavaraj MC, Basavaraj PV. Bacteriological profile of neonatal septicemia and antibiotic susceptibility pattern of the isolates. J Nat Sci Biol Med. 2013; 4: 306–9.
48. Khinchi YR, Kumar A, Yadav S. Profile of Neonatal sepsis. Journal of college of Medical Sciences Nepal. 2010;6:1-6.
49. Shitaye. Neonatal sepsis: bacterial etiologic agents and their antibiotic susceptibility pattern in Tikur Anbessa University Hospital, Addis Ababa, Ethiopia.2008.
50. Enrione MA, Powell KR. Sepsis, septic shock, and systemic inflammatory response syndrome. Dalam : Kliegman RM, Behrman RE, Jenson HB, Stanton BF, penyunting. Nelson textbook of pediatrics. Edisi ke-18. Philadelphia: WB Saunders, 2007;1094-9.

51. Juniatiningsih A, Aminullah A, Firmansyah A. Profil mikroorganisme penyebab sepsis neonatorum di Departemen Ilmu Kesehatan Anak Rumah Sakit Cipto Mangunkusumo Jakarta. *Sari Pediatri*. 2008;10:60-5.
52. Kardana IM. Pola kuman dan sensitifitas antibiotik di ruang perinatologi. *Sari Pediatri*. 2011;12:381-5.
53. Mane AK, Nagdeo NV, Thombare VR. Study of neonatal septicemia in a tertiary care hospital in rural Nagpur. *Journal of recent advances in applied sciences*. 2010;25:19-24.
54. Rad EM, Momtazmanesh. Neonatal sepsis due to klebsiella: frequency, outcome and antibiotic sensitivity. *Iranian J Publ Health*. 2004;33:43-8.
55. Awoala WB, Nnenna TP. Clinico-bacteriological profile of early and late onset sepsis in a tertiary hospital in Nigeria. *J Med Medical Science*. 2012;3:107-11.
56. Miller H, Lifshitz MS. Pre-Analysis. Dalam : Pherson RA, Pincus MR, penyunting. *Clinical diagnosis and management by laboratory methods*. Edisi ke-21. Philadelphia; Elsevier.2007:21-9.
57. Nemeth I, Boda D. Xanthine oxidase activity and blood glutathione redox ratio in infants and children with septic shock syndrome. *Intensive Care Med*. 2001; 27: 216-21.
58. Seema, Kumar R, Mandal RN. Serum TNF-alpha and free radical scavengers in neonatal septicemia. *Indian J Pediatr*. 1999; 66: 511-6.
59. Batra S, Kumar R, Seema, Kapoor AK, Ray G. Alterations in antioxidant status during neonatal sepsis. *Ann Trop Paediatr*. 2000; 20: 27-33.
60. Kapoor K, Basu S, Das BK, Bhatia BD. Lipid peroxidation and antioxidants in neonatal septicemia. *J Trop Pediatr*. 2006; 52: 372-5.
61. Turki A, Majeed MN. Measurement of serum MDA levels as a marker of lipid peroxidation in neonatal sepsis. *Thiqar Medical Journal*. 2011;5:9-17.
62. Nguyen H, Rivers E, Abrahamian F, Moran G, Abraham E, Trzeciak S. Severe sepsis and septic shock: review of the literature and emergency department management guidelines. *Ann emerg med*.2006;48:28-54.
63. Jumah DS, Hassan MK. Predictor of mortality outcome in neonatal sepsis. *The Medical Journal of Basrah University*. 2007; 25:11-8.
64. Rahardjani KB. Hubungan antara Malondialdehyde (MDA) dengan Hasil Luaran Sepsis Neonatorum. *Sari Pediatri*. 2010;12:82-7.
65. Levi M, Lowenberg EC, Thrombocytopenia in critically Ill patients. *Semin Thromb Hemost*. 2008;34:417–24

