

DAFTAR PUSTAKA

- [1] V. E. S. Silva, D. D. Costa, F. S. M. Sinfrônio, dan A. K. Barros, "Application of Dielectric Constant for Identification of Dilution in Raw Milk," *J. Adv. Agric. Technol.*, hlm. 25–29, 2021, doi: 10.18178/joaat.8.1.25-29.
- [2] R. A. Adelia, A. A. Pamudita, dan D. Arseno, "Pengukuran Kualitas Susu Pasteurisasi Komersial Menggunakan Sensor Mikrostrip," *EProceedings Eng.*, vol. 11, no. 6, Art. no. 6, Des 2024.
- [3] A. S. Rahmadini, A. Asben, K. H. Dewi, dan Y. Ernita, "Physicochemical Properties of Pasteurized Cow's Milk: Review," *J. Appl. Agric. Sci. Technol.*, vol. 8, no. 2, Art. no. 2, Mei 2024, doi: 10.55043/jaast.v8i2.272.
- [4] W. Guo, X. Zhu, H. Liu, R. Yue, dan S. Wang, "Effects of milk concentration and freshness on microwave dielectric properties," *J. Food Eng.*, vol. 99, no. 3, hlm. 344–350, Agu 2010, doi: 10.1016/j.jfoodeng.2010.03.015.
- [5] H. Tadesse, A. Tamene, dan G. Dessie, "Microbial Quality and Prevalence of Water Adulteration of Pasteurized Milk Marketed in Addis Ababa, Ethiopia," *J. Pure Appl. Microbiol.*, vol. 19, no. 1, hlm. 392–400, Mar 2025, doi: 10.22207/JPAM.19.1.29.
- [6] D. Agranovich, I. Renhart, P. Ben Ishai, G. Katz, D. Bezman, dan Y. Feldman, "A microwave sensor for the characterization of bovine milk," *Food Control*, vol. 63, hlm. 195–200, Mei 2016, doi: 10.1016/j.foodcont.2015.11.032.
- [7] M. D. Sharma, D. Worku, D. P. Kumar, dan B. Koteswararao, "Detection of Adulteration in milk using capacitor sensor, with an especial focus on Electrical properties of the milk.," dalam *Proceedings of 7th International Electronic Conference on Sensors and Applications*, Sciforum.net: MDPI, Nov 2020, hlm. 8254. doi: 10.3390/ecsa-7-08254.
- [8] S. Aiswarya, L. Meenu, K. A. U. Menon, M. Donelli, dan S. K. Menon, "A Novel Microstrip Sensor Based on Closed Loop Antenna for Adulteration Detection of Liquid Samples," *IEEE Sens. J.*, vol. 24, no. 2, hlm. 1405–1414, Jan 2024, doi: 10.1109/JSEN.2023.3332101.
- [9] N. A. Fauzan, N. Ismail, dan I. Lindra, "Rancang Bangun Antena Mikrostrip Multi Band Dengan Patch Rectangular Untuk Frekuensi 2,4 GHz, 2,6 GHz, Dan 3,5 GHz," *Pros. Semin. Nas. Tek. Elektro UIN Sunan Gunung Djati Bdg.*, hlm. 93–100, Jan 2021.
- [10] F. Bagci, K. Alp, dan B. Akaoglu, "Multi-band microwave dielectric sensing using a defected ground structure with dual interdigital capacitor units," *Measurement*, vol. 257, hlm. 118705, Jan 2026, doi: 10.1016/j.measurement.2025.118705.
- [11] C. Wang, X. Liu, D. Zhang, dan X. Yang, "A multi-band high-sensitivity microwave sensor for simultaneous detection of two dielectric materials," *Rev. Sci. Instrum.*, vol. 96, no. 1, hlm. 015004, Jan 2025, doi: 10.1063/5.0235295.
- [12] Z. U. Islam, A. Bermak, dan B. Wang, "A Review of Microstrip Patch Antenna-Based Passive Sensors," *Sensors*, vol. 24, no. 19, hlm. 6355, Sep 2024, doi: 10.3390/s24196355.
- [13] A. A. Al-Mudhafar, R. A. Malallah, S. J. Ghazi, dan A. A. Al-Mudhafar, "A Multiband Microwave Sensor Designed to Sense the Shelf Life of Raw Fresh Milk," *IEEE Sens. J.*, vol. 24, no. 21, hlm. 35538–35546, Nov 2024, doi: 10.1109/JSEN.2024.3460755.

- [14] S. K. Menon dan M. Donelli, "L-Shaped Coplanar Strip Dipole Antenna Sensor for Adulteration Detection," *Sensors*, vol. 25, no. 2, Art. no. 2, Jan 2025, doi: 10.3390/s25020506.
- [15] R. Palla dan D. Gopi, "Design of quad band microstrip patch antenna with slits and slots," *Int. J. Adv. Technol. Eng. Explor.*, vol. 8, no. 82, hlm. 1234–1242, Sep 2021, doi: 10.19101/IJATEE.2021.874143.
- [16] R. K. Thakur, R. K. Rai, M. Dholvan, dan A. Kumar, "A Novel Triple U-Slot Microstrip Patch Antenna Design for Multiband Applications," dalam *2024 IEEE International Students' Conference on Electrical, Electronics and Computer Science (SCEECS)*, Feb 2024, hlm. 1–6. doi: 10.1109/SCEECS61402.2024.10482045.
- [17] R. Bancroft, *Microstrip and printed antenna design*, 2nd ed. Raleigh, NC: SciTech Pub, 2009.
- [18] R. Garg, Ed., *Microstrip antenna design handbook*. dalam Artech House antennas and propagation library. Boston, MA: Artech House, 2001.
- [19] C. A. Balanis, *Antenna Theory: Analysis And Design*, 3. ed. Hoboken, N.J: Wiley-Interscience, 2005.
- [20] U. Priyanto dan A. Mahendra, "Antena Pada MICS Band Aplikasi Simulasi Model Untuk Monitoring Detak Jantung," *JOULE J. Ilm. Teknol. Energi Teknol. Media Komun. Dan Instrumentasi Kendali*, vol. 1, no. 1, Art. no. 1, Jul 2021.
- [21] D. M. Pozar, *Microwave engineering*, Fourth edition. Hoboken, NJ: John Wiley & Sons, Inc, 2012.
- [22] A. D. Boursianis *dkk.*, "Multiband Patch Antenna Design Using Nature-Inspired Optimization Method," *IEEE Open J. Antennas Propag.*, vol. 2, hlm. 151–162, 2021, doi: 10.1109/OJAP.2020.3048495.
- [23] S. Koziel, A. Pietrenko-Dabrowska, dan U. Ullah, "Global miniaturization of broadband antennas by prescreening and machine learning," *Sci. Rep.*, vol. 14, no. 1, hlm. 29427, Nov 2024, doi: 10.1038/s41598-024-80182-y.
- [24] J. L. Volakis, C.-C. Chen, dan K. Fujimoto, Ed., *Small antennas: miniaturization techniques & applications*. New York: McGraw-Hill, 2010.
- [25] S. Rahman dan Usha Kiran K., "A compact triangular slotted microstrip Antenna for multiband operation," dalam *2016 International Conference on Wireless Communications, Signal Processing and Networking (WiSPNET)*, Chennai, India: IEEE, Mar 2016, hlm. 289–292. doi: 10.1109/WiSPNET.2016.7566140.
- [26] S. M. Aguilar, M. A. Al-Joumayly, M. J. Burfeindt, N. Behdad, dan S. C. Hagness, "Multiband Miniaturized Patch Antennas for a Compact, Shielded Microwave Breast Imaging Array," *IEEE Trans. Antennas Propag.*, vol. 62, no. 3, hlm. 1221–1231, Mar 2014, doi: 10.1109/TAP.2013.2295615.
- [27] A. S. Elkorany *dkk.*, "Implementation of a Miniaturized Planar Tri-Band Microstrip Patch Antenna for Wireless Sensors in Mobile Applications," *Sensors*, vol. 22, no. 2, Art. no. 2, Jan 2022, doi: 10.3390/s22020667.
- [28] S. I. Latif, L. Shafai, dan S. K. Sharma, "Bandwidth enhancement and size reduction of microstrip slot antennas," *IEEE Trans. Antennas Propag.*, vol. 53, no. 3, hlm. 994–1003, Mar 2005, doi: 10.1109/TAP.2004.842674.
- [29] S. Das, P. P. Sarker, dan S. K. Chowdhury, "Analysis of an open-ended inverted L-shaped slot-loaded microstrip patch antenna for size reduction and multifrequency

- operation,” *J. Electromagn. Waves Appl.*, vol. 29, no. 7, hlm. 874–890, Mei 2015, doi: 10.1080/09205071.2015.1025914.
- [30] H. K. Gupta, P. Singhal, P. Sharma, dan V. S. Jadon, “Slotted Circular Microstrip Patch Antenna Designs for multiband Application in Wireless Communication,” *Int. J. Eng. Technol.*, vol. 1, hlm. 158–167, 2012, doi: 10.14419/IJET.V1I3.89.
- [31] M. Fallahpour dan R. Zoughi, “Antenna Miniaturization Techniques: A Review of Topology- and Material-Based Methods,” *IEEE Antennas Propag. Mag.*, vol. 60, no. 1, hlm. 38–50, Feb 2018, doi: 10.1109/MAP.2017.2774138.
- [32] R. A. Pandhare, P. L. Zade, dan M. P. Abegaonkar, “Miniaturized microstrip antenna array using defected ground structure with enhanced performance,” *Eng. Sci. Technol. Int. J.*, vol. 19, no. 3, hlm. 1360–1367, Sep 2016, doi: 10.1016/j.jestch.2016.03.007.
- [33] Y. K. Mishra dan S. P. Gangwar, “A Compact Rectangular Patch Antenna with Defected Ground Structure for Multiband Applications,” dalam *Advances in VLSI, Communication, and Signal Processing*, vol. 587, D. Dutta, H. Kar, C. Kumar, dan V. Bhadauria, Ed., dalam *Lecture Notes in Electrical Engineering*, vol. 587. , Singapore: Springer Singapore, 2020, hlm. 229–239. doi: 10.1007/978-981-32-9775-3_23.
- [34] R. A. Panda, H. Panda, dan D. Mishra, “Waning Gibbous Patch Antenna With Different Dgs For 60ghz Applications,” Nov 2016, Diakses: 18 September 2025. [Daring]. Tersedia pada: https://scholar.google.com/citations?view_op=view_citation&hl=en&user=Bqx_bh8AAAAJ&citation_for_view=Bqx_bh8AAAAJ:W7OEmFMylHYC
- [35] A. R. Celik, “Effects of the Feedline Position on Microstrip Patch Antenna Performance,” *Eng. Technol. J.*, vol. 06, no. 12, Des 2021, doi: 10.47191/etj/v6i12.03.
- [36] D. M. Elsheakh dan E. A. Abdallah, “Different Feeding Techniques of Microstrip Patch Antennas with Spiral Defected Ground Structure for Size Reduction and Ultra-Wide Band Operation,” *J. Electromagn. Anal. Appl.*, vol. 04, no. 10, hlm. 410–418, 2012, doi: 10.4236/jemaa.2012.410056.
- [37] A. H. Rambe, M. L. Astri, S. Suherman, dan R. Harahap, “Design and simulation of rectangular patch microstrip antenna with inset feed for S-band application,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 725, no. 1, hlm. 012056, Jan 2020, doi: 10.1088/1757-899X/725/1/012056.
- [38] F. Solehudin, Z. A. Sanaz, S. Alam, L. Sari, dan I. Surjati, “Design of 2x1 MIMO Microstrip Antenna Using Slit and Inset Technique For 5G Communication,” *J. Inform. Telecommun. Eng.*, vol. 5, no. 1, hlm. 31–44, Jul 2021, doi: 10.31289/jite.v5i1.5129.
- [39] W. Ibrahim, S. Alam, dan I. Surjati, “Peningkatan Performansi Desain Antena Mikrostrip dengan Penambahan Slot M dan Inset untuk Komunikasi 5G,” *JTERA J. Teknol. Rekayasa*, vol. 7, no. 1, hlm. 157, Jun 2022, doi: 10.31544/jtera.v7.i1.2022.157-162.
- [40] A. Dadhich, P. Samdani, J. K. Deegwal, dan M. Sharma, “Design and Investigations of Multiband Microstrip Patch Antenna for Wireless Applications,” *Adv. Intell. Syst. Comput.*, 2019, doi: 10.1007/978-981-13-5934-7_4.
- [41] S. N. Abdullah, K. Y. You, N. Hisham Khamis, dan C. Y. Chong, “Modelling The Dielectric Properties Of Cow’s Raw Milk Under Vat Pasteurization,” *Prog. Electromagn. Res. M*, vol. 84, hlm. 157–166, 2019, doi: 10.2528/perm19052202.

- [42] Y. Usman, R. Rahman, dan E. Papilaya, "Analisis Perbandingan Nilai Konstanta Dielektrik Dari Minyak Goreng Kemasan, Minyak Goreng Curah dan Minyak Jelantah," *J. Fis. Papua*, vol. 2, no. 2, hlm. 114–119, Agu 2023, doi: 10.31957/jfp.v2i2.81.
- [43] A. I. Ayu, "SNI Susu Pasteurisasi," Des 2013, Diakses: 28 Agustus 2025. [Daring]. Tersedia pada: https://www.academia.edu/5368107/SNI_Susu_Pasteurisasi
- [44] "Prinsip Dasar Pasteurisasi." Diakses: 15 September 2025. [Daring]. Tersedia pada: <https://lordbroken.wordpress.com/2019/01/24/prinsip-dasar-pasteurisasi/>
- [45] Varnakavi. Naresh dan N. Lee, "A Review on Biosensors and Recent Development of Nanostructured Materials-Enabled Biosensors," *Sensors*, vol. 21, no. 4, hlm. 1109, Feb 2021, doi: 10.3390/s21041109.
- [46] E. Reyes-Vera, S. Montoya-Villada, F. Umaña-Idarraga, S. Bedoya-Londoño, J. Araujo-Muñoz, dan O. Ossa-Molina, "High-Sensitivity Strain Sensing Using a Flexible Microstrip Antenna With Metamaterial Resonator," *IEEE Sens. J.*, vol. 25, no. 1, hlm. 647–654, Jan 2025, doi: 10.1109/JSEN.2024.3499856.
- [47] X. Zhang, Y. Hou, R. Feng, H. Shi, J. Pang, dan Q. Tan, "Temperature sensor with adjustable frequency band integrated with antenna and perception," *Sci. Rep.*, vol. 15, no. 1, hlm. 8734, Mar 2025, doi: 10.1038/s41598-025-91120-x.
- [48] E. Cardillo, F. Tavella, dan C. Ampelli, "Microstrip Copper Nanowires Antenna Array for Connected Microwave Liquid Sensors," *Sensors*, vol. 23, no. 7, hlm. 3750, Apr 2023, doi: 10.3390/s23073750.
- [49] H. Dong *dkk.*, "Design and Testing of Miniaturized Dual-Band Microstrip Antenna Sensor for Wireless Monitoring of High Temperatures," *IEEE Sens. J.*, vol. 23, no. 22, hlm. 27242–27250, Nov 2023, doi: 10.1109/JSEN.2023.3315695.
- [50] W. Sulistiyowati dan C. C. Astuti, "Buku Ajar Statistika Dasar," *Umsida Press*, hlm. 1–236, 2017, doi: 10.21070/2017/978-979-3401-73-7.
- [51] I. W. Terimajaya *dkk.*, *Dasar-Dasar Statistika: Konsep dan Metode Analisis*. PT. Sonpedia Publishing Indonesia, 2024.
- [52] D. T. Untari, *Buku Ajar Statistik 1*. CV. Pena Persada. Diakses: 3 Desember 2025. [Daring]. Tersedia pada: <http://epustaka.staiddimaros.ac.id:8123/inlislite3/opac/detail-opac?id=650>
- [53] V. R. Prasetyo, H. Lazuardi, A. A. Mulyono, dan C. Lauw, "Penerapan Aplikasi RapidMiner Untuk Prediksi Nilai Tukar Rupiah Terhadap US Dollar Dengan Metode Linear Regression," *J. Nas. Teknol. Dan Sist. Inf.*, vol. 7, no. 1, hlm. 8–17, Mei 2021, doi: 10.25077/TEKNOSI.v7i1.2021.8-17.
- [54] C. Santos dan C. Dias, "Note on the coefficient of variation properties," *Braz. Electron. J. Math.*, vol. 2, no. 4, hlm. 101–111, Apr 2021, doi: 10.14393/BEJOM-v2-n4-2021-58062.
- [55] "CST Studio Suite," Dassault Systèmes. Diakses: 15 September 2025. [Daring]. Tersedia pada: <https://www.3ds.com/products/simulia/cst-studio-suite>
- [56] S. P. J. Christydass, D. Samithas, P. K. Balachandran, dan M. A. A. Mohd Zainuri, "Open complementary split-ring resonator-embedded tri-band rectangular monopole antenna with offset feed for next-gen wireless applications," *Sci. Rep.*, vol. 15, no. 1, hlm. 35658, Okt 2025, doi: 10.1038/s41598-025-19455-z.
- [57] M. Matin dan A. Sayeed, "A design rule for inset-fed rectangular microstrip patch antenna," *WSEAS Trans. Commun.*, vol. 9, Jan 2010.

- [58] C. Mbinack, E. Tonye, dan D. Bajon, "Microstrip-line theory and experimental study for the characterization of the inset-fed rectangular microstrip-patch antenna impedance," *Microw. Opt. Technol. Lett.*, vol. 57, no. 2, hlm. 514–518, Feb 2015, doi: 10.1002/mop.28877.
- [59] A. Ghosal, S. K. Das, dan A. Das, "Multifrequency rectangular microstrip antenna with array of L-slots," *AEU - Int. J. Electron. Commun.*, 2019, doi: 10.1016/j.aeue.2019.152890.
- [60] R. Munson, "Conformal microstrip antennas and microstrip phased arrays," *IEEE Trans. Antennas Propag.*, vol. 22, no. 1, hlm. 74–78, Jan 1974, doi: 10.1109/TAP.1974.1140723.
- [61] T. Chen, S. Li, dan H. Sun, "Metamaterials Application in Sensing," *Sensors*, vol. 12, no. 3, hlm. 2742–2765, Feb 2012, doi: 10.3390/s120302742.
- [62] S. Kiani, P. Rezaei, M. Navaei, dan M. S. Abrishamian, "Microwave Sensor for Detection of Solid Material Permittivity in Single/Multilayer Samples With High Quality Factor," *IEEE Sens. J.*, vol. 18, no. 24, hlm. 9971–9977, Des 2018, doi: 10.1109/JSEN.2018.2873544.
- [63] A. Salim dan S. Lim, "Complementary Split-Ring Resonator-Loaded Microfluidic Ethanol Chemical Sensor," *Sensors*, vol. 16, no. 11, hlm. 1802, Okt 2016, doi: 10.3390/s16111802.
- [64] J. Erfkamp, M. Guenther, dan G. Gerlach, "Hydrogel-Based Sensors for Ethanol Detection in Alcoholic Beverages," *Sensors*, vol. 19, no. 5, hlm. 1199, Mar 2019, doi: 10.3390/s19051199.
- [65] J. Yeo dan J.-I. Lee, "High-Sensitivity Slot-Loaded Microstrip Patch Antenna for Sensing Microliter-Volume Liquid Chemicals with High Relative Permittivity and High Loss Tangent," *Sensors*, vol. 22, no. 24, hlm. 9748, Des 2022, doi: 10.3390/s22249748.
- [66] S. Kiani, P. Rezaei, M. Navaei, dan M. S. Abrishamian, "Microwave Sensor for Detection of Solid Material Permittivity in Single/Multilayer Samples With High Quality Factor," *IEEE Sens. J.*, vol. 18, no. 24, hlm. 9971–9977, Des 2018, doi: 10.1109/JSEN.2018.2873544.
- [67] R. A. Alahnomi *dkk.*, "Review of Recent Microwave Planar Resonator-Based Sensors: Techniques of Complex Permittivity Extraction, Applications, Open Challenges and Future Research Directions," *Sensors*, vol. 21, no. 7, hlm. 2267, Mar 2021, doi: 10.3390/s21072267.
- [68] B. K. Tay, S. Kapoor, W. Yu, dan S. Y. Huang, "High-Q non-invasive Glucose Sensor using MicrostripLine Main Field and Split Ring Resonator," 2025, *arXiv*. doi: 10.48550/ARXIV.2503.00920.
- [69] S. Kiani, P. Rezaei, M. Navaei, dan M. S. Abrishamian, "Microwave Sensor for Detection of Solid Material Permittivity in Single/Multilayer Samples With High Quality Factor," *IEEE Sens. J.*, vol. 18, no. 24, hlm. 9971–9977, Des 2018, doi: 10.1109/JSEN.2018.2873544.
- [70] "Coefficient of Variation: Mastering Relative Variability in Statistics - SixSigma.us." Diakses: 30 Maret 2026. [Daring]. Tersedia pada: <https://www.sixsigma.us/six-sigma-in-focus/coefficient-of-variation/>