

## DAFTAR PUSTAKA

- Aapro, M. (2015). *Pathophysiology of Nausea and Vomiting*. London: Springer Health Care. Retrieved from [http://ime.springerhealthcare.com/wp-content/uploads/Pathophysiology\\_CINV.pdf](http://ime.springerhealthcare.com/wp-content/uploads/Pathophysiology_CINV.pdf)
- Aapro, M., Jordan, K., & Feyer, P. (2013). *Prevention of Nausea and Vomiting Cancer Patient*. London: Springer Healthcare.
- Adams, William M., & Casa, D. J. (2013). *The beverages temperature and influens on hydration*. Camelbak. Korea. Retrieved from <http://ksi.uconn.edu>
- Alafafsheh, A., & Ahmad, M. (2016). Tool Development to Assess Nausea and Vomiting Among Patients Receiving Chemotherapy. *International Journal of Care and Oncology*, 3(1), 1–5. <https://doi.org/10.15436/2377-0902.16.0>
- American Cancer Society. (2018a). About Breast Cancer. Retrieved from <https://www.cancer.org/content/dam/CRC/PDF/Public/8577.00.pdf>
- American Cancer Society. (2018b). Breast Cancer - Facts & Figures 2017-2018. Retrieved from <https://www.cancer.org/research/cancer-facts-statistics/all-cancer-facts-figures/cancer-facts-figures-2018.html>
- American Cancer Society. (2018c). Chemotherapy-related Nausea and Vomiting Types of chemo-related nausea and are used for chemotherapy, 1–5.
- American Cancer Society. (2018d). Managing Nausea and Vomiting at Home What to look for For nausea.
- Angraini, F., & Putri, A. F. (2016). PEMANTAUAN INTAKE OUTPUT CAIRAN PADA PASIEN GAGAL Pendahuluan Hasil Metode, 19(3), 152–160. <https://doi.org/DOI:10.7454/jki.v19i3.475>
- Bayo, J., Fonseca, P. J., Hernando, S., Servitja, S., Calvo, A., Falagan, S., ... Barnadas, A. (2012). Chemotherapy-induced nausea and vomiting: Pathophysiology and therapeutic principles. *Clinical and Translational Oncology*, 14(6), 413–422. <https://doi.org/10.1007/s12094-012-0818-y>
- Benton, D. (2011). Dehydration Influences Mood and Cognition : *NUTRIENS*, 3, 555–573. <https://doi.org/10.3390/nu3050555>
- Cancer Care Ontario. (2016). How to Manage Your Nausea and Vomiting. Retrieved from [www.cancercare.on.ca](http://www.cancercare.on.ca)
- Clark Snow, R., Afronti, M. Lou, & Rittenverg, C. N. (2018). Chemotherapy- induced nausea and vomiting (CINV) and adherence to antiemetic guidelines: results of a survey of oncology nurses. *Support Care Cancer*, 26(CrossMark), 557–564. <https://doi.org/DOI10.1007/s00520-017-3866-6>

- Dahlan, M. S. (2013). *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Jakarta: Salemba Medika.
- Dahlan, M. S. (2017). *Statistik Untuk Kedokteran dan Kesehatan* (6th ed.). Jakarta: Epidemiologi Indonesia.
- Denard, B., Lee, C., & Ye, J. (2012). Doxorubicin blocks proliferation of cancer cells through proteolytic activation of CREB3L1. *eLife*, 2012(1), 2011–2013. <https://doi.org/10.7554/eLife.00090>
- Dharma, K. K. (2015). *Metodologi Penelitian Keperawatan: Panduan Melaksanakan dan Menerapkan Hasil Penelitian* (Revisi Tah). Jakarta: Trans Info Media.
- Eccles, R., Du-plessis, L., Dommels, Y., & Wilkinson, J. E. (2013). Cold pleasure . Why we like ice drinks , ice-lollies and ice cream. *Appetite*, 71, 357–360. <https://doi.org/10.1016/j.appet.2013.09.011>
- Evi Q. (2015). Nausea and Vomiting during cancer treatment. Retrieved from [www.cancerinstitute.org.au](http://www.cancerinstitute.org.au)
- Feyer, P., & Jordan, K. (2011). Update and new trends in antiemetic therapy: The continuing need for novel therapies. *Annals of Oncology*, 22(1), 30–38. <https://doi.org/10.1093/annonc/mdq600>
- Garson, G. D. (2013). *Validity and Reliability* (2013th ed.). USA: Statistical Associates Publishing. Retrieved from <http://gen.lib.rus.ec/book/index.php?md5=6F56482A24D706D28916B21C61A3135A>
- Gonella, S., Berchialla, P., Bruno, B., & Di Giulio, P. (2014). Are orange lollies effective in preventing nausea and vomiting related to dimethyl sulfoxide? A multicenter randomized trial. *Supportive Care in Cancer*, 22(9). <https://doi.org/10.1007/s00520-014-2227-y>
- Gordon, P., Legrand, S. B., & Walsh, D. (2014). Nausea and vomiting in advanced cancer. *European Journal of Pharmacology*. <https://doi.org/10.1016/j.ejphar.2013.10.010>
- Hawkins, R., & Grunberg, S. (2009). Chemotherapy Induced Nausea and Vomiting: Challenges and Opportunities for Improved Patient Outcomes. *Clinical Journal of Oncology Nursing*, 13(1), 54–64. <https://doi.org/10.1136/bjo.2010.193169>
- Hilarius, D. L., Kloeg, P. H., Van Der Wall, E., Van Den Heuvel, J. J. G., Gundy, C. M., & Aaronson, N. K. (2012). Chemotherapy-induced nausea and vomiting in daily clinical practice: A community hospital-based study. *Supportive Care in Cancer*, 20(1), 107–117. <https://doi.org/10.1007/s00520-010-1073-9>
- Hiler, S. M., Mina, A., & Mina, L. A. (2016). Breast Cancer Risk Factors. In *Breast Cancer Prevention and Treatment* (pp. 5–12). USA: Springer International Publishing Switzerland 2016. <https://doi.org/10.1007/978-3-319-19437-0>
- IHWG. (2017). Indonesian Hydration Working Group. Retrieved from <http://ihwg.or.id>

Isenring, L. (2016). Chemotherapy-Induced Nausea and Vomiting: A&nbsp;Narrative Review to Inform Dietetics Practice. *Journal of the Academy of Nutrition and Dietetics*, 116(5), 819–827. <https://doi.org/10.1016/j.jand.2015.10.020>

Jéquier, E., & Constant, F. (2010). Water as an essential nutrient: The physiological basis of hydration. *European Journal of Clinical Nutrition*. <https://doi.org/10.1038/ejcn.2009.111>

Jhaveri, kenar D., & Salahudeen, A. K. (2015). *Onconeurology: Cancer, Chemotherapy and The Kidney*.

Jordan, K., Sippel, C., & Schmoll, H.-J. (2007). Guidelines for Antiemetic Treatment of Chemotherapy-Induced Nausea and Vomiting: Past, Present, and Future Recommendations, 1143–1150. <https://doi.org/10.1634/theoncologist.12-9-1143>

Kemenkes RI. (2013). *Riset Kesehatan Dasar (RISKESDAS) 2013. Laporan Nasional 2013*. Jakarta. <https://doi.org/10.1016/j.physbeh.2009.04.007>

Khairina, N. (2016). Analisis Fungsi Keanggotaan Fuzzy Tsukamoto Dalam Menentukan Status Kesehatan Tubuh Seseorang. *Sinkron*, 1(1), 19–24.

Labbe, D., Almiron-Roig, E., Hudry, J., Leathwood, P., Schifferstein, H. N. J., & Martin, N. (2009). Sensory basis of refreshing perception: Role of psychophysiological factors and food experience. *Physiology and Behavior*, 98(1–2), 1–9. <https://doi.org/10.1016/j.physbeh.2009.04.007>

Lee, J. K. W., Shirreffs, S. M., & Maughan, R. J. (2008). Cold drink ingestion improves exercise endurance capacity in the heat. *Medicine and Science in Sports and Exercise*. <https://doi.org/10.1249/MSS.0b013e318178465d>

Lovitt, C. J., Shelper, T. B., & Avery, V. M. (2018). Doxorubicin resistance in breast cancer cells is mediated by extracellular matrix proteins. *BMC Cancer*, 18(1), 41. <https://doi.org/10.1186/s12885-017-3953-6>

Middleton, J., & Lennan, E. (2011). induced nausea and vomiting. *S12 British Journal of Nursing*, 20(17).

Molassiotis, A., Aapro, M., & Dicato, M. (2013). Evaluation of Risk Factors Predicting Chemotherapy-Related Nausea and Vomiting : Results From a European Prospective Observational Study. *Journal of Pain and Symptom Management*, 47(1), 12–25. <https://doi.org/10.1016/j.jpainsymman.2013.06.012>

Molassiotis, A., & Russell, W. (2014). The Effectiveness of Acupressure for the Control and Management of Chemotherapy-Related Acute and Delayed Nausea : A Randomized Controlled Trial. *Journal of Pain and Symptom Management*, 47(1), 12–25. <https://doi.org/10.1016/j.jpainsymman.2013.03.007>

Muaris, H. (2014). *Infused Water: Tren Gaya Hidup Minum Air Putih*. (Intarina & Hardiman, Eds.). Jakarta: Gramedia Putaka Utama.

Navari, R. M. (2015). 5-HT3 receptors as important mediators of nausea and vomiting due to chemotherapy. *Biochimica et Biophysica Acta*, 1848(10 Pt B), 2738–2746. <https://doi.org/10.1016/j.bbamem.2015.03.020>

Navari, R. M. (2016a). Introduction. In R. M. Navari (Ed.), *Management of Chemotherapy-Induced Nausea and Vomiting New Agents and New Uses of Current Agents* (pp. 1–4). New York, London: Springer. <https://doi.org/10.1007/978-3-319-27016-6>

Navari, R. M. (2016b). *Management of Induced Nausea and Vomiting*. London: Adis. <https://doi.org/DOI 10.1007/978-3-319-27016-6>

Newman, V. (2017). The Effects of Cold Drinks on Digestion. Retrieved from <https://www.livestrong.com/article/541077-does-green-tea-cause-heart-palpitations/>

Notoadmodjo, S. (2012). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.

Notoatmodjo, S. (2012). *Promosi Kesehatan dan Perilaku Kesehatan* (Revisi 2012). Jakarta: Rineka Cipta.

O'brien, C. (2008). Nausea and Vomiting. *Canadian Family Physician*, 54, 861–863.

Oakley, P. A., & Baird, M. L. (2015). Do Patients Drink Enough Water? Actual Pure Water Intake Compared to the Theoretical Daily Rules of Drinking Eight 8-Ounce Glasses and Drinking Half Your Body Weight in Ounces. *Journal of Water Resource and Protection*, 7(July), 883–887. <https://doi.org/10.4236/jwarp.2015.711072>

Olsen, N. (2018). What Are the Risks and Benefits of Drinking Cold Water? Retrieved from <https://www.healthline.com/health/is-drinking-cold-water-bad-for-you>

Pangesti, D. N., & Sofiani, Y. (2016). Efektivitas Perbandingan Pemberian Minuman Dingin Terhadap Penurunan Sensasi Mual dan Muntah Setelah Kemoterapi pada Klien Kanker Payudara di RS Umum dr. H. Abdul Moeloek Propinsi Lampung, 7(2), 189–196.

Perry, M. C., & Doll, D. C. (2012). *The Chemotherapy Source Book*. USA: Wolters Kluwer.

Popkin, B. M., D'Anci, K. E., & Rosenberg, I. H. (2010). Water, hydration, and health. *Nutrition Reviews*, 68(8), 439–458. <https://doi.org/10.1111/j.1753-4887.2010.00304.x>

Priestman, T. (2012). *Cancer Chemotherapy in Clinical Practice* (Second). New York, London: Springer.

Rahmatya, A., Khambri, D., & Mulyani, H. (2015). Hubungan Usia dengan Gambaran Klinikpatologi Kanker Payudara di Bagian Bedah RSUP Dr. M.Djamil Padang. *Jurnal Kesehatan Andalas*, 4(2), 478–484. Retrieved from <http://jurnal.fk.unand.ac.id>

Rapoport, B. L. (2017). Delayed Chemotherapy-Induced Nausea and Vomiting : Pathogenesis , Incidence , and Current Management. *Frontiers in Pharmacology*, 8(January), 1–10. <https://doi.org/10.3389/fphar.2017.00019>

Rhodes, V. A., & Roxanne, W. (1990). Nausea , Vomiting , and Retching : Complex Problems in Palliative Care, 232–248.

Rif'atunnisa, Rachmawaty, R., & Sinrang, A. W. (2017). Faktor Resiko Terjadinya Mual Muntah Lambat Akibat Kemoterapi Pada Pasien Kanker Payudara. *Ilmiah Kesehatan*, 11(4), 388–392.

Sagita, S. (2013). Analisis Hubungan Tingkat Pendidikan Pasien Dengan Kanker Payudara Stadium Dini di Instalasi Rawat Inap Rumah Sakit Ciptomangunkusumo Jakarta Tahun 2012.

Saltmarsh, M. (2001). Thirst: or, why do people drink? *Nutrition Bulletin*, 26(1), 53–58. <https://doi.org/10.1046/j.1467-3010.2001.00097.x>

Sari, R. I., Hartoyo, M., & Wulandari. (2015). Pengaruh Aromaterapi Peppermint terhadap Penurunan Mual Muntah Akut Pada Pasien Yang Menjalani Kemoterapi di SMC RS Telogorejo. *Jurnal Ilmu Keperawatan Dan Kebidanan*.

Shirreffs, S. M. (2009). Hydration in sport and exercise: Water, sports drinks and other drinks. *Nutrition Bulletin*, 34(4), 374–379. <https://doi.org/10.1111/j.1467-3010.2009.01790.x>

Silbernagl, S., & Lang, F. (2016). *Color Atlas of Pathophysiology*. New York: Thieme.

Sulastri, Huda, N., & Herlina. (2016). Efektifitas Hipnoterapi Terhadap Penurunan Mual Muntah Pada Pasien Kemoterapi. *Universitas Riau*.

Susilo, W. H., Aima, M. H., & Suprapti, F. (2014). *Biostatika Lanjut dan Aplikasi Riset: Kajian Medikal Bedah pada Ilmu Keperawatan dengan Analisis Uji Beda, Regresi Linier Berganda dan Regresi Logistik Aplikasi Program SPSS*. Jakarta: TIM.

Syarif, H. (2009). *Pengaruh terapi akupresure terhadap mual muntah akibat kemoterapi pada pasien kanker; A randomized clinical trial*.

Tsuji, D., Suzuki, K., Kawasaki, Y., Goto, K., Matsui, R., & Seki, N. (2018). Risk factors associated with chemotherapy-induced nausea and vomiting in the triplet antiemetic regimen including palonosetron or granisetron for cisplatin-based chemotherapy : analysis of a randomized , double-blind controlled trial. *Supportive Care in Cancer*. <https://doi.org/https://doi.org/10.1007/s00520-018-4403-y>

Utaminingrum, W., Hakim, L., & Raharjo, B. (2013). Evaluation Of Adherence and Nausea Vomiting Response of Antiemetic Use In Breast Cancer Patients Undergoing Chemotherapy At Prof. DR Margono Soekarjo Hospital. *Pharmacy*, 10(02), 159–170.

Von Duvillard, S. P., Braun, W. A., Markofski, M., Beneke, R., & Leithäuser, R. (2004). Fluids and hydration in prolonged endurance performance. *Nutrition*. <https://doi.org/10.1016/j.nut.2004.04.011>

Ward, J. P. ., Clarke, R. W., & Linden, R. W. . (2009). *At A Glance Fisiologi*.

Wardani, N. I., Sarwani, S. D., & Masfiah, S. (2014). Faktor-faktor yang berhubungan dengan tingkat pengetahuan kader kesehatan tentang thalasemia di kecamatan sumbang kabupaten banyumas. *Kesmasindo*, 6(3), 194–207.

White, L., Duncan, G., & Baumle, W. (2013). *Medical Surgical Nursing: An Integrated Approach* (Third Edit).

WHO. (2018). Cancer. Retrieved from <http://www.who.int/cancer/en/>

Yudissanta, A., & Ratna, M. (2012). Analisis Pemakaian Kemoterapi pada Kasus Kanker Payudara dengan Menggunakan Metode. *Jurnal Sains Dan Seni ITS*, 1(1).

Zellner, D. A., & Durlach, P. (2002). What is refreshing? An investigation of the color and other sensory attributes of refreshing foods and beverages. *Appetite*, 39(2), 185–186. <https://doi.org/10.1006/appc.2002.0502>

