

## DAFTAR PUSTAKA

- [ASTM] American Society for Testing and Materials D2126. Response of Rigid Cellular Plastics to Thermal and Humid Aging.
- [ASTM] D6122. Standard Test Method for Apparent Density of Rigid Cellular Plastics.
- [SNI] Standar Nasional Indonesia 01-2891-1992. Cara Uji Makanan dan Minuman
- [SNI] No. 01-3391-2000 Gambir
- [SNI] No. 3638 2012. Metode Uji Kuat Tekan Tanah Kohesif. Tabel 1 Ringkasan Hasil Pengujian dari Setiap Laboratorium (Data Kuat Tekan pada Busa Poliuretan Kaku).
- Abdullah, A. H., (2019). Development of Tannin-Based Rigid Polyurethane Foam for Thermal Insulation. *Polymers*, 11(8): 1348.
- Akao. (2000). Quality Function Deployment (QFD) Integrating Costumer Requirements into Product Design.
- Alif Gita Arumsari. (2021). Analysis of Catechins in Gambir West Sumatra. *ARRUS Journal of Engineering and Technology*, 1(2): 47–54. <https://doi.org/10.35877/jetech590>
- Andrean Emaputra, Taufik Hidayat, A. M. (2019). Design of Ergonomic Dust Collector Room for Coating Process Using Quality Function Deployment. *International Conference on Engineering Science and Technology*.
- Anova, I. T., Kasim, A., & Anggraini, T. (2021). SEM Morphology, Porosity, Swelling and Hardness Test of Foam from Dried Albumin -Gambier Tannins. *Journal of Physics: Conference Series*, 1940(1): 012084.

- Arbenz, A., Frache, A., Cuttica, F., & Avérous, L. (2016). Advanced Biobased and Rigid Foams, Based on Urethane-Modified Isocyanurate from Oxypropylated Gambier Tannin Polyol. *Polymer Degradation and Stability*, 132: 62–68. <https://doi.org/10.1016/j.polyimdegradstab.2016.03.035>
- Ardani, F., Ginting, R., & Ishak, A. (2014). Perancangan Desain Produk Spring Bed Menggunakan QFD. 5(1):1–6.
- Arif, A. (2003). Quality Assurance dengan Metode Quality Function Deployment : Konsep Implementasi pada Institusi Perguruan Tinggi. *Akuntansi*, 41–58.
- Atasağun, H. G., Öner, E., Boyacı, B., & Okur, A. (2019). Underwear Purchasing Behavior of Turkish Consumers and a Quality Function Deployment Application. *Tekstil ve Muhendis*, 26(114): 168–176.
- Awanis, R., Stetchi, R., Prickett, P., & Pisa, M. P. D. La. (2014). Eco-CBR Tool: The Integration of Eco-QFD and CBR Methods for Supporting Sustainable Product Design.
- Benner, M., Linnemann, A. R., Jongen, W. M. F., & Folstar, P. (2003). Quality Function Deployment (QFD) - Can it be Used to Develop Food Products. *Food Quality and Preference*, 14(4): 327–339.
- Borrero-López, A. M., Nicolas, V., Marie, Z., Celzard, A., & Fierro, V. (2022). A Review of Rigid Polymeric Cellular Foams and their Greener Tannin-Based Alternatives. *Polymers*, 14(19): 1–40.
- Chriswahyudi, & Wilda, F. (2021). Perancangan Preferensi Konsumen untuk Meningkatkan Kualitas Sabun Mandi Ramah Lingkungan Menggunakan QFD. 7(4): 130–141.

- Cohen, L. (1995). Quality Function Deployment. In *Addison-Wesley Publishing Company*. <https://doi.org/10.4271/870272>
- Darmanto, W. &. (2023). Optimization of the Jaloé Kayoh Seat Design using the Quality Function Deployment (QFD) Method Based on Anthropometric. *Polimesin*, 20(2): 121–127.
- Efrina, E., Kasim, A., Anggraini, T., Novelina, N., & Asben, D. A. (2019). Characterization of Rigid Foam from Gambier (*Uncaria gambir* Roxb.) with the Mixing of Albumin Powder. *Jurnal Litbang Industri*, 9(2): 127–133.
- Erdil, N. O., Arani, O. M., & Erdil, N. O. (2018). Quality Function Deployment: More than a Design Tool Publisher Citation Quality Function Deployment: More than a Design Tool. *International Journal of Quality and Service Sciences*.
- Fakhrzy, Kasim, A., Asben, A., & Anwar, A. (2024). Digitalisasi Pertanian Menuju Kebangkitan Ekonomi Kreatif Kajian Pengaruh Konsentrasi, Suhu, dan Waktu Ekstraksi Terhadap Kandungan Tanin dari Gambir (*Uncaria gambir* Roxb.). 8(1).
- Fraga-Corral, M., García-Oliveira, P., Pereira, A. G., Lourenço-Lopes, C., Jimenez-Lopez, C., Prieto, M. A., & Simal-Gandara, J. (2020). Technological Application of Tannin-Based Extracts. *Molecules*, 25(3): 1–27.
- Gama, N. V., Ferreira, A., & Barros-Timmons, A. (2018). Polyurethane Foams: Past, Present, and Future. *Materials*, 11(10). <https://doi.org/10.3390/ma11101841>
- Garibay, C., Gutiérrez, H., & Figueroa, A. (2010). Evaluation of a Digital Library by Means of Quality Function Deployment (QFD) and the Kano Model. *Journal of Academic Librarianship*, 36(2): 125–132.

- Govers, C. P. M. (1996). What and How about Quality Function Deployment (QFD). *International Journal Of Production Economics*, 46–47(95): 575–585.
- Hairiyah, N., Kiptiah, M., & Fituwana, B. K. (2021). Penerapan Quality Function Deployment (QFD) untuk Peningkatan Kinerja Industri Amplang Berdasarkan Kepuasan Pelanggan. *15*(4): 1099–1113.
- Huang, S., Zhang, J., Yang, C., Gu, Q., Li, M., & Wang, W. (2022). The Interval Grey QFD Method for New Product Development: Integrate with LDA Topic Model to Analyze Online Reviews. *Engineering Applications of Artificial Intelligence*, 114(6): 105213.
- Hussain, I., Sanglard, M., Bridson, J. H., & Parker, K. (2020). Preparation and Physicochemical Characterisation of Polyurethane Foams Prepared using Hydroxybutylated Condensed Tannins as a Polyol Source. *Industrial Crops and Products*, 154(9): 112636.
- Kokin, L., & Zhao, X. (2006). An Application of Quality. *International Journal of Quality & Reliability Management*, 15(7): 753–768.
- Lacoste, C., Basso, M. C., Pizzi, A., Celzard, A., & Laborie, M. P. (2015). Natural Albumin/Tannin Cellular Foams. *Industrial Crops and Products*, 73: 41–48.
- Lavazza, J., Zhang, Q., de Kergariou, C., Comandini, G., Briscoe, W. H., Rowlandson, J. L., Panzera, T. H., & Scarpa, F. (2024). Rigid Polyurethane Foams from Commercial Castor Oil Resins. *Polymer Testing*, 135(5): 108457.
- Lee, H., Chen, G., Chang, B. P., & Mekonnen, T. H. (2025). Applied Polymers Polymeric Materials for Oil Ad/Absorption. 43–77. <https://doi.org/10.1039/d4lp00211c>.

- Li, J., Liao, J., Essawy, H., Zhang, J., Li, T., Wu, Z., Du, G., & Zhou, X. (2021). Preparation and Characterization of Novel Cellular/Nonporous Foam Structures Derived from Tannin Furanic Resin. *Industrial Crops and Products*, 162(1). <https://doi.org/10.1016/j.indcrop.2021.113264>.
- Link, M., Kolbitsch, C., Tondi, G., Ebner, M., Wieland, S., & Petutschnigg, A. (2011). Formaldehyde-free Tannin-Based Foams and their use as Lightweight Panels. *BioResources*, 6(4): 4218–4228. <https://doi.org/10.15376/biores.6.4.4218-4228>.
- Liu, S. F., Wei, Y. S., Guo, H. K., & Su, A. Y. (2023). An Application of Quality Function Deployment to Explore a Product Design Concept—A Case Study of a Triple-Effect Green Energy Generator for the Taiwan Environment. *Sustainability (Switzerland)*, 15 (24).
- Malrianti, Y., Kasim, A., & a, N. (2018). Tannins and Catechins Content of Gambier (*Uncaria gambir* Roxb.) in Relation with Adhesive Qualities and Bonding Strength of Cold Setting Glue. *International Journal of Advanced Research*, 6(12): 622–627. <https://doi.org/10.21474/ijar01/8181>.
- Malrianti, Y., Kasim, A., Asben, A., Syafri, E., Yeni, G., & Fudholi, A. (2021). Catechin Extracted from *Uncaria gambir* Roxb. for Nanocatechin Production: Physical and Chemical Properties. *International Journal of Design and Nature and Ecodynamics*, 16(4): 393–399.
- Meng, L., Liu, H., Yu, L., Duan, Q., Chen, L., Liu, F., Shao, Z., Shi, K., & Lin, X. (2019). How Water Acting as Both Blowing Agent and Plasticizer Affect on Starch-Based Foam. *Industrial Crops and Products*, 134 (2): 43–49.

- Moriarty, J. P. (2011). A Theory of Benchmarking. *Benchmarking*, 18(4): 588–612. <https://doi.org/10.1108/1463577111114765>.
- Murmu, S. B. (2022). Alternatives Derived from Renewable Natural Fibre to Replace Conventional Polyurethane Rigid Foam Insulation. *Cleaner Engineering and Technology*, 8(5): 100513. <https://doi.org/10.1016/j.clet.2022.100513>.
- Naima, R., Oumam, M., Hannache, H., Sesbou, A., Charrier, B., Pizzi, A., & Charrier - El Bouhtoury, F. (2015). Comparison of the Impact of Different Extraction Methods on Polyphenols Yields and Tannins Extracted from Moroccan Acacia Mollissima Barks. *Industrial Crops and Products*, 70:245–252. <https://doi.org/10.1016/j.indcrop.2015.03.016>.
- Naldzhiev, D., Mumovic, D., & Strlic, M. (2020). Polyurethane Insulation and Household Products – A Systematic Review of their Impact on Indoor Environmental Quality. *Building and Environment*, 169: 1–44.
- Neswati, Novizar, Arief, S., & Yusniwati. (2019). Fleksibel Berbahan Baku Biopoliol Berbasis Minyak Kelapa Sawit dan Minyak Nabati Lainnya: Sebuah Review Synthesis, Characterization and Modification of Flexible Polyurethane Foams using Raw Materials from Biopolyols Based on Palm Oil and Other Vegeta. *Jurnal Agroindustri*, 9(2):66–82.
- Novia Jamilatur R, Bayu Wijyantini, H. H. (2019). Penerapan Quality Function Deploymen (QFD) untuk Meningkatkan Kepuasan Pelanggan pada Toko Butik. *Unhum Jember*, 1–14.
- Ocampo, L. A., Labrador, J. J. T., Jumao-as, A. M. B., & Rama, A. M. O. (2020). Integrated Multiphase Sustainable Product Design with a Hybrid Quality Function Deployment – Multi-Attribute Decision-Making (QFD-MADM) Framework. *Sustainable Production and Consumption*, 24: 62–78. <https://doi.org/10.1016/j.spc.2020.06.013>

- Okuda, T., & Ito, H. (2011). Tannins of Constant Structure in Medicinal and Food Plants-Hydrolyzable Tannins and Polyphenols Related to Tannins. *Molecules*, 16(3): 2191–2217. <https://doi.org/10.3390/molecules16032191>
- Pilato, L. (2010). Phenolic Resins: A Century of Progress. *Phenolic Resins: A Century of Progress*, 1–545.
- Pizzi, A. (2019). Tannin-Based Biofoams - A Review. *Journal of Renewable Materials*, 7(5): 477–492.
- Polyurethane Foam Association. (2016). *Foam Fabrication*. 1(5): 1–4.
- Pullman, Moore, & Wardell. (2002). A Comparison of Quality Function Deployment and Conjoint Analysis in New Product Design. *Journal of Product Innovation Management*, 19(5): 354–364. [https://doi.org/10.1016/S0737-6782\(02\)00152-2](https://doi.org/10.1016/S0737-6782(02)00152-2).
- Relich, M., Nielsen, I., & Gola, A. (2022). Applied Sciences Reducing the Total Product Cost at the Product Design Stage.
- Rudiana, D., Hastuti, D., & Komarlina, L. (2018). Market Segmentation, Targeting Strategy and Positioning Strategy Performance Effects to the Tourists Satisfaction (Research in Pangandaran Beach Pangandaran District). 7(9).
- Sanchez, C. D. (2018). New Optimisation and Characterisation Methods of Tannin-Based Foams for Thermal Insulation of Buildings Clara Delgado Sanchez to Cite this Version.
- Sofyan S., Kasim A., Anggraini, F. (2018). Studi Proses Pewarnaan Kain Katun dengan Beberapa Metoda Mordanting Menggunakan Pewarna Gambir Asalan (*Uncaria gambir* Roxb). 8(4): 1–83.
- Statistik Perkebunan Non Unggulan Nasional. (2022). *Direktorat Jenderal Perkebunan Kementerian Pertanian Republik Indonesia*, 1–538

- Szczurek, A., Fierro, V., Pizzi, A., Stauber, M., & Celzard, A. (2014a). A New Method for Preparing Tannin-Based Foams. *54*: 40–53.
- Szczurek, A., Fierro, V., Pizzi, A., Stauber, M., & Celzard, A. (2014b). A New Method for Preparing Tannin-Based Foams. *Industrial Crops and Products*, *54*: 40–53.
- Tanaka, T. (2025). Mechanisms Underlying the Dynamic Changes in Tannins Associated with Food Processing and Plant Growth. *Journal of Natural Medicines*, *79*(5): 967–985.
- Three, A. I., Kasim, A., & Anggraini, T. (2018). Physical Properties of a Natural Foam Made from Gambier: Influence of Proportion of Gambier Extract Used. *Jurnal Litbang Industri*, *8*(2): 89–94.
- Tondi, G., & Pizzi, A. (2009). Tannin-Based Rigid Foams: Characterization and Modification. *Industrial Crops and Products*, *29*(2–3): 356–363.
- Tully, S. M., & Winer, R. S. (2014). The Role of the Beneficiary in Willingness to Pay for Socially Responsible Products: A Meta-Analysis. *Journal of Retailing*, *20*: 2-18
- Ugarte, L., Saralegi, A., Fernández, R., Martín, L., Corcuera, M. A., & Eceiza, A. (2015). Flexible Polyurethane Foams Based on 100% Renewably Sourced Polyols. *Industrial Crops and Products*, *62*: 545–551.
- Utne. (2009). Improving the Environmental Performance of the Fishing Fleet by Use of Quality Function Deployment (QFD). *Journal of Cleaner Production*, *17*(8): 724–731.
- Wang, H., & Liu, J. (2011). Application of Substation Monitoring System Development Based on QFD. *Asia-Pacific Power and Energy Engineering Conference, APPEEC*, 11–14. <https://doi.org/10.1109/APPEEC.2011.5748855>.

- Wiati, N. M., Yuniawan, D., Kartikasari, V., Dalulia, P., Rofieq, M., Asmoro, A. Y., & Al Haq, D. (2023). Usulan Strategi Peningkatan Kualitas Layanan dengan Pendekatan Metode Quality Function Deployment (QFD). *Journal of Industrial View*, 05: 70–80.
- Wood, J., Luo, S., Gao, L., & Guo, W. (2020). Effect of Incorporation of Lignin as Bio - Polyol on the Performance of Rigid Lightweight Wood – Polyurethane Composite Foams. *Journal of Wood Science*, 66: 2-10.
- Yang, K., & El-haik, B. (2003). Design for Six Sigma, Second Edition. New York Chicago. *In McGraw Hill Professional*.
- Yang, M., Khan, F. I., Sadiq, R., & Amyotte, P. (2011). A Rough Set-Based Quality Function Deployment (QFD) Approach for Environmental Performance Evaluation: A Case of Offshore Oil and Gas Operations. *Journal of Cleaner Production*. 19 (13): 1513-1526

