

DAFTAR PUSTAKA

- Abdullah, M., Ramtani, S., & Yagoubi, N. (2023). Results in Engineering Mechanical properties of polyurethane foam for potential application in the prevention and treatment of pressure ulcers. *Results in Engineering*, 19(April), 101237.
- Agusti, T. R. (2020). Esterifikasi Gliserol Produk Samping Biodiesel Menjadi Triasetin. *Jimtek*, 1(November), 290–298.
- Ardila-Suárez, C., Rojas-Cristancho, J., Pineda-Martínez, J., Ramirez-Caballero, G. E., & Ramirez-Garcia, Á. (2019). Effect of impurities present in the crude glycerol polymerization reaction to produce polyglycerol. *CTyF - Ciencia, Tecnología y Futuro*, 9(2), 89–97.
- Armylisas, A. H. N., Hoong, S. S., & Tuan Ismail, T. N. M. (2024). Characterization of crude glycerol and glycerol pitch from palm-based residual biomass. *Biomass Conversion and Biorefinery*, 14(22), 28341–28353.
- Bontaş, M. G., Diacon, A., Călinescu, I., & Rusen, E. (2023). Lignocellulose Biomass Liquefaction: Process and Applications Development as Polyurethane Foams. *Polymers*, 15(3).
- Budi, G. S. (2011). Pengujian Kuat Tarik Dan Modulus Elastisitas Tulangan Baja. *Jurnal Teknik Sipil*, 11(1).
- Budiarto, H., & Adiwarna. (2013). Pengaruh Konsentrasi Gliserin Terhadap Viskositas Dari Pembuatan Pasta Gigi Cangkang Kerang Darah. *Konversi*, 2(2), 13–22.
- Budirohmi, A. (2020). Sintesis Poliuretan Biodegradable dan Dekontaminan Bakteri Dari PEG 400 dan Difetilmetan-4,4'-Diisosiyanat Dengan Penambahan Pati Bonggol Pisang Kepok dan Nanopartikel TiO₂.
- Calderon, M. J. P., Dumancas, G. G., Gutierrez, C. S., Lubguban, A. A., Alguno, A. C., Malaluan, R. M., & Lubguban, A. A. (2023). Producing polyglycerol polyester polyol for

- thermoplastic polyurethane application: A novel valorization of glycerol, a by-product of biodiesel production. *Heliyon*, 9(9), e19491.
- Das, A., & Mahanwar, P. (2020). A brief discussion on advances in polyurethane applications. *Advanced Industrial and Engineering Polymer Research*, 3(3), 93–101.
- Destia, M. A., Rahmi, P., & Melwita, E. (2015). Reaksi gliserolisis *palm fatty acid distillate* (PFAD) menggunakan *co-solvent* etanol untuk pembuatan emulsifier. *Jurnal Teknik Kimia*, 21(2), 15–23.
- Dewi, R. (2015). Cross-Linking Pati Sagu Termoplastik Biodegradable (Modified Thermoplastic Starch/Tps) Dengan Difenilmetana Diisosiyanat (Mdi) Dan Minyak Jarak. *Jurnal Teknologi Kimia Unimal*, 4(1), 15–34.
- Di Giuseppe, E. (2018). Analogue Materials in Experimental Tectonics. In *Reference Module in Earth Systems and Environmental Sciences*. Elsevier Inc.
- Dukarska, D., & Mirski, R. (2024). Current Trends in the Use of Biomass in the Manufacture of Rigid Polyurethane Foams: A Review. *Journal of Composites Science*, 8(8).
- Dutta, A. S. (2018). Polyurethane Foam Chemistry. In *Recycling of Polyurethane Foams*. Elsevier Inc.
- Dworakowska, S., Bogdał, D., Zaccheria, F., & Ravasio, N. (2014). The role of catalysis in the synthesis of polyurethane foams based on renewable raw materials. *Catalysis Today*, 223, 148–156.
- Elsayed, M., Eraky, M., Osman, A. I., Wang, J., Farghali, M., Rashwan, A. K., Yacoub, I. H., Hanelt, D., & Abomohra, A. (2024). Sustainable valorization of waste glycerol into bioethanol and biodiesel through biocircular approaches: a review. *Environmental Chemistry Letters*, 22(2), 609–634.
- Gama, N. V., Ferreira, A., & Barros-Timmons, A. (2018). Polyurethane foams: Past, present, and future. *Materials*,

11(10).

- Gama, N. V., Soares, B., Freire, C. S. R., Silva, R., Ferreira, A., & Barros-Timmons, A. (2018). Effect of unrefined crude glycerol composition on the properties of polyurethane foams. *Journal of Cellular Plastics*, 54(3), 633–649.
- Giyanto, Damanik, G., & Aisyah, S. (2022). Agro Fabrica. Jurnal Teknik Pengolahan Hasil Perkebunan Kelapa Sawit dan Karet. 4(2), 48–59.
- Gultom, F., & Hernawaty, H. (2020). the Effect of Sarulla Natural Nanozeolite Addition in the Preparation of Nanocomposite Foam Polyurethantsviewed From Ftir Characterization. *Jurnal Darma Agung*, 28(3), 507.
- Gurgel, D., Bresolin, D., Sayer, C., Cardozo Filho, L., & Hermes de Araújo, P. H. (2021). Flexible polyurethane foams produced from industrial residues and castor oil. *Industrial Crops and Products*, 164(March).
- Haryani, F. R., & Hambali, E. (2023). Pengaruh kondisi proses transesterifikasi menggunakan metode sonikasi terhadap rendemen dan mutu etil ester minyak ikan. 33(1), 32–40.
- Hazra, F., & Septiawan, I. (2014). Pemurnian gliserol dari hasil samping produksi biodiesel minyak kelapa sawit. *Jurnal Sains Terapan*, 4(1), 53–58.
- Hejna, A., Klein, M., & Formela, K. (2017). Performance properties of rigid polyurethane- polyisocyanurate / brewers ' spent grain foamed composites as function of isocyanate index. 17(5), 427–437.
- Himawan, D. (2022). Kajian Pemetaan Komoditas Kelapa Sawit (*Elaeis guineensis* jacq.) Pada Skripsi , Tesis dan Disertasi IPB sampai tahun 2022. 21(2).
- Hu, S., Luo, X., Wan, C., & Li, Y. (2012). Characterization of crude glycerol from biodiesel plants. *Journal of Agricultural and Food Chemistry*, 60(23), 5915–5921.
- Hwang, B. K., Kim, S. K., Kim, J. H., Kim, J. D., & Lee, J. M.

- (2020). Dynamic compressive behavior of rigid polyurethane foam with various densities under different temperatures. *International Journal of Mechanical Sciences*, 180(February), 105657.
- Ilhani, V. (2021). Pembuatan Poliuretan Elastomer Ramah Lingkungan Berazaskan Jatropha Oil. *Jurnal Sains Dan Teknologi Reaksi*, 19(01).
- Ionescu, M., Petrović, Z. S., & Wan, X. (2008). Primary hydroxyl content of soybean polyols. *JAACS, Journal of the American Oil Chemists' Society*, 85(5), 465–473.
- Islami, A., Kartika Syari, A., Kustiawati, D., & Aisyah Salsabila, S. (2022). Penerapan Metode Grafik untuk Menghitung Keuntungan Maksimum Usaha Loambeaf pada Mata Kuliah Kewirausahaan Mahasiswa Pendidikan Matematika. *Conserva : Jurnal Penelitian Dan Pengabdian Masyarakat*, 2(8), 1487–1493.
- Izarra, I., Borreguero, A. M., Garrido, I., Rodríguez, J. F., & Carmona, M. (2021). Comparison of flexible polyurethane foams properties from different polymer polyether polyols. *Polymer Testing*, 100(May), 107268.
- Jitjamnong, J., Khongprom, P., Ratanawilai, T., & Ratanawilai, S. (2024). Glycerol carbonate synthesis via transesterification of enriched glycerol and dimethyl carbonate using a Li-incorporated MCM-41 framework. *RSC Advances*, 14(9), 5941–5958.
- Jong Jek, S. (2011). Riset Operasi : dalam pendekatan Algoritmis / Jong Jek Siang. In *Monograf: Vol. xii* (Issue Riset graf, pp. 404hlm; 23 cm).
- Kahlerras, Z., Irinislimane, R., Bruzaud, S., & Belhaneche-Bensemra, N. (2020). Elaboration and Characterization of Polyurethane Foams Based on Renewably Sourced Polyols. *Journal of Polymers and the Environment*, 28(11), 3003–3018.

- Kaikade, D. S., & Sabnis, A. S. (2023). Polyurethane foams from vegetable oil-based polyols: a review. *Polymer Bulletin*, 80(3), 2239–2261.
- Kasman, M., Hadrah, H., Suraya, S., & Andika, B. (2023). Analisis Pemanfaatan Minyak Jelantah Menjadi Gliserol Dengan Metode Hidrolisis. *Jurnal Daur Lingkungan*, 6(1), 8.
- Khairati, M. (2022). Pemurnian Gliserol. *Jurnal Jejaring Matematika Dan Sains*, 4(2), 35–40.
- Kinda, M. M., Turnip, N., Sitorus, C., & Sibuea, P. (2020). Kajian Literature Pengaruh Tekanan dan Temperature Kempa Serta Jenis Adhesive Terhadap Sifat Fisik dan Mekanik Particleboard dari Limbah Sludge Industri Pulp dan Kertas. *Jurnal Ilmiah Simantek*, 4(4), 195–205.
- Koutinas, A. A., Vlysidis, A., Pleissner, D., Kopsahelis, N., Lopez Garcia, I., Kookos, I. K., Papanikolaou, S., Kwan, T. H., & Lin, C. S. K. (2014). Valorization of industrial waste and by-product streams via fermentation for the production of chemicals and biopolymers. *Chemical Society Reviews*, 43(8), 2587–2627.
- Kraitape, N., & Thongpin, C. (2016). Influence of Recycled Polyurethane Polyol on the Properties of Flexible Polyurethane Foams. *Energy Procedia*, 89, 186–197.
- Kumar, L. R., Yellapu, S. K., Tyagi, R. D., & Zhang, X. (2019). A review on variation in crude glycerol composition, biovalorization of crude and purified glycerol as carbon source for lipid production. *Bioresource Technology*, 293(August), 122155.
- Kurniasih, E., & Supardan, M. D. (2024). Pemurnian Gliserol Dari Limbah Produksi Biodiesel Dan Pemanfaatannya Sebagai Substrat Pada Sintesis Mono-digliserida. *Senastitan Iv*, 1–9.
- Lee, J. H., Kim, S. H., & Oh, K. W. (2021). Bio-based polyurethane foams with castor oil based multifunctional polyols for improved compressive properties. *Polymers*, 13(4), 1–12.

- Lee, J., & Kim, J. H. (2023). Performance evaluations of flexible polyurethane foams manufactured with castor oil-based biopolyol. *Polymer Testing*, 124(March).
- Li, H., Liang, Y., Li, P., & He, C. (2020). Conversion of biomass lignin to high-value polyurethane: A review. *Journal of Bioresources and Bioproducts*, 5(3), 163–179.
- Li, Y., Zou, J., Zhou, S., Chen, Y., Zou, H., Liang, M., & Luo, W. (2014). Effect of expandable graphite particle size on the flame retardant, mechanical, and thermal properties of water-blown semi-rigid polyurethane foam. *Journal of Applied Polymer Science*, 131(3), 1–9.
- Losio, S., Cifarelli, A., Vignali, A., Tomaselli, S., & Bertini, F. (2023). Flexible Polyurethane Foams from Bio-Based Polyols: Prepolymer Synthesis and Characterization. *Polymers*, 15(22).
- Maamoun, A. A., Arafa, M., & Esawi, A. M. K. (2025). Flexible polyurethane foam: materials, synthesis, recycling, and applications in energy harvesting - a review. *Materials Advances*, 6(6), 1842–1858.
- Maia, L. S., de Souza, A. G., Barbosa, R. F. S., Carvalho, L. T., Medeiros, S. F., Rosa, D. S., & Mulinari, D. R. (2023). Ecofriendly biocomposites for the remediation of contaminated marine water by solvents and organic oils. *Nanobiotechnology for Bioremediation: Fundamentals and Mechanisms*, 297–330.
- Makowska, S., Szymborski, D., Sienkiewicz, N., & Kairytė, A. (2024a). Current Progress in Research into Environmentally Friendly Rigid Polyurethane Foams. *Materials*, 17(16).
- Miyuranga, K. A. V., Arachchige, U. S. P. R., Jayasinghe, R. A., & Samarakoon, G. (2022). Purification of Residual Glycerol from Biodiesel Production as a Value-Added Raw Material for Glycerolysis of Free Fatty Acids in Waste Cooking Oil. *Energies*, 15(23).

- Monie, F., Vidil, T., Grignard, B., Cramail, H., & Detrembleur, C. (2021). Self-foaming polymers: Opportunities for the next generation of personal protective equipment. *Materials Science and Engineering R: Reports*, 145(March).
- Muhammad, D. F., Mesin, S. T., Teknik, F., Surabaya, U. N., Mesin, J. T., Teknik, F., & Surabaya, U. N. (2020). Pengaruh Volume Berat Adsorben Daun Bambu Dalam Proses Adsorpsi Terhadap Kualitas Pemurnian Gliserol Dari Hasil Samping Biodiesel Biji Karet (*Hevea Brasiliensis*).
- Mulia R. P. (2020). Karakterisasi Komposit Poliuretan Dengan Pengisi (Filler) Mikro Karbon Aktif Dari Cangkang Kelapa Characterization Of Polyurethane Composites With Micro Activated Carbon Fillers. *Agro Fabrica*, 2(1), 2580–0957.
- Nasir, N. F., Mirus, M. F., & Ismail, M. (2017). Purification of crude glycerol from transesterification reaction of palm oil using direct method and multistep method. *IOP Conference Series: Materials Science and Engineering*, 243(1).
- Neswati, N. (2023). Pengembangan Potensi Kelapa Sawit (*Elaeis guineensis* Jacq.) Sebagai Bahan Baku Industri Busa Poliuretan Fleksibel. In *Repository Universitas Andalas* (Vol. 1, Issue 1).
- Neswati, N., Novizar, N., Arif, S., & Yusniwati, Y. (2019). Synthesis, Characterization and Modification of Flexible Polyurethane Foams Using Raw Materials From Biopolyols Based on Palm Oil and Other Vegetable Oils: a Review. *Jurnal Agroindustri*, 9(2), 66–82.
- Nofiyanti, E., Gatut, D., & Wardani, A. (2018). Proses Konversi Minyak Goreng Bekas Menjadi Polioliol Sebagai Bahan Baku Busa Poliuretan. *Kovalen*, 4(2), 221–227.
- Nurrahma, T., Oktavia, G., Sekti, W., Topas, B., & Purwaningrum, T. (2025). Indonesian Journal of Economics, Management, and Accounting Penerapan Metode Grafik dalam Perencanaan & Memaksimalkan Pendapatan Pada Produksi Kue Bolu Pak

- Cipto. 2(1), 124–130.
- Olszewski, A., Kosmela, P., Vēvere, L., Kirpluks, M., Cabulis, U., & Piszczyk, Ł. (2024). Effect of bio-polyol molecular weight on the structure and properties of polyurethane-polyisocyanurate (PUR-PIR) foams. *Scientific Reports*, 14(1), 1–15.
- On, A. Z. M., & Badri, K. H. (2015). Investigation on the mechanical properties of palm-based flexible polyurethane foam. *AIP Conference Proceedings*, 1678.
- Padsalgikar, A. D. (2017). Speciality Plastics in Cardiovascular Applications. In *Plastics in Medical Devices for Cardiovascular Applications*. Elsevier Inc.
- Pech-Can, G. E., Flores-Johnson, E. A., Carrillo, J. G., Bele, E., & Valadez-Gonzalez, A. (2024). Mechanical Properties of Polyurethane Foam Reinforced with Natural Henequen Fibre. *Journal of Composites Science*, 8(9).
- Peyrton, J., & Avérous, L. (2021). Structure-properties relationships of cellular materials from biobased polyurethane foams. *Materials Science and Engineering R: Reports*, 145(October 2020).
- Prianto, J. (2022). Sintesis Senyawa Polioliol Sebagai Senyawa Intermediate Pada Pembuatan Biolubricant Dari Crude Palm Oil Melalui Reaksi Hidroksilasi.
- Prihastuti, H. (2008). Studi Sintesis Foam Poliuretana dari Gliserol Monooleat.
- Prociak, A., Szczepkowski, L., Ryszkowska, J., Kurańska, M., Auguścik, M., Malewska, E., Gloc, M., & Michałowski, S. (2019). Influence of Chemical Structure of Petrochemical Polyol on Properties of Bio-polyurethane Foams. *Journal of Polymers and the Environment*, 27(11), 2360–2368.
- Purnavita, S., Subandriyo, D. Y., & Anggraeni, A. (2020). Penambahan Gliserol terhadap Karakteristik Bioplastik dari Komposit Pati Aren dan Glukomanan. *Metana*, 16(1), 19–25.

- Quispe, C. A. G., Coronado, C. J. R., & Carvalho, J. A. (2013). Glycerol: Production, consumption, prices, characterization and new trends in combustion. *Renewable and Sustainable Energy Reviews*, 27, 475–493.
- Rao, K. V. S., Venkata Nadh, R., & Venkata Ratnam, K. (2019). Periodate oxidation of PEG–600, an essential pharmaceutical polymer. *International Journal of Applied Pharmaceutics*, 11(5), 251–256
- Rastegarfar, N., Behrooz, R., & Barikani, M. (2018). Characterization of polyurethane foams prepared from liquefied sawdust by crude glycerol and polyethylene glycol. *Journal of Polymer Research*, 25(7).
- Rasyid, H. Al, & Nasir, R. (2020). Kinetika Reaksi Transesterifikasi Minyak Biji Ketapang (*Terminalia Catappa* L) Pada Proses Produksi Metil Ester. *Jurnal Pijar Mipa*, 15(1), 77–87.
- Reghunadhan, A., & Thomas, S. (2017). Polyurethanes: Structure, Properties, Synthesis, Characterization, and Applications. In *Polyurethane Polymers: Blends and Interpenetrating Polymer Networks*. Elsevier Inc.
- Roobankumar, R., & Senthilpandian, M. (2024). A review of utilization of waste polyurethane foam as lightweight aggregate in concrete. *Heliyon*, 10(23), e40479.
- Saefudin, & Wahyuningsih, S. (2024). Analisis Kinerja Perdagangan Komoditas Kelapa Sawit. *Pusat Data dan Sistem Informasi Pertanian, Kementerian Pertanian*.
- Saleh, S., Yunus, N. Z. M., Ahmad, K., & Ali, N. (2019). Improving the strength of weak soil using polyurethane grouts: A review. *Construction and Building Materials*, 202, 738–752.
- Saputra, A. T., Wicaksono, M. A., & Irsan, I. (2018). Pemanfaatan Minyak Goreng Bekas untuk Pembuatan Biodiesel Menggunakan Katalis Zeolit Alat Teraktivasi. *Jurnal Chemurgy*, 1(2), 1.

- Sari, M. I., Kusniawati, E., & Sari, M. A. (2024). Pemanfaatan Limbah Minyak Jelantah Menjadi Crude Gliserol Berdasarkan Parameter Nilai Yield, Densitas dan Viskositas. *Jurnal Ilmiah Sain Dan Teknologi*, 2(3), 159–165.
- Schäfer, K., Nestler, D., Tröltzsch, J., Ireka, I., Niedziela, D., Steiner, K., & Kroll, L. (2020). Numerical studies of the viscosity of reacting polyurethane foam with experimental validation. *Polymers*, 12(1).
- Silalahi, F. T. R., Simatupang, T. M., & Siallagan, M. P. (2020). Biodiesel produced from palm oil in Indonesia: Current status and opportunities. *AIMS Energy*, 8(1), 81–101.
- Singh, A., Walvekar, R., Mohammad Khalid, Wong, W. Y., & Gupta, T. C. S. M. (2018). Thermophysical properties of glycerol and polyethylene glycol (PEG 600) based DES. *Journal of Molecular Liquids*, 252(Peg 600), 439–444.
- Singhai, P., Rodriguez, J. N., Small, W., Eangleston, S., Maitland, D. J., & Wilson, T. S. (2013). Ultra Low Density and Highly Crosslinked Biocompatible Shape Memory Polyurethane foam. *Bone*, 23(1), 1–7.
- Sismantoro, A. (2017). Karakterisasi Bahan Akustik Poliuretan Berpenguat Partikel Cangkang Kelapa Sawit. 1–120.
- Soto, G. ., Marcovich, N. ., & Mosiewicki, M. . (2016). Flexible Polyurethane Foams Modified With Biobased Polyols Synthesis And Physical-Chemical Characterization.
- Suhendra, D., Solehah, A., Asnawati, D., & Gunawan, E. R. (2014). Sintesis Poliuretan Dari Asam Lemak Teroksidasi Minyak Inti Buah Nyamplung Melalui Proses Polimerisasi Menggunakan Toluena Diisosiyanat. *Chemistry Progress*, 6(2), 62–69.
- Sutiani, A. (2015). Pemanfaatan Maltosa Dan Gliserol Sebagai Sumber Polioli Dalam pembuatan Perakat Poliuretan. 15(1), 1–8.
- Taufik, M., & Seftiono, H. (2018). Karakteristik Fisik dan Kimia Minyak Goreng Sawit Hasil Proses Penggorengan dengan

- Metode Deep-Fat Frying. *Jurnal Teknologi*, *10*(2), 123–130.
- Tiuc, A. E., Borlea, S. I., Nemeş, O., Vermeşan, H., Vasile, O., Popa, F., & Pîntoi, R. (2022). New Composite Materials Made from Rigid/Flexible Polyurethane Foams with Fir Sawdust: Acoustic and Thermal Behavior. *Polymers*, *14*(17), 1–21.
- Vickery, W. M., Singh, J., Orlando, J. D., Lin, T. C., Wang, J., & Sydlik, S. A. (2025). Polyurethane-Grafted Graphene Oxide From Repurposed Foam Mattress Waste. *RSC Advances*, *15*(4), 2737–2748.
- Wang, H., Li, H., Lee, C. K., Mat Nanyan, N. S., & Tay, G. S. (2024). A Systematic Review On Utilization Of Biodiesel-Derived Crude Glycerol In Sustainable Polymers Preparation. *International Journal of Biological Macromolecules*, *261*(P1), 129536.
- Węgrzyk, G., Grzęda, D., & Ryszkowska, J. (2023). The Effect of Mixing Pressure in a High-Pressure Machine on Morphological and Physical Properties of Free-Rising Rigid Polyurethane Foams—A Case Study. *Materials*, *16*(2).
- Wei, W., Bi, Y., & Bi, G. (2023). Study Of Viscoelastic Damage And Micromechanism Of Polyurethane In Freeze-Thaw Cycle Environment. *Case Studies in Construction Materials*, *19*(August).
- Wibowo, H. B. (2015). Pengaruh Gugus Hidroksil Sekunder Terhadap Sifat Mekanik Poliuretan Berbasis Htpb (Hydroxy Terminated Polybutadiene). *Jurnal Teknologi Dirgantara*, *13*(2), 103–112.
- Xu, C., Qu, Z., Tan, Z., Nan, B., Meng, H., Wu, K., Shi, J., Lu, M., & Liang, L. (2020). High-Temperature Resistance And Hydrophobic Polysiloxane-Based Polyurethane Films With Cross-Linked Structure Prepared By The Sol-Gel Process. *Polymer Testing*, *86*(December 2019), 106485.
- Xu, Q., Lin, J., & Jiang, G. (2022). Synthesis, Characterization and Properties of Soybean Oil-Based Polyurethane. *Polymers*,

14(11).

Zhang, C., Pang, C., Mao, Y., & Tang, Z. (2022). Effect and Mechanism of Polyethylene Glycol (PEG) Used as a Phase Change Composite on Cement Paste. *Materials*, 15(8).

Zhao, Y., Zhong, F., Tekeei, A., & Suppes, G. J. (2014). Modeling impact of catalyst loading on polyurethane foam polymerization. *Applied Catalysis A: General*, 469, 229–238.

