

## DAFTAR PUSTAKA

1. Aina S, Slesinski A, Cherkaoui A, et al. Enhanced stability of high energy aqueous capacitor based on redox-active nanomaterials and electrolyte. *J Power Sources* 2025;657:238098; doi: 10.1016/j.jpowsour.2025.238098.
2. Amir M, Deshmukh RG, Khalid HM, et al. Energy Storage Technologies: An Integrated Survey of Developments, Global Economical/Environmental Effects, Optimal Scheduling Model, and Sustainable Adaption Policies. *J Energy Storage* 2023;72; doi: 10.1016/j.est.2023.108694.
3. Jayakrishnan AR, Anina Anju B, P Nair SK, et al. Recent Development of Lead-Free Relaxor Ferroelectric and Antiferroelectric Thin Films as Energy Storage Dielectric Capacitors. *J Eur Ceram Soc* 2024;44(7):4332–4349; doi: 10.1016/j.jeurceramsoc.2024.02.016.
4. Bayode AA, Ore OT, Nnamani EA, et al. Perovskite Oxides: Syntheses and Perspectives on Their Application for Nitrate Reduction. *ACS Omega* 2024;9(18):19770–19785; doi: 10.1021/acsomega.4c01487.
5. Wendari TP, Arief S, Mufti N, et al. Lead-Free Aurivillius Phase Bi<sub>2</sub>LaNb<sub>1.5</sub>Mn<sub>0.5</sub>O<sub>9</sub>: Structure, Ferroelectric, Magnetic, and Magnetodielectric Effects. *Inorg Chem* 2022;61(23):8644–8652; doi: 10.1021/acs.inorgchem.1c03624.
6. Zhang MH, Fulanović L, Zhao C, et al. Review on Field-Induced Phase Transitions in Lead-Free NaNbO<sub>3</sub>-Based Antiferroelectric Perovskite Oxides for Energy Storage. *Journal of Materiomics* 2023;9(1):1–18; doi: 10.1016/j.jmat.2022.09.008.
7. Ma L, Chen Z, Luo G, et al. High energy storage density in NaNbO<sub>3</sub> antiferroelectrics with double hysteresis loop. *Journal of Materiomics* 2024;10(5):1026–1035; doi: 10.1016/j.jmat.2023.11.003.
8. Pattipaka S, Lim Y, Son YH, et al. Ceramic-Based Dielectric Materials for Energy Storage Capacitor Applications. *Materials* 2024;17(10); doi: 10.3390/ma17102277.
9. Gharibshahian E, Gharibshahian M, Tafreshi MJ, et al. The effect of capping agent on morphology, surface functionalization, and bio-compatibility properties of KTiOPO<sub>4</sub> nanoparticles. *Heliyon* 2024;10(23); doi: 10.1016/j.heliyon.2024.e40513.
10. Kazemi S, Hosseingholian A, Gohari SD, et al. Recent Advances in Green Synthesized Nanoparticles: From Production to Application. *Materials Today Sustainability* 2023;24; doi: 10.1016/j.mtsust.2023.100500.
11. Ashour M, Mansour AT, Abdelwahab AM, et al. Metal Oxide Nanoparticles' Green Synthesis by Plants: Prospects in Phyto- and Bioremediation and Photocatalytic Degradation of Organic Pollutants. *Processes* 2023;11(12); doi: 10.3390/pr11123356.
12. Deng J, Han F, Schwarz B, et al. Dielectric Relaxation and Magnetic Structure of A-Site-Ordered Perovskite Oxide Semiconductor CaCu<sub>3</sub>Fe<sub>2</sub>Ta<sub>2</sub>O<sub>12</sub>. *Inorg Chem* 2021;60(10):6999–7007; doi: 10.1021/acs.inorgchem.0c03229.
13. Soheli SN, Lu Z, Sun D, et al. Lead-Free NaNbO<sub>3</sub>-Based Ceramics for Electrostatic Energy Storage Capacitors. *Ceramics* 2024;7(2):712–734; doi: 10.3390/ceramics7020047.
14. Cheng R, Wang Y, Men R, et al. High-energy-density polymer dielectrics via compositional and structural tailoring for electrical energy storage. 2022; doi: 10.1016/j.isci.
15. Zahra T, Bashir S, Pershaanaa M, et al. Perovskite Oxides for Energy Storage: A Review on Synthesis, Properties and Supercapacitor Performance. *J Energy Storage* 2025;120; doi: 10.1016/j.est.2025.116434.
16. Zhang L, Pu Y, Chen M, et al. Design Strategies of Perovskite Energy-Storage Dielectrics for next-Generation Capacitors. *J Eur Ceram Soc* 2023;43(14):5713–5747; doi: 10.1016/j.jeurceramsoc.2023.06.037.
17. Elaiyaraja P, Karunakaran N, Muralidharan M. Ferroelectric and piezoelectric enhancement in lead-free NaNbO<sub>3</sub>-BiErKZrO<sub>3</sub> perovskite ceramics: Tetragonal phase stability and optical properties. *J Alloys Compd* 2025;1026; doi: 10.1016/j.jallcom.2025.180456.
18. Zhang MH, Fulanović L, Zhao C, et al. Review on Field-Induced Phase Transitions in Lead-Free NaNbO<sub>3</sub>-Based Antiferroelectric Perovskite Oxides for Energy Storage.

- Journal of Materiomics 2023;9(1):1–18; doi: 10.1016/j.jmat.2022.09.008.
19. Chen D, Kong X, Zhang J, et al. Review on the Optimization of Energy Storage Performance in Sodium Niobate-Based Dielectric Ceramics. *Ceram Int* 2025;51(21):33865–33884; doi: 10.1016/j.ceramint.2025.05.140.
  20. Guo Y, Wang J, Ren Y, et al. Realizing high energy storage performances and ultrafast charge-discharge rate of NaNbO<sub>3</sub>-based ceramics for application in pulse power capacitors. *Ceram Int* 2024; doi: 10.1016/j.ceramint.2024.09.025.
  21. Ngidi NPD, Koekemoer AF, Ndlela SS. Application of metal oxide/porous carbon nanocomposites in electrochemical capacitors: A review. *Physics and Chemistry of the Earth* 2024;135; doi: 10.1016/j.pce.2024.103698.
  22. Tazim TQ, Kawsar M, Sahadat Hossain M, et al. Hydrothermal Synthesis of Nano-Metal Oxides for Structural Modification: A Review. *Next Nanotechnology* 2025;7; doi: 10.1016/j.nxnano.2025.100167.
  23. Wang Z, Changotra R, Dasog M, et al. Carbon Quantum Dots: Synthesis via Hydrothermal Processing, Doping Strategies, Integration with Photocatalysts, and Their Application in Photocatalytic Hydrogen Production. *Sustainable Materials and Technologies* 2025;44; doi: 10.1016/j.susmat.2025.e01386.
  24. Zhang G, Wang X, Sun Q, et al. Phase transition and morphology evolution of superfine NaNbO<sub>3</sub> particles synthesized by the hydrothermal method with the assistance of K<sup>+</sup>. *Ceram Int* 2022;48(18):25996–26002; doi: 10.1016/j.ceramint.2022.05.279.
  25. Chugh D, Viswamalya VS, Das B. Green Synthesis of Silver Nanoparticles with Algae and the Importance of Capping Agents in the Process. *Journal of Genetic Engineering and Biotechnology* 2021;19(1); doi: 10.1186/s43141-021-00228-w.
  26. Gharibshahian E, Gharibshahian M, Tafreshi MJ, et al. The effect of capping agent on morphology, surface functionalization, and bio-compatibility properties of KTiOPO<sub>4</sub> nanoparticles. *Heliyon* 2024;10(23); doi: 10.1016/j.heliyon.2024.e40513.
  27. Salama RM, Darwish SF, El Shaffei I, et al. *Morus macroura* Miq. Fruit extract protects against acetic acid-induced ulcerative colitis in rats: Novel mechanistic insights on its impact on miRNA-223 and on the TNF $\alpha$ /NF $\kappa$ B/NLRP3 inflammatory axis. *Food and Chemical Toxicology* 2022;165; doi: 10.1016/j.fct.2022.113146.
  28. Fatimah S, Ragadhita R, Fitria D, et al. How to Calculate Crystallite Size from X-Ray Diffraction (XRD) using Scherrer Method. 2021; doi: 10.17509/ijost.v6ix.
  29. Muttaqin R, Sakti W, Prayitno W, et al. Pengembangan Buku Panduan Teknik Karakterisasi Material : X-Ray Diffractometer (XRD) Panalytical Xpert3 Powder. Online; 2023.
  30. Xu M, Zeng D, Wang X, et al. Optimizing the energy storage performance of NaNbO<sub>3</sub> ceramics by rare-earth-based composite perovskite Sm(Mg<sub>0.5</sub>Zr<sub>0.5</sub>)O<sub>3</sub> modification. *Microstructures* 2023;3(4); doi: 10.20517/microstructures.2023.19.
  31. Negi P, Chandra V, Kumar A, et al. Plant-Mediated Synthesis of Metal Oxide Nanocomposites: Emerging Prospects in Electrochemical Corrosion Inhibition and Biosensing. *Sustainable Chemistry for Climate Action* 2025;7; doi: 10.1016/j.scca.2025.100107.
  32. Pathak N, Mukherjee S, Mandal BP, et al. Interplay between local distortion at lattice sites with optical and electrical properties of Eu<sup>3+</sup>-doped MNbO<sub>3</sub>(M = Na and K) compounds. *Mater Adv* 2020;1(7):2380–2394; doi: 10.1039/d0ma00335b.
  33. Shi R, Pu Y, Wang W, et al. A novel lead-free NaNbO<sub>3</sub>–Bi(Zn<sub>0.5</sub>Ti<sub>0.5</sub>)O<sub>3</sub> ceramics system for energy storage application with excellent stability. *J Alloys Compd* 2020;815; doi: 10.1016/j.jallcom.2019.152356.
  34. Souza FM, Pinheiro VS, Gentil TC, et al. NaNbO<sub>3</sub> microcubes decorated with minimum Pd and maximum performance for Alkaline Direct Ethanol Fuel Cell applications. *J Power Sources* 2021;493; doi: 10.1016/j.jpowsour.2021.229694.
  35. Kassouf N, Zappi A, Monticelli M, et al. Analysis of Solid Formulates Using UV-Visible Diffused Reflectance Spectroscopy with Multivariate Data Processing Based on Net Analyte Signal and Standard Additions Method. *Chemosensors* 2024;12(11); doi: 10.3390/chemosensors12110227.
  36. Aceto M, Calà E, Gulino F, et al. The Use of UV-Visible Diffuse Reflectance Spectrophotometry for a Fast, Preliminary Authentication of Gemstones. *Molecules*

- 2022;27(15); doi: 10.3390/molecules27154716.
37. Shakeel N, Piwoński I, Iqbal P, et al. Green Synthesis of Titanium Dioxide Nanoparticles: Physicochemical Characterization and Applications: A Review. *Int J Mol Sci* 2025;26(12); doi: 10.3390/ijms26125454.
  38. Ashour M, Mansour AT, Abdelwahab AM, et al. Metal Oxide Nanoparticles' Green Synthesis by Plants: Prospects in Phyto- and Bioremediation and Photocatalytic Degradation of Organic Pollutants. *Processes* 2023;11(12); doi: 10.3390/pr11123356.
  39. Yekeen MO, Ibrahim M, Wachira J, et al. Green Synthesis and Characterization of Iron Oxide Nanoparticles Using *Egeria densa* Plant Extract. *Applied Biosciences* 2025;4(2); doi: 10.3390/applbiosci4020027.
  40. Skjærvø SL, Ong GK, Grendal OG, et al. Understanding the Hydrothermal Formation of  $\text{NaNbO}_3$ : Its Full Reaction Scheme and Kinetics. *Inorg Chem* 2021;60(11):7632–7640; doi: 10.1021/acs.inorgchem.0c02763.
  41. Sidhu AK, Verma N, Kaushal P. Role of Biogenic Capping Agents in the Synthesis of Metallic Nanoparticles and Evaluation of Their Therapeutic Potential. *Frontiers in Nanotechnology* 2022;3; doi: 10.3389/fnano.2021.801620.
  42. Sayed AM, Salama FM, Galal HK, et al. Sustainable production of ZnO nanoparticles via *capparis decidua* stem extract for efficient photocatalytic Rh 6G dye degradation. *RSC Adv* 2025;15(55):46890–46907; doi: 10.1039/d5ra05878c.
  43. Yang TH, Shi Y, Janssen A, et al. Surface Capping Agents and Their Roles in Shape-Controlled Synthesis of Colloidal Metal Nanocrystals. *Angew Chem Int Ed* 2020;59(36):15378–15401; doi: 10.1002/anie.201911135.
  44. Shakeel N, Piwoński I, Iqbal P, et al. Green Synthesis of Titanium Dioxide Nanoparticles: Physicochemical Characterization and Applications: A Review. *Int J Mol Sci* 2025;26(12); doi: 10.3390/ijms26125454.
  45. Zhu H, Xing Z, Wang H, et al. Research Progress of Microstructure Regulation on the Electrical Properties of PZT Ferroelectric Films. *Chinese Journal of Mechanical Engineering (English Edition)* 2025;38(1); doi: 10.1186/s10033-025-01303-w.
  46. Dele-Afolabi TT, Azmah Hanim MA, Oyekanmi AA, et al. Organic Waste-Derived Pore Formers for Macroporous Ceramics Fabrication: A Review on Synthesis, Durability Properties and Potential Applications. *Materials Today Sustainability* 2024;27; doi: 10.1016/j.mtsust.2024.100824.
  47. Farooq U, Ahmed J, Alshehri SM, et al. Self-Assembled Interwoven Nanohierarchitectures of  $\text{NaNbO}_3$  and  $\text{NaNb}_{1-x}\text{Ta}_x\text{O}_3$  ( $0.05 \leq x \leq 0.20$ ): Synthesis, Structural Characterization, Photocatalytic Applications, and Dielectric Properties. *ACS Omega* 2022;7(20):16952–16967; doi: 10.1021/ACSOMEGA.1C07250.
  48. Radulescu DM, Neacsu IA, Vasile BS, et al. Green-Synthesized MgO Nanoparticles: Structural Insights and Antimicrobial Applications. *Int J Mol Sci* 2025;26(18); doi: 10.3390/ijms26189021.
  49. Ghobadi N, Zamani Meymian MR, Fallah M. Exploring secondary optical transitions: a study utilizing the DITM method, and enhanced photocatalytic properties in Ni-doped CuSe. *Sci Rep* 2024;14(1); doi: 10.1038/s41598-024-58528-3.
  50. Salunkhe TT, Gurugubelli TR, Babu B, et al. Recent Innovative Progress of Metal Oxide Quantum-Dot-Integrated g-C $_3$ N $_4$  (0D-2D) Synergistic Nanocomposites for Photocatalytic Applications. *Catalysts* 2023;13(11); doi: 10.3390/catal13111414.
  51. Kumari S, Kumar A, Kumar A, et al. Enhanced Curie temperature and superior temperature stability by site selected doping in BCZT based lead-free ceramics. *Ceram Int* 2022;48(10):13780–13793; doi: 10.1016/j.ceramint.2022.01.260.
  52. Park SH, Kim JY, Song JY, et al. Overcoming Size Effects in Ferroelectric Thin Films. *Advanced Physics Research* 2023;2(6); doi: 10.1002/apxr.202200096.
  53. Fang J, Mao S, Jiang M, et al. Enhanced piezoelectric properties and thermal stability of BiFeO $_3$ -BaTiO $_3$ -based ceramics with local structural heterogeneity. *Ceram Int* 2025;51(14):18587–18596; doi: 10.1016/j.ceramint.2025.02.038.
  54. Zhang L, Pu Y, Chen M, et al. Design Strategies of Perovskite Energy-Storage Dielectrics for next-Generation Capacitors. *J Eur Ceram Soc* 2023;43(14):5713–5747; doi: 10.1016/j.jeurceramsoc.2023.06.037.
  55. Zhang MH, Fulanović L, Zhao C, et al. Review on Field-Induced Phase Transitions in

- Lead-Free  $\text{NaNbO}_3$ -Based Antiferroelectric Perovskite Oxides for Energy Storage. *Journal of Materiomics* 2023;9(1):1–18; doi: 10.1016/j.jmat.2022.09.008.
56. Usler AL, Ketter F, De Souza RA. How space-charge behaviour at grain boundaries in electroceramic oxides is modified by two restricted equilibria. *Physical Chemistry Chemical Physics* 2024;26(10):8287–8298; doi: 10.1039/d3cp05870k.
  57. Maier JG, Kuhfuß M, Urushihara D, et al. Influence of grain size on electromechanical properties of  $(\text{Ba,Ca})(\text{Zr,Ti})\text{O}_3$ : A multiscale analysis using spark plasma sintering and aerosol deposition. *Ceram Int* 2024;50(15):26780–26791; doi: 10.1016/j.ceramint.2024.04.406.
  58. Park J, Chung C, Ku B, et al. Grain size engineering via a  $\text{Hf}_{0.5}\text{Zr}_{0.5}\text{O}_2$  seed layer for FeFET memory and synaptic devices. *Nanoscale* 2025;17(16):10324–10333; doi: 10.1039/d4nr05381h.
  59. Zhang F, Qiao X, Zhou Q, et al. High energy and power density achieved in  $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ -based relaxor ferroelectric ceramics with excellent thermal stability. *J Alloys Compd* 2021;875; doi: 10.1016/j.jallcom.2021.160005.
  60. Chang CJ, Qi X. Dielectric relaxation and high recoverable energy density in  $(1-x)(0.3\text{BiFeO}_3-0.7\text{SrTiO}_3)-x\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$  ceramics. *Ceram Int* 2022;48(17):25610–25620; doi: 10.1016/j.ceramint.2022.05.240.

