

## DAFTAR PUSTAKA

1. Mikrianto E, Mujiyanti DR, Yunus R, Ariyani D. Studi n-Lapis Oktahedral Terhadap Sifat Feroelektrik Oksida Logam Aurivillius  $Sr_{(n-2)}Bi_3Ti_nO_{(3n+3)}$  ( $n = 3, 4, 5$  dan  $6$ ). *J Sains dan Terap Kim.* 2017;11(1):24.
2. Song D, Yang J. Results in Physics Lead-free  $Ba_2Bi_4Ti_5O_{18}$  thin film capacitors for energy storage applications. *Results Phys* [Internet]. 2019;13(February):102175. Tersedia pada: <https://doi.org/10.1016/j.rinp.2019.102175>
3. Qiao N, Ding J, Wang P, Liu Z, Li P, Chen J, et al. Band-gap engineering in Aurivillius  $BaBi_4Ti_4O_{15}$  thin film capacitors for enhanced energy storage performance. *J Power Sources.*2024;605(April):234482. <https://doi.org/10.1016/j.jpowsour.2024.234482>
4. Zuhadjri, Prijamboedi B, Nugroho AA, Mufti N, Ismunandar. Five layers Aurivillius phases  $Pb_{2-x}Bi_{4+x}Ti_{5-x}Mn_xO_{18}$ : Synthesis, structure, relaxor ferroelectric and magnetic properties. *ITB J Sci.* 2011;43 A(2):139–50.
5. Glinchuk MD, Eliseev EA, Li G, Zeng J, Kalinin S V, Morozovska AN. *Physical Review B* 98 , 094102 ( 2018 ) Ferroelectricity induced by oxygen vacancies in relaxors with perovskite structure. 2018;094102:1–8.
6. Dubey S, Kurchania R. Study of dielectric and ferroelectric properties of five-layer Aurivillius oxides :  $A_2Bi_4Ti_5O_{18}$  ( $A = Ba , Pb$  and  $Sr$  ) synthesized by solution. 2015;38(7):1881–9.
7. C.L. Diao, H.W. Zheng, Y.Z. Gu, W.F. Zhang LF. Structural and electrical properties of four-layers Aurivillius phase. 2014;40:5765–9.
8. Gupta SK, Mao Y. Recent Developments on Molten Salt Synthesis of Inorganic Nanomaterials : A Review. 2021;
9. Lafuerza S, Gracia D, Blasco J, Evangelisti M. Electrocaloric effect near room temperature in lead-free Aurivillius phase  $Sr_2Bi_4Ti_5O_{18}$  upon La and Nb codoping. *J Alloys Compd* [Internet]. 2024;983(October 2023):173923. <https://doi.org/10.1016/j.jallcom.2024.173923>
10. Kumar R, Lee D, Ağbulut Ü, Kumar S, Thapa S, Thakur A. Different energy storage techniques : recent advancements , applications , limitations , and efficient utilization of sustainable energy. Vol. 149, *Journal of Thermal Analysis and Calorimetry.* Springer International Publishing; 2024. 1895–1933 hal. <https://doi.org/10.1007/s10973-023-12831-9>
11. Borhani TN. Energy storage. *Des Oper Solid Oxide Fuel Cells Syst Eng Vis Ind Appl.* 2019;2040(February):311–32.
12. Kim TY, Kim SK, Kim SW. Application of ferroelectric materials for improving output power of energy harvesters. *Nano Converg* [Internet]. 2018;5(1):1–16. Tersedia pada:

- <https://doi.org/10.1186/s40580-018-0163-0>
13. Kumar Singh R, Kumar Mishra S, Mehtre V V. Supercapacitor construction, principle, operation, characteristics, advantages, disadvantages and applications. *Int J Innov Res Electr Electron Instrum Control Eng*. 2021;9(7):189–93.
  14. Zulhadjri Z, Ramadhani R, Billah AA, Arief S. Sifat Dielektrik. 2018;14(1):143–51.
  15. Veronita S, Septiani U, Zulhadjri Z. Disintesis dengan Teknik Lelehan Garam. *J Ris Kim*. 2022;13(01):24–33.
  16. Soo J, Ill K, Kim W. Temperature dependence of the dielectric dispersion and ferroelectric properties of neodymium doped bismuth titanate ceramics. 2006;373–7.
  17. Wendari TP, Arief S, Mufti N, Insani A, Baas J, Blake GR, et al. Structure-property relationships in the lanthanide-substituted  $\text{PbBi}_2\text{Nb}_2\text{O}_9$  Aurivillius phase synthesized by the molten salt method. *J Alloys Compd [Internet]*. 2021;860:158440. Tersedia pada: <https://doi.org/10.1016/j.jallcom.2020.158440>
  18. Sari P, Himmah SN, Hardian A, Aini N, Prasetyo A. Synthesis and characterization of plate-like vanadium doped  $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$  prepared via KCl molten salt method. *Commun Sci Technol*. 2022;7(2):175–80.
  19. Afqir M, Fasquelle D, Tachafine A, Meng Y, Afqir M, Fasquelle D, et al. Structure and dielectric properties of Lu-doped  $\text{SrBi}_2\text{Ta}_2\text{O}_9$  synthesized by the molten salt method To cite this version : HAL Id : hal-04459297 Structure and dielectric properties of Lu-doped  $\text{SrBi}_2\text{Ta}_2\text{O}_9$ . 2024;
  20. Purwani MV. Eksplorium Ekstraksi Pemisahan Neodimium dari Samarium , Itrium dan Praseodimium Memakai Tri Butil Fosfat Separation Extraction of Neodymium from Samarium , Yttrium and Praseodymium Using Tri Butyl Phosphate. 2017;38(1):19–28.
  21. Marella SD, Aini N, Hardian A, Suendo V, Prasetyo A. The Effect of Synthesis Temperature on the Plate-Like Particle of  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  Obtained by Molten NaCl Salt Method. 2021;10(April):64–71.
  22. Li S, Song J, Che Y, Jiao S, He J, Yang B. Advances in Molten Salt Synthesis of Non-oxide Materials. 2023;1–13.
  23. Ghadge T, Tharkude P. X-Ray Crystallography and Diffraction : A Review of Theory and Practical Applications. 2025;3(3):1693–708.
  24. Muttaqin R. Pengembangan Buku Panduan Teknik Karakterisasi Material: X-ray Diffractometer (XRD) Panalytical Xpert3 Powder. *Indones J Lab*. 2023;1(1):9.
  25. Sahdiah H, Kurniawan R. Optimasi Tegangan Akselerasi pada Scanning Electron Microscope – Energy Dispersive X-Ray Spectroscopy ( SEM-EDX ) untuk Pengamatan Morfologi Sampel Biologi. 2023;6(2):117–23.
  26. Khursheed A, Engineering C. Scanning electron microscopy [Internet]. 2 ed.

- Encyclopedia of Condensed Matter Physics, 2e. Elsevier Ltd.; 2022. 1–15 hal. Tersedia pada: <http://dx.doi.org/10.1016/B978-0-323-90800-9.00128-1>
27. Masta N. Review Scanning Electron Microscopy. *Patra Widya Seri Pnb Penelit Sej dan Budaya*. 2020;21(3):i–iii.
  28. Sulistyani M, Huda N. Indonesian Journal of Chemical Science Perbandingan Metode Transmisi dan Reflektansi pada Pengukuran Polistirena Menggunakan Instrumentasi Spektroskopi Fourier Transform Infrared. 2018;7(2).
  29. Nurfitriyana N, Najma Annuria Fithri, Fitria, Rini Yanuarti. Analisis Interaksi Kimia Fourier Transform Infra Red (FTIR) Tablet Gastroentif Ekstrak Daun Petai (*Parkia speciosa* Hassk) dengan Polimer HPMC-K4M dan Kitosan. *ISTA Online Technol J*. 2022;3(2):27–33.
  30. Sunkara N, Yamini G, Deepika G. Review Article On FTIR. 2022;10(12):835–40.
  31. Maryani K, Anwari NS, Safitri WN, Hardian A, Inggawati ED, Prasetyo A. The effect of synthesis temperature on structural, morphological, and band gap energy of plate-like  $\text{Bi}_4\text{Ti}_{2.95}\text{V}_{0.05}\text{O}_{12}$  prepared by molten NaCl/KCl salt method. *Commun Sci Technol*. 2024;9(1):1–6.
  32. Wendari TP, Rizki A, Zulhadjri, Putri YE, Emriadi, Labanni A, et al. Structure, ferroelectric, magnetic, and energy storage performances of lead-free  $\text{Bi}_4\text{Ti}_{2.75}(\text{FeNb})_{0.125}\text{O}_{12}$  Aurivillius ceramic by doping  $\text{Fe}^{3+}$  ions extracted from Padang beach sand. *Case Stud Chem Environ Eng [Internet]*. 2024;9(March):100679. Tersedia pada: <https://doi.org/10.1016/j.cscee.2024.100679>
  33. Wibowo GR, Emriadi, Zulhadjri. Sintesis Senyawa Aurivillius Lapis Empat  $\text{PbBi}_4\text{Ti}_4\text{O}_{15}$  dan  $\text{PbBi}_3\text{NdTi}_4\text{O}_{15}$  dengan Metode Lelehan Campuran Garam NaCl-KCl dan Karakterisasi Struktur. *J Ris Kim*. 2019;Vol. 10, N:85–92.
  34. Riedel IG Juan R. Ceramic synthesis from condensed phases. *ChemTexts*. 2016;2(2):1–21.
  35. Senthamilselvi R, Velavan R. Microstructure and photocatalytic properties of bismuth oxide ( $\text{Bi}_2\text{O}_3$ ) nanocrystallites. 2020;(2):4870–4.
  36. Putra T, Arief S, Mufti N, Baas J, Blake GR. Ratio effect of salt fluxes on structure, dielectric and magnetic properties of. *Ceram Int [Internet]*. 2020;46(10):14822–7. Tersedia pada: <https://doi.org/10.1016/j.ceramint.2020.03.007>
  37. Cao J, Koval V, Zhang H, Lin Y, Wu J, Meng N, et al. Journal of the European Ceramic Society Crystal structure and electrical properties of textured  $\text{Ba}_2\text{Bi}_4\text{Ti}_5\text{O}_{18}$  ceramics. *J Eur Ceram Soc*. 2018;(July):0–1. <https://doi.org/10.1016/j.jeurceramsoc.2018.12.017>
  38. Lightfoot P, Snedden A, Blake SM, Knight KS. Contrasting Structural Behavior in the Aurivillius Phase Ferroelectrics  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ ,  $\text{BaBi}_4\text{Ti}_4\text{O}_{15}$  and  $\text{Ba}_2\text{Bi}_4\text{Ti}_5\text{O}_{18}$  Philip.

- 2003;755:3–10.
39. Ismunandar, Mikrianto E. Structure Refinement of Five Layers Aurivillius Compound:  $Ba_4Bi_2Nb_2Ti_3O_{18}$ . 2004;1962:57–62.
  40. Kamiyama T, Hoshikawa A, Zhou Q, Kennedy BJ. Structural studies of five layer Aurivillius oxides :  $A_2Bi_4Ti_5O_{18}$  ( A = Ca , Sr , Ba and Pb ). 2006;177(2004):4188–96.
  41. Rietveld HM, Nederland RC. A profile refinement method for nuclear and magnetic structures. J Appl Cryst. 1969;
  42. Peterson VK. Lattice parameter measurement using Le Bail versus structural „ Rietveld ... refinement : A caution for complex , low symmetry systems. 2005;(February 2004):14–7.
  43. Dubey S, Subohi O, Kurchania R. Solution combustion synthesis : E f f ect of calcination and sintering temperature on structural , dielectric and ferroelectric properties of fi ve layer Aurivillius oxides. 2017;521(June):73–83.
  44. Badapanda T, Harichandan RK, Nayak SS, Mishra A, Anwar S. Frequency and temperature dependence behaviour of impedance , modulus and conductivity of  $BaBi_4Ti_4O_{15}$  Aurivillius ceramic. 2014;145–53.
  45. Veenachary V, Ramana EV, Babu SN, Puli VS, Saha S, Srinivasan G, et al. Magnetolectric Properties of Aurivillius-Layered Perovskites. 2024;1–19.
  46. Wu D, Zhou H, Li L, Chen Y. Gd/Mn Co-Doped  $CaBi_4Ti_4O_{15}$  Aurivillius-Phase Ceramics: Structures,Relaxation Behaviors. 2022;
  47. Kurchania R, Subohi O. Aurivillius Phase Materials. London: IOP Publishing; 2021.

