

DAFTAR PUSTAKA

- Ahmed, S., Autrey, J., Katz, I. T., Fox, M. P., Rosen, S., Onoya, D., Bärnighausen, T., Mayer, K. H., & Bor, J. (2018). Why do people living with HIV not initiate treatment? A systematic review of qualitative evidence from low- and middle-income countries. *Social Science & Medicine*, 213(1), 72–84. <https://doi.org/10.1016/j.socscimed.2018.05.048>
- Alhusamiah, B., Almomani, J., Omari, A. Al, Yousef, A., Alshraideh, J. A., & Zeilani, R. S. (2024). The effectiveness of P6 and auricular acupressure as a complimentary therapy in chemotherapy-induced nausea and vomiting among patients with cancer : Systematic review. *Integrative Cancer Therapies*, 23(1), 1–15. <https://doi.org/10.1177/15347354241239110>
- Arikunto, S. (2018). *Prosedur penelitian : Suatu pendekatan praktik* (Cetakan 15). PT. Rineka Cipta.
- Ariyani, A., Widiyono, & Suwarni, A. (2021). *Keperawatan HIV/AIDS*. CV. Lima Aksara.
- Aronson, J. K. (2015). *Meyler's side effects of drugs: The international encyclopedia of adverse drug reactions and interactions* (16th ed.). Elsevier Science.
- Blanca, M. J., Arnau, J., García-castro, F. J., Alarcón, R., & Bono, R. (2023). Non-normal data in repeated measures ANOVA : Impact on type I error and power. *Psicothema*, 35(1), 21–29. <https://doi.org/https://doi.org/10.7334/psicothema2022.292>

- Byju, A., Pavithran, S., & Antony, R. (2018). Effectiveness of acupressure on the experience of nausea and vomiting among patients receiving chemotherapy. *Canadian Oncology Nursing Journal*, 28(2), 132–138. <https://doi.org/https://doi.org/10.5737/23688076282132138>
- Center for Disease Control and Prevention. (2025). *About HIV*. <https://www.cdc.gov/hiv/about/index.html>
- Chang, B. H., & Sommers, E. (2011). Acupuncture and the relaxation response for treating gastrointestinal symptoms in HIV patients on highly active antiretroviral therapy. *Acupuncture in Medicine*, 29(3), 180–187. <https://doi.org/https://doi.org/10.1136/acupmed-2011-010026>
- Cheung, D. S. T., Xu, X., Smith, R., Takemura, N., Yeung, W. F., Chan, W., Lao, L., & Lin, C.-C. (2022). Invasive or noninvasive? A systematic review and network meta-analysis of acupuncture and acupressure to treat sleep disturbance in cancer patients. *Worldviews on Evidence-Based Nursing*, 20(3), 202–211. <https://doi.org/https://doi.org/10.1111/wvn.12617>
- Christopoulos, K. A., Erguera, X. A., Vanderzanden, L., Campbell, C., Green, M., Tsuzuki, M. D., Schneider, J., Coffey, S., Bacon, O., Gandhi, M., & Koester, K. A. (2021). A qualitative study of the experience of immediate antiretroviral therapy among urban persons with newly diagnosed human immunodeficiency virus. *Infectious Diseases Society of America*, 8(12), 1–12. <https://doi.org/https://doi.org/10.1093/ofid/ofab469>
- Chubineh, S., & McGowan, J. (1998). Nausea and vomiting in HIV: A symptom review. *Journal of The Association of Nurses in AIDS Care*, 9(6), 47–56.

<https://doi.org/https://doi.org/10.1258/ijsa.2008.008244>

Cleveland Clinic Healthessentials. (2025). *What is acupressure and does it work?*

<https://health.clevelandclinic.org/acupressure-points>

Cochran, W. G. (1977). *Sampling techniques* (3rd ed.). John Wiley and Sons.

Damanik, S. W., Efendie, B., Sabila, A., Yuwanda, A., Budiatama A, A., &

Farmasita, R. (2024). Evaluasi kepatuhan dan kedisiplinan pengambilan ulang

obat antiretroviral (ARV) oleh pasien HIV/AIDS di sebuah rumah sakit swasta

Jakarta Utara periode tahun 2023. *Journal of Pharmacy and Halal Studies,*

1(2), 17–22. <https://doi.org/https://doi.org/10.70608/kts50n27>

Department of Health and Human Services. (2024). *Guidelines for the use of antiretroviral agents in adults and adolescents with HIV* (1st ed.).

Dharma, K. K. (2021). *Metodologi penelitian keperawatan : Panduan*

melaksanakan dan menerapkan hasil penelitian (Revisi). Trans Info Media.

<https://doi.org/978-602-202-025-7>

Dinas Kesehatan Provinsi Jambi. (2023). *Laporan kinerja dinas kesehatan Provinsi*

Jambi (1st ed.).

Donsu, J. D. T. (2019). *Metodologi penelitian keperawatan* (1st ed.). PT. Pustaka

Baru.

Ermawan, B. (2018). *Asuhan keperawatan pada pasien dengan gangguan sistem*

imunologi. PT. Pustaka Baru.

Ezzo, J., Vickers, A., Richardson, M. A., Allen, C., Dibble, S. L., Issell, B., Lao,

L., Pearl, M., Ramirez, G., Roscoe, J. A., Shen, J., Shivnan, J., Streitberger,

K., Treish, I., & Zhang, G. (2005). Acupuncture-point stimulation for chemotherapy-induced nausea and vomiting. *Journal of Clinical Oncology*, 23(28), 7188–7198. <https://doi.org/10.1200/JCO.2005.06.028>

Fauk, N. K., Merry, M. S., Ambarwati, A., Sigilipoe, M. A., & Mwanri, L. (2020). A qualitative inquiry of adherence to antiretroviral therapy and its associated factors : A study with transgender women living with HIV in Indonesia. *Indian Journal of Public Health*, 64(23), 116. <https://doi.org/https://doi.org/10.4103/ijph.IJPH>

Fimbo, A., Mwalwisi, Y. H., Mwamwitwa, K., Matiko, D., Mfinanga, E., Lyimo, J., Sabasaba, A., Missago, S., Bukundi, E., Gatora, G., Respick, D., Nkayamba, A., & ... Mlugu, E. M. (2024). Incidence and determinants of adverse events in individuals with HIV commencing dolutegravir - based antiretroviral therapy in Mainland Tanzania. *Scientific Reports*, 14(615), 1–10. <https://doi.org/https://doi.org/10.1038/s41598-023-51144-7>

Gelaw, Y. K., Adugna, B., Tsegaye, A. T., Melaku, T., & Kefale, B. (2018). Coping strategies for adverse effects of antiretroviral therapy among adult HIV patients attending University of Gondar Referral Hospital , Gondar , Northwest Ethiopia : A cross-sectional study. *AIDS Research and Treatment*, 18(1), 1–10. <https://doi.org/https://doi.org/10.1155/2018/1879198>

Gonzalo, A. (2024). *Martha rogers : Science of unitary human beings*. Nurseslabs. <https://nurseslabs.com/martha-e-rogers-theory-unitary-human-beings/>

Hall, J. E. (2015). *Guyton and hall textbook of medical physiology* (12 th). Saunders Elsevier.

Handayani, N., & Anggasari, Y. (2020). The effect of acupressure on decreasing nausea and vomiting in pregnant women in midwives independent practice Sidoarjo. *Jurnal Ilmiah Kesehatan*, 9(2), 1134–1140. <https://doi.org/https://doi.org/10.30994/sjik.v9i2.436>

Hartono, R. I. W. (2012). *Akupresur untuk berbagai penyakit* (1st ed.). Rapha Yogyakarta.

Ismuhu, S. R., Rakhmawati, W., & Fitri, S. Y. R. (2019). Akupresur : Alternatif mengurangi mual dan muntah akibat kemoterapi literature review. *Journal of Nursing Care*, 3(3), 150–160. <https://doi.org/DOI:10.24198/JNC.V3I3.24502>

Jakimiuk, A., Piechal, A., Wiercińska-Drapała, A., Nowaczyk, A., & Mirowska-Guzel, D. (2023). Central nervous system disorders after use of dolutegravir: evidence from preclinical and clinical studies. *Pharmacological Reports*, 75(5), 1138–1151. <https://doi.org/10.1007/s43440-023-00515-y>

Joint United Nations Programme on HIV/AIDS. (2024). *2024 global AIDS report — The urgency of now: AIDS at a crossroads* (1st ed.). UNAIDS. <https://www.unaids.org/en/resources/documents/2024/global-aids-update-2024/>

Jonathan, R., Ingabire, C., Umwiza, F., Gasana, J., Munyaneza, A., Murenzi, G., Nsanzimana, S., Remera, E., & Adedimeji, A. (2021). How early is too early? Challenges in ART initiation and engaging in HIV care under treat all in Rwanda: A qualitative study. *Plos One*, 16(5), 1–12. <https://doi.org/10.1371/journal.pone.0251645>

Joy, P. P. (2010). Benefits and uses of pineapple. In *Pineapple Research Station*.

<https://doi.org/10.13140/RG.2.1.2782.4888>

Karen, A. K. (2024). *Ondansetron oral dan IV (Zofran®)*. Oncalink Penn Medicine.

<https://www.oncolink.org/cancer-treatment/oncolink-rx/ondansetron-oral-and-iv-zofran-R>

Kementerian Kesehatan Republik Indonesia. (2015). *Peraturan Menteri Kesehatan Republik Indonesia nomor 87 tahun 2004 tentang pedoman antiretroviral*.

https://siha.kemkes.go.id/portal/files_upload/Buku_Permenkes_ARV_Cetak.pdf

Kementerian Kesehatan Republik Indonesia. (2024). *Perkembangan HIV/AIDS dan penyakit infeksi menular seksual (Pims) triwulan IV tahun 2024* (Vol. 913).

https://siha.kemkes.go.id/portal/files_upload/Laporan_TW_3_2022.pdf

Kemnic, T. R., & Gulick, P. G. (2022). HIV antiretroviral therapy. In *StatPearls* (1st ed., p. 1). National Library of Medicine.

<https://www.ncbi.nlm.nih.gov/books/NBK513308/>

Kilinc, T., & Karaman Özlu, Z. (2024). Effect of acupressure application on patients nausea, vomiting, pain, and sleep quality after laparoscopic cholecystectomy: A randomized placebo-controlled study. *The Journal of Science and Healing*, 20(2), 44–52.

<https://doi.org/10.1016/j.explore.2022.11.004>

Kowalak, J. P., Welsh, W., & Mayer, B. (2017). *Buku ajar patofisiologi (Professional guide to pathophysiology)* (1st ed.). EGC Penerbit Buku Kedokteran.

Lagi, F., Botta, A., Tekle, S., Meli, M., Borch, B., Cavallo, A., Pozzi, M., Bartoloni, A., & Sterrantino, G. (2022). International journal of antimicrobial agents comparison of the efficacy, safety and durability of a switch to co-formulated RPV / TDF-TAF / FTC or DTG / ABC / 3TC in virologically-suppressed HIV-1-infected patients in a Single Italian Centre: A cohort. *International Journal of Antimicrobial Agents*, 59(1), 1–8. <https://doi.org/10.1016/j.ijantimicag.2021.106465>

Lavanya, D., Prasanna, V., Firdous, A., & Thakur, S. (2025). A systemic review on chemotherapy induced nausea and vomiting- risk and clinical management with alternative therapies. *Cancer Treatment and Research Communications*, 44(1), 1–10. <https://doi.org/10.1016/j.ctarc.2025.100938>

Lee, J., Dibble, S., Dodd, M., Abrams, D., & Burns, B. (2010). The relationship of chemotherapy-induced nausea to the frequency of pericardium 6 digital acupressure. *Oncology Nursing Forum*, 37(6), 419–425. <https://doi.org/10.1188/10.onf.e419-e425>

Li, S., Zhao, S., Guo, Y., Yang, Y., Huang, J., & Wang, J. (2022). Clinical efficacy and potential mechanisms of acupoint stimulation combined with chemotherapy in combating cancer: A review and prospects. *Frontiers in Oncology*, 12(2), 1–18. <https://doi.org/10.3389/fonc.2022.864046>

Li, Z. qiang, Jiang, M. yue, Liu, X. han, Cai, Y. qing, Wang, C. lu, Cao, F., & Liu, J. ping. (2024). Research trends of acupressure from 2004 to 2024: A bibliometric and visualization analysis. *Heliyon*, 10(21), 1–13. <https://doi.org/10.1016/j.heliyon.2024.e38675>

Liu, F., Liao, R., Cai, J., Bu, M., Xu, N., & Zhou, J. (2023). Efficacy of press needle treatment in reducing chemotherapy-induced nausea , vomiting , and retching gastrointestinal cancer patients : A randomized controlled trial. *Asia-Pacific Journal of Oncology Nursing*, *10*(10), 100291. <https://doi.org/10.1016/j.apjon.2023.100291>

Macdougall, M. R., & Sharma, S. (2023). Physiology, Chemoreceptor trigger zone. In *StatPearls* (p. 1). https://www.ncbi.nlm.nih.gov/books/NBK537133/?utm_source=

Maciocia, G. (2015). *The foundations of chinese medicine: A comprehensive text* (3rd ed.). Churchill Livingstone.

Masho, S. W., Wang, C., & Nixon, D. E. (2007). Review of tenofovir-emtricitabine. *Therapeutics and Clinical Risk Management*, *3*(6), 1097–1104. <https://doi.org/10.2147/tcrm.s12160485>

Miao, J., Liu, X., Wu, C., Kong, H., Xie, W., & Liu, K. (2017). International journal of nursing studies effects of acupressure on chemotherapy-induced nausea and vomiting-a systematic review with meta-analyses and trial sequential analysis of randomized controlled trials. *International Journal of Nursing Studies*, *70*(7), 27–37. <https://doi.org/10.1016/j.ijnurstu.2017.02.014>

Michael J., Z., Kelly L., C., Gary H., W., Glenn W., W., & Scott C., A. (2004). Antiretrovirals, Part II: Focus on non-protease inhibitor antiretrovirals (NRTIs, NNRTIs, and Fusion Inhibitors). *Psychosomatics*, *45*(6), 524–535. <https://doi.org/10.1176/appi.psy.45.6.524>

Micheal, K., Nankabirwa, J. I., Wiltshire, C. S., Nangendo, J., Kiweewa, J. M.,

- Katahoire, A. R., & Semitala, F. C. (2023). Perspectives of people living with HIV on barriers to timely ART initiation following referral for antiretroviral therapy : A qualitative study at an urban HIV clinic in Kampala Uganda. *Plos Global Public Health*, 3(7), 1–11. <https://doi.org/10.1371/journal.pgph.0001483>
- Molassiotis, A., Helin, A. M., Dabbour, R., Hummerston, S., & Nhs, H. (2007). The effects of P6 acupressure in the prophylaxis of chemotherapy-related nausea and vomiting in breast cancer patients. *Complementary Therapies in Medicine*, 15(5), 3–12. <https://doi.org/10.1016/j.ctim.2006.07.005>
- Muhammad, L. N. (2023). Guidelines for repeated measures statistical analysis approaches with basic science research considerations. *Journal of Clinical Investigation*, 133(11), 2–4. <https://doi.org/10.1172/JCI1171058>
- National Library of Medicine. (2024). *Nausea and vomiting*. MedlinePlus. <https://medlineplus.gov/nauseaandvomiting.html>
- Ngletih, P. (2020). *Edukasi E-Lahab: Tentang ARV & bahaya berhenti pengobatan ARV*. Dinas Kesehatan Kota Kediri. <https://dinkes.kedirikota.go.id/p/edukasi-e-lahab-tentang-arv-bahaya-berhenti-pengobatan-arv>
- Ningseh, A., Huriani, E., & Berti, H. (2024). Abdominal massage to reduce constipation in stroke patients : Literature review. *International Journal for Multidisciplinary Research (IJFMR)*, 6(4), 1–13. <https://doi.org/10.36948/ijfmr.2024.v06i04.25536>
- Notoatmodjo, S. (2018). *Metodologi penelitian kesehatan* (3rd ed.). PT Rineka Cipta.

- Nursalam, N. D. K. (2011). *Asuhan keperawatan pada pasien terinfeksi HIV dan AIDS* (1st ed.). Salemba Medika.
- Nurwijayanti, N., Yohanes Andy Rias, Y., Nurhafizah, N., Rinza, R., Samsudin, Djoko, P., & Yafi, S. R. (2023). Synergist effect of antiretroviral therapy adherence and viral load suppression on quality of life of people with HIV/AIDS. *British Journal of Nursing*, 32(1), 12–19. <https://doi.org/10.12968/bjon.2023.32.1.S12>
- Persaudaraan Pelaku dan Pemerhati Akupresure Indonesia. (2018). *Standar operasional pelaksanaan akupresure (III)* (1st ed.). PER-P4RI & P3AI.
- Physiopedia. (2023). *Acupuncture contraindications*. https://www.physio-pedia.com/Acupuncture_Contraindications
- Putra, O. N. (2021). Survei cross sectional efek samping obat antiretroviral (ARV) pada pasien HIV rawat jalan dengan algoritma naranjo. *Jurnal Ilmiah Farmasi (Scientific Journal of Pharmacy)*, 17(1), 34–45. <https://doi.org/10.20885/jif.vol17.iss1.art4>
- Putri, D. M. P., & Amalia, R. N. (2021). *Terapi Komplementer* (Cetakan 1). PT. Pustaka Baru. <https://doi.org/978-602-376-348-1>
- Putrinda, I. O., Sukmawan, Y. P., & Nurviana, V. (2022). Evaluasi penggunaan obat dan efek sampingnya pada penderita HIV/AIDS di salah satu rumah sakit di Kota Tasikmalaya. *Jurnal Kesehatan Bakti Tunas Husada*, 2(1), 91–98. <https://ejurnal.universitas-bth.ac.id/index.php/PSNDP/article/view/969>
- Rangarajan, S., Colby, D. J., Truong, G. Le, Duong, B. D., Huu, H. N., Broh, T. P.,

- & Tri, D. T. (2016). Factors associated with HIV viral load suppression on antiretroviral therapy in Vietnam. *Journal of Virus Eradication*, 2(2), 94–101. [https://doi.org/10.1016/S2055-6640\(20\)30466-0](https://doi.org/10.1016/S2055-6640(20)30466-0)
- Rao, K. (2012). Chemotherapy-induced nausea and vomiting: optimizing prevention and management. *American Health & Drug Benefits*, 5(4), 232–240.
- Rhodes, V. A., & McDaniel, R. W. (1999). The index of nausea, vomiting, and retching: A new format of the index of nausea and vomiting. *Oncology Nursing Forum*, 26(5), 889–894. <https://doi.org/10.1037/t61245-000>
- Sari, I. D. P., Sabri, R., & Yuliharni, S. (2025). Hubungan tingkat pengetahuan caregiver dengan kejadian elder abuse pada keluarga di Kota Padang tahun 2025. *Jurnal Ners*, 9(4), 7474–7482. <https://doi.org/10.31004/jn.v9i4.51170>
- Shadish, W. R., & Cook, T. D. (2002). *Eksperimental and quasi-experimental for generalized design causal inference* (2nd ed.). Houghton Mifflin.
- Sitorus, R. J., Novrikasari, N., Syakurah, R. A., & Natalia, M. (2021). Efek samping terapi antiretroviral dan kepatuhan berobat penderita HIV/AIDS. *Jurnal Kesehatan*, 12(3), 389–395. <https://doi.org/10.26630/jk.v12i3.2869>
- Smith, H. S., Smith, E. J., & Smith, A. R. (2012). Pathophysiology of nausea and vomiting in palliative medicine. *Annals of Palliative Medicine*, 1(2), 87–93. <https://doi.org/10.3978/j.issn.2224-5820.2012.07.04>
- Smith, M. C., & Parker, M. E. (2015). *Nursing theories & nursing practice* (4th

ed.). Davis Company.

Stover, J., & Teng, Y. (2022). The impact of condom use on the HIV epidemic.

Gates Open Research, 5(91), 1–17.

<https://doi.org/10.12688/gatesopenres.13278.2>

Sugiyono. (2022). *Metode penelitian kuantitatif, kualitatif, dan R&D* (2nd ed.).

Alfabeta.

Suh, E. E. (2012). The effects of P6 acupressure and nurse-provided counseling on chemotherapy-induced nausea and vomiting in patients with breast cancer.

Oncology Nursing Forum, 39(1), 1–9. <https://doi.org/10.1188/12.ONF.E1-E9>

Sukanta, P. O. (2008). *Pijat akupresur dalam kesehatan* (S. Kusumawati (ed.); 1st ed.). Penebar Plus+.

Sulistyarini, W. D., Wardani, D. A., Siska, E. M., Sulastrri, Sanger, A. Y., &

Lainsamputty, F. (2023). The effectiveness of acupressure on nausea and vomiting among patients with cancer receiving. *Nutrix Journal*, 7(1), 59–68.

<https://doi.org/https://doi.org/10.37771/nj.v7i1.931>

Swinkels, H. M., Nguyen, A. D., Samandari, T., & Gulick, P. G. (2025). *HIV dan*

AIDS (1st ed., p. 1). Treasure Island (FL): StatPearls.

<https://www.ncbi.nlm.nih.gov/books/NBK534860/>

Syarif, H., Nurachmah, E., & Gayatri, D. (2011). Terapi akupresur dapat

menurunkan keluhan mual muntah akibat kemoterapi pada pasien kanker :

Randomized clinical trial. *Jurnal Keperawatan Indonesia*, 14(2), 133–140.

<https://doi.org/10.7454/jki.v14i2.321>

- Taha, H., Das, A., & Das, S. (2015). Clinical effectiveness of dolutegravir in the treatment of HIV/AIDS. *Infection and Drug Resistance*, 8(1), 339–352. <https://doi.org/10.2147/IDR.S68396>
- Thaczuk, D., Hosein, S. R., & Ziegler, B. (2014). *3TC (lamivudine, epivir)*. Canada's Source for HIV and Hepatitis C Information. <https://www.catie.ca/3tc-lamivudine-epivir>
- Wahyuningsih, N., Dhamanik, R., & Khayati, N. (2025). Terapi akupresur untuk mengurangi keluhan mual dan muntah akut pasca kemoterapi. *Ners Muda*, 6(1), 138. <https://doi.org/https://doi.org/10.26714/nm.v6i1.17964>
- Wardani, P. K., Ulfa, N. M., & Natalia, A. . A. (2018). Studi efektifitas antiretroviral regimen obat kombinasi dosis tetap (tenofovir/lamivudin/efavirenz) berdasarkan peningkatan kadar Cd4 T-Limfosit (studi dilakukan di instalasi farmasi Rumah Sakit X Surabaya). *Journal Pharmasci (Journal of Pharmacy and Science)*, 2(1), 22–28. <https://doi.org/10.53342/pharmasci.v2i1.62>
- Wohl, D. A., Yazdanpanah, Y., Baumgarten, A., Clarke, A., Thompson, M. A., Brinson, C., Hagins, D., Ramgopal, M. N., Antinori, A., Wei, X., Acosta, R., Collins, S. E., Brainard, D., & Martin, H. (2019). Bictegravir combined with emtricitabine and tenofovir alafenamide versus dolutegravir, abacavir, and lamivudine for initial treatment of HIV-1 infection: week 96 results from a randomised, double-blind, multicentre, phase 3, non-inferiority trial. *The Lancet HIV*, 6(6), 355–363. [https://doi.org/10.1016/S2352-3018\(19\)30077-3](https://doi.org/10.1016/S2352-3018(19)30077-3)
- World Health Organisation. (2016). *The use of antiretroviral drugs for treating and*

preventing HIV infection (2nd ed.). WHO.

World Health Organisation. (2023). *The role of HIV viral suppression in improving individual health and reducing transmission* (1st ed.). WHO.

World Health Organisation. (2024). *HIV dan AIDS*. <https://www.who.int/news-room/fact-sheets/detail/hiv-aids>

Yang, X., Shi, G., Li, Q., Zhang, Z., Xu, Q., & Liu, C. (2013). Characterization of deqi sensation and acupuncture effect. *Evidence-Based Complementary and Alternative Medicine*, 13(1), 1–7. <https://doi.org/10.1155/2013/319734>.

