

DAFTAR PUSTAKA

1. Bączek G, Rzońca E, Sys D, et al. Spontaneous Perineal Trauma during Non-Operative Childbirth—Retrospective Analysis of Perineal Laceration Risk Factors. *Int J Environ Res Public Health*. 2022;19(13). doi:10.3390/ijerph19137653
2. Ramar, CN GW. Perineal Lacerations. StatPearls [Internet].
3. Megadhana IW, Indrawan IGS, Sanjaya INH, Aryana MBD. The prevalence and characteristics of perineal ruptur during vaginal delivery at Sanglah General Hospital and Regional Hospitals in Bali from January 2018 until December 2019 period. *Bali Med J*. 2022;11(1):356-359. doi:10.15562/bmj.v11i1.3067
4. Triyani Y, Wittiarika ID, Hardianto G. Factors Influencing the Process of Perineal Wound Healing in Postpartum Women in Serui Hospital, Papua. *Indones Midwifery Heal Sci J*. 2021;5(4):398-405. doi:10.20473/imhsj.v5i4.2021.398-405
5. Cunningham FG, Leveno KJ, Dashe JS et al. Causes of Obstetrical Hemorrhage. In: *Williams Obstetric*. ; 2022:739.
6. Dinas Kesehatan Kota Padang. Profil Kesehatan Kota Padang Tahun 2022. Dinkes Koata Padang, Padang.
7. Akhoundova F, Schumacher F, Léger M, Berndt S, Martinez de Tejada B, Abdulcadir J. Use of Autologous Platelet Rich Plasma (A-PRP) for Postpartum Perineal Repair Failure: A Case Report. *J Pers Med*. 2022;12(11):0-5. doi:10.3390/jpm12111917
8. Elkhoully NI, Elkilani OA, Kolaib HA, Elkhoully RM, Morsi DI. Does Autologous Platelet-Rich Plasma Improve Wound Healing and Pain Perception after Cesarean Section in High-Risk Patients?. *Gynecol Obstet Invest*. 2021;86(4):336-342. doi:10.1159/000517117
9. Moegni F, Rachman A, Ilyas EI, et al. A randomized control trial of platelet-rich plasma in supporting the recovery of postpartum levator ani muscle trauma. *Med J Indones*. 2022;31(3):186-192. doi:10.13181/mji.oa.226115
10. Winesky LE. Snells Clinical Anatomy by Regions. 10th ed. Wolters Kluwer; 2019.
11. Cunningham FG, Leveno KJ, Bloom SL, Spong CY, Dashe JS, Hoffman BL. *Williams Obstetrics*. 24th ed. McGraw Hill; 2014.
12. Alvarenga MB, Francisco AA, Oliveira SMJV de, Silva FMB da, Shimoda GT, Damiani LP. Episiotomy healing assessment: Redness, Oedema,

- Ecchymosis, Discharge, Approximation (REEDA) scale reliability. *Rev Lat Am Enfermagem*. 2015;23(1):162-168. doi:10.1590/0104-1169.3633.2538.
13. Mescher AL. *Histologi Dasar Janqueira Teks Dan Atlas*. 14th ed. EGC; 2019.
 14. Segre D, Corso HMD, Landra M, Giuffrida. *Management of the Unhealed Perineal Wound*. Springer; 2006.
 15. Bare, Smeltzer. *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddart (Alih Bahasa Agung Waluyo)*. Vol 3. 8th ed. EGC; 2002.
 16. Goh R, Goh D, Ellepola H. Perineal tears – A review. *Aust J Gen Pract*. 2018;47(1-2):35-38. doi:10.31128/AFP-09-17-4333
 17. Anita L, Lyndon S. *Asuhan Kebidanan Fisiologis Dan Patologis*. Binarupa Aksara Publisher; 2014.
 18. Kartika. *Sehat Setelah Melahirkan. Kawan Kita*; 2008.
 19. Hestianingrum PR, Djarot HS, Purwanti IA. Hubungan Tingkat Kecukupan Protein Ibu Nifas dengan Lama Penyembuhan Luka Perineum di Wilayah Kerja Puskesmas Tawangharjo Kabupaten Grobogan Tahun 2011.
 20. Streit-Ciećkiewicz D, Kołodyńska A, Futyma-Gąbka K, Grzybowska M, Gołacki J, Futyma K. Platelet Rich Plasma in Gynecology—Discovering Undiscovered—Review. *Int J Environ Res Public Health*. 2022;19(9):5284. doi:10.3390/ijerph19095284
 21. Prodromidou A, Zacharakis D, Athanasiou S, et al. The Emerging Role on the Use of Platelet-Rich Plasma Products in the Management of Urogynaecological Disorders. *Surg Innov*. 2022;29(1):80-87. doi:10.1177/15533506211014848
 22. Akhir K, Kadar A, Endothelial V, et al. Analisis Kadar Vascular Endothelial Growth Factor Pada Platelet RICH Plasma Dengan Penambahan Aktivator Kalsium Klorida (CaCl₂) + Trombin Pada Suhu Dan Waktu Penyimpanan Yang Berbeda. 2021.
 23. Article R, Pavlovic V, Ciric M, Jovanovic V, Stojanovic P, Access O. Platelet Rich Plasma : a short overview of certain bioactive components. 2016:242-247. doi:10.1515/med-2016-0048
 24. Gupta S, Paliczak A, Delgado D. Evidence-based indications of platelet-rich plasma therapy. *Expert Rev Hematol*. 2021;0(0). doi:10.1080/17474086.2021.1860002
 25. Everts P, Onishi K, Jayaram P, Mautner K. Platelet-Rich Plasma : New Performance Understandings and Therapeutic Considerations in 2020. 2020.

26. Sanoulis V, Nikolettos N, Vlahos N. The use of Platelet-Rich Plasma in the Gynaecological Clinical Setting. A review. 2019;18(3):55-65.
27. Balair P, Flaumenhaft R. Platelet α -granules: basic biology and clinical correlates. *Blood Ref.* 2009;23(4):177-189.
28. Andia I, Abate M. Platelet rich plasma: underlying biology and clinical correlates. *Regen Med.* 2013;8(5):645-658.
29. Andia I, Sanchez M, Maffulli N. Tendon healing and platelet-rich plasma therapies. *Expert Opin Biol Ther.* 2010;10(10):1415–1426.
30. Rob Williams M. *Platelet Rich Plasma Therapy.*
31. Shwetha HR reddy. Stem Cell therapy and Platelet rich plasma in regenerative medicines : A review pro and cons of the tecnologies. doi:10.4103/jomfp.JOMFP
32. Mouanness M, Ali-bynom S, Jackman J, Seckin S, Merhi Z. Use of Intra-uterine Injection of Platelet-rich Plasma (PRP) for Endometrial Receptivity and Thickness : a Literature Review of the Mechanisms of Action. 2021.
33. Chanlalit C. Rehabilitasi Cedera Dengan Injeksi Plasma Darah Kaya Trombosit (PRP). 2019.
34. Tottoli EM, Dorati R, Genta I, Chiesa E, Pisani S, Conti B. Skin wound healing process and new emerging technologies for skin wound care and regeneration. *Pharmaceutics.* 2020;12(8):1-30. doi:10.3390/pharmaceutics12080735
35. Wallace, HA, Basehore BM ZP. Wound Healing Phases. StatPearls [Internet]. <https://www.ncbi.nlm.nih.gov/books/NBK470443/>. Published 2023.
36. Trinh XT, Long N Van, Van Anh LT, et al. A Comprehensive Review of Natural Compounds for Wound Healing: Targeting Bioactivity Perspective. *Int J Mol Sci.* 2022;23(17). doi:10.3390/ijms23179573
37. Gushiken LFS, Beserra FP, Bastos JK, Jackson CJ, Pellizzon CH. Cutaneous wound healing: An update from physiopathology to current therapies. *Life.* 2021;11(7):1-15. doi:10.3390/life11070665
38. Kabakcı AG, Bozkır MG. Effectiveness of platelet-rich plasma treatment in perineal trauma : a case report Clinical and Experimental Obstetrics & Gynecology. 2021. doi:10.31083/j.ceog.2021.03.2464
39. Wang R, Gao H, Zhao Z, et al. Autologous Platelet-rich Plasma for the Treatment of Nonhealing Perineal Wounds: A Report of Two Cases. *Wounds.* 2023;35(5):E169-E172. doi:10.25270/wnds/22077

40. Tehranian A, Esfehiani-Mehr B, Pirjani R, Rezaei N, Sadat Heidary S, Sepidarkish M. Application of Autologous Platelet-Rich Plasma (PRP) on Wound Healing After Caesarean Section in High-Risk Patients. *Iran Red Crescent Med J.* 2016;18(7). doi:10.5812/ircmj.34449
41. Streit D, Futyma K. Platelet - Rich Plasma as Adjuvant Therapy for Recurrent Vesicovaginal Fistula: A Prospective Case Series. *J Clin Med.* 2019.
42. Belebecha V, Casagrande R, Urbano MR, et al. Effect of the platelet-rich plasma covering of polypropylene mesh on oxidative stress, inflammation, and adhesions. 2019.
43. Takeo M; Lee W; Ito M. Wound healing and skin regeneration. *Cold Spring Harb Perspect Med.* 2015.
44. Naik S; Bouladoux N; Linehan JL; Han SJ; Harrison OJ; Wilhelm C; Conlan S; Himmelfarb S; Byrd AL; Deming C; Quinones M; Brenchley JM; Kong HH; Tussiwand R; Murphy KM; Merad M; Segre JA; Belkaid Y. Commensal-dendritic-cell interaction specifies a unique protective skin immune signature. *Nature.* 2015:104-108.
45. Broughton G; Janis J; Attinger; Christopher E. Wound Healing: An Overview. *Plast Reconstr Surg.* 2006.
46. Um J; Yu J; Park KS. substance P accelerates wound healing in type 2 diabetic mice through endothelial progenitor cell mobilization and Yes-associated protein activation. *Mol Med Rep.* 2017;15:3035-3040.
47. Meznerics FA, Fehervari P, Dembrovszky F, et al. Platelet-Rich Plasma in Chronic Wound Management: A Systematic Review and Meta-Analysis of Randomized Clinical Trials. *J Clin Med.* 2022;11(24):7532. doi:10.3390/jcm11247532
48. Puissegur A, Accoceberry M, Rouzaire M, et al. Risk Factors for Perineal Wound Breakdown in Early Postpartum: A Retrospective Case-Control Study. *J Clin Med.* 2023;12(8):3036. doi:10.3390/jcm12083036
49. Pebolo PF, Judith A, Dan KK. Episiotomy related morbidities measured using redness, edema, ecchymosis, discharge and apposition scale and numerical pain scale among primiparous women in mulago national referral hospital, kampala, uganda. *Pan Afr Med J.* 2020;36(347):1-12. doi:10.11604/pamj.2020.36.347.25049
50. Cakwira H, Mukengere M, Lucien B, et al. The clinical characteristics of perineal tears: A study carried out on 14 pregnant women in a tertiary center: Case series. *Annals of Medicine and Surgery.* 2022;82. doi:10.1016/j.amsu.2022.104432

51. Jansson MH, Franzén K, Hiyoshi A, Tegerstedt G, Dahlgren H, Nilsson K. Risk factors for perineal and vaginal tears in primiparous women – the prospective POPRACT-cohort study. *BMC Pregnancy Childbirth*. 2020;20(1). doi:10.1186/s12884-020-03447-0
52. Dendini M, Aldossari SK, AlQassab HA, Aldraihem OO, Almalki A. Retrospective Case-Control Study of Extended Birth Perineal Tears and Risk Factors. *Cureus*. Published online March 28, 2024. doi:10.7759/cureus.57132
53. Laurita Longo V, Odjidja EN, Zanfini BA, et al. Risk factors associated with severe perineal lacerations during vaginal delivery: a 10-year propensity score-matched observational study. *AJOG Global Reports*. 2023;3(2). doi:10.1016/j.xagr.2023.100174
54. Mahgoub S, Piant H, Gaudineau A, Lefebvre F, Langer B, Koch A. Risk factors for obstetric anal sphincter injuries (OASIS) and the role of episiotomy: A retrospective series of 496 cases. *J Gynecol Obstet Hum Reprod*. 2019;48(8):657-662. doi:10.1016/j.jogoh.2019.07.004
55. Buhaim MA, Albeshar MA, Albeshar MA, Alsultan NJ, Alessa HA, Aldossary FA. People's Knowledge and Attitudes About Factors That Can Impact Wound Healing in the Eastern Province, Saudi Arabia. *Cureus*. Published online December 18, 2023. doi:10.7759/cureus.50734
56. D'Souza JC, Monga A, Tincello DG. Risk factors for perineal trauma in the primiparous population during non-operative vaginal delivery. *Int Urogynecol J*. 2020;31(3):621-625. doi:10.1007/s00192-019-03944-7
57. Shalabna E, Yinon M, Daykan Y, Assaf W, Abramov Y, Sagi-Dain L. The association between BMI, episiotomy, and obstetric anal sphincter injuries (OASIS) in singleton vaginal deliveries. *European Journal of Obstetrics & Gynecology and Reproductive Biology*. 2024;299:143-147. doi:10.1016/j.ejogrb.2024.06.011
58. Tavakoli A, Panchal VR, Mazza GR, Mandelbaum RS, Ouzounian JG, Matsuo K. The association of maternal obesity and obstetric anal sphincter injuries at time of vaginal delivery. *AJOG Global Reports*. 2023;3(4). doi:10.1016/j.xagr.2023.100272
59. Yamada A, Takahashi Y, Hirose M, Usami Y, Maruya S, Tamakoshi K. Factors associated with perineal pain on the first postnatal day after vaginal delivery: a cross-sectional study of primiparous women. *Nagoya J Med Sci*. 2024;86(1):52-63. doi:10.18999/nagjms.86.1.52
60. Ali H, Sanad A, Khalifa E, Mahran A. Role of Autologous Platelet-Rich Plasma Solution in healing of episiotomy After normal vaginal delivery.

61. Manresa M, Pereda A, Bataller E, Terre-Rull C, Ismail KM, Webb SS. Incidence of perineal pain and dyspareunia following spontaneous vaginal birth: a systematic review and meta-analysis. *Int Urogynecol J*. 2019;30(6):853-868. doi:10.1007/s00192-019-03894-0
62. Luxey X, Lemoine A, Dewinter G, et al. Acute pain management after vaginal delivery with perineal tears or episiotomy. *Reg Anesth Pain Med*. Published online May 20, 2024;rapm-2024-105478. doi:10.1136/rapm-2024-105478
63. Everts P, Onishi K, Jayaram P, Lana JF, Mautner K. Platelet-rich plasma: New performance understandings and therapeutic considerations in 2020. *Int J Mol Sci*. 2020;21(20):1-36. doi:10.3390/ijms21207794
64. Zhang W, Guo Y, Kuss M, et al. Platelet-Rich Plasma for the Treatment of Tissue Infection: Preparation and Clinical Evaluation. *Tissue Eng Part B Rev*. 2019;25(3):225-236. doi:10.1089/ten.teb.2018.0309
65. ACOG Practice Bulletin No. 198: Prevention and Management of Obstetric Lacerations at Vaginal Delivery. *Obstetrics & Gynecology*. 2018;132(3):e87-e102. doi:10.1097/AOG.0000000000002841
66. Djusad S, Purwosunu Y, Hidayat F. Relationship between Perineal Body Length and Degree of Perineal Tears in Primigravidas Undergoing Vaginal Delivery with Episiotomy. *Obstet Gynecol Int*. 2021;2021:1-5. doi:10.1155/2021/2621872
67. Huber M, Malers E, Tunón K. Pelvic floor dysfunction one year after first childbirth in relation to perineal tear severity. *Sci Rep*. 2021;11(1):12560. doi:10.1038/s41598-021-91799-8
68. Macedo MD, Risløkken J, Halle T, Ellström Engh M, Siafarikas F. Occurrence and risk factors for second-degree perineal tears: A prospective cohort study using a detailed classification system. *Birth*. 2024;51(3):602-611. doi:10.1111/birt.12817
69. Cakwira H, Mukengere M, Lucien B, et al. The clinical characteristics of perineal tears: A study carried out on 14 pregnant women in a tertiary center: Case series. *Annals of Medicine and Surgery*. 2022;82. doi:10.1016/j.amsu.2022.104432
70. Urasaki MBM, Lima MOP, Gonçalves R, Araújo NM, Pereira CGS. Measurement of perineal tears as an additional tool for laceration assessment during vaginal birth. *Eur J Midwifery*. 2023;7(December):1-8. doi:10.18332/ejm/174310

71. Pebolo PF, Judith A, Dan KK. Episiotomy related morbidities measured using redness, edema, ecchymosis, discharge and apposition scale and numerical pain scale among primiparous women in Mulago National Referral Hospital, Kampala, Uganda. Pan African Medical Journal. 2020;36. doi:10.11604/pamj.2020.36.347.25049
72. Streit-Ciećkiewicz D, Kołodyńska A, Futyma-Gąbka K, Grzybowska M, Gołacki J, Futyma K. Platelet Rich Plasma in Gynecology—Discovering Undiscovered—Review. Int J Environ Res Public Health. 2022;19(9):5284. doi:10.3390/ijerph19095284

