

DAFTAR PUSTAKA

1. Singh B, Singh JP, Kaur A, Singh N. Bioactive compounds in banana and their associated health benefits – A review. *Food Chem.* 2016 Sep;206:1–11.
2. Tan H-L, Thomas-Ahner JM, Grainger EM, Wan L, Francis DM, Schwartz SJ, et al. Tomato-based food products for prostate cancer prevention: what have we learned? *Cancer Metastasis Rev.* 2010 Sep 29;29(3):553–68.
3. Rafi MM, Yadav PN, Reyes M. Lycopene Inhibits LPS-Induced Proinflammatory Mediator Inducible Nitric Oxide Synthase in Mouse Macrophage Cells. *J Food Sci.* 2007 Jan;72(1):S069–74.
4. Scolastici C, Alves de Lima RO, Barbisan LF, Ferreira ALA, Ribeiro DA, Salvadori DMF. Antigenotoxicity and antimutagenicity of lycopene in HepG2 cell line evaluated by the comet assay and micronucleus test. *Toxicol Vitr.* 2008 Mar;22(2):510–4.
5. Polívková Z, Šmerák P, Demová H, Houška M. Antimutagenic Effects of Lycopene and Tomato Purée. *J Med Food.* 2010 Dec;13(6):1443–50.
6. Feng D, Ling W-H, Duan R-D. Lycopene suppresses LPS-induced NO and IL-6 production by inhibiting the activation of ERK, p38MAPK, and NF- κ B in macrophages. *Inflamm Res.* 2010 Feb 20;59(2):115–21.
7. Martí R, Roselló S, Cebolla-Cornejo J. Tomato as a Source of Carotenoids and Polyphenols Targeted to Cancer Prevention. *Cancers (Basel).* 2016 Jun 20;8(6):58.
8. Perveen R, Suleria HAR, Anjum FM, Butt MS, Pasha I, Ahmad S. Tomato (*Solanum lycopersicum*) Carotenoids and Lycopenes Chemistry; Metabolism, Absorption, Nutrition, and Allied Health Claims—A Comprehensive Review. *Crit Rev Food Sci Nutr.* 2015 Jun 7;55(7):919–29.
9. RAO A, RAO L. Carotenoids and human health. *Pharmacol Res.* 2007 Mar;55(3):207–16.
10. Yaping Z, Wenli Y, Weile H, Ying Y. Anti-inflammatory and anticoagulant activities of lycopene in mice. *Nutr Res.* 2003;23(11):1591–5.
11. Saedisomeolia A, Wood LG, Garg ML, Gibson PG, Wark PAB. Lycopene enrichment of cultured airway epithelial cells decreases the inflammation induced by rhinovirus infection and lipopolysaccharide. *J Nutr Biochem.* 2009 Aug;20(8):577–85.
12. Cronin J. Lycopene: the powerful antioxidant that makes tomatoes red. *Altern Complement Ther.* 2000;6:92–4.

13. Okonogi S, Riangjanapatee P. Physicochemical characterization of lycopene-loaded nanostructured lipid carrier formulations for topical administration. *Int J Pharm.* 2015 Jan 30;478(2):726–35.
14. Bouwstra JA, Honeywell-Nguyen PL, Gooris GS, Ponc M. Structure of the skin barrier and its modulation by vesicular formulations. *Prog Lipid Res.* 2003 Jan;42(1):1–36.
15. Gupta R, Balasubramaniam VM, Schwartz SJ, Francis DM. Storage Stability of Lycopene in Tomato Juice Subjected to Combined Pressure–Heat Treatments. *J Agric Food Chem.* 2010 Jul 28;58(14):8305–13.
16. Nobre BP, Palavra AF, Pessoa FLP, Mendes RL. Supercritical CO₂ extraction of trans-lycopene from Portuguese tomato industrial waste. *Food Chem.* 2009;116(3):680–5.
17. Lucida H, Fitriani L, Algariat F, Fortunella F. Formulation and Evaluation of Microemulsion From Chloroform Extract of Tomato (*Solanum Lycopersicum L.*). 2017;9(2):48–57.
18. Rukmana R. *Tomat dan Cherry*. Yogyakarta: Kanisius; 1994.
19. USDA. Plants Database [Internet]. Available from: <https://plants.usda.gov/java/ClassificationServlet?source=display&classid=SOLY2>
20. Sharma A, Kaur M, Katnoria JK, Nagpal AK. Polyphenols in Food: Cancer Prevention and Apoptosis Induction. *Curr Med Chem.* 2018 Dec 3;25(36):4740–57.
21. Tomas M, Beekwilder J, Hall RD, Sagdic O, Boyacioglu D, Capanoglu E. Industrial processing versus home processing of tomato sauce: Effects on phenolics, flavonoids and in vitro bioaccessibility of antioxidants. *Food Chem.* 2017;220:51–8.
22. Kaur C, Walia S, Nagal S, Walia S, Singh J, Singh BB, et al. Functional quality and antioxidant composition of selected tomato (*Solanum lycopersicon L*) cultivars grown in Northern India. *LWT - Food Sci Technol.* 2013;50(1):139–45.
23. Watada E, Aljlenbachand B, Worthington T. Vitamins A and C in Ripe Tomatoes as Affected by Stage of Ripeness at Harvest and by Supplementary Ethylene. 1976;41.
24. Friedman M. Anticarcinogenic, Cardioprotective, and Other Health Benefits of Tomato Compounds Lycopene, α -Tomatine, and Tomatidine in Pure Form and in Fresh and Processed Tomatoes. *J Agric Food Chem.* 2013 Oct 9;61(40):9534–50.

25. Singh B, Singh JP, Kaur A, Singh N. Phenolic compounds as beneficial phytochemicals in pomegranate (*Punica granatum* L.) peel: A review. *Food Chem.* 2018;261(April):75–86.
26. Agarwal S, Rao A V. Tomato lycopene and its role in human health and chronic diseases. *CMAJ.* 2000 Sep 19;163(6):739–44.
27. Friedman M, Levin CE, Lee S-U, Kim H-J, Lee I-S, Byun J-O, et al. Tomatine-Containing Green Tomato Extracts Inhibit Growth of Human Breast, Colon, Liver, and Stomach Cancer Cells. *J Agric Food Chem.* 2009 Jul 8;57(13):5727–33.
28. Pennathur S, Maitra D, Byun J, Sliskovic I, Abdulhamid I, Saed GM, et al. Potent antioxidative activity of lycopene: A potential role in scavenging hypochlorous acid. *Free Radic Biol Med.* 2010;49(2):205–13.
29. Singh P, Rani B, Chauhan AK, Maheshwari R. Review Article Lycopene's Antioxidant Activity in Cosmetic Meadow. *Int Res J Pharm.* 2012;3(1):46–7.
30. O'Neil MJ. *The Merck Index: An Encyclopedia of Chemicals, Drug and Botanical.* 14th ed. New Jersey: Merck & Co.Inc; 2006.
31. Khachik F, Carvalho L, Bernstein PS, Muir GJ, Zhao D-Y, Katz NB. Chemistry, distribution, and metabolism of tomato carotenoids and their impact on human health. *Exp Biol Med (Maywood).* 2002 Nov;227(10):845–51.
32. Voutilainen S, Nurmi T, Mursu J, Rissanen TH. Carotenoids and cardiovascular health. *Am J Clin Nutr.* 2006 Jun 1;83(6):1265–71.
33. Rao A V. Lycopene, tomatoes, and the prevention of coronary heart disease. *Exp Biol Med (Maywood).* 2002 Nov;227(10):908–13.
34. Dahan K, Fennal M, Kumar NB. Lycopene in the prevention of prostate cancer. *J Soc Integr Oncol.* 2008;6(1):29–36.
35. Heber D. Colorful cancer prevention: alpha-carotene, lycopene, and lung cancer. *Am J Clin Nutr.* 2000 Oct;72(4):901–2.
36. Matos HR, Di Mascio P, Medeiros MHG. Protective Effect of Lycopene on Lipid Peroxidation and Oxidative DNA Damage in Cell Culture. *Arch Biochem Biophys.* 2000 Nov 1;383(1):56–9.
37. Subhash K, Bose C, Agrawal BK. Effect of short term supplementation of tomatoes on antioxidant enzymes and lipid peroxidation in type-II diabetes. *Indian J Clin Biochem.* 2007 Mar;22(1):95–8.
38. Tang X, Yang X, Peng Y, Lin J. Protective effects of lycopene against H₂O₂-induced oxidative injury and apoptosis in human endothelial cells. *Cardiovasc drugs Ther.* 2009 Dec;23(6):439–48.

39. Shah H, Rawal Mahajan S. Photoaging: New insights into its stimulators, complications, biochemical changes and therapeutic interventions. *Biomed Aging Pathol.* 2013;3(3):161–9.
40. Fazekas Z, Gao D, Saladi RN, Lu Y, Lebwohl M, Wei H. Protective effects of lycopene against ultraviolet B-induced photodamage. *Nutr Cancer.* 2003;47(2):181–7.
41. Darvin M, Patzelt A, Gehse S, Schanzer S, Benderoth C, Sterry W, et al. Cutaneous concentration of lycopene correlates significantly with the roughness of the skin. *Eur J Pharm Biopharm.* 2008 Aug;69(3):943–7.
42. Schulman JH, Stoeckenius W, Prince LM. Mechanism of Formation and Structure of Micro Emulsions by Electron Microscopy. *J Phys Chem.* 1959 Oct;63(10):1677–80.
43. Danielsson I, Lindman B. The Definition of Microemulsion. *Colloids and Surfaces.* 1981;3:391–2.
44. Fanun M, editor. *Microemulsions Properties and Applications.* Boca Raton: CRC Press; 2008. 560 p.
45. Swarbrick J, Boylan JC, editors. *Encyclopedia of Pharmaceutical Technology.* Volume 9. New York: Marcel Dekker Inc; 1994.
46. Nikumbh K V, Sevankar SG, Patil M. Formulation Development, In Vitro Evaluation of Microemulsion-based Gel Loaded with Ketoprofen. New York: Informa Healthcare USA; 2013.
47. Kumar A, Kushwaha V, Sharma PK. Pharmaceutical microemulsion: Formulation, characterization and drug deliveries across skin. *Int J Drug Dev Res.* 2014;6(1):1–21.
48. Djekic L, Primorac M. The influence of cosurfactants and oils on the formation of pharmaceutical microemulsions based on PEG-8 caprylic/capric glycerides. *Int J Pharm.* 2008 Mar 20;352(1–2):231–9.
49. Aboofazeli R, Zia H, Needham TE. Transdermal delivery of nicardipine: an approach to in vitro permeation enhancement. *Drug Deliv.* 2002;9(4):239–47.
50. Tanojo H, Junginger HE. Skin permeation enhancement by fatty acids. *J Dispers Sci Technol.* 1999;20(1–2):127–38.
51. Lund W, Britain RPS of G. *Pharmaceutical codex : principles and practice of pharmaceutics.* 12th ed. Lund W, editor. London: Pharmaceutical Press; 1994. 1117 p.
52. Ansel HC. *Introduction to Pharmaceutical Dosage Forms.* 4th ed. Philadelphia: Lea & Febiger; 1985.
53. Fanun M, editor. *Colloid in Drug Delivery.* Boca Raton: CRC Press; 2010.

54. Lawrence MJ, Rees GD. Microemulsion-based media as novel drug delivery systems. *Adv Drug Deliv Rev.* 2000 Dec 6;45(1):89–121.
55. Florence AT, Siepmann J, editors. *Modern Pharmaceutics. Volume 1.* CRC Press; 2009. 656 p.
56. Fialho SL, da Silva-Cunha A. New vehicle based on a microemulsion for topical ocular administration of dexamethasone. *Clin Experiment Ophthalmol.* 2004 Dec;32(6):626–32.
57. Pakpayat N, Nielloud F, Fortuné R, Tourne-Peteilh C, Villarreal A, Grillo I, et al. Formulation of ascorbic acid microemulsions with alkyl polyglycosides. *Eur J Pharm Biopharm.* 2009 Jun;72(2):444–52.
58. Moulik SP, Rakshit AK. *Physicochemistry and Applications of Microemulsions.* 2006;22(3):159–86.
59. Ali J, Akhtar N, Sultana Y, Baboota S, Ahuja A. Antipsoriatic microemulsion gel formulations for topical drug delivery of babchi oil (*Psoralea corylifolia*). *Methods Find Exp Clin Pharmacol.* 2008 May;30(4):277–85.
60. Sabale V, Vora S. Formulation and evaluation of microemulsion-based hydrogel for topical delivery. *Int J Pharm Investig.* 2012 Jul;2(3):140–9.
61. Lucida H, Salman, Hervian MS. Uji Daya Peningkat Penetrasi Virgin Coconut Oil (VCO) dalam Basis Krim. *J Sains dan Teknol Farm.* 2008;33(1):23–30.
62. Rowe RCR, Sheskey PJS, Cook W. *Handbook Pharmaceutical Excipients, Sixth Edition.* 2009;1064.
63. Martin A, Swarbrick J, Cammarata A. *Farmasi Fisik. Edisi 3.* Jakarta: Universitas Indonesia Press; 1993.
64. Depkes RI. *Parameter standar umum ekstrak tumbuhan obat,* Jakarta: Departement Kesehatan Republik Indonesia. Ed I. 2000;9–11, 16.
65. Harborne J. *Phytochemical Methods.* London: Chapman and Hall; 1973. 286 p.
66. Dachriyanus. *Analisis Senyawa Organik Secara Spektroskopi.* Padang: Andalas University Press; 2004.
67. Andayani R, Maimunah, Lisawati Y. Penentuan Aktivitas Antioksidan, Kadar Fenolat Total dan Likopen pada Buah Tomat (*Solanum lycopersicum L.*). *J Sains dan Teknol Farm.* 2008;13(1):31–7.
68. Voigt R. *Buku Pelajaran Teknologi Farmasi. Edisi 5.* Yogyakarta: Gadjah Mada University Press; 1994.

69. Fletcher PDI, Suhling K. Interactions between Weakly Charged Oil-in-Water Microemulsion Droplets. *Langmuir*. 1998 Jul;14(15):4065–9.
70. Priani SE, Darijanto ST, Suciarti T, Iwo MI. Formulasi dan Evaluasi Sediaan Mikroemulsi Untuk Penghantaran Transdermal Ketoprofen. 2014;19(3):92–7.
71. Thakkar H, Nangesh J, Parmar M, Patel D. Formulation and characterization of lipid-based drug delivery system of raloxifene-microemulsion and self-microemulsifying drug delivery system. *J Pharm Bioallied Sci*. 2011 Jul;3(3):442–8.
72. Depkes RI. *Formularium Kosmetika Indonesia*. Jakarta: Departemen Kesehatan RI; 1985. 430 p.
73. Gozali D, Tiassetiana S, Sopyan I, Ayuningtyas A, Formulasi sediaan losio dari ekstrak buah tomat (*Solanum lycopersicum L.*) sebagai tabir surya. *J Ilmu-ilmu Hayati dan Fis*. 2014;16(3):153–8.
74. Fadilah UN. *Isolasi Dan Publikasi Likopen Dari Buah Tomat Dan Semangka*. Skripsi. Universitas Indonesia; 2012.
75. Aglariat F. *Formulasi Mikroemulsi Likopen dari Ekstrak Kloroform Buah Tomat (Solanum lycopersicum L.)*. Universitas Andalas; 2016.
76. Saberi AH, Fang Y, McClements DJ. Fabrication of vitamin E-enriched nanoemulsions: factors affecting particle size using spontaneous emulsification. *J Colloid Interface Sci*. 2013 Feb 1;391:95–102.
77. Lachman L, Lieberman HA, Kanig JL. *Teori dan Praktek Farmasi Industri*. 2nd ed. Suyatni S, editor. Jakarta: UI Press; 1994.
78. Pathan M, Zikriya A, Quazi A. Microemulsion: As Excellent Drug Delivery System. *IJPRS*. 2012;1(3):199–210.
79. Mahdi ES, Sakeena MHF, Abdulkarim MF, Abdullah GZ, Sattar MA, Noor AM. Effect of surfactant and surfactant blends on pseudoternary phase diagram behavior of newly synthesized palm kernel oil esters. *Drug Des Devel Ther*. 2011;11(5):311–23.
80. Sinko PJ. *Farmasi Fisika dan Ilmu Farmasetika Martin*. 5th ed. Jakarta: EGC; 2011.
81. Cho YH, Kim S, Bae EK, Mok CK, Park J. Formulation of a Cosurfactant-Free O/W Microemulsion Using Nonionic Surfactant Mixtures. 2008;73(3):115–21.
82. Wasitaatmadja SM. *Penuntun Ilmu Kosmetik Medik*. In Jakarta: Universitas Indonesia Press; 1997.
83. Kim C. *Advanced Pharmaceutics: Physicochemical Principles*. Florida: CRC Press LLC; 2005. 214–235 p.

84. Lim WH. Phase diagram, viscosity and conductivity of α -sulfonate methyl esters derived from palm stearin/1-butanol/alkane/water systems. *J Surfactants Deterg.* 2006 Dec;9(4):349–55.
85. Garti N, Spornath A, Aserin A, Lutz R. Nano-sized self-assemblies of nonionic surfactants as solubilization reservoirs and microreactors for food systems. *Soft Matter.* 2005;1(3):206.
86. Murahata RI, Aronson PM. The Relationship between Solution pH and Clinical Irritancy for Carboxylic Acid-based Personal Washing Product. *J Soc Cosmet.* 1994;45:239–46.
87. Dewan Standardisasi Nasional. Sabun Mandi Cair. SNI 06-4085-1996. 1996;
88. Sharma B, Sharma A, Arora S, Gupta S, Bishnoi M. Formulation, Optimization and Evaluation of Atorvastatin Calcium Loaded Microemulsion. *J Pharm Drug Deliv Res.* 2012;01(03).
89. Kakran M, Shegokar R, Sahoo NG, Al Shaal L, Li L, Müller RH. Fabrication of quercetin nanocrystals: Comparison of different methods. *Eur J Pharm Biopharm.* 2012 Jan;80(1):113–21.
90. Gao L, Zhang D, Chen M. Drug nanocrystals for the formulation of poorly soluble drugs and its application as a potential drug delivery system. *J Nanoparticle Res.* 2008 May 22;10(5):845–62.

