

DAFTAR PUSTAKA

- [1] P. Sharma and R. K. Mishra, "Comprehensive study on photovoltaic cell's generation and factors affecting its performance: A Review," Apr. 01, 2025, *Springer Science and Business Media Deutschland GmbH*. doi: 10.1007/s40243-024-00292-5.
- [2] Z. Arifin, S. D. Prasetyo, B. A. Tribhuwana, D. D. D. P. Tjahjana, R. A. Rachmanto, and B. Kristiawan, "Photovoltaic Performance Improvement with Phase Change Material Cooling Treatment," *International Journal of Heat and Technology*, vol. 40, no. 4, pp. 953–960, Aug. 2022, doi: 10.18280/ijht.400412.
- [3] D. Matusz-Kalász and I. Bodnár, "Operation problems of solar panel caused by the surface contamination," *Energies (Basel)*, vol. 14, no. 17, Sep. 2021, doi: 10.3390/en14175461.
- [4] A. N. Majeed, R. S. Sabry, and M. A. Abid, "Fabrication of Superhydrophobic Coating (SiO₂/PDMS) by a Simple Method," *Al-Mustansiriyah Journal of Science*, vol. 35, no. 1, pp. 104–111, Mar. 2024, doi: 10.23851/mjs.v35i1.1438.
- [5] W. O. Pratama, "Pengaruh Ketebalan Coating Lilin dari Ekstrak Daun Pisang pada Panel Surya terhadap Kinerjanya," Tugas Akhir, Program Studi Sarjana Teknik Elektro, Fakultas Teknik, Universitas Andalas, Padang, Indonesia, 2025.
- [6] A. Kurniawan, "Pengaruh Penambahan Ethyl Cyanoacrylate terhadap Kinerja Lilin Daun Pisang sebagai Pelapisan Panel Surya," Tugas Akhir, Departemen Teknik Elektro, Fakultas Teknik, Universitas Andalas, Padang, Indonesia, 2025.
- [7] P. M. Paraskar, M. S. Prabhudesai, V. M. Hatkar, and R. D. Kulkarni, "Vegetable oil based polyurethane coatings – A sustainable approach: A review," Jul. 01, 2021, *Elsevier B.V.* doi: 10.1016/j.porgcoat.2021.106267.
- [8] M. Bonomo *et al.*, "Thermosetting Polyurethane Resins as Low-Cost, Easily Scalable, and Effective Oxygen and Moisture Barriers for Perovskite Solar Cells," *ACS Appl. Mater. Interfaces*, vol. 12, no. 49, pp. 54862–54875, Dec. 2020, doi: 10.1021/acsami.0c17652.
- [9] P. Parajuli, Synthesis of Durable SiO₂ Nanoparticle Coatings for Self-Cleaning Solar Panel Surfaces, Master's thesis, Grand Valley State University, Allendale, MI, USA, 2025. [Online]. Available: ScholarWorks at Grand Valley State University.
- [10] N. Miftahhul Janna and dan Djoko Adi Widodo, "Analisis Karakteristik Modul Panel Surya Dengan Sistem Pendingin Air," 2016. [Online]. Available: <http://ojs.uho.ac.id/index.php/jfe/>

- [11] A. K. Albahar and M. F. Haqi, "Pengaruh sudut kemiringan panel surya (PV) terhadap keluaran daya," *Jurnal Ilmiah Elektrokrisna*, vol. 8, no. 2, pp. 115–122, 2020.
- [12] P. K. Shalwar, B. Gupta, J. Bhalavi, and A. Bisen, "Performance Characteristics and Efficiency Enhancement Techniques of Solar PV System: A review," *F1000Res.*, vol. 11, p. 1264, Nov. 2022, doi: 10.12688/f1000research.126942.1.
- [13] A. Renaldi, S. Nurhaedah, M. Anshar, and S. Suryanto, "Kontrol Otomatis Pembersih Panel Surya Berbasis IoT Dengan Menggunakan Platform Thingspeak," *Jurnal Teknik Mesin Sinergi*, vol. 22, no. 1, pp. 158–167, Sep. 2024, doi: 10.31963/sinergi.v22i1.5003.
- [14] I. Ramli, F. Arya Samman, and S. Mawar Said, "Panel Surya dengan Sistem Pelacakan Arah Sinar Matahari."
- [15] M. D. Haq *et al.*, "Perancangan Maximum Power Point Tracking (MPPT) Pada Panel Surya Dengan Kondisi Partial Shading Menggunakan Differential Evolution," 2021.
- [16] M. S. Mozumder, A. H. I. Mourad, H. Pervez, and R. Surkatti, "Recent developments in multifunctional coatings for solar panel applications: A review," *Solar Energy Materials and Solar Cells*, vol. 189, pp. 75–102, Jan. 2019, doi: 10.1016/j.solmat.2018.09.015.
- [17] C. Ji *et al.*, "Recent Applications of Antireflection Coatings in Solar Cells," Dec. 01, 2022, *MDPI*. doi: 10.3390/photonics9120906.
- [18] A. Makkulau, S. Samsurizal, and S. Kevin, "Karakteristik Temperatur Pada Permukaan Sel Surya Polycrystalline Terhadap Efektifitas Daya Keluaran Pembangkit Listrik Tenaga Surya," *SUTET*, vol. 10, no. 2, pp. 69–78, Dec. 2020, doi: 10.33322/sutet.v10i2.1291.
- [19] A. R. Putri and Munasir, "Review: Lapisan superhidrofobik berbasis silika sebagai aplikasi self-cleaning," *Jurnal Inovasi Fisika Indonesia (IFI)*, vol. 12, no. 2, pp. 66–81, 2023, doi: 10.26740/ifi.v12n2.p66-81.
- [20] D. Singh *et al.*, "Natural wax recovery from *Musa acuminata* biomass using organic solvents," *Chemosphere*, vol. 363, Sep. 2024, doi: 10.1016/j.chemosphere.2024.142919.
- [21] V. Hadi, B. Soegijono, and H. Notonegoro, "Peningkatan Efisiensi Solar Sel, Melalui Pelapisan Komposit Hydrogel-Nano Silika Amorph Pada Permukaan Solar Panel," *SAINSTECH: JURNAL PENELITIAN DAN PENGKAJIAN SAINS DAN TEKNOLOGI*, vol. 35, no. 4, pp. 54–61, Dec. 2025, doi: 10.37277/stch.v35i4.2560.
- [22] S. B. Triyanti *et al.*, "Pengaruh Metode Ekstraksi Maserasi, Sonikasi, dan Sokletasi Terhadap Nilai Rendemen Sampel Kulit Buah Naga (*Hylocereus polyrhizus*)," *Jurnal Sains dan Edukasi Sains*, vol. 8, no. 1, pp. 71–78, Feb. 2025, doi: 10.24246/juses.v8i1p71-78.

- [23] A. Indraswari, Optimasi Pembuatan Ekstrak Daun Dewandaru (*Eugenia uniflora* L.) Menggunakan Metode Maserasi dengan Parameter Kadar Total Senyawa Fenolik dan Flavonoid, Tugas akhir, Fakultas Farmasi, Universitas Muhammadiyah Surakarta, Surakarta, Indonesia, 2008.
- [24] D. Vercep, S. Ateş, and E. Karaogul, "A review of extraction methods for obtaining bioactive compounds in plant-based raw materials," *Bartın Orman Fakültesi Dergisi*, vol. 25, no. 3, pp. 492–513, Dec. 2023, doi: 10.24011/barofd.1303285.
- [25] A. D. Srivastav, V. Singh, D. Singh, B. S. Giri, and D. Singh, "Analysis of natural wax from *Nelumbo nucifera* leaves by using polar and non-polar organic solvents," *Process Biochemistry*, vol. 106, pp. 96–102, Jul. 2021, doi: 10.1016/j.procbio.2021.04.007.
- [26] A. S. Abed, K. M. Ziadan, and A. Q. Abdullah, "Some optical properties of polyurethane," 2014.
- [27] N. S. Kumar *et al.*, "Self-cleaning behaviour of hydrophobic nanocoating for solar PV panels: Enhancing efficiency and thermal management in dusty environments," *Energy Reports*, vol. 15, Jun. 2026, doi: 10.1016/j.egy.2025.109030.
- [28] A. S. Sarkin, N. Ekren, and Ş. Sağlam, "A review of anti-reflection and self-cleaning coatings on photovoltaic panels," Mar. 15, 2020, *Elsevier Ltd.* doi: 10.1016/j.solener.2020.01.084.
- [29] D. Sebastian, C. W. Yao, and I. Lian, "Abrasion resistance of superhydrophobic coatings on aluminum using PDMS/SiO₂," *Coatings*, vol. 8, no. 11, 2018, doi: 10.3390/COATINGS8110414.
- [30] J. Sun *et al.*, "Synthesis of transparent and flexible superhydrophobic PDMS-EP/SiO₂ coating with excellent mechanical and chemical durability," *Appl. Surf. Sci.*, vol. 707, Oct. 2025, doi: 10.1016/j.apsusc.2025.163586.
- [31] S. S. Ingole *et al.*, "Design of transparent and superhydrophobic PDMS–silica coatings for sustainable photovoltaic applications," *Mater. Chem. Phys.*, vol. 348, Jan. 2026, doi: 10.1016/j.matchemphys.2025.131757.
- [32] A. Pawawoi and V. A. Pranata, "Peningkatan daya output photovoltaik dengan penambahan lapisan kaca film pada permukaannya," *Jurnal Nasional Teknik Elektro*, vol. 9, no. 3, pp. 124–130, Nov. 2020, doi: 10.25077/jnte.v9n3.712.2020.
- [33] R. P. Woodward, Contact Angle Measurements Using the Drop Shape Method. Portsmouth, VA, USA: First Ten Angstroms, Inc. [Online]. Available: <https://repository.unsri.ac.id/9384/1/ContactAngleMeasurements.pdf>
- [34] P. Moritz, F. Bürger, L. Wegewitz, and W. Maus-Friedrichs, "Preparation techniques of thin cyanoacrylate adhesive films for interface analysis," *The Journal of Adhesion*, vol. 98, no. 7, pp. 963–978, 2022

- [35] P. Utomo, “Penentuan Prioritas Penerima Bantuan Fisik Gedung Sekolah Menengah Atas di Kabupaten Madiun Jawa Timur dengan Metode Weighted Sum Model,” 2022. [Online]. Available: <https://journal-computing.org/index.php/journal-ita/index>
- [36] K. D. Vernon-Parry, “Scanning electron microscopy: An introduction,” *III-Vs Review*, vol. 13, no. 4, pp. 40–44, 2000, doi: 10.1016/S0961-1290(00)80006-X
- [37] M. Yusuf Maulana, B. Pramono Jati, and I. Widiastuti, “CYCLOTRON : Jurnal Teknik Elektro Analisa Perbandingan Efisiensi Konversi Energi Antara PV (Photovoltaic) Monocrystalline 50 WP dan Polycrystalline 50 WP pada Berbagai Intensitas Cahaya,” 2024.

