

DAFTAR PUSTAKA

- [1] World Health Organization, “Dengue,” World Health Organization, 2025, diakses pada 8 September 2025.
- [2] A. Sudaryanto, W.-C. Liao, Y.-P. Lin, and W.-C. Ho, “Two decades of dengue in indonesia: Long-term trends in incidence, mortality, and disability-adjusted life years, 2005–2024,” *Pathogens*, vol. 15, no. 4, p. 373, 2026.
- [3] F. Rahmi, D. Hadi, M. Fransiska, and D. R. Kustanto, “Analisis epidemiologi penyakit demam berdarah dengue melalui pendekatan temporal dan hubungannya dengan faktor iklim di kota padang tahun 2014–2017,” *Jurnal Kesehatan*, vol. 10, no. 1, 2019.
- [4] J. Clarke, A. Lim, P. R. Gupte, D. M. Pigott, W. G. van Panhuis, and O. J. Brady, “A global dataset of publicly available dengue case count data,” *Scientific Data*, vol. 11, no. 296, 2024.
- [5] A. Sutriyawan, Martini, D. Sutiningsih, F. Agushybana, N. E. Wahyuningsih, V. E. Adamu, H. Akbar, and M. Aba, “Time series analysis of dengue incidence in bandung city, indonesia using an arima model,” *Journal of Microbiology, Epidemiology and Immunobiology*, vol. 101, no. 6, pp. 803–811, 2024.

- [6] Mistawati, Yasnani, and H. Lestari, "Forecasting prevalence of dengue hemorrhagic fever using arima model in sulawesi tenggara province, indonesia," *Public Health of Indonesia*, vol. 7, no. 2, pp. 75–86, 2021.
- [7] R. Kushartanti and M. Latifah, "Autoregressive integrated moving average (arima) sebagai model peramalan kasus demam berdarah dengue," *Jurnal Kesehatan Lingkungan*, vol. 10, no. 2, pp. 76–80, 2020.
- [8] T. Sardar, S. Rana, and J. Chattopadhyay, "A mathematical model of dengue transmission with memory," *Communications in Nonlinear Science and Numerical Simulation*, vol. 22, no. 1–3, pp. 511–525, 2015.
- [9] V. Bondarenko, P. Mazzega, and C. Lajaunie, "Predictability of scrub typhus incidences time series in thailand," *Engineering Proceedings*, vol. 5, no. 1, p. 44, 2021.
- [10] N. K. Oktaviani and N. A. K. Rifai, "Pemodelan arfima dengan estimasi parameter pembeda menggunakan metode geweke porter-hudak," *Jurnal Riset Statistika*, vol. 4, no. 1, pp. 1–10, 2024.
- [11] D. Devianto, K. Ramadani, Maiyastri, Y. Asdi, and M. Yollanda, "The hybrid model of autoregressive integrated moving average and fuzzy time series markov chain on long-memory data," *Frontiers in Applied Mathematics and Statistics*, vol. 8, p. 1045241, 2022.
- [12] Paridi, "Perbandingan metode arima (box jenkins) dan arfima dalam peramalan jumlah kasus demam berdarah dengue di rumah sakit hasan sadikin bandung," *JUPE: Jurnal Pendidikan Mandala*, vol. 3, no. 3, 2018.

- [13] J. Chung, C. Gulcehre, K. Cho, and Y. Bengio, “Empirical evaluation of gated recurrent neural networks on sequence modeling,” *arXiv preprint arXiv:1412.3555*, 2014.
- [14] Y. Zhang, R. Wu, S. M. Dascalu, and F. C. Harris, “A novel extreme adaptive gru for multivariate time series forecasting,” *Scientific Reports*, vol. 14, no. 1, p. 2991, 2024.
- [15] R. Kilic and S. Cankaya, “A hybrid arfima and neural network model for electricity price prediction,” *International Journal of Electrical Power & Energy Systems*, vol. 55, pp. 187–194, 2014.
- [16] D. B. Nugroho *et al.*, “Hybridization of long short-term memory neural network in fractional time series modeling of inflation,” *Frontiers in Big Data*, vol. 6, p. 1282541, 2023.
- [17] F. Saâdaoui, “Financial forecasting improvement with lstm-arfima hybrid models and non-gaussian distributions,” *Technological Forecasting and Social Change*, vol. 206, p. 123354, 2024.
- [18] R. J. Hyndman and G. Athanasopoulos, *Forecasting: Principles and Practice. Edisi 3*. Melbourne: OTexts, 2021.
- [19] R. H. Shumway and D. S. Stoffer, *Time Series Analysis and Its Applications: With R Examples*, 4th ed. Springer, 2017.
- [20] G. E. P. Box and D. R. Cox, “An analysis of transformations,” *Journal of the Royal Statistical Society: Series B*, vol. 26, no. 2, pp. 211–252, 1964.

- [21] C. W. J. Granger and R. Joyeux, “An introduction to long-memory time series models and fractional differencing,” *Journal of Time Series Analysis*, vol. 1, no. 1, pp. 15–29, 1980.
- [22] J. Geweke and S. Porter-Hudak, “The estimation and application of long memory time series models,” *Journal of Time Series Analysis*, vol. 4, no. 4, pp. 221–238, 1983.
- [23] H. Akaike, “A new look at the statistical model identification,” *IEEE Transactions on Automatic Control*, vol. 19, no. 6, pp. 716–723, 1974.
- [24] G. Schwarz, “Estimating the dimension of a model,” *The Annals of Statistics*, vol. 6, no. 2, pp. 461–464, 1978.
- [25] W. A. Brock, W. D. Dechert, J. A. Scheinkman, and B. LeBaron, “A test for independence based on the correlation dimension,” *Econometric Reviews*, vol. 15, no. 3, pp. 197–235, 1996.
- [26] J. Han, M. Kamber, and J. Pei, *Data Mining: Concepts and Techniques*. Morgan Kaufmann, 2011.
- [27] A. Zhang, Z. C. Lipton, M. Li, and A. J. Smola, *Dive into Deep Learning*, 1st ed. Cambridge, United Kingdom: Cambridge University Press, 2023.
- [28] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016.

- [29] Y. Zhao, X. Li, and H. Wang, “Deep learning approach for dengue forecasting using LSTM networks,” *Expert Systems with Applications*, vol. 213, p. 118997, 2023.
- [30] R. J. Hyndman and G. Athanasopoulos, *Forecasting: Principles and Practice*, 3rd ed. OTexts, 2021.
- [31] J. R. A. Clarke, A. Lim, P. R. Gupte, D. M. Pigott, W. G. van Panhuis, and O. J. Brady, “A global dataset of publicly available dengue case count data,” *Scientific Data*, vol. 11, no. 1, p. 296, 2024.
- [32] OpenDengue Project, “Methods,” 2025, diakses 10 Oktober 2025. [Online]. Available: <https://opendengue.org/overview.html>
- [33] D. P. Kingma and J. Ba, “Adam: A method for stochastic optimization,” *International Conference on Learning Representations (ICLR)*, 2015, arXiv preprint arXiv:1412.6980.