

DAFTAR PUSTAKA

- Abidin, Z., Aini, L. Q., & Abadi, A. L. (2015). Pengaruh bakteri *Bacillus* sp. dan *Pseudomonas* sp. terhadap pertumbuhan jamur patogen *Sclerotium rolfsii* Sacc. penyebab penyakit rebah semai pada tanaman kedelai. *Jurnal HPT*, 3(1): 1–10.
- Açıkgöz, M. A., Ay, E. B., Aygün, A., & Kara, Ş. M. (2022). Light-Mediated Biosynthesis of Phenylpropanoid Metabolites in Cell Suspension Cultures of Turkish Yarrow (*Achillea gypsicola* Hub. Mor.). *Tarım ve Doga Dergisi*, 25(6): 1234.
- Adielfina, S., Sulistyowati, L., Aini, L. Q., & Inayati, A. (2023). Uji Antagonis Jamur Endofit terhadap Patogen *Sclerotium rolfsii* Sacc. Penyebab Penyakit Busuk Batang pada Tanaman Kacang Tanah. *Jurnal AgroSainTa: Widyaiswara Mandiri Membangun Bangsa*, 6(1): 29-36. <https://doi.org/10.51589/ags.v6i1.313>
- Agusria, L., Asiati, D. I., Darmayanti, D., & Idris, H. M. (2022). Pesona “Sereh Wangi” Meningkatkan Pendapatan Koperasi Masyarakat Desa. *Jurnal Altifani Penelitian Dan Pengabdian Kepada Masyarakat*, 2(3): 213–220. <https://doi.org/10.25008/altifani.v2i3.231>
- Agustina, S., Widodo, P., & Hidayah, H. A. (2014). Analisis Fenetik Kultivar Cabai Besar *Capsicum annuum* L. Dan Cabai Kecil *Capsicum frutescens* L. *Scripta Biologica*, 1(1): 113-123.
- Ahmad, R., Greish, Y., El-Maghraby, H., Lubbad, L., Makableh, Y., Hammad, F. (2022). Preparation and Characterization of Blank and Nerolidol-Loaded Chitosan–Alginate Nanoparticles. *Nanomaterials*, 12: 1183. 10.3390/nano12071
- Ali, M. O., E., Shakil, N. A., Rana, V. S., Sarkar, D. J., Majumder, S., Kaushik, P., Singh, B. B., & Kumar, J. (2017). Antifungal activity of nano emulsions of neem and citronella oils against phytopathogenic fungi, *Rhizoctonia solani* and *Sclerotium rolfsii*. *Industrial Crops and Products*, 108, 379–387. <https://doi.org/10.1016/j.indcrop.2017.06.061>
- Alves, J. C. O., Ferreira, G. F., Santos, J. R., Silva, L. C. N., Rodrigues, J. F. S., & Neto, W. R. N. (2017). Eugenol induces phenotypic alterations and increases the oxidative burst in *Cryptococcus*. *Frontiers in Microbiology*, 8, 2419. <https://doi.org/10.3389/fmicb.2017.02419>
- Amin, S., Ruswanto and Negoro, I. Y. (2014). Analisis Minyak Atsiri Umbi Bawang Putih (*Allium sativum* Linn) Menggunakan Kromatografi Gas Spektrometer Massa. *Jurnal Kesehatan Bakti Tunas Husada*, 11(1): 37–44.
- Amirkyaei, G.A., S. Mousanejad, N. Safaie and S.A. Khodaparast. (2022). Temporal Development of Stem Rot Caused by *Athelia rolfsii* in Peanut Fields in Iran.

- Hellenic Plant Protection Journal*, 15(1):10–20. <https://doi.org/10.2478/hppj-2022-0002>
- Arneti. (2012). Bioaktivitas ekstrak buah *Piper aduncum* L. (*Piperaceae*) terhadap *Crocidolomia pavonana* (F.) (Lepidoptera: crambidae) dan formulasinya sebagai insektisida botani. *Disertasi*. Program Pascasarjana Universitas Andalas. Padang.
- Assunção, J. A. S., Oliveira, C. G., Felisberto, J. S., Machado, D. B., Ramos, Y. J., & Moreira, D. L. (2026). Temporal Variation In The Essential Oil Production of *Piper aduncum* L.: Influence of Circadian Rhythms and Insights Into Dillapiole Production Dynamics. *Plants*, 15(6), 976. <https://doi.org/10.3390/plants15060976>
- Astiko, W., Soemeinaboedhy, I. N. and Ekayanti, N. (2017). Pengendalian Hayati Penyakit Busuk Batang Sclerotium pada Tanaman Kedelai (*Glycine max* L. Merrill) dengan Menggunakan Mikoriza Indigenus. *Ilmiah Ilmu pengetahuan*, 25:1-11. <https://agroteksos.unram.ac.id/index.php/Agroteksos/article/view/47>
- Aziz, A.R., Suedy, A.W.S., Izzati, M. (2021). Pertambahan Biomassa dan Produksi Minyak Atsiri Tanaman Selasih (*Ocimum basilicum* L.) pada Usia Panen yang Berbeda. *Buletin Anatomi dan Fisiologi*, 6(2): 124-130. <https://ejournal2.undip.ac.id/index.php/baf/index>
- Badan Pusat Statistik. (2022). *Produksi Tanaman Sayuran Menurut Provinsi dan Jenis Tanaman*.
- Badan Pusat Statistik. (2023). *Produksi Tanaman Sayuran Menurut Provinsi dan Jenis Tanaman*.
- Badan Pusat Statistik. (2024). *Produksi Tanaman Sayuran dan Buah-Buahan Semusim Menurut Jenis Tanaman*.
- Baharuddin, R. (2016). Respon Pertumbuhan Dan Hasil Tanaman Cabai (*Capsicum Annum* L.) terhadap Pengurangan Dosis NPK 16:16:16 dengan Pemberian Pupuk Organik. *Dinamika Pertanian*, 32(2), 115–124. <https://journal.uir.ac.id/index.php/dinamikapertanian/article/view/576>
- Billerbek VG, Roques CG, Bessiere JM, Fonvieille JL, Dargent L. (2001). Effects of *Cymbopogon nardus* (L.) W. Watson Essential Oil on The Growth and Morphogenesis of *Aspergillus niger* Can. *J. Microbiol*, 47: 9–17.
- Can Başer, K. H. dan Buchbauer, G. (2015). *Handbook of essential oils: Science, technology, and applications, second edition. 2 ed, Taylor and Francis Group. 2 ed*. London New York: CRC Press. doi: 10.1201/b19393.
- Cavanagh, H. M. A. (2007). Antifungal Activity of The Volatile Phase of Essential Oils: A Brief Review. *Natural Product Communications*, 2(12): 1297-1302. DOI:10.1177/1934578X0700201222.

- Chakrabarty, S., M. Islam, dan A. Islam. (2017). Fundamental and Applied Agriculture Nutritional Benefits and Pharmaceutical Potentialities of Chili: A Review. *Online Fundam Appl Agric*, 2017(2), 227–232.
- Chatri, M., Jumjunidang, J., Aini, Z., & Suryendra, F. D. (2022). Aktivitas antifungi ekstrak daun *Melastoma malabathricum* terhadap *Fusarium oxysporum* dan *Sclerotium rolfsii* secara In Vitro. *Jurnal Agrotek Tropika*, 10(3), 395. <https://doi.org/10.23960/jat.v10i3.5713>
- ChemicalBook. (2026, 28 Mei). *Dillapiole*. Diakses 21 Juni 2026. https://www.chemicalbook.com/ChemicalProductProperty_EN_CB9370137.htm
- Daghbouche, S., Ammar, I., Rekik, M.D., Djazouli, E.Z., Zebib, B., and Merah, O. (2020). Effect of phenological stages on essential oil composition of *Cytisus triflorus* L'Her. *Journal of King Saud University-Science*, 32(4): 2383-2387. <https://doi.org/10.1016/j.jksus.2020.03.020>
- De Oliveira, J. C., de Vasconcelos Pinto, Â., de Medeiros, C. A. C., Ponte, H. A. S., & Pereira, F. O. (2020). The sensitivity modifying activity of nerolidol and α -bisabolol against *Trichophyton* spp. *Indian Journal of Microbiology*, 60(4), 505–510. <https://doi.org/10.1007/s12088-020-00895-2>
- De Toledo, L. G., Ramos, M. A. D. S., Spósito, L., Castilho, E. M., Pavan, F. R., Lopes, É. D. O., Zocolo, G. J., Silva, F. A. N., Soares, T. H., Dos Santos, A. G., Bauab, T. M., & De Almeida, M. T. G. (2016). Essential Oil of *Cymbopogon nardus* (L.) Rendle: A Strategy to Combat Fungal Infections Caused by *Candida* Species. *International Journal of Molecular Sciences*, 17(8), 1252. <https://doi.org/10.3390/ijms17081252>
- Didehdar M, Chegini Z, Shariati A. (2022). Eugenol: A novel therapeutic agent for the inhibition of *Candida* species infection. *Front Pharmacol*, 13: 872127. <https://doi:10.3389/fphar.2022.872127>
- Fadli, F. 2026. Potensi Bioaktivitas Piperaceae di Hutan Pendidikan dan Penelitian Biologi (HPPB) Universitas Andalas sebagai Agen Antijamur dan Antikanker. S3 thesis, Universitas Andalas. <http://scholar.unand.ac.id/id/eprint/520205>
- Fathima SN. 2015. A systematic review on phytochemistry and pharmacological activities of *Capsicum annuum*. *International Journal of Pharmacy and Pharmaceutical Research*, 4(3):51– 68.
- Fernandes, CC, Aytar, EC, & Miranda, MLD (2025). Dillapiole dan aktivitas antijamur dan herbisidanya. *Jurnal Produk Aktif Biologis dari Alam*, 15 (3), 279–289. <https://doi.org/10.1080/22311866.2025.2518169>

- Ferreira, R. G., Monteiro, M. C., da Silva, J. K. R., & Maia, J. G. S. (2016). Antifungal Action of the Dillapiole-Rich Oil of *Piper aduncum* Against Dermatomycoses Caused by Filamentous Fungi. *British Journal of Medicine & Medical Research*, 15(12), 1–10.
- Gogoi, R., Sarma, N., Loying, R., Pandey, S.K., Begum, T. and Lal, M. (2021). A comparative analysis of bark and leaf essential oil and their chemical composition, antioxidant, anti-inflammatory, antimicrobial activities and genotoxicity of north east Indian *Cinnamomum zeylanicum* Blume. *Nat. Prod. J.* 11(1): 74-84.
- Gusnawaty, H. S., Taufik, M., Satrah, V. N., Putri, . P., Bande, L. O. S., & Mariadi, A. (2020). In-Vitro Biocontrol Potential and Mechanism of Inhibition of Indigenous Trichoderma Isolates from Southeast Sulawesi Province of Indonesia Against *Sclerotium rolfsii*. *Plant Protection*, 4(3), 109–115. <https://doi.org/10.33804/pp.004.03.3330>
- Hamidson, H., Suparman, S., Pratama, F., Sari, K. N., Lince, A. A. P. R., Nabila, A., Alviana, V. A., Oktareni, S. S., Syachputra, M. R., Ayu, P., Marta, S. H. T., Nadila, N., Nugroho, M. A., Arsi, A., Tricahyati, T. (2024). Monitoring sclerotium wilt disease in chillies (*Capsicum annuum* L) in Simpang Sawit Village, Indralaya Sub-district, North Ogan Ilir Regency. In: Herlinda S *et al.* (Eds.), *Prosiding Seminar Nasional Lahan Suboptimal ke-12 Tahun 2024*, Palembang 21 Oktober 2024. (pp. 886–894). Palembang: Penerbit & Percetakan Universitas Sriwijaya (UNSRI).
- Hartanto, P., Sedijani, P., Zulkifli, L., & Erniarti, M. (2022). The effect of Serai wangi (*Cymbopogon nardus*) Extract in inhibiting Bread Fungal Growth, *Aspergillus oyizae* Using a combination of N-Hexane-Ethanol Solvent. *Jurnal Biologi Tropis*, 22(1), 349–355. <https://doi.org/10.29303/jbt.v22i1.3736>
- Hazrati, S., Govahi, M., Sedaghat, M., Kashkooli, B.A. (2020). How Do Esseential Oil Composition and Phenolic Acid Profil of *Heracleum persicum* Fluctuate at Different Phenological Phase. *Food Science & Nutrition*, 8(11): 6192-6206.
- Hermeria, N. (2022). Konsorsium Bakteri Endofit Bacillus spp. Untuk Pengendalian Penyakit Rebah Kecambah dan Busuk Pangkal Batang Oleh *Sclerotium rolfsii* pada Tanaman Cabai (*Capsicum annum* L.). *Skripsi*. Universitas Andalas. Padang.
- Idris, H., Agustien, A., & Mansyurdin. (2023). Pengendalian *Athelia rolfsii* Penyebab Busuk Pangkal Batang pada Kacang Tanah *Arachis hypogea* L dengan Fungisida Nabati dan Ansia Hayati (Review). *Jurnal Agrosains dan Teknologi*, 8(2): 87-93.
- Jailani, A., Sulaeman, R., dan Sribudiani, E. (2015). Karakteristik Minyak Atsiri Daun Kayu Manis (*Cinnamomum burmannii* (Ness & Th.Ness)). *Jom Faperta UR*, 2(2).

- Jaya, I. K. D., Santoso, B. B., & Jayaputra, J. (2022). Penyuluhan Tentang Budidaya Tanaman Cabai di Luar Musim di Lahan Kering Desa Gumantar Kabupaten Lombok Utara. *Jurnal Gema Ngabdi*, 4(1), 68-76. <https://doi.org/10.29303/jgn.v4i1.171>
- Jimenez, B. A. J., Awwad, F., & Desgagné-Penix, I. (2024). Cinnamaldehyde in Focus: Antimicrobial Properties, Biosynthetic Pathway, and Industrial Applications. *Antibiotics*, 13(11), 1095. <https://doi.org/10.3390/antibiotics13111095>
- Jumjunidang, Yanda, R. P., Riska, & Emilda, D. (2019). Identifikasi dan Karakterisasi Penyakit Bintik Batang dan buah pada Tanaman Buah Naga (*Hylocereus* spp.) di Indonesia I. *Jurnal Hortikultura*, 29(1): 103. <https://doi.org/10.21082/jhort.v29n1.2019.p103-110>
- Kadarohman, A. (2009). Eksplorasi Minyak Atsiri Sebagai Bioaditif Bahan Bakar Solar. *Jurnal Pengajaran MIPA*, 14(2): 121-14.
- Kator, L., Z. Y. Hosea, and O.D. Oche. (2015). *S. rolfsii*; Causative Organism of Southern Blight, Stem Rot, White Mold and Sclerotia Rott Disease. *Biological Research*, 6(11): 78-79.
- Kaur, H., Bhardwaj, U., Kaur, R., & Kaur, H. (2021). Chemical Composition and Antifungal Potential of Citronella (*Cymbopogon nardus*) Leaves Essential Oil and its Major Compounds. *Journal of Essential Oil Bearing Plants*, 24(3), 571–581. <https://doi.org/10.1080/0972060X.2021.1942231>
- Khan, A., Ahmad, A., Akhtar, F., Yousuf, S., Xess, I., Khan, L. A., & Manzoor, N. (2011). Induction of Oxidative Stress As A Possible Mechanism of The Antifungal Action of Three Phenylpropanoids. *FEMS Yeast Research*, 11(1), 114–122. <https://doi.org/10.1111/j.1567-1364.2010.00697.x>
- Khan, M.S.A., Ahmad, I., & Cameotra, S.S. (2013). Phenyl aldehyde and propanoids exert multiple sites of action towards cell membrane and cell wall targeting ergosterol in *Candida albicans*. *AMB Express*, 3(54): 1–12. DOI: 10.1186/2191-0855-3-54.
- Knobloch, K., Pauli, A., Iberl, B., Weigand, H., & Weis, N. (1989). Antibacterial and Antifungal Properties of Essential Oil Components. *Journal of Essential Oil Research*, 1(3), 119–128. <https://doi.org/10.1080/10412905.1989.9697767>
- Kowalczyk, A. (2024). Essential Oils against *Candida auris*: A Promising Approach for Antifungal Activity. *Antibiotics*, 13(6): 568. doi: [10.3390/antibiotics13060568](https://doi.org/10.3390/antibiotics13060568)
- Kusumawati, D. E., & Istiqomah, I. (2022). *Pestisida Nabati Sebagai Pengendali Opt (Organisme Pengganggu Tanaman)*. Mazda Media.
- Leiva-Mora, M., Bustillos, D., Arteaga, C., Hidalgo, K., Guevara-Freire, D., López-Hernández, O., Saa, L. R., Padilla, P. S., & Bustillos, A. (2025). Antifungal mechanisms of plant essential oils: A comprehensive literature review for

- biofungicide development. *Agriculture*, 15, 2303. <https://doi.org/10.3390/agriculture15212303>
- Lely, N., Sulastri, H., & Meisyayati, S. (2018). Activity Antifungi of Oil Atsiri Sereh Wangi (*Cymbopogon nardus* (L) Rendle). *Jurnal Kesehatan Saelmakers Perdana* (JKSP), 1(1), Article 1. <https://doi.org/10.32524/jksp.v1i1.100>.
- Li, X., Wang, Q., Li, H., Wang, X., Zhang, R., Yang, X., Jiang, Q. dan Shi, Q. (2023). Revealing the mechanisms for linalool antifungal activity against *Fusarium oxysporum* and its efficient control of *Fusarium* wilt in tomato plants. *International Journal of Molecular Sciences*. 24(1): 458. <https://doi.org/10.3390/ijms24010458>
- Li, X., Wang, Q., Li, H., Wang, X., Zhang, R., Yang, X., Jiang, Q., & Shi, Q. (2023). Revealing the Mechanisms for Linalool Antifungal Activity against *Fusarium oxysporum* and Its Efficient Control of *Fusarium* Wilt in Tomato Plants. *International Journal of Molecular Sciences*, 24(1), 458. <https://doi.org/10.3390/ijms24010458>
- Lingga, L. (2014). *Health Secret of Pepper*. Elex Media Komputindo.
- Majid, M.U., Awan, M.F., Fatima, K., Tahir, M.S., Ali, Q., Rashid, B., Rao, A.Q., Nasir, I.A. & Husnain, T. (2016) *Phytophthora capsici* on chilli pepper (*Capsicum annuum* L.) and its management through genetic and bio-control: a review. *Zemdirbyste*, 103, 419–430. <https://doi.org/10.13080/za.2016.103.054>
- Marchese A, Barbieri R, Coppo E, Orhan IE, Daglia M, Nabavi SF, Izadi M, Abdollahi M, Nabavi SM, Ajami M. (2017). Antimicrobial Activity of Eugenol and Essential Oils Containing Eugenol: A mechanistic Viewpoint. *Crit Rev Microbiol*, 43(6): 668-689. doi: 10.1080/1040841X.2017.1295225.
- Marwan, H., Mulyati, S., Wilia, W. (2017). Kemampuan Bakteri Endofit dalam Mengendalikan Penyakit Rebah Kecambah dan Layu Sclerotium (*Sclerotium rolfsii*) pada Kedelai. *Jurnal Proteksi Tanaman*, 1(2): 52–61. <http://jpt.faperta.unand.ac.id/index.php/jpt>
- Michel, L. M., Bustillos, D., Arteaga, C., Hidalgo, K., Guevara-Freire, D., López-Hernández, O., Saa, L., Padilla, P., & Bustillos, A. (2025). Antifungal Mechanisms of Plant Essential Oils: A Comprehensive Literature Review for Biofungicide Development. *Agriculture*, 15(1), 2303.
- Mierziak, J., Kostyn, K., & Kulma, A. (2014). Flavonoids as Important Molecules of Plant Interactions with the Environment. *Molecules*, Vol 19: 16240-16265.
- Miishra, R. K., Jaiswal, R. K., Kumar, D., Saabale, P. R., & Singh, A. (2014). Management of major diseases and insect pests of onion and garlic: A comprehensive review. *Journal of Plant Breeding and Crop Science*, 6(11), 160–170. <https://doi.org/10.5897/JPBCS2014.0467>

- Mori, M., Aoyama, M., Doi, S., Kanetoshi, A., & Hayashi, T. (1997). Antifungal activity of bark extracts of deciduous trees. *Holz Als Roh- Und Werkstoff*, 55(2–4), 130–132. <https://doi.org/10.1007/BF02990531>
- Mubarak, Z., Chismirina, S., Qamari, A.A. (2016). Aktivitas Antibakteri Ekstrak Kayu Manis (*Cinnamomum Burmannii*) terhadap Pertumbuhan *Enterococcus faecalis*. *Cakradonya Dent*, 8: 1–10.
- Munawaroh, E. dan Yuzammi, (2017). Keanekaragaman Piper (*Piperaceae*) dan Konservasinya Di Taman Nasional Bukit Barisan Selatan, Provinsi Lampung. *Media Konservasi*, 22(2): 118-128.
- Nakahara K, Alzoreky NS, Yoshihashi T, Nguyen HT, Trakoontivakorn G. (2003). Chemical composition and antifungal activity of essential oil from *Cymbopogon nardus* (citronella grass). *JARQ Japan: Japan International Research Center for Agricultural Sciences*, 37(4):249–52.
- Natalia, A. G., Aeny, T. N., & Prasetyo, J. (2014). Uji Keefektifan *Trichoderma* spp. dengan Bahan Campuran yang Berbeda dalam Menghambat Pertumbuhan *Sclerotium rolfsii* Penyebab Penyakit Rebah Kecambah pada Kacang Tanah. *Jurnal Agrotek Tropika*, 2(3), 408–413. <https://doi.org/10.23960/jat.v2i3.2070>
- Navickiene, H. M. D., Morandim, A. de A., Alécio, A. C., Regasini, L. O., Bergamo, D. C. B., Telascree, M., Cavalheiro, A. J., Lopes, M. N., Bolzani, V. da S., Furlan, M., Marques, M. O. M., Young, M. C. M., & Kato, M. J. (2006). Composition and antifungal activity of essential oils from *Piper aduncum*, *Piper arboreum* and *Piper tuberculatum*. *Química Nova*, 29(3), 467–470.
- Ngo-Mback MNL, Babii C, Jazet Dongmo PM, Kouipou Toghueo MR, Stefan M, Fekam Boyom F. (2020). Anticandidal and synergistic effect of essential oil fractions from three aromatic plants used in Cameroon. *Journal de Mycologie Médicale*. 30(2): 100940. doi:10.1016/j.mycmed.2020.100940.
- Nurfadhilah, L., Hamidson, H., Rahmadani, R., Deswita, A., Fatiyah, R. N., Dewi, S., & Sari, S. M. (2024). Intensitas Penyakit Cabai Rawit (*Capsicum frutescens*) di Desa Sumber Baru Kecamatan Mesuji Raya Kabupaten Ogan Komering Ilir. *Prosiding Seminar Nasional Lahan Suboptimal Ke-12 Tahun 2024, Palembang 21 Oktober 2024*, 6051: 743–752.
- Nurmansyah, B. S., Djamal, A. D., & Asterina, A. (2016). Uji Efektivitas Beberapa Minyak Atsiri terhadap Pertumbuhan *Microsporum canis* Secara in Vitro. *Jurnal Kesehatan Andalas*, 5(1).
- Nurmansyah, Idris, H., dan Riska. (2023). Effect of Various Formulations of *Piper aduncum* Botanical Pesticide and Concentration Levels on Fungal Pathogen *Fusarium oxysporum* Cubence Vegetative Compabilit Group (VCG)01213/16 Tropical race 4 and VCG 01218 race 1. *The 3rd International Conference Environmental of Food Security* 14-15 February 2023 (Proc In press).

- Nurmansyah, N., Idris, H., & Nasir, N. (2021). Antifungal Activity of Essential Oils of Leaves, Rhizomes Oils and Fraction Wild Ginger *Elettariopsis slahmong* Ck Lim Inhibit The Colony Growth of *Sclerotium rolfsii*. *Journal of Applied Agricultural Science and Technology*, 5(1): 28-37. <https://doi.org/10.32530/jaast.v5i1.8>
- Nurmansyah, Idris, H., Suryani, E., Gustia, H., & Ramadhan, A. I. (2022). The effect of various essential oil and solvent additives on the botanical pesticide of Piper aduncum essential oil on formulation antifungal activity. *Results in Engineering*, 16(June), 100644. <https://doi.org/10.1016/j.rineng.2022.100644>
- Nurmansyah. (2012). Minyak Atsiri *Piper aduncum* sebagai Bahan Baku Pestisida Nabati untuk Pengendalian Jamur Penyakit Tanaman. *Bunga Rampai Inovasi Tanaman Atsiri Indonesia*, 178–186.
- Nurmansyah. (2016). Pengaruh Minyak Nabati *Piper Aduncum* Terhadap Jamur *Sclerotium rolfsii* Menurut Ketinggian Lokasi Tanam dan Waktu Penyulingan. *Bul. Littro*, 27(2): 147–154. <http://dx.doi.org/10.21082/bullitro.v27n.2016.147-154>
- Oliveira, J.S.F., Xavier, L.P., Lins, A. *et al.* (2019). Effects of Inoculation by Arbuscular Mycorrhizal Fungi on The Composition of The Essential Oil, Plant Growth and lipoxygenase activity of *Piper aduncum* L. *AMB Expr*, 9(2). <https://doi.org/10.1186/s13568-019-0756-y>
- OuYang Q, Duan X, Li L, Tao N. (2019). Cinnamaldehyde Exerts Its Antifungal Activity by Disrupting the Cell Wall Integrity of *Geotrichum citri-aurantii*. *Front Microbiol.*, 10: 55. doi: 10.3389/fmicb.2019.00055.
- OuYang Q, Liu Y, Oketch OR, Zhang M, Shao X, Tao N. (2021). Citronellal Exerts Its Antifungal Activity by Targeting Ergosterol Biosynthesis in *Penicillium digitatum*. *J Fungi (Basel)*, 7(6):432. doi: 10.3390/jof7060432.
- Park MJ, Gwak KS, Yang I, Kim KW, Jeung EB, Chang JW, Choi IG. (2009). Effect of Citral, Eugenol, Nerolidol and α -Terpineol on The Ultrastructural Changes of *Trichophyton mentagrophytes*. *Fitoterapia*, 80:290-296.
- Parwanayoni, S. N. M., D. N. Suprpta, N. Darsini and S. K. Sudirga. (2021). Isolation and Molecular Identification of Fungi Causing Stem Rot Disease in Bali's Local Legumes. *Journal Biogenesis*, 9(1):73-80. <https://doi.org/10.24252/bio.v9i1.20426>
- Filho, P. A. A., do Vale, V. F., de Oliveira Monteiro, C. M., Barrozo, M. M., Stanton, M. A., Yamaguchi, L. F., Kato, M. J., & Araújo, R. N. (2024). Effects of *Piper aduncum* (Piperales: Piperaceae) Essential Oil and Its Main Component Dillapiole on Detoxifying Enzymes and Acetylcholinesterase Activity of *Amblyomma sculptum* (Acari: Ixodidae). *International Journal of Molecular Sciences*, 25(10), 5420. <https://doi.org/10.3390/ijms25105420>

- Prihatiningrum, C., Nafi'udin, A. F., & Habibullah, M. (2021). Identifikasi Teknik Pengendalian Hama Penyakit Tanaman Cabai di Desa Kebonlegi Kecamatan Kaliangkrik Kabupaten Magelang. *Jurnal Pertanian Cemara*, 18(1), 19–24. <https://doi.org/10.24929/fp.v18i1.1130>
- Rahmi, D. (2018). *Minyak Atsiri Indonesia dan Peluang Pengembangannya*. Balai Besar Standarisasi dan Pelayanan jasa Industri Kimia dan Kemasan. Kementrian Perindustrian.
- Rali T, Wossa., D.N. Leach, dan P. Waterman. (2007). Volatile chemical constituents of *Piper aduncum* L. and *Piper gibbilimum* (*Piperaceae*) from Papua New Guinea. *Jurnal Molecule*, 12:389-394.
- Ramasari, F., Firdaus, F., Nita, S., & Kartika, K. (2021). Penggunaan Metode You Only Look Once dalam Penentu Pindah Tanaman Cabai Besar Ternotifikasi Telegram. *Elektron: Jurnal Ilmiah*, 45-52. <https://doi.org/10.30630/eji.13.2.29>
- Rao, A., Zhang, Y., Muend, S., Rao, R. (2010). Mechanism of antifungal activity of terpenoid phenols resembles calcium stress and inhibition of the TOR pathway. *Antimicrob Agents Chemother.*, 54(12): 5062-9. doi: 10.1128/AAC.01050-10.
- Rao, P.V. and Siew, H.G. (2014). Cinnamon: A multifaceted medicinal plant. *Evid. Based Complement. Alternat. Medicine*. 1-12.
- Ruiz-Moyano S, A Hernández, AI Galvan, MG Córdoba, R Casquete, MJ Serradilla, and A Martín. (2020). Selection and Application of Antifungal VOCs-Producing Yeasts as Biocontrol Agents of Grey Mould in Fruits. *Journal of Food Microbiology*. 92: 103556. doi: 10.1016/j.fm.2020.103556
- Rumahlewang, W., Uruilal, C. (2022). Antagonisme Lima Isolat *Trichoderma* sp. Lokal Maluku terhadap Jamur Patogen Penyebab Penyakit Rebah Kecambah (*Sclerotium rolfsii* Sacc.). *In Biofaal Journal*, 3(2).
- Salehi B, Zakaria ZA, Gyawali R, Ibrahim SA, Rajkovic J, Shinwari ZK. (2019). *Piper* Species: A Comprehensive Review on Their Phytochemistry, Biological Activities and Applications. *Molecules*; 24(7): 1364.
- Sanjiwani, N. M. S., Paramitha, D. A. I., Wibawa, A. A. C., Ariawan, I. M. D., Dewi, N. W. T., Wahyuni, N. M. D., & Sudiarsa, I. W. (2020). Analisis Dan Karakterisasi Minyak Atsiri Lavender dan Peppermint dengan Kromatografi Gas-Spektroskopi Massa (GC-MS). *Jurnal Emasains: Jurnal Edukasi Matematika Dan Sains*, 9(1), 25–33. <https://ojs.ikipgribali.ac.id/index.php/emasains/article/view/654>
- Sary, P. N., Nurdin, D., Innaningseh, I., & Karim, H. A. (2021). Pengaruh Pemberian Mikroorganisme Lokal terhadap Pertumbuhan dan Produksi Tanaman Cabai Rawit (*Capsicum frutescens* L.). *Journal Peqquruang*, 3(1), 58–62.
- Scora, K.M. and Scora, R.W. (1998). Effect of volatiles on mycelium growth of *Penicillium digitatum*, *P. italicum*, and *P. ulaiense*. *J. Basic Microbiology*, 38:

405-413. [https://doi.org/10.1002/\(SICI\)1521-4028\(199811\)38:5/6<405::AID-JOBM405>3.0.CO;2-2](https://doi.org/10.1002/(SICI)1521-4028(199811)38:5/6<405::AID-JOBM405>3.0.CO;2-2)

- Sharma, N. T. (2006). Fungitoxicity of The Essential Oils of *Citrus sinensis* on Post Harvest Pathogens. *World Journal of Microbiology and Biotechnology*, 22: 587-593.
- Sharma, U.K., Sharma, A.K. & Pandey, A.K. (2016). Medicinal attributes of major phenylpropanoids present in cinnamon. *BMC Complement Altern Med*, 16: 156. <https://doi.org/10.1186/s12906-016-1147-4>
- Simanjuntak, G. L., Assa, B. H., & Manueke, J. (2019). Penggunaan Trichokompos untuk Pengendalian Penyakit Layu *Sclerotium rolfsii* (Sacc.) Curzi pada Tanaman Kacang Tanah (*Arachis hypogaea* L.). *Jurnal Mikologi Indonesia*, 10(6), 25–32.
- Sofiani, M., Djauhari, S., & Aini, L. Q. (2016). Pengaruh Aplikasi *Plant Growth Promoting Rhizobacteria* (PGPR) dalam Menghambat Penyakit Rebah Kecambah yang Disebabkan oleh Jamur *Sclerotium rolfsii* pada Kedelai. *Jurnal HPT*, 4(1), 32–38.
- Sousa, D.P., Damasceno, R.O.S., Amorati, R., Elshabrawy, H.A., Castro, R.D., Bezerra, D.P., Nunes, V.R.V., Gomes, R.C., Lima, T.C. (2023). Essential Oils: Chemistry and Pharmacological Activities. *Biomolecules*, 13: 1144. <https://doi.org/10.3390/biom13071144>
- Sulaswatty, A. (2014). *Quo Vadish Minyak Serai Wangi dan Turunannya*. 1st ed. Diedit oleh I. P. Hartiningsih, Risma Wahyu; Kinanti. Jakarta: LIPI Press.
- Suroso, S. P. (2018). *Budidaya Serai Wangi*. Penyuluhan Kehutanan Lapangan, Dinas Kehutanan dan Perkebunan. Daerah Istimewa Yogyakarta.
- Syamsu, H., Nasrun & Chrisnawati. (2004). Pengujian Efikasi Minyak Kayumanis pada *Fusarium oxysporum cubense* Penyebab Penyakit Layu Fusarium Pisang secara *In Vitro*. *Jurnal Stigma*, 12(4): 483-485.
- Tiandora, M., Widyawati, W., & Darmawangsa, D. (2017). Kadar Hambat Minimum (KHM) dan Kadar Bunuh Minimum (KBM) pada buah cabai keriting (*Capsicum annum*, L) Terhadap Bakteri *Streptococcus viridans* Secara *In Vitro*. *B-Dent: Jurnal Kedokteran Gigi Universitas Baiturrahmah*, 4(1), 9-14.
- Uruilal, C., Talahaturuson, A., Rumahlewang, W., dan Patty, J. (2017). Isolasi *Trichoderma* spp. dan Daya Antagonismenya Terhadap *Sclerotium Rolfsii* Sacc. Penyebab Penyakit Layu Pada Tanaman Cabai (*Capsicum annum*) Secara *In-Vitro*. *Jurnal Budidaya Pertanian*, 13(2): 64-67. doi: 10.30598/jbdp.2017.13.2.64
- Valadares, A., Alves, C., Alves, J., De Deus, I., De Oliveira Filho, J., Santos, T., Dias, H., Crotti, A., & Miranda, M. (2018). Essential Oils from *Piper aduncum* Inflorescences and Leaves: Chemical Composition and Antifungal Activity

- Against *Sclerotinia sclerotiorum*. *Anais da Academia Brasileira de Ciencias*, 90(3), 2691-2699. <https://doi.org/10.1590/00013765201820180033>.
- Victor, O. D and U. E. Enwongu. (2022). Pathogenicity of *Sclerotium rolfsii* Isolates Causing Stem and Root Rot Disease of Cowpea *Vigna unguiculata* (L. Walp) and Management Using *Trichoderma* Species. *AGRIVITA: Journal of Agricultural Science*, 44(1): 105-118. <http://doi.org/10.17503/agrivita.v44i1>
- Vieira, T., Paula, J., Neto, J., Cunha, L., Santos, A., & Romano, C. (2021). Influence of Drying on The Chemical Composition and Bioactivity of *Piper aduncum* (Piperaceae) Essential Oil Against *Aedes aegypti* (Diptera: Culicidae). *Research, Society and Development*. <https://doi.org/10.33448/RSD-V10I8.17397>.
- Wahyudi, H., Santoso, B., & Fitriani, R. (2020). Morfologi dan klasifikasi cabai merah (*Capsicum annuum* L.). *Prosiding Seminar Nasional Pertanian*, 4(1), 112–120.
- Wang, R., Wang, R and Yang, B. (2009). Extraction of essential oils from five cinnamon leaves and identification of their volatile compound compositions. *Innovative Food Science and Emerging Technologies*, 10:289–292.
- Wibawa IPAH, Saraswaty V, Kuswantoro F, Andila PS, Wardhani PK, Tirta IG. (2019). A study of essential oil from an invasive *Piper aduncum* L. *J Biol Udayana*, 23(2):50-58. <https://doi.org/10.24843/JBIOUNUD.2019.v23.i02>
- Wibowo, D. P., Rustamsyah, A., & Kurniawan, Y. (2016). Karakterisasi dan Aktivitas Repelen Minyak Atsiri Sereh Wangi (*Cymbopogon nardus* L), Akar Wangi (*Vetiveria zizanoides* L.), Nilam (*Pogestemon cablin*), Cengkeh (*Syzygium aromaticum*) Asal Kabupaten Garut terhadap Nyamuk *Aedes Aegypti* Betina. *Jurnal Ilmu Farmasi Dan Farmasi Klinik*, 13(2): 1–6.
- Wijaya, C., L. (2019). Analisis Usabilitas pada Sistem Monitoring dan Otomasi Greenhouse untuk Budidaya Tanaman Cabai Berbasis Android. *Edu Komputika*, 6(2): 60-67. <https://journal.unnes.ac.id/sju/index.php/edukom>
- Wiraputra, D.M., Nurchayati, Y., Hastuti, D.E., Setiari, N. (2024). Rendemen Minyak Atsiri Rimpang Jahe Merah (*Zingiber officinale* var. *rubrum*) dengan Metode Pengeringan yang Dikombinasi dengan Kain Penutup. *Buletin Anatomi dan Fisiologi*, 9(1): 66-74. <https://ejournal2.undip.ac.id/index.php/baf/index>
- Wong Y. C, Ahmad-Mudzaqqir M. Y, Wan-Nurdiyana W.A. (2014). Extraction of Essential Oil from Cinnamon (*Cinnamomum zeylanicum*). *Orient J Chem*, 30(1). DOI :<http://dx.doi.org/10.13005/ojc/300105>
- Xu, P., Wang, K., Lu, C., Dong, L., Gao, L., Yan, M., Aibai, S., & Yang, Y. (2017). The protective effect of lavender essential oil and its main component linalool against the cognitive deficits induced by D-galactose and aluminum trichloride in mice. *Evidence-Based Complementary and Alternative Medicine*, 2017, 1–11. <https://doi.org/10.1155/2017/7426538>

- Xu, Y.; Tong, Z.; Zhang, X.; Wang, Y.; Fang, W.; Li, L.; Luo, Z. (2019). Unveiling The Mechanisms For The Plant Volatile Organic Compound Linalool to Control Gray Mold on Strawberry Fruits. *J. Agric. Food Chem.*, 67, 9265–9276.
- Yupendi, A., Putri, D., S., Sari, W., Taufiqqurahman. (2024). Pengaruh Pemberian Biofungisida (*Gliocladium* sp.) untuk Mengendalikan Penyakit Layu Fusarium (*Fusarium* sp.) pada Tanaman Cabai Merah Keriting (*Capsicum annum* L.). *Jurnal Agroplasma*, 11(2): 7

