

DAFTAR PUSTAKA

1. Tim S, Mazur-Bialy AI. The Most Common Functional Disorders and Factors Affecting Female Pelvic Floor. *Life* (Basel). 2021;11(12):1397. Published 2021 Dec 14. doi:10.3390/life11121397
2. Dai S, Chen H, Luo T. Prevalence and factors of urinary incontinence among postpartum: systematic review and meta-analysis. *BMC Pregnancy Childbirth*. 2023;23(1):761. Published 2023 Oct 28. doi:10.1186/s12884-023-06059-6.
3. Wu J-C, Yu X-L, Ji H-J, Lou H-Q, Gao H-J, Huang G-Q and Zhu X-L, Pelvic floor dysfunction and electrophysiology in postpartum women at 6–8 weeks. *Front Physiol*. 2023; 14:1165583. doi: 10.3389/fphys.2023.1165583
4. Liang S, Chen Z, Tang W, Andarini E, Kou L, Li Y, Cai W. Prevalence and predictors of help-seeking behavior among post-partum women with urinary incontinence in China and Indonesia: A cross-sectional survey based on Andersen Help-Seeking Model. *Midwifery*. 2023; 128.
5. Dewi M, Ermawati, Irawati N. Pengaruh Pelvic Floor Muscle Training terhadap Pengembalian Fungsi Miksi dan Defekasi pada Ibu Postpartum Spontan.
6. Gumus S, Ozturk R, Kavlak O, Hortu I, Yeniel AO. Investigating Pelvic Floor Muscle Strength in Women of Reproductive Age and Factors Affecting It. *Clin Nurs Res*. 2021;30(7):1047-1058.
7. Chi X, Yu S, Zhu K, Chen Y, Chu Y, Chen X. Influence of Different Obstetric Factors on Early Postpartum Pelvic Floor Function in Primiparas After Vaginal Delivery. *Int J Womens Health*. 2023;15:81-90. doi:10.2147/IJWH.S390626
8. Gosal GT, Irianta T, Lotisna D, Sunarno I, Farid IA, Pelupessy NU. The association between postpartum perineal laceration with anatomy and pelvic floor muscle strength. *Bali Medical Journal*. 2023; 12(3): 3146-3150
9. Gao L, Wang S, Zhang D, Zhu H, Jia Y, Wang H et al. Pelvic Floor Muscle Strength in the First Trimester of Primipara: A Cross-Sectional Study. *Int J Environ Res Public Health*. 2022;19(3568) <https://doi.org/10.3390/ijerph19063568>

10. Fang J, Ye J, Huang Q, et al. Risk factors of pelvic floor muscle strength in south Chinese women: a retrospective study. *BMC Pregnancy Childbirth*. 2022;22(1):624. doi:10.1186/s12884-022-04952-0
11. Blomquist JL, Carroll M, Muñoz A, Handa VL. Pelvic floor muscle strength and the incidence of pelvic floor disorders after vaginal and cesarean delivery. *Am J Obstet Gynecol*. 2020;222(1):62.e1-62.e8. doi:10.1016/j.ajog.2019.08.003
12. Zhu J, Si J, Zhao L. *et al*. Association between infant birthweight and pelvic floor muscle strength: a population-based cohort study. *BMC Pregnancy Childbirth*. 2023; 23(266). <https://doi.org/10.1186/s12884-023-05511-x>
13. The world bank. Birth rate, crude (per 1,000 people) – Indonesia [Internet]. 2022 [cited 2022 Sep 29]. Available from: <https://data.worldbank.org/indicator/>
14. Dinas Pengendalian Penduduk KBK dan PSPSB. Profil perkembangan kependudukan Provinsi Sumatera Barat tahun 2018. Padang: DPPKBKPS; 2019.
15. Dinas Kesehatan Kota Padang. Laporan tahunan Dinas Kesehatan Kota Padang tahun 2021. Padang. 2022
16. Anatomical detail of female pelvic anatomy. Adapted from Netter [2002]
17. Baggish, M. S., & Karam, M. M. (2011). *Atlas of Pelvic Anatomy and Gynecologic Surgery*. Elsevier.
18. Eickmeyer SM. Anatomy and physiology of the pelvic floor. *Physical Medicine and Rehabilitation Clinics*. 2017 ;28(3):455-60.
19. Sampsel CM, DeLancey JO. Anatomy of female continence. *Journal of WOCN*. 1998 Mar 1;25(2):63-74.
20. Fitz FF, Stüpp L, Costa TF, Sartori MG, Girão MJ, Castro RA. Correlation between maximum voluntary contraction and endurance measured by digital palpation and manometry: An observational study. *Rev Assoc Med Bras*. 2016;62(7):635-640. doi:10.1590/1806-9282.62.07.635
21. Volløyhaug I, Mørkved S, Salvesen Ø, Salvesen KÅ. Assessment of pelvic floor muscle contraction with palpation, perineometry and transperineal

- ultrasound: a cross-sectional study. *Ultrasound Obstet Gynecol.* 2016;47(6):768-773. doi:10.1002/uog.15731
22. Pandey M, Batra A. Evaluation of Pelvic Floor Muscle Strength in Nulliparous, Parous and Postmenopausal Women and its Association with Various Factors. *J Obstet Gynaecol India.* 2022;72(6):515-521. doi:10.1007/s13224-022-01716-w
 23. Abe-Takahashi Y, Kitta T, Ouchi M, et al. Reliability and validity of pelvic floor muscle strength assessment using the MizCure perineometer. *BMC Womens Health.* 2020;20(1):257. Published 2020 Nov 19. doi:10.1186/s12905-020-01127-x
 24. Rai A, Sharma N, Jain SK, Lalwani A, Sharma S. Accuracy and Reliability of Different Approaches for the Assessment of Pelvic Floor Muscle Strength: A Systematic Review. *J Pharm Bioallied Sci.* 2023;15(Suppl 2):S856-S861. doi:10.4103/jpbs.jpbs_241_23
 25. Demir O, Comba C. Risk Factors for Decreased Pelvic Floor Muscle Strength: Which is More Effective?. *Gynecol Obstet Reprod Med.* 2021;27(1):56-9
 26. Fante JF, Ferreira CHJ, Juliato CRT, Benetti-Pinto CL, Pereira GMV, Brito LGO. Pelvic floor parameters in women with gynecological endocrinopathies: a systematic review. *Rev Assoc Med Bras.* 2020;66(12):1742-1749. doi:10.1590/1806-9282.66.12.1742
 27. Peinado-Molina RA, Hernández-Martínez A, Martínez-Vázquez S, Rodríguez-Almagro J, Martínez-Galiano JM. Pelvic floor dysfunction: prevalence and associated factors. *BMC Public Health.* 2023;23(1):2005. Published 2023 Oct 14. doi:10.1186/s12889-023-16901-3
 28. Takacs P, Pákozdy K, Koroknai E, Erdődi B, Krasznai Z, Kozma B. A randomized controlled pilot trial to assess the effectiveness of a specially formulated food supplement and pelvic floor muscle training in women with stress-predominant urinary incontinence. *BMC Womens Health.* 2023;23(1):321. Published 2023 Jun 20. doi:10.1186/s12905-023-02476-z
 29. Aiyegbusi AI, Eze DI, Balogun OJ et al. Prevalence of pelvic floor dysfunction and associated risk factors among Nulligravida college students:

- a cross-sectional study. *Bull Fac Phys Ther.* 2023; 28(36).
<https://doi.org/10.1186/s43161-023-00147-6>
30. Sobhgol SS, Smith CA, Dahlen HG. The effect of antenatal pelvic floor muscle exercises on labour and birth outcomes: a systematic review and meta-analysis. *Int Urogynecol J.* 2020;31(11):2189-2203. doi:10.1007/s00192-020-04298-1
 31. Sobhgol SS, Smith CA, Thomson R, Dahlen HG. The effect of antenatal pelvic floor muscle exercise on sexual function and labour and birth outcomes: A randomised controlled trial. *Women Birth.* 2022;35(6):e607-e614. doi:10.1016/j.wombi.2022.02.009
 32. Zhang D, Bo K, Montejo R, et al. Influence of pelvic floor muscle training alone or as part of a general physical activity program during pregnancy on urinary incontinence, episiotomy and third- or fourth-degree perineal tear: Systematic review and meta-analysis of randomized clinical trials. *Acta Obstet Gynecol Scand.* Published online December 23, 2023. doi:10.1111/aogs.14744
 33. Alperin M, Kaddis T, Pichika R, Esparza MC, Lieber RL. Pregnancy-induced adaptations in intramuscular extracellular matrix of rat pelvic floor muscles. *American journal of obstetrics and gynecology.* 2016 Aug 1;215(2):210-e1.
 34. Nyhus MØ, Oversand SH, Salvesen Ø, Salvesen KÅ, Mathew S, Volløyhaug I. Ultra-sound assessment of pelvic floor muscle contraction: reliability and development of an ultrasound-based contraction scale. *Ultrasound Obstet Gynecol* 2020;55:125–31.
 35. Youssef A, Brunelli E, Fiorentini M, Pilu G, Spelzini F. The role of the maternal pelvic floor in vaginal delivery. *American Journal of Obstetrics and Gynecology.* 2023 Jul 20.
 36. Youssef A, Brunelli E, Fiorentini M, Pilu G, El-Balat A. The correlation between levator ani co-activation and fetal head regression on maternal pushing at term. *J Matern Fetal Neonatal Med* 2022;35:9654–60.
 37. Fang J, Zhang R, Lin S, et al. Impact of parity on pelvic floor morphology and function: A retrospective study. *Medicine (Baltimore).* 2023;102(45):e35738. doi:10.1097/MD.00000000000035738

38. Bertacini DMM, Beleza ACS, Driusso P. The effect of parity on the function of pelvic floor musculature in the long term: cross-sectional study. *Obstet Gynecol Sci.* 2020;63(5):577-585. doi:10.5468/ogs.19236
39. Vila Pouca MCP, Parente MPL, Natal Jorge RM, DeLancey JOL, Ashton-Miller JA. Pelvic floor muscle injury during a difficult labor. Can tissue fatigue damage play a role?. *Int Urogynecol J.* 2022;33(2):211-220. doi:10.1007/s00192-021-05012-5
40. García-Mejido JA, Fernández-Palacín A, Bonomi Barby MJ, Castro L, Aquisé A, Sainz JA. A comparable rate of levator ani muscle injury in operative vaginal delivery (forceps and vacuum) according to the characteristics of the instrumentation. *Acta Obstet Gynecol Scand.* 2019;98(6):729-736. doi:10.1111/aogs.13544
41. Nutaitis AC, Meckes NA, Madsen AM, et al. Postpartum urinary retention: an expert review. *Am J Obstet Gynecol.* 2023;228(1):14-21. doi:10.1016/j.ajog.2022.07.060
42. Li Q, Zhu S, Xiao X. The risk factors of postpartum urinary retention after vaginal delivery: A systematic review. *Int J Nurs Sci.* 2020;7(4):484-492. Published 2020 Sep 15. doi:10.1016/j.ijnss.2020.09.002
43. Cao D, Rao L, Yuan J, Zhang D, Lu B. Prevalence and risk factors of overt postpartum urinary retention among primiparous women after vaginal delivery: a case-control study. *BMC Pregnancy Childbirth.* 2022;22(1):26. Published 2022 Jan 11. doi:10.1186/s12884-021-04369-1
44. Bayu B, Lengkong R, Wantania J. Postpartum Urinary Retention after Vaginal Delivery. *Indones J Obstet Gynecol.* 2019; 7(2): 141-5.
45. Gupta A, Pampapati V, Khare C, Murugesan R, Nayak D, Keepanasseril A. Postpartum urinary retention in women undergoing instrumental delivery: A cross-sectional analytical study. *Acta Obstet Gynecol Scand.* 2021;100(1):41-47. doi:10.1111/aogs.13954
46. Barca JA, Bravo C, Pintado-Recarte MP, Asúnsolo Á, Cueto-Hernández I, Ruiz-Labarta J, Buján J, Ortega MA, De León-Luis JA. Pelvic floor morbidity following vaginal delivery versus cesarean delivery: systematic

review and meta-analysis. *Journal of Clinical Medicine*. 2021 Apr 13;10(8):1652.

47. Hage-Fransen, M.A.H.; Wiezer, M.; Otto, A.; Wieffer-Platvoet, M.S.; Slotman, M.H.; der Sanden, M.W.G.N.; Pool-Goudzwaard, A.L. Pregnancy- and obstetric-related risk factors for urinary incontinence, fecal incontinence, or pelvic organ prolapse later in life: A systematic review and meta-analysis. *Acta Obstet. Gynecol. Scand*. 2021, 100, 373–382
48. Johannessen HH, Mørkved S, Stordahl A, Wibe A, Falk RS. Evolution and risk factors of anal incontinence during the first 6 years after first delivery: a prospective cohort study. *BJOG*. 2020;127(12):1499-1506. doi:10.1111/1471-0528.16322
49. Everist R, Burrell M, Mallitt KA, Parkin K, Patton V, Karantanis E. Postpartum anal incontinence in women with and without obstetric anal sphincter injuries. *Int Urogynecol J*. 2020;31(11):2269-2275. doi:10.1007/s00192-020-04267-8
50. Bergendahl S, Sandström A, Spasojevic A. et al. Anal incontinence after a prolonged second stage of labor in primiparous women. *Sci Rep*. 2022; 12 (7315) <https://doi.org/10.1038/s41598-022-11346-x>
51. De Robles MS, Young CJ. Transperineal rectocele repair is ideal for patients presenting with fecal incontinence. *Ann Coloproctol*. 2022;38(5):376-379. doi:10.3393/ac.2021.00157.0022
52. Pangasuti N, Sari DCR, Santoso BI, Agustiningsih D, Emilia O. Gambaran Faktor Risiko Prolaps Organ Panggul Pasca Persalinan Vaginal di Daerah Istimewa Yogyakarta. *Majalah Kedokteran Bandung*. 2018; 50(2)
53. Sarkar A, Anand S, Singh A, Singla R. A rare case of cystocele in pregnancy: Case report from a tertiary care hospital in Northern India. *International Journal of Clinical Obstetrics and Gynaecology*. 2020; 4(4): 25-26
54. Lu D, Liu F, Ning X, Zhang H, Huang Y. Anterior vaginal wall protrusion in pregnancy: a case report. *J Int Med Res*. 2020;48(1):300060519899524. doi:10.1177/0300060519899524