

DAFTAR PUSTAKA

1. Chandimali N, Bak SG, Park EH, Lim H jin, Won Y seon, Kim E kyung. Free radicals and their impact on health and antioxidant defenses : a review. Cell Death Discov [Internet]. 2025;(December 2024). Available from: <http://dx.doi.org/10.1038/s41420-024-02278-8>
2. Tumilaar SG, Hardianto A, Dohi H, Kurnia D. A Comprehensive Review of Free Radicals , Oxidative Stress , and Antioxidants : Overview , Clinical Applications , Global Perspectives , Future Directions , and Mechanisms of Antioxidant Activity of Flavonoid Compounds. J Chem. 2024;2024.
3. Parveen B, Rajinikanth V, Narayanan M. Natural plant antioxidants for food preservation and emerging trends in nutraceutical applications. Discov Appl Sci. 2025;7(845).
4. El-lateef HMA, El-dabea T, Khalaf MM. Recent Overview of Potent Antioxidant Activity of Coordination Compounds. Antioxidant. 2023;12(213).
5. Rahaman M, Hossain R, Torequl M, Olubunmi I, Oluyomi A, Adeyemi S, et al. Natural antioxidants from some fruits , seeds , foods , natural products , and associated health benefits : An update. food, saine Nutr. 2023;11:1657–70.
6. Shi L, Zhao W, Yang Z, Subbiah V, Ansar H, Suleria R. Extraction and characterization of phenolic compounds and their potential antioxidant activities. Environ Sci Pollut Res [Internet]. 2022;29:81112–29. Available from: <https://doi.org/10.1007/s11356-022-23337-6>
7. Tena N, Mart J. State of the Art of Anthocyanins : Antioxidant Activity , Sources , Bioavailability , and Therapeutic E ff ect in Human Health. Antioxidants. 2020;9(451).
8. Hartiningsih S, Suprianto. Extraction of Phenolic Total Compound and Determination of Antioxidant Activity of Cocoa Leaves Extracted Using Various Solvents. J Tek Pertan. 2023;12(1):129–38.
9. Christian J, Kouam D, Ndjaga JM, Akoa SP, Ondobo ML, Onomo PE, et al. Flavan - 3 - ol and flavonol analysis in healthy and infected parents and progenies of cocoa leaves (Theobroma cacao L .) with Phytophthora megakarya Bras . and Grif. Trop Plant Pathol [Internet]. 2022; Available from: <https://doi.org/10.1007/s40858-022-00521-0>
10. T MRR, Maryam S. Comparison o f Tannin -Compound Levels from Cacao Leaf Ethanol Extract (Theobroma cacao L .) by Place o f Growing. Pharmaceutical. 2024;62–7.
11. Ilma N, Savira I, Nurfadhilah FA, Hariani SA. Phytochemical Profiling of Ethanol Extract from Cocoa Leaves (Theobroma Cacao L .) using Gas Chromatography - Mass Spectrometry Skrining Fitokimia Ekstrak Etanol Daun Kakao (Theobroma cacao L .) Menggunakan Gass Chromatography Mass Spectrometry. LenteraBio. 2024;13:377–81.
12. Fadhli H, Dea V, Anggreini S, Ainun S. Kadar Total Fenolik dan Aktivitas Antioksidan pada Ekstrak Etanol Daun Kakao (Theobroma cacao L .). JC-T (Journal Cis-Trans) J Kim dan Ter. 2024;6573:26–32.
13. Arrofiqi MR, Sakti AS, Dita F, Farmasi PS, Kesehatan FI, Muhammadiyah U, et al. Kajian Literatur : Aplikasi Sejumlah Metode Ekstraksi Konvesional untuk Mengekstraksi. J Farm dan Herb. 2024;7(1).
14. Adiwinata W, Fathan F, Andika A, Nadiroh N. Artikel Review Fitokimia : Efektivitas Infusa sebagai Metode Ekstraksi. JFST J Farm Sains dan Kesehat. 2025;03(02):48–58.
15. Yefrida, F. Lastri, Refilda. Optimization of Antioxidant Extraction from Red Ginger Rhizomes (Zingiber. Trop J Nat Prod Res. 2026;10(January):6642–51.
16. Andriana Y, Fatih M, Haryanti P, Pangestuti R, Kurnianto D, Rakhmi A, et al. Optimization of ultrasonic-assisted extraction (UAE) for phenolics and antioxidant activity from cocoa (Theobroma cacao) leaves and phytochemical profiling using GC-MS and LC-HRMS. Biocatal Agric Biotechnol [Internet]. 2025;65(December 2024):103557. Available from: <https://doi.org/10.1016/j.bcab.2025.103557>
17. Abulude FO, Ogunkoya MO, Adenibuyan GB, Mabinuola K. Phytochemical Assessment of The Extracts of Stem (Bark) and Leaves of Theobroma Cocoa Materials : Experimental Procedure and Its Comparison to Literature. ASEAN J Sci Eng Mater. 2022;1(2):85–92.
18. Farhanandi BW, Indah NK. Karakteristik Morfologi dan Anatomi Tanaman Kakao (

- Theobroma cacao* L.) yang Tumbuh pada Ketinggian Berbeda Morphological and Anatomical Characteristics of Cocoa Plants (*Theobroma cacao* L.) That Grow at Different Heights. *LenteraBio*. 2022;11(2):310–25.
19. Silva MC, Richardson JE, Bossa AM, José C, Pirani R. Phylogenetic evidence reshapes the taxonomy of Cacao and its allies (*Theobroma* and *Herrania*; *Malvaceae* , *Byttnerioideae*). *Brittonia* [Internet]. 2024;76(1):53–61. Available from: <https://doi.org/10.1007/s12228-024-09783-1>
 20. M. Kausar, Z Rozali, Y Aisyah. Science E. A mini review : Potential synergy of cacao leaves and cinnamon bark as a functional tea. *Earth Environ Sci*. 2024;(1356).
 21. Chouikh A. Understanding the Role of Free Radicals , Oxidative Stress , and Antioxidants : A Comprehensive Review. *nanobiolatters*. 2025;14(2):1–18.
 22. Jomova K, Alomar SY, Alwasel SH, Nepovimova E, Kuca K, Valko M. Several lines of antioxidant defense against oxidative stress : antioxidant enzymes , nanomaterials with multiple enzyme - mimicking activities , and low - molecular - weight antioxidants [Internet]. Vol. 98, *Archives of Toxicology*. Springer Berlin Heidelberg; 2024. 1323–1367 p. Available from: <https://doi.org/10.1007/s00204-024-03696-4>
 23. Travi V, Šovljanski O, Erceg T, Perovi M. Updating the Status quo on the Eco-Friendly Approach for Antioxidants Recovered from Plant Matrices Using Cloud Point Extraction. *Antioxidants*. 2024;13(280):2–24.
 24. Gulcin I, Alwasel SH. DPPH Radical Scavenging Assay . *Processes*. 2023;11(2248):2–20.
 25. Yamauchi M, Kitamura Y, Nagano H, Kawatsu J, Gotoh H. DPPH Measurements and Structure — Activity Relationship Studies on the Antioxidant Capacity of Phenols. *Antioxidants*. 2024;13(309):2–16.
 26. Maria P, Lamuela-ravent RM. The Chemistry Behind the Folin – Ciocalteu Method for the Estimation of (Poly) phenol Content in Food : Total Phenolic Intake in a Mediterranean Dietary Pattern. *Agric Food Chem*. 2023;71:17543–54.
 27. Karabegoić I, Stojanović SS, Mančić S, Đorđević N, Malićanin M. Optimization of food-grade bioactive compound extraction from plant sources by response surface methodology approach: A comprehensive review. *MASO Int*. 2023;1:31–47.
 28. Reji M, Kumar R. Response surface methodology (RSM): An overview to analyze multivariate data. *Indian J Microbiol Res*. 2023;9(4):241–7.
 29. Yusniawati W, Hasan T, Iqba M. Uji Kadar Fenolik Total Dan Aktivitas Antioksidan Ekstrak Etanol Kunyit Hitam (*Curcuma caesia* Roxb .). *J Novem Med Farma*. 2024;1–8.
 30. Yefrida, Isra H, Refilda. Penentuan kandungan antioksidan dan fenolik total dari 5 spesies tumbuhan Famili Myrtaceae. *J Kim Unand*. 2023;12(1):26–31.
 31. Yefrida Y, Deswati D, Refilda R, Hayana H, Firsti N El, Putra A. Optimization of Antioxidant Extraction from *Moringa oleifera* Leaves Using an Integrated OFAT and RSM – CCD Approach. *Adv J Chem*. 2026;9(7):1283–96.
 32. Stinus S, Erban P, Diebold J, Schmidt MS. Identification of the Mixing Ratios of Beer-Mixed Beverages by. *beverages*. 2023;4(9):1–12.
 33. Firsti N El, Yefrida, Refilda. Determination of Optimum Extraction Conditions for Antioxidant Capacity from White Turmeric Rhizome (*Curcuma zedoaria* (Christm .) Roscoe) Using Response Surface Methodology. *J Ris Kim*. 2026;17(1):64–77.
 34. Hidayatullah M, Rakhmatullah AN, Perdana D. Penetapan Kadar Fenolik Total dan Flavonoid Total Ekstrak Etanol Batang Bajakah Tampala (*Spatholobus littoralis* Hassk .). *J Pharmacolium*. 2023;6(2):41–52.
 35. Laela DP. Verifikasi Metode Penetapan Kadar Fenol Total Cara Folin-Ciocalteu. *J Pengemb Potensi Lab*. 2025;4(2):89–99.
 36. Iba R, San-rom M, Fern E. Opportunities of desalination concentrates for lithium recovery : Optimal separation by synergic solvents. *Sep Purif Technol*. 2023;326(June).
 37. Islam S, Ahmad I, Ali K, Rayhan A, Mahmood S, Jon PH, et al. RSM-Based optimization of phenolic extraction from black tea and encapsulation with maltodextrin through multiple drying techniques. *Food Chem Adv* [Internet]. 2026;10(December 2025):101203. Available

- from: <https://doi.org/10.1016/j.focha.2025.101203>
38. Loganathan V, Vijayan L, Rengaraju B. Optimisation of Microwave-Assisted Extraction of Phenolic Compounds from *Pithecellobium dulce* Fruit Peels : Comparative Process Modelling Using RSM and ANN with Bioactivity Evaluation. *Processes*. 2025;13:1–21.
 39. Hayat Z, Riaz T, Saleem K, Akram K, Rehman HU. Optimization of Gallic Acid-Rich Extract from Mango (*Mangifera indica*) Seed Kernels through Ultrasound-Assisted Extraction. Separation. 2023;10(376):1–14.
 40. Jagadeesan N, Selvaraj A, Nagaraja S, Abbas M. Response Surface Methodology Based Optimization of Test Parameter in Glass Fiber Reinforced Polyamide 66 for Dry Sliding, Tribological Performance. *Materials (Basel)*. 2022;15:1–16.
 41. Akhan M, Türkol M, Yıkmış S, Çakmak B, Khalid MZ. Enhancing the Functionality and shelf life of poppy sherbet by optimizing ultrasound and propolis using response surface methodology : Impact on phenolic compounds , organic acids , sugar components , and sensory characteristics. *LWT*. 2025;218.
 42. Chen Z, Han J, Li W, Zhao C, Chen X, Zhang L, et al. Response surface methodology (RSM) directed extraction and metabolomics-based analysis of bioactive phenolics in different varieties of *Actinidia arguta*. *LWT [Internet]*. 2026;244:1–10. Available from: <https://doi.org/10.1016/j.lwt.2026.119197>
 43. Chen S, Zhang H, Yang L, Zhang S, Jiang H. Optimization of Ultrasonic-Assisted Extraction Conditions for Bioactive Components and Antioxidant Activity of *Poria cocos*. *Foods*. 2023;12:2–15.
 44. Huo H, Bao H, Li J, Li H. Ultrasonics Sonochemistry Optimization and antioxidant evaluation of clean and efficient recovery of polyphenols from *Phellodendron amurense* waste leaves via. *Ultrason Sonochem [Internet]*. 2025;120:107512. Available from: <https://doi.org/10.1016/j.ultsonch.2025.107512>
 45. Nurcholis W, Safithri M, Marliani N, Iqbal M. Response surface modeling to optimize sonication extraction with the maceration method for the phenolic content and antioxidant activity of *Justicia gendarussa* Burm f . *J Appl Pharm Sci*. 2023;13(10):181–7.