

DAFTAR PUSTAKA

- Abdul, E., & Assirey, R. (2015). Nutritional composition of fruit of 10 date palm (*Phoenix dactylifera* L.) cultivars grown in Saudi Arabia. *Integrative Medicine Research*, 9(1), 75–79.
- Adam Omer Ishag, O., A. Khalid, A., Abdi, A., Yaagoub Erwa, I., Babiker Omer, A., & H. Nour, A. (2020). Proximate Composition, Physicochemical Properties and Antioxidant Activity of Flaxseed. *Annual Research & Review in Biology*, 34(2), 1–10. <https://doi.org/10.9734/arrb/2019/v34i230148>
- Adi, B., Mawarno, S., & Lewerissa, B. (2024). Karakteristik dan Potensi Pangan Fungsional Snack Bar Berbasis Sorgum dengan Perbedaan Jenis Binder. *Jurnal Pangan Indonesia*. 35(2), 237–245.
- Ahmad, A. (2018). *Development of High Energy Cereal and Nut Granola bar*. *International Journal of Agriculture and Biological Sciences*, 1(Sep–Oct), 13–20.
- Ahmed, S., Sulaiman, S. A., Baig, A. A., Ibrahim, M., Liaqat, S., Fatima, S., Jabeen, S., Shamim, N., & Othman, N. H. (2018). Review Article Honey as a Potential Natural Antioxidant Medicine: An Insight into Its Molecular Mechanisms of Action. <https://doi.org/10.1155/2018/8367846>
- Alemayehu, G. F., Forsido, S. F., Tola, Y. B., & Amare, E. (2023). Nutritional and Phytochemical Composition and Associated Health Benefits of Oat (*Avena sativa*) Grains and Oat-Based Fermented Food Products. *The Scientific World Journal*, Article 2730175, 16 pages.
- Andra. (2023). Kacang Tunggak Kandungan dan Komposisi Gizi. *Andra Farm*.
- Anam, C., Hamidah, E., Kusumawati, D. E., Istiqomah, I., Qibtiyah, M., & Amiroh, A. (2024). Isolat protein kacang tunggak termodifikasi melalui jenis dan konsentrasi bahan kimia. *Agrointek: Jurnal Teknologi Industri Pertanian* 18(2), 419. <https://doi.org/10.21107/agrointek.v18i2.16837>
- Anggraini, R. A., Apriyani, Y., & Pertiwi, M. W. (2024). Klasifikasi Jenis Kismis Menggunakan Teknik Data Mining. 24(1), 45–56. *Jurnal Kajian Ilmiah*, 24(1), 45–56.
- Ariviani, S., Sholihin, N. H., & Nastiti, G. P. (2021).

- Pengembangan Tepung Kecambah Kacang Tunggak (*Vigna unguiculata*) Sebagai Sereal Fungsional Kaya Serat Pangan Dan Berpotensi Antioksidan Development Of Cowpea (*Vigna unguiculata*) Sprouts Flour As A Functional Cereal High In Dietary Fiber And Antioxidant Potential. *Jurnal Teknologi Hasil Pertanian*, 14(2), 84–95.
- Astina, J., Goyudianto, B. A., & Muslimatun, S. (2023). Nutrient profiling of *Snack Bars* according to Indonesian Healthier Choice criteria. *Jurnal Gizi dan Pangan*, 18(Supplement 1), 134–136.
- Atkinson, F. S., Brand-miller, J. C., Foster-powell, K., Buyken, A. E., & Goletzke, J. (2021). International tables of glycemic index and glycemic load values 2021 : a systematic review. *The American Journal of Clinical Nutrition*, 114(5), 1625–1632. <https://doi.org/10.1093/ajcn/nqab233>
- Badan Standardisasi Nasional. (1995). Syarat Mutu. SNI 01-3728-1995 Syarat Mutu Tepung Kacang Hijau
- Badan Standardisasi Nasional. (2022). Syarat Mutu. SNI 2973-2022 Syarat Mutu Biskuit
- Baharudin, A., Dzaki, M., & Erlangga, R. (2023). Kajian Potensi Komoditas Vanilla Indonesia di Pasar Internasional. 2(2020), 108–121. Prosiding Hasil Penelitian Sosial Ekonomi Pertanian
- Barakat, H., Alfheaid, H. A., Aljutaily, T., Alayouni, R., & Alharbi, H. F. (2025). Elucidating the Nutritional Profile and Biochemical Characterization of High-Energy Nutritional Bar Formulated with Sukkari Date Paste and Mixed Nuts. *Food Chemistry*, 1–23.
- Cahyana, C., & Artanti, G. D. (2005). Bahan dan Fungsi Bahan dalam Pembuatan Roti. Lembaga Pengembangan Pendidikan Universitas Negeri Jakarta.
- Chen, Z., Fu, Y., Luo, H., Li, S., Li, Y., Liu, W., Luo, P., Liu, W., & Wei, C. (2025). Multifunctional phenolics in flaxseed oil: Structures, antioxidant and antimicrobial bioactivities. *Food Chemistry*, 493, 145834.
- Chaudhary, M., Singh, R., & Chauhan, E. S. (2022). Nutritional Properties and Organoleptic Evaluation of Formulated Granola bar. 41–45. *International Journal of Food and*

- Fermentation Technology*, 12(1), 41–45.
- Chompoo, M., Somjai, C., Sriwattana, S., Utama-ang, N., Loakuldilok, T., & Osiriphun, S. (2023). A healthy cereal *Granola bar* formulation from a mixture of Thai local rice flour, Job's tears flour, and black sesame seeds. *Biology and Life Sciences Forum*, 26, 15074.
- Choi, J., and Kim, J. (2020). Protein stability in *Snack Bars*: Effects of ingredients and processing conditions. *Food Chemistry*, 323, 126850.
- Ciurzyńska, A., Galus, S., Karwacka, M., & Janowicz, M. (2022). The sorption properties, structure and shrinkage of freeze-dried multi-vegetable *Snack Bars* in the aspect of the environmental water activity. *LWT – Food Science and Technology*, 171, Article 114090.
- Darmatika, K., & Akhyar, P. (2018). Rasio Tepung Terigu Dan Tepung Kacang Tunggak (*Vigna unguiculata*) Dalam Pembuatan Crackers. *Jurnal Online Mahasiswa Fakultas Pertanian*, 1–14.
- Deng, Z. (2022). Benefits-Related Gut Microbes.
- Delviani, Y., Lestari, S., Lestari, S. D., & Ridhowati, S. (2021). Kajian mutu dan daya simpan dendeng udang putih (*Penaeus merguensis*) selama pengemasan dan penyimpanan suhu ruang. *AGROINTEK: Jurnal Teknologi Industri Pertanian*
- Direktorat Jenderal Kesehatan Masyarakat. (2018). *Tabel Komposisi Pangan Indonesia 2017*. Kemenkes RI.
- Diederichsen, A., & Richards, K. (2003). Cultivated flax and the genus *Linum* L.: Taxonomy and germplasm conservation. *Genetic Resources and Crop Evolution*, 50, 1–22.
- Doe-Addo, K. S., Tengey, T. K., Boakye, A., Zaukuu, J.-L. Z., Oduro, I. N., & Ellis, W. O. (2024). Physico-mechanical measurements, functional properties, proximate composition of newly developed climate-resilient cowpea (*Vigna unguiculata*) varieties and their classification with near-infrared spectroscopy. *Food, Nutrition and Health*, 1, 6.
- Dzuvor, C. K. O., Taylor, J. T., Acquah, C., Pan, S., & Agyei, D. (2018). Bioprocessing of functional ingredients from flaxseed. *Molecules*, 23(10), 2444.
- Emilda, E., & Daud, I. M. (2020). Pengaruh konsumsi biji rami

- (*Linum usitatissimum*) terhadap menstruasi pada remaja putri di SMP Negeri 2 Langsa. *Jurnal Sago Gizi Dan Kesehatan*, 1(1), 17. <https://doi.org/10.30867/gikes.v1i1.284>
- Erdoğan, A., Şeker, M., Yüksel, B., Ustaoglu, F., & Yazman, M. (2024). Elemental composition and nutritional values of chocolate bars available in Turkish markets: An integrated health risk assessment study. *Journal of Food Composition and Analysis*. <https://doi.org/10.1016/j.jfca.2024.106629>.
- Elvira, N., Wayan Wisaniyasa, N., Ni Made Indri Hapsari Jurusan Imu dan Teknologi Pangan, dan A., Teknologi Pertanian, F., & Kampus Bukit Jimbaran, U. (2019). Study Of Chemical, Functional Properties, And Protein Digestibility Of Cowpea Sprout Flour (*Vigna unguiculata* (L.) Walp). *Media Ilmiah Teknologi Pangan (Scientific Journal of Food Technology)*, 6(1),
- Firdausy, N., Rosida, D. F., & Winarti, S. (2023). Karakteristik kimia flakes dengan proporsi tepung jagung dan tepung kacang tunggak yang diperkaya dengan minyak biji bunga matahari. *Jurnal Pangan dan Agroindustri*, 11(1), 21-29.
- Gajger, I. T., Dar, S. A., Ahmed, M. M. M., Aly, M. M., & Vlaine, J. (2025). Antioxidant Capacity and Therapeutic Applications of Honey : Health Benefits, Antimicrobial Activity and Food Processing Roles. 1–24.
- Garini, N. S., & Fidhya. (2023). Pembuatan Granola bar dengan penambahan kacang-kacangan yang mengandung zat besi. [Skripsi sarjana, STIKes Mitra Keluarga, Program Studi S1 Gizi].
- Gilbert J., Pomerleau, S., Perron, J., Gagnon, P., Labonté, M.-ève, & Provencher, V. (2021). Nutritional value of child-targeted food products : results from the Food Quality Observatory. *Public Health Nutrition* 24(16),5329–5337.
- Ginting, A. S. G., Yusa, N. M., & Ina, P. T. (2022). Pengaruh perbandingan tepung kacang tunggak (*Vigna unguiculata* (L.) Walp) dengan buah anggur bali (*Vitis vinifera*) kering terhadap karakteristik *Snack Bar*. Itepa: *Jurnal Ilmu dan Teknologi Pangan*, 11(2), 237–247.
- Gopalan, C., Sastri, R., Balasubramanian, S. C. (2004) Nutritive value of Indian foods. Hyderabad: National Institute of

Nutrition, ICMR

- Goyal, A., Sharma, V., Upadhyay, N., Gill, S., & Sihag, M. (2014). Flax and flaxseed oil: An ancient medicine and modern functional food. *Journal of Food Science and Technology*, 51(9), 1633–1653. <https://doi.org/10.1007/s13197-013-1247-9>
- Haryanto, B., Pratiwi, R., & Nugroho, A. (2023). Pengaruh penambahan bahan tambahan terhadap karakteristik kimia dan fisik produk pangan. *Jurnal Teknologi Pangan*, 17(2), 45–52.
- Hasibuan, Akram, Putri, Mentari, R. (2018). Pembuatan Margarin dan Baking Shortening Berbasis Minyak Sawit Merah dan Aplikasinya dalam Produk Bakery. *agriTECH* 38(4), 353–363.
- Herlambang, F. P., Lastriyanto, A., & Ahmad, A. M. (2019). Karakteristik Fisik dan Uji Organoleptik Produk Bakso Tepung Singkong sebagai Substitusi Tepung Tapioka. *Jurnal Keteknikan Pertanian Tropis dan Biosistem* 7(3), 253–258.
- Husni Puad. (2017). Keragaman Morfologi dan Kandungan Protein Kacang Tanah (*Arachis hypogaea* L.). 23(2), 91–100.
- Indira, L., Igual, M., & Mart, J. (2023). Techno-Functional Properties of Corn Flour with Cowpea (*Vigna unguiculata*) Powders Obtained by Extrusion. *Food Chemistry*, 143-150 (2).
- Istinganah, M., Rauf, R., & Widyaningsih, E. N. (2017). Tingkat Kekerasan dan Daya Terima Biskuit dari Campuran Tepung Jagung dan Tepung Terigu dengan Volume Air yang Proporsional. *Jurnal Kesehatan*, 10(2), 83.
- Ismayanti, M. (2015). Tepung Jagung Dengan Metode Linear Programming Formulation of Complementary Feeding Based on Germinated Cowpea Flour and Corn Using Linear Programming. *Jurnal Pangan dan Agroindustri* 3(3), 996–1005.
- Jamilatun, M. (2022). Analisis Cemarkan Mikroba Angka Lempeng Total (ALT) pada Kue Jajanan Pasar. *Jurnal Ilmiah Multidisiplin* 1(5), 1243–1248.
- Juanda, K. Z., & Sutedja, A. M. (2024). Penggunaan Variasi Beras sebagai Bahan Penyusun Roti Bebas Gluten. *Zigma* 39(2), 155–169.

- Karin, R. (2021). Pengaruh rasio tepung tempe dan pati jagung sebagai binder terhadap sifat sensoris, fisik, dan kimia *Granola bar* berbasis pangan lokal [Skripsi, Universitas Gadjah Mada].
- Khoirunisa, A. N., & Sjoifjan, O. (2022). Pengaruh Lama Pemanasan terhadap Komposisi Kimia Biji Rami (*Linum usitatissimum*) sebagai Bahan Pakan Unggas. *Jurnal Sains Dan Teknologi Peternakan*, 3(2), 35–42.
- Khoirunissa, Y. S., Putri, I. E., Studi, P., Gizi, I., Kesehatan, F. I., Muhammadiyah, U., & Hamka, P. (2022). Pemanfaatan Tepung Kacang Tunggak (*Vigna Unguiculata*) Dan Tepung Biji Saga Pohon (*Adenanthera Pavonina Linn*) Dalam Pembuatan Flakes Utilization of cowpea flour (*Vigna unguiculata*) and saga tree seeds flour (*Adenanthera pavonina Linn*) in making flakes. *Jurnal Sains Dan Teknologi Peternakan* 7(1), 80–92.
- Kunutsor, S. K., Jassal, D. S., Ravandi, A., & Lehoczki, A. (2025). Dietary flaxseed: Cardiometabolic benefits and its role in promoting healthy aging. *GeroScience*, 47(3), 2895–2923. <https://doi.org/10.1007/s11357-025-01512-0>
- Leaf, A., & Antonio, J. (2017). *The Effects of Overfeeding on Body Composition: The Role of Macronutrient Composition – A Narrative Review. International Journal of Exercise Science*
- Lestari, P. A., Yusasrini, N. L. A., & Wiadnyani, A. A. I. S. (2019). Pengaruh perbandingan terigu dan tepung kacang tunggak terhadap karakteristik crackers. *Jurnal Ilmu dan Teknologi Pangan (Itepa)*, 8(4), 457–464.
- Lorenc, F., Jarošová, M., Bedrníček, J., Smetana, P., & Bárta, J. (2024). Recent trends in food and dietary applications of flaxseed mucilage: a mini review. *International Journal of Food Science and Technology*, 59(4), 2111–2121.
- Maherarti, A. R. R. A., & Ekayanti, I. (2024). Pengembangan biskuit dengan penambahan biji rami sebagai finger food bagi baduta dengan defisiensi omega-3 Development of biscuits with the addition of flax seeds as finger food for toddlers with omega-3 deficiency. *Jurnal Ilmu Gizi dan Dietetik*, 3(3), 164–174
- Mamat, H., & Hill, S. E. (2014). Effect of Fat Types on The

- Structural and Textural Properties of Dough and Semi-Sweet Biscuit. *Journal of Food Science and Technology*, 51(9), 1998–2005.
- Mannepalli, S., Deepthi, P., Mohana, L., Kumari, A., & Seshagiri, S. (2024). Formulation of Energy Bars by using Sunflower Seeds. *Journal of Advances and Scholarly Researches in Allied Education*. <https://doi.org/10.29070/hza5j069>.
- Marand, M., Amjadi, S., Marand, M., Roufegarinejad, L., & Jafari, S. (2019). Fortification of yogurt with flaxseed powder and evaluation of its fatty acid profile, physicochemical, antioxidant, and sensory properties. *Powder Technology*, 359, 76–84. <https://doi.org/10.1016/j.powtec.2019.09.082>.
- Margier, Georges, Hafnaoui, Remond, Nowick, Chaffaut, Amiot, R. (2018). Nutritional Composition and Bioactive Content of Legumes : Characterization of Pulses Frequently Consumed in France and Effect of the legume. *Food Chemistry*, 1–12.
- Maya, S. (2025). Analisis kandungan zat gizi dan serat kasar pada stik biji rami sebagai alternatif camilan untuk penyandang diabetes mellitus. *Jurnal Gizi Kerja dan Produktivitas*, 6(1), 90–102.
- Nasiroh, F. F., Atul Quddus, A., & Tubagus, R. (2024). Karakteristik kimia dan organoleptik energy *Snack Bar* dengan substitusi emping singkong. *Jurnal Pangan dan Gizi*, 14(2), 16148.
- Ngoma, T. N., Chimimba, U. K., Mwangwela, A. M., Thakwalakwa, C., & Maleta, K. M. (2018). Effect of cowpea flour processing on the chemical properties and acceptability of a novel cowpea blended maize porridge. *Plos One*, 13(7), e0200418. <https://doi.org/10.1371/journal.pone.0200418>
- Nowak, W., & Jeziorek, M. (2023). The Role of Flaxseed in Improving Human Health. *Healthcare* 1–20.
- Noh, M. F. M., Gunasegavan, R. D.-N., Khalid, N. M., Balasubramaniam, V., Mustar, S., & Rashed, A. A. (2020). Recent techniques in nutrient analysis for food composition database. *Journal of food and molecules*, 25(19), 4567.
- Nugroho, R. C., Madjid, A., Jember, P. N., & Korespondensi, P. (2025). *Kajian Proses Pembuatan Gula Merah dari Macam Bahan Baku*. Jagad Tani: *Jurnal Ilmu Pertanian* 2(2), 287–

299.

- Olmo-cunillera, A., Escobar-avello, D., Andy, J. P., Marhuenda-muñoz, M., & M^a, R. (2019). *Is Eating Raisins Healthy?* *Journal of food and health*, 1–17.
- Oktavia, D. P. I., Razak, M., & Pudjirahaju, A. (2022). Pengaruh substitusi tepung kacang tunggak (*Vigna unguiculata* L.) dan tepung kacang hijau (*Vigna radiata*) terhadap mutu kimia, mutu gizi, dan mutu organoleptik biskuit sebagai PMT ibu hamil. *Jurnal Pendidikan Kesehatan*, 11(2), 169–183. <https://doi.org/10.31290/jpk.v11i2.3703>
- Padhi, S. R., Bartwal, A., John, R., Tripathi, K., & Gupta, K. (2022). Evaluation and Multivariate Analysis of Cowpea *Vigna unguiculata* (L .) Walp Germplasm for Selected Nutrients Mining for Nutri-Dense Accessions. *Frontiers in Sustainable Food Systems*, 1–12.
- Partika, E. (2024). Pengaruh Perbedaan Konsentrasi Gelatin terhadap Karakteristik Fisikokimia dan Organoleptik Marshmallow Ekstrak Bunga Telang (*Clitoria ternatea* L.). [Skripsi.Universitas Andalas].
- Parvin, S., D. Easmin., A. Sheikh., M. Biswas., S. C. D. Sharma., M. G. S. Jahan., M. A. Islam., N. Roy., and M. S. Shovon. (2015). Nutritional Analysis of Date fruits (*Phoenix dactylifera* L.) in Perspective of Bangladesh. *American Journal of Life Sciences*, 3(4): 274-278
- Paudel, D., Dhungana, B., Caffè, M., & Krishnan, P. (2021). *A Review of Health-Beneficial Properties of Oats*. *Journal of Foods and Benefits* 1–23.
- Permatasari, N., Angkasa, D., Swamilaksita, P. D., Melani, V., & Dewanti, L. P. (2020). Pengembangan biskuit MPASI tinggi besi dan seng dari tepung kacang tunggak (*Vigna unguiculata* L.) dan hati ayam. *Jurnal Pangan dan Gizi*, 10(2), 33–48.
- Pineda, C. G., Yamul, D. K., & Navarro, A. S. (2021). Effect of flaxseed (*Linum usitatissimum* L.) flour and yerba mate (*Ilex paraguariensis*) extract on physicochemical and sensory properties of a gluten-free corn-based snack. *Journal of Food Science and Technology*, 58(10), 3890–3901.
- Pramanik, J., & Kumar, A. (2023). A review on flaxseeds : Nutritional profile , health benefits, value added products , and

- toxicity. *Food Chemistry*, 1–15.
- Pratama, & Sarofa, U. (2025). Physicochemical and Organoleptic Characteristics of Snack Bars (Study: Proportion of Flaxseed Flour : Red Rice Flour and Addition of Honey. *AJARCADE (Asian Journal of Applied Research for Community Development and Empowerment)*, 9(3), 19–26.
- Prihapsari, F. A., & Nurani, D. (2021). Substitusi Tepung Kacang Tunggak (*Vigna Unguiculata L. Walp*) Pada Produk Cookies. *Jurnal Teknologi Busana dan Boga*. 9(2), 155–161.
- Puligundla, P., & Lim, S. (2022). *A Review of Extraction Techniques and Food Applications of Flaxseed Mucilage*. *Foods* (Basel, Switzerland), 11(12), 1677.
- Rabetafika, H. N., Remoortel, V. Van, Danthine, S., Paquot, M., & Blecker, C. (2011). *Review article Flaxseed proteins : food use and health benefits*. 221–228. <https://doi.org/10.1111/j.1365-2621.2010.02477>
- Ratnaningsih, N., & Marsono. (2013). Potensi Fungsional Resistant Starch Tipe 3 Dari Kacang-Kacangan Dengan Perlakuan Autoclaving Multisiklus Untuk Pencegahan Diabetes Mellitus Tipe II. Lembaga Penelitian dan Pengabdian kepada Masyarakat, Universitas Negeri Yogyakarta.
- Rosania, S. P., Sukardi, S., & Winarsih, S. (2023). Pengaruh Proporsi Penambahan Pati Ganyong (*Canna edulis* Ker.) Terhadap Sifat Fisiko Kimia Serta Tingkat Kesukaan Cookies. *Food Technology and Halal Science Journal*, 5(2), 186–205. <https://doi.org/10.22219/fths.v5i2.21937>
- Rosida, D. F. (2017). *Kajian Dampak Substitusi Kacang Tunggak Pada Kualitas Fisik Dan Kimia Tahu*. *Jurnal Teknologi Pangan*, 138–149.
- Sadimantara, Asyik Nur, F. (2024). Karakterisasi Sifat Fisikokimia Gula Merah Aren (*Arenga pinnata* Merr) Yang Diproduksi Di Desa Tetewua Kecamatan Dangia Kabupaten Kolaka Timur [Characterization of the Physicochemical Properties of Palm Sugar (*Arenga pinnata* Merr) Produced in. 2(4), 341–354. *Flaxseed and its Health Benefits*. 31(09), 42–51.
- Sarika, K., Jayathilakan, K., Lekshmi, R., Priya, E., Greeshma, S., & Rajkumar, A. (2019). Omega-3 enriched *Granola bar*: Formulation and Evaluation under different Storage

- Conditions. *Journal of science and chemistry*, 130-141 (3), 531.
- Sayekti, Rahmi Sri . Djoko, P. T. (2012). Karakteristik Delapan Akses Kacang Tunggak (*Vigna unguiculata* L. Walp) Asal Daerah Istimewa Yogyakarta. *Vegetalika*, 1(1), 1–10.
- Shaikh, R. P., Gadhe, K. S., & Syed, S. J. (2020). Studies on physico-chemical and functional properties of flaxseed flour. *Journal of Pharmacognosy and Phytochemistry*, 9(1), 2309–2312.
- Setyaningsih, D., Apriyantono, A., & Sari, MP (2010). Analisis Sensori Untuk Industri Pangan dan Agro. IPB Press. ISBN 978-979-493-216-2.
- Setyaningsih, D., Rusli, M. S., & Muliati, N. (2007). Sifat fisikokimia dan aroma ekstrak vanili, *Jurnal Ilmu Pertanian Indonesia*, 12 (3), 173-181.
- Sela Gracia Ginting, A., Yusa, N. M., & Timur Ina, P. (2022). Pengaruh Perbandingan Tepung Kacang Tunggak (*Vigna unguiculata* (L.) Walp) Dengan Buah Anggur Bali (*Vitis vinifera*) Kering Terhadap Karakteristik *Snack Bar*. *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 11(2), 237.
- Shabeeb, A. J., & Makki, G. A. (2025). Using of Gel Extracted From Flax Seeds to Preserve The Quality Characteristics of Ground Beef Patties Stored in The Freezer. *Journal on Health Science and Medicine*, (1) 1–10.
- Sharma, C., Kaur, A., Aggarwal, P., & Singh, B. (2014). *Cereal Bars A Healthful Choice*. *Carpathian Journal of Food Science and Technology*, 6(2), 29–36.
- Silva, E. P. D., Siquerra, H. H., Damiani, C. B. V and De Barros, E V. (2016). Physicochemical and sensory characteristics of Snack Bars added of jerivá flour (*Syagrus romanzoffiana*). *Food Science and Technology* (Campinas), 36(3): 421-425.
- Silva, S. F. De, & Alcorn, J. (2019). Flaxseed Lignans as Important Dietary Polyphenols for Cancer Prevention and Treatment : Chemistry , Pharmacokinetics , and Molecular Targets. *Food Science and Technology*, 21–38.
- Singgano, c tania, & koapha, teljhe, mamuaja, f. christine. (2015). Analisis Sifat Kimia Dan Uji Organoleptik *Snack Bar* Berbahan Dari Campuran Tepung Labu Kuning (Cucurbita

- Moschata) Dan Tepung Kacang Hijau (*Vigna radiata*). *Jurnal Teknologi Pertanian*, 10(1), 28–35.
- Singh, B. B., Ajeigbe, H. A., Tarawali, S. A., Fernandez-Rivera, S., & Abubakar, M. (2003). Improving the production and utilization of cowpea as food and fodder. *Field Crops Research*, 84(2–3), 169–177.
- Soto-Cerda, B. J., Cloutier, S., Quian, R., Gajardo, H. A., Olivos, M., & You, F. M. (2018). Genome-Wide Association Analysis of Mucilage and Hull Content in Flax (*Linum usitatissimum* L.) Seeds. *International journal of molecular sciences*, 19(10), 2870. <https://doi.org/10.3390/ijms19102870>
- Suleman, R., Choudhary, H., Garcia-Galicia, I. A., Ismail, T., Qamar, M., Zahoor, M. A., Aljobair, M. O. (2025). Utilization of flaxseed powder in controlling lipid oxidation and quality deterioration of fried goat meat patties. *Cogent Food & Agriculture*, 11(1). <https://doi.org/10.1080/23311932.2024.2444340>
- Sumariyanti, D., Kristiastuti, D., Sutiadiningsih, A., & Purwidiani, N. (2020). Pengaruh substitusi tepung kacang tunggak dan penambahan jus daun semanggi terhadap sifat organoleptik dan tingkat kesukaan semprong. *Jurnal Tata Boga*, 9(1), 130–141.
- Suryani, C. L., Purwantana, D., & Haryadi, H. (2016). Karakteristik pati kacang tunggak (*Vigna unguiculata*) dan soalnya. *Jurnal Agritech*, 121(2), 120-220
- Susanto, A. (2009). Uji Korelasi Kadar Air, Kadar Abu, Water activity dan Bahan Organik pada Jagung di Tingkat Petani, Pedagang pengumpul dan Pedagang Besar. In Seminar Nasional Teknologi Peternakan dan Veteriner (Vol. 835).
- Syarif, R., Mahdiyah, M., & Cahyana, C. (2023). Pengaruh Penggunaan Daun Kelor terhadap Kualitas *Granola bar*. *Jurnal Gizi Dan Kuliner (Journal of Nutrition and Culinary)*, 3(2), 11. <https://doi.org/10.24114/jnc.v3i2.43729>
- Syukri, D. (2021). Bagan Alir Analisis Proksimat Bahan Pangan (Volumetri dan Gravimetri). Andalas University Press. ISBN 978-623-7763-89-5.
- Tapia, M. S., Alzamora, S. M., & Chirife, J. (2020). Effects of water activity (aw) on microbial stability as a hurdle in food

- preservation. In G. V. Barbosa-Cánovas, A. J. Fontana Jr., S. J. Schmidt, & T. P. Labuza (Eds.), *Water activity in foods: Fundamentals and applications* (2nd ed., pp. 323–355). Wiley-Blackwell
- Tian, Y., Zhou, Y., Liao, W., Xia, J., Hu, Q., Zhao, Q., Zhang, R., Sun, G., Yang, L., & Li, L. (2025). Flaxseed powder supplementation in non-alcoholic fatty liver disease: a randomized controlled clinical trial. *Food & function*. <https://doi.org/10.1039/d4fo05847j>.
- Tunjungsari, P. (2019). Pengaruh Penggunaan Tepung Kacang Tunggak (*Vigna unguiculata*) terhadap Kualitas Organoleptik dan Kandungan Gizi Biskuit. *Jurnal Teknologi Busana dan Boga* 7(2), 110–118.
- U.S. Department of Agriculture. (2019). FoodData Central. U.S. Department of Agriculture. <https://fdc.nal.usda.gov>
- U.S. Department of Agriculture. (2022). FoodData Central. U.S. Department of Agriculture. <https://fdc.nal.usda.gov>
- U.S. Department of Agriculture. (2018). Full Report (All Nutrients) 19406, Snacks, *Granola bars*, Soft, Uncoated, Nut and Raisin. National Nutrient Database for Standard Reference
- Walp, V. L., Gerrano, A. S., Thungo, Z. G., Shimelis, H., Mashilo, J., & Mathew, I. (2022). Genotype-by-Environment Interaction for the Contents of Micro-Nutrients and Protein in the Green Pods of Cowpea. *International journal of molecular sciences*, 2 (3), 128-131
- Wang, D., Xiao, H., Lyu, X., Chen, H., & Wei, F. (2023). Lipid oxidation in food science and nutritional health: A comprehensive review. *Oil Crops Science*, 8 (1), 35-44.
- Widasari, D. E., Hartati, Y., Yunita, N., Telisa, I., dan Sihite, N. W. (2023). Penentuan Umur Simpan Produk Flakes Tilor (Tepung Hati Ayam dan Tepung Daun Kelor). *Jurnal Pustaka Padi*, 2(2), 40–44.
- Xu, Y., Hall, C. A., & Manthey, F. A. (2014). Effect of flaxseed flour on rheological properties of wheat flour dough and bread characteristics. *Journal of Food Research*, 3(6), 83–91.