

DAFTAR PUSTAKA

- Aloulou, A., Hamden, K., Elloumi, D., Ali, M. B., Hargafi, K., Jaouadi, B., Ayadi, F., Elfeki, A., & Ammar, E. (2012). Hypoglycemic and antilipidemic properties of kombucha tea in alloxan-induced diabetic rats. *BMC Complementary and Alternative Medicine*, 12. <https://doi.org/10.1186/1472-6882-12-63>
- Ana Farida, Evi Ristanti, A. C. K. (2013). Penurunan kadar kafein dan asam total pada biji kopi robusta menggunakan teknologi fermentasi anaerob fakultatif dengan mikroba nopkor mz-15. *Jurnal Teknologi Kimia Dan Industri*, 2(3).
- Arwangga, A. F, dan Sudiarta. 2016. Analisis Kandungan Kafein pada Kopi di Desa Sesaot Narmada menggunakan Spektrofotometri UV-Vis. *Jurnal Kimia (Journal of Chemistry)*.
- Aslani, E., & Angraeni, L. (2023). Pengaruh lama fermentasi terhadap karakteristik kimia dan organoleptik kopi arabika (*Coffea arabica* L) di KBQ Baburrayyan Aceh Tengah. *Jurnal Pertanian Agros*, 25(1), 313–322.
- Aziz, T., Cindo K N, R., & Fresca, A. (2009). Pengaruh Pelarut Heksana dan Etanol, Volume Pelarut, dan waktu Ekstraksi Terhadap Hasil Ekstraksi Minyak Kopi. *Jurnal Teknik Kimia*, 1-6.
- Bekedam, E. K., Schols, H. A., Van Boekel, M. A. J. S., & Smit, G. (2008). Incorporation of chlorogenic acids in coffee brew melanoidins. *Journal of Agricultural and Food Chemistry*, 56(6).
- Bobková, A., Hudáček, M., Jakabová, S., Belej, L., Capcarová, M., Demianová, A., ... & Arpášová, H. (2020). The effect of roasting degree on total phenolic content and antioxidant activity of Arabica and Robusta coffee. *Journal of*

- Environmental Science and Health, Part B*, 55(11), 1029-1035.
- Bueno, F., Chouljenko, A., & Sathivel, S. (2021). Development of coffee kombucha containing *Lactobacillus rhamnosus* and *Lactobacillus casei*: Gastrointestinal simulations and DNA microbial analysis. *Lwt*, 142(December 2020), 110980. <https://doi.org/10.1016/j.lwt.2021.110980>
- Catão, A. A., Mateus, N. de S., Garcia, C. da C., da Silva, M. C., Novaes, F. J. M., Alves, S., Marriott, P. J., & da Silva, A. I. (2022). Coffee-roasting variables associated with volatile organic profiles and sensory evaluation using multivariate analysis. *Applied Food Research*, 2(2). <https://doi.org/10.1016/j.afres.2022.100223>
- Daglia, M. (2012). Polyphenols as antimicrobial agents. *Current Opinion in Biotechnology*, 23(2), 174–181.
- European Medicines Agency. (2014). Public statement on the use of herbal medicinal products containing pulegone and menthofuran. Committee on Herbal Medicinal Products.
- Farah, A. (2012). Coffee Constituents. In: Chu, Y.F. (Ed.), *Coffee: Emerging Health Effects and Disease Prevention*. First Edition. John Wiley & Sons, Inc. Oxford, UK.
- Farhaty, N., & Muchtaridi. (2015). Tinjauan Kimia dan Aspek Farmakologi Senyawa Asam Klorogenat Pada Biji Kopi: review. *Farmaka*, 14(1) 214- 227.
- Farida, A., Ristanti, E., & Kumoro, A. C. 2013. Penurunan Kadar kafein dan asam Total pada biji kopi robusta menggunakan teknologi fermentasi anaerob fakultatif dengan mikroba Nopkor MZ-15. *Jurnal Teknologi Kimia dan Industri*, 2(2), 70-75.
- Febrianto, N. A., & Zhu, F. (2023). Coffee bean processing: Emerging methods and their effects on chemical, biological and sensory properties. *Food Chemistry*, 412, 135489.

- Ferreira de Miranda, J., Martins Pereira Belo, G., Silva de Lima, L., Alencar Silva, K., Matsue Uekane, T., Gonçalves Martins Gonzalez, A., Naciuk Castelo Branco, V., Souza Pitangui, N., Freitas Fernandes, F., & Ribeiro Lima, A. (2023). Arabic coffee infusion based kombucha: Characterization and biological activity during fermentation, and in vivo toxicity. *Food Chemistry*, 412(October 2022), 135556.
- Greenwalt, C. J., K. H. Steinkraus, dan R. A. Ledford. 2000. Kombucha, the Fermented Tea: Microbiology, Composition, and Claimed Health Effects. *Journal Food Prot* 63(7):976-81
- Hećimović, I., Belščak-Cvitanović, A., Horžić, D., & Komes, D. (2011). Comparative study of polyphenols and caffeine in different coffee varieties affected by the degree of roasting. *Food Chemistry*, 129(3), 991-1000.
- Haile, M., & Kang, W. H. (2019). The Harvest and Post-Harvest Management Practices' Impact On Coffee Quality. *J Coffe: Production and Research*.
- Haile, M., & Hee Kang, W. (2020). The Harvest and Post-Harvest Management Practices' Impact on Coffee Quality. In *Coffee - Production and Research*. <https://doi.org/10.5772/intechopen.89224>
- Hasruddin dan N. Pratiwi. 2014. *Mikrobiologi Industri*. ALFABETA. Bandung.
- Hasruddin, dan P Nanda. 2015. *Mikrobiologi Industri*. Bandung: Alfabeta.
- Huang, D., Boxin, O. U., and Prior, R. L. 2005. The chemistry behind antioxidant capacity assays. *Journal of Agricultural and Food Chemistry*, 53(6): 1841– 1856.
- Jayabalan, R., Malbaša, R. V., Lončar, E. S., Vitas, J. S., & Sathishkumar, M. (2014). A review on kombucha tea—microbiology, composition, fermentation, beneficial effects, toxicity, and beverage slots. *Comprehensive Reviews in Food*

- Science and Food Safety*, 13(4), 538-550.
- Khaerah, A. dan Fauzan, A. 2019. Aktivitas Antioksidan Teh Kombucha dari Beberapa Varian Teh yang Berbeda. Prosding Seminar Nasional LP2M UNM, 472-476.
- Kim, J., Nedwidek-Moore, M., & Kim, K. (2022). Safest Roasting Times of Coffee To Reduce Carcinogenicity. *Journal of Food Protection*, 85(6), 918–923.
- Laureys D., S. J. Britton., dan J. D. Clippeleer. 2020. Kombucha Tea Fermentasi : A Review. *Journal of the American Society of Brewing Chemists*.
- Leal, J. M., Suarez, L.V., Jayabalan, R., Oros, J.H., dan Aburto, A.E. 2017. A review on Health Benefits of Kombucha Nutritional Compounds and Metabolits. *Cyta Journal of Food*, 16(1).
- Lee, J. (2023). Exploring sucrose fermentation: Microorganisms, biochemical pathways, and applications. *Ferment Technology*, 12(1), 166.
- Liao, Y. C., Kim, T., Silva, J. L., Hu, W. Y., & Chen, B. Y. (2022). Effects of Roasting degrees on phenolic compounds and antioxidant activity in coffee beans from different geographic origins. *Lwt*, 168(September), 113965. <https://doi.org/10.1016/j.lwt.2022.113965>
- Majidah, L., Gadizza, C., & Gunawan, S. (2022). Analisis pengembangan produk halal minuman kombucha. *Halal Research Journal*, 2 (1): 36-51.
- Marabote, Jubaida. 2017. Uji Organoleptik dan Keamanan Konsumsi Pangan Produk Berbahan Dasar Alga (*Eucheuma cottoni*) Berdasarkan Nilai Angka Lempeng Total Bakteri dan Kapang. Skripsi. Fakultas Ilmu Tarbiyah dan Keguruan. Institut Agama Islam Negeri.
- Maramis, R. K, C Gayatri, dan Frendly. 2013. Analisis Kafein Dalam Kopi Bubuk Di Kota Manado Menggunakan

- Spektrofotometri Uv-Vis. Jurnal Ilmiah Farmasi 2(4): 122-128." Jurnal Ilmiah Farmasi 2(4): 122-128. 2(4): 122-128.
- Mihailova, A., Liebisch, B., Islam, M. D., Carstensen, J. M., Cannavan, A., & Kelly, S. D. (2022). The use of multispectral imaging for the discrimination of Arabica and Robusta coffee beans. *Food Chemistry: X*, 14(April).
- Moon, J. K., Yoo, H. S., & Shibamoto, T. (2009). Role of Roasting Conditions in the Level of Chlorogenic Acid Content in Coffee Beans. *Journal of Agricultural and Food Chemistry*, 57(12), 5365-53
- Mulato, S. (2019). Peran Fermentasi dalam Panen dan Pascapanen Kopi. Coffee and Cacao Training Centre (CCTC).
- Nguyen, N. T. T., Nguyen, P. T. H., & Le, V. V. M. (2015). Xanthine oxidase inhibitory activity and antioxidant capacity of coffee kombucha brewed with different fermentation conditions. *International Food Research Journal*, 22(5), 1920-1926.
- Nurhakim, & Rahayu. (2014). Perkebenan Kopi Skala Cepat Panen. Depok: Infra Pustaka.
- Nurika, Irnia, Nur Hidayat, dan Yaumadina Anggraeni. 2007. Produksi Selulosa menggunakan Kultur Kombucha dari Limbah Cair Industri Tahu. *Jurnal Teknologi Pertanian* Vol. 8, No. 2.
- Parashar Kshitiz, P.K., Zaidka Shipra, Z.S., Somani Rani, S.R. and Jayanti, S., 2011. Anti-cariogenic effects of polyphenol plant products-a review.
- Purborini, A. 2003. Pengaruh Waktu Inkubasi pada Fermentasi Cairan Kombucha Kopi dengan Inokulum Kultur Kombucha terhadap Kadar Alkhohol dan Tanin. Surakarta: Skripsi FKIP UMS.
- Rahardjo, P. (2012). Panduan Budidaya dan Pengolahan Kopi Arabika dan Robusta. Jakarta: Penebar Swadaya.

- Rahardjo, P. (2017). *Berkebun Kopi*. Jakarta: Penebar Swadaya.
- Rahmatullah., R. Wulandari., M. Rendana., H. Waristian., A.A. Rahmania., A. Shasniya., L. Muqoffa., dan M. Najib. 2021. Teh Fermentasi Menggunakan Starter Kombucha Dengan Tambahan Sari Buah Organik Sebagai Solusi Hidup Sehat. *Applicable Innovation of Engineering and Sience Research*, 27– 28.
- Ridwansyah. 2003. *Pengolahan Kopi*. Fakultas Pertanian Medan
- Rinihapsari, Elisa dan C. A. Richter. 2015. Fermentasi Kombucha dan Potensinya Sebagai Minuman Kesehatan. *Media Farmasi Indonesia*, 3(3), 241-246.
- Rinihapsari, E., & Richter, C. A. (2023). Kombucha Fermentation and Its Potential as a Health Drink. In *Media Farmasi Indonesia* (Vol. 3, Issue 2, pp. 241–246).
- Rosita,. D. Handito,. dan M. Amaro. 2021. Pengaruh Kosentrasi Stater SCOBY (Symbiotic Culture of Bacteria and Yeast) terhadap Mutu Kimia, Mikrobiologi dan Organoleptik Kombucha sari Apel. *Jurnal Ilmu dan Teknologi*, 7(2), 12- 22.
- Setyaningsih, D., Apriyantono, A., dan Puspita, S.M. 2010. *Analisa Sensori untuk Industri Pangan dan Agro*. IPB Press. Bogor.
- Sukohar, A., Setiawan, S., Wirakusumah, F.F. and Sastramihardja, H.S., 2011. Isolation and characterization cytotoxic compounds caffeine and chlorogenic acid seeds of Lampung Coffee Robusta. *Jurnal Medika Planta*, 1(4), p.245797.
- Sunarharum, W. B., Williams, D. J., & Smyth, H. E. (2014). Complexity of coffee flavor: A compositional and sensory perspective. *Food Research International*, 62, 315-325.
- Syukri, Daimon. 2021. *Bagan Alir Analisis Proksimat Bahan Pangan*. Adalas University Press. Padang.
- The Malawi Bureau Of Standards. 2020. *Kombucha drink – Specification*. DMS 1529:2020 ed. (1).
- Tim Karya Tani Mandiri. 2010. *Pedoman Budi Daya Tanaman*

- Kopi. Bandung: Cv. Nuansa Aulia. Hal 6-7.
- Vignoli, J. A., et al. (2014). Roasting process affects the antioxidant activity of Brazilian Arabica and Robusta coffees. *Food Chemistry*, 145, 94-104.
- Villarreal, D., Farah, A., & de Castro, I. M. (2011). Study of the main chemical constituents and antioxidant capacity of green and roasted coffee. *Food Chemistry*, 126(3), 1131-1136.
- Villarreal-Soto, S. A., Beaufort, S., Bouajila, J., Souchard, J.-P., & Taillandier, P. (2018). Journal of Food Science - 2018 - Villarreal-Soto - Understanding Kombucha Tea Fermentation A Review.pdf. In *Journal of Food Science* (Vol. 83).
- Virhananda, M. R., Suroso, E., Nurainy, F., Suharyono, Subeki, & Satyajaya, W. (2022). Analisis Kadar Asam Klorogenat dan Kafein Berdasarkan Perbedaan Lokasi Penanaman dan Suhu Roasting Pada Kopi Robusta (C. Canhepora Pierre). *Agroindustri Berkelanjutan*, 245-252.
- Widodo, P. B., Yulianto, M. E., Ariyanto, H. D., & Paramita, V. (2023). Materials Today : Proceedings Efficacy of natural and full washed post-harvest processing variations on arabica coffee characteristics. *Materials Today: Proceedings*.
- Wijaya, Hendra, Roosdiana Muin, dan Eka Permata. 2017. Karakteristik Fisik Produk Fermentasi Kombucha dari Berbagai Daun Berflavonoid Tinggi. *Jurnal Teknik Kimia* No. 4, Vol. 23.
- Wulandari, Astiti. 2018. Pengaruh Lama Waktu Fermentasi Kombucha Teh Hijau Daun Jati (*Tectona grandis*) Terhadap Kadar Tanin Total dan Total Asam Titrasi (TAT). [Skripsi]. Fakultas Keguruan dan Ilmu Pendidikan. Universitas Sanata Dharma.
- Yenrina, Rina. 2015. Metode Analisis Bahan Pangan dan Komponen Bioaktif. Padang: Andalas University Press. Padang. Hal: 11-12, 23 dan 58.