

DAFTAR PUSTAKA

- Agustina, H., Jaelani, L. M., & Sanjaya, H. (2024). Estimation of Nitrogen Content of Rice Crops Using Sentinel-2 Data. *Indonesian Journal of Geography*, 56(3), 387–395. <https://doi.org/10.22146/ijg.88571>
- Ainunnisa, I., & Haerani, H. (2023). The Identification of Pests and Diseases of Rice Plants using Sentinel-2 Satellite Imagery Data at the end of the Vegetative Stage. *IOP Conference Series: Earth and Environmental Science*, 1230(1). <https://doi.org/10.1088/1755-1315/1230/1/012148>
- Amalia, D., & Fajri, D. R. (2020). Analisis Kadar Nitrogen dalam Pupuk Urea Prill dan Granule Menggunakan Metode Kjeldahl di PT Pupuk Iskandar Muda. *Jurnal Kimia Sains Dan Terapan*, 2(1), 28–32. <https://ejurnalunsam.id/index.php/JQ>
- Anh, T. T. T., Khanh, T. D., Dat, T. D., & Xuan, T. D. (2018). Identification of Phenotypic Variation and Genetic Diversity in Rice (*Oryza sativa* L.) Mutants. *Agriculture (Switzerland)*, 8(2), 1–15. <https://doi.org/10.3390/agriculture8020030>
- Baek, D. H., Kim, T. H., Lee, C. J., Gao, J., Park, W. G., & Kim, S. M. (2025). Identification of Candidate Genes Related to SPAD Value Using Multi-Year Phenotypic Data in Rice Germplasms by Genome-Wide Association Study (GWAS). *Agronomy*, 15(9), 1–17. <https://doi.org/10.3390/agronomy15092050>
- Balitbangtan. (2021). *Acuan Rekomendasi Pupuk N, P, dan K Spesifik Lokasi untuk Tanaman Padi, Jagung dan Kedelai pada Lahan Sawah (Per Kecamatan)*.
- Bhandari, S., Raheja, A., Do, D., & Pham, F. (2018). *Machine learning techniques for the assessment of citrus plant health using UAV-based digital images*. 21. <https://doi.org/10.1117/12.2303989>
- Bhupenchandra, I., Devi, S. H., Basumatary, A., Dutta, S., Singh,

- L. K., Kalita, P., Bora, S. S., Devi, S. R., Saikia, A., Sharma, P., Bhagowati, S., Tamuli, B., Dutta, N., & Borah, K. (2020). Biostimulants: Potential and Prospects in Agriculture. *International Research Journal of Pure and Applied Chemistry*, 21(14), 20–35. <https://doi.org/10.9734/irjpac/2020/v21i1430244>
- Boegh, E., Houborg, R., Bienkowski, J., Braban, C. F., Dalgaard, T., Van Dijk, N., Dragosits, U., Holmes, E., Magliulo, V., Schelde, K., Di Tommasi, P., Vitale, L., Theobald, M. R., Cellier, P., & Sutton, M. A. (2013). Remote Sensing of LAI, Chlorophyll and Leaf Nitrogen Pools of Crop and Grasslands in Five European Landscapes. *Biogeosciences*, 10(10), 6279–6307. <https://doi.org/10.5194/bg-10-6279-2013>
- BPS. (2025). *Kecamatan Koto Tangah dalam Angka 2025*. Badan Pusat Statistik Kota Padang.
- Brinkhoff, J., Dunn, B. W., Robson, A. J., Dunn, T. S., & Dehaan, R. L. (2019). Modeling Mid-Season Rice Nitrogen Uptake Using Multispectral Satellite Data. *Remote Sensing*, 11(15), 1–22. <https://doi.org/10.3390/rs11151837>
- Budiono, B. (2023). *Budidaya Padi Ramah Lingkungan Menuju Pertanian Lebih Baik*. <https://epublikasi.pertanian.go.id/pertanianpress/catalog/view/77/65/869>
- Chowdhury, M., Khura, T. K., Upadhyay, P. K., Parray, R. A., Kushwaha, H. L., Singh, C., Lama, A., & Mani, I. (2024). Assessing Vegetation Indices and Productivity Across Nitrogen Gradients: a Comparative Study Under Transplanted and Direct-Seeded Rice. *Frontiers in Sustainable Food Systems*, 8, 1–17. <https://doi.org/10.3389/fsufs.2024.1351414>
- Clevers, J. G. P. W., Kooistra, L., & van den Brande, M. M. M. (2017). Using Sentinel-2 Data for Retrieving LAI and Leaf and Canopy Chlorophyll Content of a Potato Crop. *Remote Sensing*, 9(5), 1–15. <https://doi.org/10.3390/rs9050405>

- Dobermann, A., & Fairhurst, T. (2000). *Nutrient Disorders & Nutrient Management*.
- Gil, L. K. T., Martínez, D. V., & Saba, M. (2023). The Widespread Use of Remote Sensing in Asbestos, Vegetation, Oil and Gas, and Geology Applications. *Atmosphere*, 14(1), 172. <https://doi.org/10.3390/atmos14010172>
- Gitelson, A., & Merzlyak, M. N. (1994). Quantitative Estimation of Chlorophyll-a Using Reflectance Spectra: Experiments With Autumn Chestnut and Maple Leaves. *Journal of Photochemistry and Photobiology, B: Biology*, 22(3), 247–252. [https://doi.org/10.1016/1011-1344\(93\)06963-4](https://doi.org/10.1016/1011-1344(93)06963-4)
- Goulding, K., Jarvis, S., & Whitmore, A. (2008). Optimizing Nutrient Management for Farm Systems. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1491), 667–680. <https://doi.org/10.1098/rstb.2007.2177>
- Govindasamy, P., Muthusamy, S. K., Bagavathiannan, M., Mowrer, J., Jagannadham, P. T. K., Maity, A., Halli, H. M., G. K. S., Vadivel, R., T. K. D., Raj, R., Pooniya, V., Babu, S., Rathore, S. S., L. M., & Tiwari, G. (2023). Nitrogen use efficiency—a key to enhance crop productivity under a changing climate. *Frontiers in Plant Science*, 14(3), 1–19. <https://doi.org/10.3389/fpls.2023.1121073>
- Gruhn, P., Goletti, F., & Yudelman, M. (2000). Integrated Nutrient Management, Soil Fertility, and Sustainable Agriculture: Current Issues and Future Challenges. In *Research in Agricultural and Applied Economics*.
- Hambali, A., & Lubis, I. (2015). Evaluasi Produktivitas Beberapa Varietas Padi. *Buletin Agrohorti*, 3(2), 137–145. <https://doi.org/10.29244/agrob.v3i2.15496>
- Haque, K. M. S., Khaliq, Q. A., & Aktar, J. (2006). Effect of Nitrogen on Phenology, Light Interception and Growth in Aromatic Rice. *Int. J. Sustain. Crop Prod*, 1(2), 1–6. <https://www.researchgate.net/publication/237465185>

- Hashem, A. F., Hassan, N.-, Sial, M. H., & Muslim Raza, S. M. (2025). A Novel Coefficient of Variation Based Distance Weighted Control Chart for the Monitoring of Nuclear Event Data. *Journal of Radiation Research and Applied Sciences*, 18(3), 101743. <https://doi.org/10.1016/j.jrras.2025.101743>
- Herniwati, H., & Nappu, M. B. (2018). Analisis Efisiensi Penggunaan Pupuk Nitrogen (N) Tanaman Padi Sawah Pada Tanah Inceptisols. *Agrisistem*, 14(1), 55–64.
- Hidayah, F., Santosa, S., & Putri, R. E. (2019). Model Prediksi Hasil Panen Berdasarkan Pengukuran Non-Destruktif Nilai Klorofil Tanaman Padi. *AgriTECH*, 39(4), 289–297. <https://doi.org/10.22146/agritech.34893>
- Hikmah, Z. M., Sulistyono, E., & Susanti, Z. (2021). Pertumbuhan, Hasil dan Efisiensi Pemakaian Air Padi Inpari 33 pada Perlakuan Pupuk Anorganik dan Organik. *Agrisaintifika: Jurnal Ilmu-Ilmu Pertanian*, 49(3), 242–250. <https://doi.org/10.32585/ags.v5i2.1961>
- Hirel, B., Le Gouis, J., Ney, B., & Gallais, A. (2007). The challenge of improving nitrogen use efficiency in crop plants: Towards a more central role for genetic variability and quantitative genetics within integrated approaches. *Journal of Experimental Botany*, 58(9), 2369–2387. <https://doi.org/10.1093/jxb/erm097>
- Jailani, J. (2019). *Algorithm of Pattern Recognition for Near*. Bogor Agricultural University.
- Janoušek, J., Marcoň, P., Dohnal, P., Jambor, V., Synková, H., & Raichl, P. (2023). Predicting the Optimum Corn Harvest Time via the Quantity of Dry Matter Determined with Vegetation Indices Obtained from Multispectral Field Imaging. *Remote Sensing*, 15(12), 3152. <https://doi.org/10.3390/rs15123152>
- Jeong, S., Ko, J., Ban, J. oh, Shin, T., & Yeom, J. min. (2024). Deep Learning-Enhanced Remote Sensing-Integrated Crop Modeling for Rice Yield Prediction. *Ecological Informatics*,

84, 1–11. <https://doi.org/10.1016/j.ecoinf.2024.102886>

Jeong, S., Ko, J., & Yeom, J. M. (2022). Predicting Rice Yield at Pixel Scale Through Synthetic use of Crop and Deep Learning Models with Satellite Data in South and North Korea. *Science of the Total Environment*, 802, 149726. <https://doi.org/10.1016/j.scitotenv.2021.149726>

Jinwen, L., Jingping, Y., Dongsheng, L., Pinpin, F., Tiantai, G., Changshui, G., & Wenyue, C. (2011). Chlorophyll Meter's Estimate of Weight-Based Nitrogen Concentration in Rice Leaf is Influenced by Leaf Thickness. *Plant Production Science*, 14(2), 177–183. <https://doi.org/10.1626/pps.14.177>

Kasi, P. D., Cambaba, S., Surya, I. N., & Faisal, F. (2020). Analisis Unsur Hara Karbon Organik dan Nitrogen Pada Tanah Sawah di Kecamatan Seko, Kabupaten Luwu Utara. *Journal of Biological Science*, 2(1), 12–16.

Kaya, E. (2013). Pengaruh Kompos Jerami dan Pupuk NPK terhadap N-Tersedia Tanah, Serapan-N, Pertumbuhan, dan Hasil Padi Sawah (*Oryza sativa* L.). *Agrologia*, 2(1), 43–50.

Lary, D. J., Alavi, A. H., Gandomi, A. H., & Walker, A. L. (2016). Machine learning in geosciences and remote sensing. *Geoscience Frontiers*, 7(1), 3–10. <https://doi.org/10.1016/j.gsf.2015.07.003>

Le Maire, G., François, C., & Dufrêne, E. (2004). Towards Universal Broad Leaf Chlorophyll Indices Using PROSPECT Simulated Database and Hyperspectral Reflectance Measurements. *Remote Sensing of Environment*, 89(1), 1–28. <https://doi.org/10.1016/j.rse.2003.09.004>

Leesawatwong, M., Jamjod, S., Kuo, J., Dell, B., & Rerkasem, B. (2005). Nitrogen Fertilizer Increases Seed Protein and Milling Quality of Rice. *Cereal Chemistry*, 82(5), 588–593. <https://doi.org/10.1094/CC-82-0588>

Li, D., Wang, X., Zheng, H., Zhou, K., Yao, X., Tian, Y., Zhu, Y., Cao, W., & Cheng, T. (2018). Estimation of Area-and Mass

Based Leaf Nitrogen Contents of Wheat and Rice Crops From Water-Removed Spectra Using Continuous Wavelet Analysis. *Plant Methods*, 14(76), 1–20. <https://doi.org/10.1186/s13007-018-0344-1>

- Lin, S., Li, J., Liu, Q., Li, L., Zhao, J., & Yu, W. (2019). Evaluating the Effectiveness of Using Vegetation Indices Based on Red-Edge Reflectance from Sentinel-2 to Estimate Gross Primary Productivity. *Remote Sensing*, 11, 2–25.
- Liu, H., Nie, T., Chen, P., Jiang, L., Wang, T., Khalil, A. U. R., & Miyazu, S. (2026). Controlled Irrigation Improves Nitrogen Partitioning and Agronomic Nitrogen Use Efficiency in Rice Under Moderate Nitrogen Inputs Haijun. *Plants*, 15(5), 1–16. <https://doi.org/10.3390/plants15050739>
- Liu, J., Li, Y., Zuo, G., Li, J., Shi, H., & Wang, S. (2026). Heterologous Expression of ZmAHL10 Gene Enhances Low Nitrogen Tolerance in Transgenic Arabidopsis Junfei. *Plants*, 15(3), 1–20. <https://doi.org/10.3390/plants15030417>
- Liu, J., Shao, D., Gu, W., Liu, Y., Wu, Z., Tang, C., Wang, H., Feng, J., & Liu, J. (2025). Effect of Drainage Water Recycling System Management on Nutrient Load Reduction in Rice-Based Irrigation Areas. *Agricultural Water Management*, 317, 109648. <https://doi.org/10.1016/j.agwat.2025.109648>
- Liu, X., Wang, H., Zhou, J., Hu, F., Zhu, D., Chen, Z., & Liu, Y. (2016). Effect of N Fertilization Pattern on Rice Yield, N Use Efficiency and Fertilizer-N Fate in the Yangtze River Basin, China. *PLoS ONE*, 11(11), 1–20. <https://doi.org/10.1371/journal.pone.0166002>
- Long, D. H., Lee, F. N., & TeBeest, D. O. (2000). Effect of Nitrogen Fertilization on Disease Progress of Rice Blast on Susceptible and Resistant Cultivars. *Plant Disease*, 84(4), 403–409. <https://doi.org/10.1094/PDIS.2000.84.4.403>
- Miarti, A., & Legasari, L. (2022). Ketidakpastian Pengukuran Analisa Kadar Biuret, Kadar Nitrogen, dan Kadar Oil Pada

- Pupuk Urea di Laboratorium Kontrol Produksi PT Pupuk Sriwijaya Palembang. *Jurnal Cakrawala Ilmiah*, 2(3), 3922–3923.
- Moe, K., Htwe, A. Z., Thu, T. T. P., Kajihara, Y., & Yamakawa, T. (2019). Effects on NPK Status, Growth, Dry Matter and Yield of Rice (*Oryza sativa*) by Organic Fertilizers Applied in Field Condition. *Agriculture (Switzerland)*, 9(5), 2–15. <https://doi.org/10.3390/agriculture9050109>
- Mohapatra, P. K., & Sahu, B. B. (2022). Botany of Rice Plant. *Springer Nature Switzerland*, 2, 28–46. <https://doi.org/10.1007/978-3-030-67897-5>
- Mosleh, M. K., Hassan, Q. K., & Chowdhury, E. H. (2015). Application of remote sensors in mapping rice area and forecasting its production: A review. *Sensors (Switzerland)*, 15(1), 769–791. <https://doi.org/10.3390/s150100769>
- Naguib, N. S., & Daliman, S. (2022). Analysis of NDVI and NDRE Indices Using Satellite Images for Crop Identification at Kelantan. *IOP Conference Series: Earth and Environmental Science*, 1102(1), 1–7. <https://doi.org/10.1088/1755-1315/1102/1/012054>
- Nurrismiyanndini, A. (2022). *Pengembangan Model Empiris untuk Estimasi Akumulasi Nitrogen Tanaman Padi Berbasis Citra Satelit Sentinel 2*. INSTITUT PERTANIAN BOGO.
- Nutini, F., Confalonieri, R., Paleari, L., Pepe, M., Criscuolo, L., Porta, F., Ranghetti, L., Busetto, L., & Boschetti, M. (2021). Supporting Operational Site-Specific Fertilization in Rice Cropping Systems With Infield Smartphone Measurements and Sentinel-2 Observations. In *Precision Agriculture* (Vol. 22, Issue 4, pp. 1284–1303). <https://doi.org/10.1007/s11119-021-09784-0>
- Pandey, P., Singh, S., Khan, M. S., & Semwal, M. (2022). Non-invasive Estimation of Foliar Nitrogen Concentration Using Spectral Characteristics of Menthol Mint (*Mentha arvensis*

- L.). *Frontiers in Plant Science*, 13. <https://doi.org/10.3389/fpls.2022.680282>
- Patria, D. G., Sukanto, S., & Sumarji, S. (2021). Rice Science and Technology (Ilmu dan Teknologi Beras). In *October* (Vol. 53, Issue 7).
- Patti, P. S., Kaya, E., & Silahooy, C. (2018). Analisis Status Nitrogen Tanah dalam Kaitannya dengan Serapan N Oleh Tanaman Padi Sawah di Desa Waimital, Kecamatan Kairatu, Kabupaten Seram Bagian Barat. *Agrologia*, 2(1), 51–58. <https://doi.org/10.30598/a.v2i1.278>
- Perich, G., Aasen, H., Verrelst, J., Argento, F., Walter, A., & Liebisch, F. (2021). Crop Nitrogen Retrieval Methods for Simulated Sentinel-2 Data Using In-Field Spectrometer Data. *Remote Sensing*, 13(12), 2–24. <https://doi.org/10.3390/rs13122404>
- Pujiharti, Y., Barus, J., & Wijayanto, B. (2008). *Teknologi Budidaya Padi*.
- Qin, C., Xiang, H., Huang, Q., & Wang, Y. (2026). *Deconfounding Phenology in SPAD-Based Rice Nitrogen Diagnosis Using Physiological Time and Canopy-Stratified Measurements*. 1–17.
- Rana, M. M., Hossain, M. B., Roy, T. K., Shultana, R., Hasan, M. R., Naher, U. A., Biswas, J. C., & Maniruzzaman, M. (2024). Response of Yield and Agronomic Output of Bangabandhu dhan100 under Varying Sowing Window in Cold Prone Rangpur Region. *Indian Journal of Agricultural Research*, 58(2), 259–265. <https://doi.org/10.18805/IJARE.AF-796>
- Revindra, R., Marisa, F., & Purnomo, D. (2017). Identifikasi Pemberian Pupuk pada Tanaman Padi Berdasarkan Tingkat Kehijauan Danun Menggunakan Metode Local Binary Pettern Berbasis Android. *J I M P - Jurnal Informatika Merdeka Pasuruan*, 2(1), 28–43. <https://doi.org/10.37438/jimp.v2i1.51>
- Rossi, M., Candiani, G., Nutini, F., Gianinetto, M., & Boschetti, M.

- (2023). Sentinel-2 Estimation of CNC and LAI in Rice Cropping System Through Hybrid Approach Modelling. *European Journal of Remote Sensing*, 56(1), 2–20. <https://doi.org/10.1080/22797254.2022.2117651>
- Samsuddin Sah, S., Abdul Maulud, K. N., Sharil, S., A. Karim, O., & Pradhan, B. (2023). Monitoring of Three Stages of Paddy Growth using Multispectral Vegetation Index Derived from UAV Images. *Egyptian Journal of Remote Sensing and Space Science*, 26(4), 989–998. <https://doi.org/10.1016/j.ejrs.2023.11.005>
- Sari, D. P., Anwar, N., & Sidharti, T. S. (2019). Analysis of Irrigation Modernization Pillars with Fuzzy Analytical Hierarchy Process (FAHP) Approachment. *International Research Journal of Advanced Engineering and Science*, 4(2), 432–436. <https://www.irjaes.com/pdf/V4N2Y19-IRJAES/IRJAES-V4N2P615Y19.pdf>
- Schlemmer, M., Gitelson, A., Schepers, J., Ferguson, R. B., Peng, Y., Shanahan, J., & Rundquist, D. (2013). Remote Estimation of Nitrogen and Chlorophyll Contents in Maize at Leaf and Canopy Levels. *Journal of Applied Earth Observation and Geoinformation*, 25, 47–54.
- Shabrina, N., Sukmono, A., & Subiyanto, S. (2020). Analisis Identifikasi Periode Tumbuh Padi untuk Estimasi Produksi Padi dengan Algoritma EVI dan NDRE Multitemporal pada Citra Sentinel-2 di Kabupaten Demak. *Jurnal Geodesi Undip*, 9(4), 59–70.
- Sharma, H., Al-mubarak, H., Lloret, J., Hoyo, D., Abboud, G., Bane, O., Tordjman, M., Liu, M. M., Wagaskar, V., Tewari, A., Taouli, B., & Lewis, S. (2026). Reproducibility of MRI Radiomics Measurements in Men with Prostate Cancer Undergoing Active Surveillance. *Cancers*, 18(5), 778.
- Sudianto, S., & Wahyuningrum, R. D. (2022). Identifikasi Sebaran Nitrogen pada Tanaman Padi berbasis Pengetahuan Fenologi dan Remote Sensing. *Jurnal Nasional Pendidikan Teknik*

Informatika (JANAPATI), 11(3), 166–175.
<https://doi.org/10.23887/janapati.v11i3.50051>

Suhet, S. (2015). Sentinel-2 User Handbook. In *European Space Agency* (Vol. 2, Issue 1). <https://doi.org/10.1021/ie51400a018>

Tando, E. (2018). Upaya Efisiensi dan Peningkatan Ketersediaan Nitrogen dalam Tanah Serta Serapan Nitrogen Pada Tanaman Padi Sawah (*Oryza Sativa L.*). *Buana Sains*, 18(2), 171–180.
<https://doi.org/10.33366/bs.v18i2.1190>

Voitik, A., Kravchenko, V., Pushka, O., Kutkovetska, T., Shchur, T., & Kocira, S. (2023). Comparison of NDVI, NDRE, MSAVI and NDSI Indices for Early Diagnosis of Crop Problems. *Agricultural Engineering*, 27(1), 47–57.
<https://doi.org/10.2478/agriceng-2023-0004>

Wei, J., Zhang, Z., Liu, B., Cui, Y., Luo, Y., & She, Y. (2025). Spatiotemporal Dynamics and Environmental Drivers of Paddy Rice Cropping Patterns in China: Essential Indicators for Agricultural Sustainability. *Ecological Indicators*, 178.
<https://doi.org/10.1016/j.ecolind.2025.114068>

Wu, J., Que, R., Qi, W., Duan, G., Wu, J., Zeng, Y., Pan, X., & Xie, X. (2022). Varietal Variances of Grain Nitrogen Content and Its Relations to Nitrogen Accumulation and Yield of High-Quality Rice under Different Nitrogen Rates. *Agronomy*, 12(11), 1–14. <https://doi.org/10.3390/agronomy12112719>

Wu, Z., Liu, J., Nie, J., Liang, C., Guo, S., Zhou, C., Huang, Y., & Wang, S. (2025). Co-Incorporation of Controlled-Release Urea and Conventional Urea Enhances Rice Yield, Economic Benefits, and Nitrogen Use Efficiency in Saline–Alkali Paddy Fields. *Agronomy*, 15(12), 1–26.
<https://doi.org/10.3390/agronomy15122786>

Xiong, X., & Butler, J. J. (2020). MODIS and VIIRS calibration history and future outlook. *Remote Sensing*, 12(16), 2523.
<https://doi.org/10.3390/RS12162523>

Yanti, D., Nurdiyanto, M. R. D., Yanti, N. R., & Syafii, H. A.

- (2024). Estimation of Nitrogen Absorption of Rice Plants Based on Remote Sensing. *Keteknikan Pertanian Tropis Dan Biosistem*, 12(3), 204–213.
- Yanti, D., Permata, D. A., Safitri, I., Irfan, M., & Harahap, F. L. (2024). The Use of EVI Algorithm in Predicting Rice Productivity, Harau District, Lima Puluh Kota Regency, West Sumatra. *IOP Conference Series: Earth and Environmental Science*, 1290, 1–14. <https://doi.org/10.1088/1755-1315/1290/1/012043>
- Yunarni, W., Wahyuni, S., Hidayah, E., Halik, G., & Endah, R. (2019). *Evaluasi Kinerja Kantong Lumpur Berdasarkan Laju Angkutan Sedimen pada Bendung Talang Kabupaten Jember*. 871–879.
- Zhang, C., Marzougui, A., & Sankaran, S. (2020). High-resolution satellite imagery applications in crop phenotyping: An overview. *Computers and Electronics in Agriculture*, 175, 1–10. <https://doi.org/10.1016/j.compag.2020.105584>
- Zhao, K., Ye, Y., Ma, J., Huang, L., & Zhuang, H. (2021). Detection and Dynamic Variation Characteristics of Rice Nitrogen Status after Anthesis Based on the RGB Color Index. *Agronomy*, 11(9), 1–19. <https://doi.org/10.3390/agronomy11091739>
- Zhou, L., Tang, Z., Cao, S., Hu, X., Zhou, W., Zhu, X., Bai, X., Lu, H., Chen, F., & Hu, W. (2025). TillerPET: High-throughput in-situ Phenotyping of Rice Tiller Number and Compactness From Post-Harvest Stubble. *Crop Journal*, 13(6), 1928–1938. <https://doi.org/10.1016/j.cj.2025.09.022>