

DAFTAR PUSTAKA

- Abubakar, A. R., & Haque, M. (2020). *Preparation of medicinal plants: Basic extraction and fractionation procedures for experimental purposes. In Journal of Pharmacy and Bioallied Sciences*, 12(1), 1–10.
- Apriyanto, A., Compart, J., Zimmermann, V., Alseekh, S., Fernie, A. R., & Fettke, J. (2022). *Indication that starch and sucrose are biomarkers for oil yield in oil palm (Elaeis guineensis Jacq.). Food Chemistry*, 393.
- Ariyanti, M., Farida, F., & Umiyati, U. (2024). *Review: Metabolit Sekunder pada Kelapa Sawit. Paspalum: Jurnal Ilmiah Pertanian*, 12(1), 207.
- Babu, B. K., Mathur, R. K., Naveen Kumar, P., Ramajayam, D., Ravichandran, G., Venu, M. V. B., & Babu, S. S. (2017). *Development, identification & validation of CAPS marker for SHELL trait which governs dura, pisifera & tenera fruit forms in oil palm (Elaeis guineensis Jacq.). PLoS ONE*, 12(2).
- BÜCHI Labortechnik AG. (2020). *Operation manual (Original) Lyovapor™ L-300/L-300 Pro (Publication No. 1153869). Flawil, Switzerland: BÜCHI Labortechnik AG*
- Corley, R. H. V., & Tinker, P. B. (2016). *The Oil Palm (5th ed.). Wiley Blackwell*.
- Everitt, B. S., Landau, S., Leese, M., & Stahl, D. (2011). *Cluster Analysis (5th ed.). Wiley*.
- Futra, D., Anwar, L., & Aldresti, F. (2023). *Potential of Anthocyanin from Young Fruit Skin of Elaeis Guineensis as a pH Sensor*. 331–338.
- Hageman, J. A., van den Berg, R. A., Westerhuis, J. A., Hoefsloot, H. C. J., & Smilde, A. K. (2006). *Bagged K-means clustering of metabolome data. Critical Reviews in Analytical Chemistry*, 36(3–4), 211–220.
- Hair, J. F., Black, W. C., Babin, B. J., & Anderson, R. E. (2019). *Multivariate Data Analysis (8th ed.). Cengage*.

- Hasibuan, H. A. (2020). Penentuan Rendemen, Mutu Dan Komposisi Kimia Minyak Sawit Dan Minyak Inti Sawit Tandan Buah Segar Bervariasi Kematangan Sebagai Dasar Untuk Penetapan Standar Kematangan Panen. *J. Pen*, 28(3), 123–132.
- Hassan, H., Tahir, N. I., Rozali, N. L., Lau, B. Y. C., Othman, A., Weckwerth, W., & Ramli, U. S. (2024). *Integrative tissue-resolved proteomics and metabolomics analysis of oil palm (Elaeis guineensis Jacq.) fruit provides insights into stilbenoid biosynthesis at the interface of primary and secondary metabolism. Biocatalysis and Agricultural Biotechnology*, 60.
- Hazir, M. H. M., Shariff, A. R. M., & Amiruddin, M. D. (2012). *Determination of oil palm fresh fruit bunch ripeness-Based on flavonoids and anthocyanin content. Industrial Crops and Products*, 36(1), 466–475.
- Ishak, N. A., Tahir, N. I., Mohd Sa'id, S. N., Gopal, K., Othman, A., & Ramli, U. S. (2021). *Comparative analysis of statistical tools for oil palm phytochemical research. Heliyon*, 7(2).
- Jain, A. K. (2010). Data clustering: 50 years beyond K-means. *Pattern Recognition Letters*, 31(8), 651–666.
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and anthocyanins: Colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *In Food and Nutrition Research*, 61.
- Lee, J., Durst, R. W., & Wrolstad, R. E. (2005). *Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH differential method: Collaborative study. Journal of AOAC International*, 88(5), 1269–1278
- Lee, J. E., Jayakody, J. T. M., Kim, J. Il, Jeong, J. W., Choi, K. M., Kim, T. S., Seo, C., Azimi, I., Hyun, J. M., & Ryu, B. M. (2024). *The Influence of Solvent Choice on the Extraction of*

- Bioactive Compounds from Asteraceae: A Comparative Review. In Foods*, 13(19).
- Lestari, P. F. A., Yulianti, A. D., Hasan, H., Cahyo, R. N., Rahman, Z. A., Rahmadani, A., & Erika, F. (2023). Penentuan Kadar Fenolik dan Flavonoid Total pada Buah Kelapa Sawit (*Elais guineensis* Jacq.) dengan Metode Spektrofotometri UV-Vis. *Lantanida Journal*, 11 (2), 158–167.
- Liga, S., Paul, C., & Péter, F. (2023). *Flavonoids: Overview of Biosynthesis, Biological Activity, and Current Extraction Techniques. In Plants*, 12(14).
- Lim, H., Kobayashi, M. J., Marsoem, S. N., Irawati, D., Kosugi, A., Kondo, T., & Tani, N. (2023). *Transcriptomic responses of oil palm (Elaeis guineensis) stem to waterlogging at plantation in relation to precipitation seasonality. Frontiers in Plant Science*, 14.
- Martin, J. J. J., Wu, Q., Feng, M., Li, R., Zhou, L., Zhang, S., Yang, C., & Cao, H. (2023). *Lipidomic Profiles of Lipid Biosynthesis in Oil Palm during Fruit Development. Metabolites*, 13(6).
- Metsalu, T., & Vilo, J. (2015). *ClustVis: A web tool for visualizing clustering of multivariate data using Principal Component Analysis and heatmap. Nucleic Acids Research*, 43(W1), W566–W570.
- Nabillah, A.-Z., & Chatri, M. (2024). Peranan Senyawa Metabolit Sekunder Untuk Pengendalian Penyakit Pada Tanaman. *Jurnal Pendidikan Tambusai*, 15900–15911.
- Nawaz, H., Shad, M. A., Rehman, N., Andaleeb, H., & Ullah, N. (2020). *Effect of solvent polarity on extraction yield and antioxidant properties of phytochemicals from bean (Phaseolus vulgaris) seeds. Brazilian Journal of Pharmaceutical Sciences*, 56.
- Neoh, B. K., Teh, H. F., Ng, T. L. M., Tiong, S. H., Thang, Y. M., Ersad, M. A., Mohamed, M., Chew, F. T., Kulaveerasingham, H., & Appleton, D. R. (2013). *Profiling of metabolites in oil*

- palm mesocarp at different stages of oil biosynthesis. Journal of Agricultural and Food Chemistry*, 61(8), 1920–1927.
- Nie, X., Tang, M., Zhou, X., Chen, M., Hua, L., Lu, Y., Yu, N., & Meng, X. (2025). *Metabolomics profiling of phenolic compounds differentiated the oils from Idesia polycarpa fruit and their roles in antioxidant potential. Food Bioscience*, 69.
- Pandey, B., & Rajbhandari, M. (2014). *Estimation of Total Phenolic and Flavonoid Contents in Some Medicinal Plants and Their Antioxidant Activities. Nepal Journal of Science and Technology*, 15, 53–60.
- Pradiko, I., Hariyadi, & June, T. (2023). Kuantifikasi Kontribusi Faktor Iklim Terhadap Variasi Produktivitas Tanaman Kelapa Sawit. *Jurnal Pen*, 31, 108–123.
- Pradiko, I., Rahutomo, Suroso, Darlan, N. H., Ginting, E. N., Syarovy, M., & Hidayat, F. (2022). Benarkah curah hujan mempengaruhi fase pematangan tandan kelapa sawit dan meningkatkan jumlah brondolan yang jatuh? *J. Pen*, 30(3), 171–186.
- Prasetyo, A. (2021). Prediksi Produksi Kelapa Sawit Menggunakan Metode Regresi Linier Berganda. *Multimedia & Jaringan*, 6(2).
- Putri, I. I., & Chatri, M. (2024). Peranan Metabolit Sekunder sebagai Antimikroba. *Jurnal Pendidikan Tambusai*, 8, 15933–15940.
- Rahayuniati, R. F., Manan, A., Mugiastuti, E., & Soesanto, L. (2025). Teknologi Pembuatan Metabolit Sekunder Agens Hayati Secara Sederhana Untuk Mengendalikan Penyakit Karat Merah. *Jurnal SOLMA*, 14(2), 2213–2222.
- Rahmadhan, F., Sembiring, P., & Sinaga, M. A. (2017). Pengaruh Kematangan Buah Kelapa Sawit Varietas Dxp Bah Lias Terhadap Kadar Minyak Sawit Mentah (CPO). *Jurnal Agro Estate*.

- Rahmawati, A. (2023). Keragaman Genetik Varietas Kelapa Sawit (*Elaeis guineensis* Jacq.). *Jurnal Kridataman Sains Dan Teknologi*, 5.
- Rahmi, S. (2024). Evaluasi Nondestruktif Mutu Tandan Buah Segar Kelapa Sawit Berdasarkan Sifat Optis Menggunakan *Partial Least Square* (PLS). Padang. Tesis. Program Pascasarjana. Universitas Andalas.
- Ramaroson, M. L., Koutouan, C., Helesbeux, J. J., Le Clerc, V., Hamama, L., Geoffriau, E., & Briard, M. (2022). *Role of Phenylpropanoids and Flavonoids in Plant Resistance to Pests and Diseases*. In *Molecules*, 27(23).
- Rao, V., Nuttapong, N., Baskaran, P., & Palat, vT. (2024). *Insights Into Oil Palm Yield Under Seasonal Rainfall*. *International Journal of Oil Palm*, 7(1).
- Rodríguez, J. C., Gómez, D., Pacetti, D., Núñez, O., Gagliardi, R., Frega, N. G., Ojeda, M. L., Loizzo, M. R., Tundis, R., & Lucci, P. (2016). *Effects of the fruit ripening stage on antioxidant capacity, total phenolics, and polyphenolic composition of crude palm oil from interspecific hybrid *Elaeis oleifera* × *Elaeis guineensis**. *Journal of Agricultural and Food Chemistry*, 64(4), 852–859
- Ruzlan, N., Low, Y. S. J., Win, W., Azizah Musa, N., Ong, A. L., Chew, F. T., Appleton, D., Mohd Yusof, H., & Kulaveerasingham, H. (2017). Key glycolytic branch influences mesocarp oil content in oil palm. *Scientific Reports*, 7(1).
- Sambanthamurthi, R., Sundram, K., & Tan, Y.-A. (2000). *Chemistry and biochemistry of palm oil*. *Progress in Lipid Research*, 39, 507–558.
- Sayekti, U., Widyastuti, U., & Toruan-Mathius, N. (2015). Keragaman Genetik Kelapa Sawit (*Elaeis guineensis* Jacq.) Asal Angola Menggunakan Marka SSR. *Jurnal Agron*, 43, 140–146.

- Shen, N., Wang, T., Gan, Q., Liu, S., Wang, L., & Jin, B. (2022). *Plant flavonoids: Classification, distribution, biosynthesis, and antioxidant activity. In Food Chemistry*, 383.
- Simamora, A. N., & Wening, S. (2021). Kajian Metabolit Sebagai Pendukung Program Pemuliaan Kelapa Sawit. *Warta PPKS*, 26 (3), 162–177.
- Singh, R., Low, E. T. L., Ooi, L. C. L., Ong-Abdullah, M., Ting, N. C., Nagappan, J., Nookiah, R., Amiruddin, M. D., Rosli, R., Manaf, M. A. A., Chan, K. L., Halim, M. A., Azizi, N., Lakey, N., Smith, S. W., Budiman, M. A., Hogan, M., Bacher, B., Van Brunt, A., Martienssen, R. A. (2013). *The oil palm Shell gene controls oil yield and encodes a homologue of Seedstick. Nature*, 500(7462), 340–344.
- Susanti, I., & Lestari, F. (2021). Pengaruh Waktu Penundaan Pengolahan Buah Sawit *Elaeis guineensis* Terhadap Mutu Crude Palm Oil Dengan Alat Pengolahan Sawit Tipe Batch. *Jurnal Biosilampari : Jurnal Biologi*, 3(2), 56–64.
- Tanjung, S. B. F., & Chattri, M. (2025). Alkaloid: Senyawa Metabolit Sekunder pada Tumbuhan dan Potensinya terhadap Pengendalian Penyakit pada Tanaman. *Jurnal Pendidikan Tambusai*, 9, 3672–3678.
- Teh, H. F., Neoh, B. K., Hong, M. P. L., Low, J. Y. S., Ng, T. L. M., Ithnin, N., Thang, Y. M., Mohamed, M., Chew, F. T., Yusof, H. M., Kulaveerasingam, H., & Appleton, D. R. (2013). *Differential Metabolite Profiles during Fruit Development in High-Yielding Oil Palm Mesocarp. PLoS ONE*, 8(4).
- Wang, Z., Xie, C., Wu, Y., Liu, H., Zhang, X., Du, H., Li, X., & Zhang, C. (2024). *Integrated Metabolomics and Transcriptomics Analyses Reveal the Regulatory Mechanisms of Anthocyanin and Carotenoid Accumulation in the Peel of Coffea arabica. International Journal of Molecular Sciences*, 25(19).

- Wong, Y. C., Teh, H. F., Mebus, K., Ooi, T. E. K., Kwong, Q. Bin, Koo, K. L., Ong, C. K., Mayes, S., Chew, F. T., Appleton, D. R., & Kulaveerasingham, H. (2017). *Differential gene expression at different stages of mesocarp development in high- and low-yielding oil palm. BMC Genomics*, 18(1).
- Yang, C., Zhang, S., John Martin, J. J., Fu, X., Li, X., Cheng, S., Cao, H., & Liu, X. (2024). *An in-depth study of anthocyanin synthesis in the exocarp of virescens and nigrescens oil palm: metabolomic and transcriptomic analysis. BMC Plant Biology*, 24(1).
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). *Techniques for extraction and isolation of natural products: A comprehensive review. In Chinese Medicine (United Kingdom)*, 13(1).
- Zhang, R., Martin, J. J. J., Liu, X., Li, X., Zhou, L., Li, R., Fu, X., Li, W., & Cao, H. (2025). *Joint analysis of transcriptional metabolism for flavonoid synthesis during different developmental periods in oil palm exocarp. Frontiers in Plant Science*, 16.
- Zulkarnain, J., Kusrini, & Hidayat, T. (2024). *Klasifikasi Tingkat Kematangan Tandan Buah Segar Kelapa Sawit Menggunakan Pendekatan Deep Learning. JST (Jurnal Sains Dan Teknologi)*, 12(3).