

DAFTAR PUSTAKA

- [1] K. Kaygusuz, "Energy for sustainable development: A case of developing countries," *Renewable and Sustainable Energy Reviews*, vol. 16, no. 2, pp. 1116–1126, Feb. 2012, doi: 10.1016/J.RSER.2011.11.013.
- [2] M. Ali and J. Windarta, "Pemanfaatan Energi Matahari Sebagai Energi Bersih yang Ramah Lingkungan," *Jurnal Energi Baru dan Terbarukan*, vol. 1, no. 2, pp. 68–77, Jul. 2020, doi: 10.14710/jebt.2020.10059.
- [3] Handoko R, Suwandi A, Siregar C A, and Siregar A M, "Investigasi Peleburan dan Pembekuan Phasa Change Material (PCM) Paraffin Wax Sebagai Thermal Energy Storage Pada Pipa," *Jurnal Rekayasa Material, Manufaktur dan Energi*, vol. 6, no. 2, Sep. 2023, doi: 10.30596/rmme.v6i2.16336.
- [4] S. Imron, "Kajian Experimental Perpindahan Panas pada Shell and Tube berisi Phase Change Material PCM," pp. 13–50, Sep. 2021.
- [5] D. A. Korawan, "Karakteristik Penyimpan Kalor Laten Pada Parabolik Mirror Dish," *Jurnal Penelitian dan Pengabdian Kepada Masyarakat UNSIQ*, vol. 10, no. 1, pp. 8–12, Jan. 2023.
- [6] W. Ye, D. Jamshideasli, and J. M. Khodadadi, "Improved Performance of Latent Heat Energy Storage Systems in Response to Utilization of High Thermal Conductivity Fins," Feb. 01, 2023, MDPI. doi: 10.3390/en16031277.
- [7] A. Rai, N. S. Thakur, and D. Sharma, "Numerical Simulation of Thermal Energy Storage using Phase Change Material," Jun. 2023. Accessed: Apr. 19, 2025. [Online]. Available: <https://arxiv.org/abs/2306.11624>
- [8] R. M. Endria, "Pengaruh Variasi Sudut Serated Annular Fin terhadap Perpindahan Panas," no. efisiensi fin, efektivitas fin, pp. 18–90, Jul. 2021, Accessed: Apr. 19, 2025. [Online]. Available: <https://repository.ub.ac.id/185703/8/Muhammad%20Rafly%20Endria.pdf>
- [9] H. M. Ajiban, "Analisis Perpindahan Panas Berdasarkan Distribusi Temperatur pada Variasi Ketebalan dan Panjang Fin," vol. 05 NO 2, pp. 27–31, 2024.
- [10] M. Mohammad Al-Maghalseh, "CFD Model of Shell-and-Tube Latent Heat Thermal Storage Unit Using Paraffin as a PCM," Dec. 2021. [Online]. Available: www.intechopen.com
- [11] H. Bahrami and M. Saberi, "Thermal optimization of PCM-based heat sink using fins: A combination of CFD, genetic algorithms, and neural networks,"

The Journal of Engineering, vol. 2024, no. 10, Oct. 2024, doi: 10.1049/tje2.70015.

- [12] P. Di Prima, M. Santovito, and D. Papurello, "CFD Analysis of a Latent Thermal Storage System (PCM) for Integration with an Air-Water Heat Pump," *Int. J. Energy Res.*, vol. 2024, 2024, doi: 10.1155/2024/6632582.
- [13] S. Arena, G. Cau, and C. Palomba, "CFD Simulation of Melting and Solidification of PCM in Thermal Energy Storage Systems of Different Geometry," in *Journal of Physics: Conference Series*, Institute of Physics Publishing, Nov. 2015. doi: 10.1088/1742-6596/655/1/012051.
- [14] S. A. Kadhim *et al.*, "Enhancing the melting rate of RT42 paraffin wax in a square cell with varied copper fin lengths and orientations: A numerical simulation," *International Journal of Thermofluids*, vol. 24, p. 100877, Nov. 2024, doi: 10.1016/j.ijft.2024.100877.
- [15] W. T. M. Sarro, "Kajian Eksperimental Perpindahan Kalor Proses Pembekuan Parafin Pada Double Pipe Heat Exchanger Dengan Penambahan Sirip Aksial," pp. 16–49, Mar. 2023.
- [16] F. M. Gama, "Kajian Eksperimental Perpindahan Kalor Proses Pelelehan Pcm Parafin Pada Double Pipe Heat Exchanger Dengan Sirip Aksial," pp. 17–50, Feb. 2023.
- [17] S. Chu and A. Majumdar, "Opportunities and challenges for a sustainable energy future," *Nature*, vol. 488, no. 7411, pp. 294–303, Aug. 2012, doi: 10.1038/NATURE11475;SUBJMETA=106,158,172,672,694,704;KWRD=CLIMATE+CHANGE,CONSERVATION+BIOLOGY,ENVIRONMENTAL+SCIENCES.
- [18] A. Sharma, V. V. Tyagi, C. R. Chen, and D. Buddhi, "Review on thermal energy storage with phase change materials and applications," *Renewable and Sustainable Energy Reviews*, vol. 13, no. 2, pp. 318–345, Feb. 2009, doi: 10.1016/J.RSER.2007.10.005.
- [19] B. Kıyak, H. F. Öztıp, N. Biswas, H. Coşanay, and F. Selimefendigil, "Effects of fin shapes and orientations with cyclic heating and cooling on melting and solidification of PCM-filled closed space," *Int. J. Heat Fluid Flow*, vol. 112, p. 109753, Mar. 2025, doi: 10.1016/J.IJHEATFLUIDFLOW.2025.109753.
- [20] T. Faisal, "Studi Komparatif Berbagai Dimensi Fin Hexagon Pada Sistem Pemanasan Phase Change Material (PCM): Simulasi Dengan Ansys Fluent," Padang, Jan. 2025.
- [21] R. Nazaruddin, "Studi Proses Pelelehan Paraffin Wax Di Dalam Pipa Ganda Konsentrik Dengan Variasi Temperatur Air Masuk Menggunakan Simulasi Computational Fluid Dynamics," pp. 18–76, Aug. 2018.

