

DAFTAR PUSTAKA

- Abedi, E., Sayadi, M., & Oliyaei, N. (2024). International Journal of Biological Macromolecules Fabrication and characterization of emulsion-based edible film containing cinnamon essential oil using chia seed mucilage. *International Journal of Biological Macromolecules*, 266(P1), 131173. <https://doi.org/10.1016/j.ijbiomac.2024.131173>
- Abral, H., Putra, G. J., Asro, M., Park, J., & Kim, H. (2018). Effect of vibration duration of high ultrasound applied to bio-composite while gelatinized on its properties. *Ultrasonics Sonochemistry*, 40(Part A), 697–702. <https://doi.org/10.1016/j.ultsonch.2017.08.019>
- Agarwal, U. P., Ralph, S. A., Baez, C., & Reiner, R. S. (2021). Detection and quantitation of cellulose II by Raman spectroscopy. *Cellulose*, 28(14), 9069–9079. <https://doi.org/10.1007/s10570-021-04124-x>
- Aguayo-Muñoz, M. M., Guadarrama-Lezama, A. Y., Pérez-Alonso, C., & Cruz-Olivares, J. (2024). Evaluation of the Antioxidant Capacity of Deep-frozen Green Coffee and Roasted Coffee. *Ciencia Tecnologia Agropecuaria*, 25(2). https://doi.org/10.21930/rcta.vol25_num2_art:3357
- Agustini, D., Jannah, S. R., & Wijaya, A. (2022). Minuman Fungsional dari Kombinasi Kopi Hijau Robusta (*Coffea canephora*), Ekstrak Gambir (*Uncaria gambir* Roxb.) dan Pasak Bumi (*Eurycoma longifolia* Jack). *Jurnal Ilmiah Betahpa*, 1(1), 23–32.
- Alberto, E. L., de Ocampo, A. N., Depasupil, C. G., Ligaray, M., Eusebio, R. C., Orbecido, A., Beltran, A., & Patacsil, L. (2019). Acetylation of Nata de coco (bacterial cellulose) and membrane formation. *MATEC Web of Conferences*, 268, 04003. <https://doi.org/10.1051/matecconf/201926804003>
- Andriani, D., Karina, M., Priatni, S., Indriyati, Apriyana, A. Y.,

- Srikandace, Y., & Fudholi, A. (2024). Optimizing slurry preparation for improved mechanical and physical characteristics of nata de coco-based edible packaging. *Journal of Cleaner Production*, 449(July 2023), 141802. <https://doi.org/10.1016/j.jclepro.2024.141802>
- Andritsou, V., Melo, E. M. De, Tsouko, E., Ladakis, D., Koutinas, A. A., & Matharu, A. S. (2018). Synthesis and Characterization of Bacterial Cellulose from Citrus- Based Sustainable Resources. *ACS Omega*, 3(8), 10365–10373. <https://doi.org/10.1021/acsomega.8b01315>
- Ariefandie, N., & Zhu, F. (2023). Coffee bean processing : Emerging methods and their effects on chemical , biological and sensory properties. *Food Chemistry*, 412(December 2022), 135489. <https://doi.org/10.1016/j.foodchem.2023.135489>
- Atarés, L., & Chiralt, A. (2016). Essential oils as additives in biodegradable films and coatings for active food packaging. *Trends in Food Science & Technology*, 48, 51–62. <https://doi.org/10.1016/j.tifs.2015.12.001>
- Azeredo, H. M. C., Barud, H., & Farinas, C. S. (2019). Bacterial Cellulose as a Raw Material for Food and Food Packaging Applications. *Frontiers in Sustainable Food Systems*, 3(February). <https://doi.org/10.3389/fsufs.2019.00007>
- Badan Standar Nasional. (2008). Standar Nasioanal Indonesia Biji Kopi. *Sni 01-2907-2008*, 4.
- Basiak, E., Lenart, A., & Debeaufort, F. (2017). Effect Of Starch Type On The Physico-Chemical Properties Of Edible Films. *International Journal of Biological Macromolecules*, 98, 348–356. <https://doi.org/10.1016/j.ijbiomac.2017.01.122>
- Bayle, E. A. (2019). Chemical Characterization of Green Coffee

Beans and Determining the Effect of Roasting Temperature on the Content of Caffeine. *Chemistry and Materials Research*, November. <https://doi.org/10.7176/cmr/11-8-03>

- Bharti, I., Singh, S., & Saxena, D. C. (2019). Exploring The Influence Of Heat Moisture Treatment On Physicochemical, Pasting, Structural And Morphological Properties Of Mango Kernel Starches From Indian Cultivars. *Lwt*, 110(April), 197–206. <https://doi.org/10.1016/j.lwt.2019.04.082>
- Błaszkiwicz, J., Bogdan, E. N., Barabosz, K., Kulesza, R., Dresler, E., Woszczyński, P., Biłos, Ł., Matuszek, D. B., & Szkutnik, K. (2023). Effect of Green and Roasted Coffee Storage Conditions On Selected Characteristic Quality Parameters. *Scientific Reports*, 13(0123456789), 6447. <https://doi.org/10.1038/s41598-023-33609-x>
- Bonilla, J., Atarés, L., Vargas, M., & Chiralt, A. (2012). Effect Of Essential Oils And Homogenization Conditions On Properties Of Chitosan-Based Films. *Food Hydrocolloids*, 26(1), 9–16. <https://doi.org/10.1016/j.foodhyd.2011.03.015>
- Brandelero, R. P. H., Yamashita, F., Victória, M., & Grossmann, E. (2010). The effect of surfactant Tween 80 on the hydrophilicity , water vapor permeation , and the mechanical properties of cassava starch and poly (butylene adipate-co-terephthalate) (PBAT) blend films. *Carbohydrate Polymers*, 82(4), 1102–1109. <https://doi.org/10.1016/j.carbpol.2010.06.034>
- BSN. (2008). *SNI 3729:2008 Tepung Sagu*. 1–25.
- Cantergiani, E., Brévard, H., Krebs, Y., Feria-Morales, A., Amadò, R., & Yeretjian, C. (2001). Characterisation of the aroma of green Mexican coffee and identification of mouldy/earthy defect. *European Food Research and Technology*, 212(6), 648–657. <https://doi.org/10.1007/s002170100305>
- Castro-Campos, F. G., Esquivel-Fajardo, E. A., Morales-Sánchez,

- E., Rodríguez-García, M. E., Barron-Garcia, O. Y., Ramírez-Gutiérrez, C. F., Loarca-Piña, G., & Gaytán-Martínez, M. (2024). Resistant Starch Type 5 Formation by High Amylopectin Starch–Lipid Interaction. *Foods*, 13(23), 3888. <https://doi.org/10.3390/foods13233888>
- Chafid, A., & Kusumawardhani, G. (2012). Modifikasi Tepung Sagu Menjadi Maltodekstrin Menggunakan Enzim A-Amylase. 1–56.
- Desramadhani, R., & Wardhana, B. (2023). The Effect of Sorbitol Concentration on the Characteristics of Starch-Based Bioplastics. *Indonesian Journal of Chemical Science*, 12(2), 130–142. <https://doi.org/https://doi.org/10.15294/ijcs.v12i2.70390>
- Dewi, A. M. P., Santoso, U., Pranoto, Y., & Marseno, D. W. (2022). Dual Modification of Sago Starch via Heat Moisture Treatment and Octenyl Succinylation to Improve Starch Hydrophobicity. *Polymers*, 14(6), 1–17. <https://doi.org/10.3390/polym14061086>
- Direktorat Jenderal Perkebunan. (2025). Statistik Perkebunan Indonesia 2024–2026 Jilid 1. Kementerian Pertanian Republik Indonesia. www.ditjenbun.pertanian.go.id
- do Evangelho, J. A., da Silva Dannenberg, G., Biduski, B., El Halal, S. L. M., Kringel, D. H., Gularte, M. A., Fiorentini, A. M., & da Rosa Zavareze, E. (2019). Antibacterial Activity, Optical, Mechanical, And Barrier Properties Of Corn Starch Films Containing Orange Essential Oil. *Carbohydrate Polymers*, 222, 114981. <https://doi.org/10.1016/j.carbpol.2019.114981>
- Dome, K., Podgorbunskikh, E., Bychkov, A., & Lomovsky, O. (2020). Changes in the Crystallinity Degree of Starch Having Different Types of Crystal Structure after Mechanical Pretreatment. *Polymers*, 12(3), 641. <https://doi.org/10.3390/polym12030641>
- Drosos, A., Kordopati, G. G., Anastasopoulos, C., Zafeiropoulos,

- J., Koutinas, A. A., & Kanellaki, M. (2024). Comparative Study And Characterization Of Water - Treated Bacterial Cellulose Produced By Solid Or Liquid Inoculum Of *Komagateibacter Sucrofermentans*. *Cellulose*, 31(9), 5545–5573. <https://doi.org/10.1007/s10570-024-05919-4>
- Echeverría, C., Limón, I., Muñoz-Bonilla, A., Fernández-García, M., & López, D. (2021). Development Of Highly Crystalline Polylactic Acid With B -Crystalline Phase From The Induced Alignment Of Electrospun Fibers. *Polymers*, 13(17), 2860. <https://doi.org/https://doi.org/10.3390/polym13172860>
- Ehara, H., Toyoda, Y., & Johnson, D. V. (2018). Sago Palm: Multiple Contributions To Food Security And Sustainable Livelihoods. In *Sago Palm: Multiple Contributions to Food Security and Sustainable Livelihoods*. <https://doi.org/10.1007/978-981-10-5269-9>
- Enwere, C. F., Okafor, I. S., Adeleke, A. A., Petrus, N., Jakada, K., Olosho, A. I., Ikubanni, P. P., Paramasivam, P., & Ayuba, S. (2024). Production of bioplastic films from wild cocoyam (*Caladium bicolor*) starch. *Results in Engineering*, 24(September), 103132. <https://doi.org/10.1016/j.rineng.2024.103132>
- Fadjria, N., Arfiandi, A., & Auliyah, N. D. (2024). Analisis Kadar Amilosa Pada Pati Jagung Manis (*Zea Mays* L. Var. Saccharata) Secara Spektrofotometri Uv-Vis. *Journal of Pharmaceutical and Sciences*, 152–158. <https://doi.org/10.36490/journal-jps.com.v7i2.494>
- Fahim, H., Bagheri, H., Motamedzadegan, A., Mirarab, S., & Rashidinejad, A. (2024). Fabrication And Characterization Of Active Gelatin-Based Films Integrated With Nanocellulose-Stabilized Pickering Emulsion Containing *Oliveria Decumbens* Vent. essential oil. *LWT*, 209, 116725. <https://doi.org/10.1016/j.lwt.2024.116725>
- Fan, H., Wu, Y., Hu, X., Wu, J., & Liao, X. (2011). Characteristics Of Thin-Layer Drying And Rehydration Of Nata De Coco.

International journal of food science and technology, 46(7), 1438–1444. <https://doi.org/10.1111/j.1365-2621.2011.02642.x>

Farah, A. ;, & Donangelo, C. M. (2006). Phenolic Compounds In Coffee 1. *Brazilian Journal of Plant Physiology*, 18(1), 23–36. <https://doi.org/10.1590/S1677-04202006000100003>

Farida, C. T. (2024). Pembuatan Plastik Biodegradable Berbahan Dasar Selulosa dari Tandan Kosong Kelapa Sawit (TKKS) dengan Penambahan Pati Sagu. In *Skripsi*.

Fatima, S., Khan, M. R., Ahmad, I., & Sadiq, M. B. (2024). Recent Advances In Modified Starch Based Biodegradable Food Packaging: A Review. *Heliyon*, 10(6), e27453. <https://doi.org/10.1016/j.heliyon.2024.e27453>

Fauzi, A. ;, Martinus, M., & Resti, Z. (2022). Post-harvest Fungal Infection in Arabica Coffee Beans (*Coffea arabica* Linnaeus) in the Coffee Center of West Sumatra Province, Indonesia. *Jurnal Proteksi Tanaman (Journal of Plant Protection)*, 6(2), 1–10. <https://doi.org/10.25077/jpt.6.2.1-10.2022>

Fraise, A. P., Wilkinson, M. A. C., Bradley, C. R., Oppenheim, B., & Moiemmen, N. (2013). The Antibacterial Activity And Stability Of Acetic Acid. *Journal of Hospital Infection*, 84(4), 329–331. <https://doi.org/10.1016/j.jhin.2013.05.001>

Frangopoulos, T., Marinopoulou, A., Goulas, Athanasios; Likotrafiti, E., Rhoades, J., Rhoades, Jonathan; Petridis, D., Kannidou, E., Stamelos, A., Theodoridou, Maria; Arampatzidou, Athanasia; Tosounidou, Alexandra; Tsekmes, L., Tsihlikakis, Konstantinos; Gkikas, G., Tourasanidis, E., & Karageorgiou, V. (2023). Optimizing the Functional Properties of Starch-Based Biodegradable Films. *Foods*, 12(14), 2812. <https://doi.org/10.3390/foods12142812>

French, A. D. (2014). Idealized Powder Diffraction Patterns For Cellulose Polymorphs. *Cellulose*, 885–896.

<https://doi.org/10.1007/s10570-013-0030-4>

- Garg, M. ., Apostolopoulou Kalkavoura, V. ., Linares, M. ., Nordgren, N. ., Wågberg, L. ., & Berglund, L. A. (2021). Moisture Uptake In Nanocellulose : The Effects Of Relative Humidity , Temperature And Degree Of Crystallinity. *Cellulose*, 9, 9007–9021. <https://doi.org/10.1007/s10570-021-04099-9>
- González, K., Retegi, A., González, A., Eceiza, A., & Gabilondo, N. (2015). Starch And Cellulose Nanocrystals Together Into Thermoplastic Starch Bionanocomposites. *Carbohydrate Polymers*, 117, 83–90. <https://doi.org/10.1016/j.carbpol.2014.09.055>
- Guo, S., Cheng, M., Cui, Y., Guo, Y., Wang, X., Zhang, R., Liu, Z., & Li, M. (2024). Preparation of Ca-MOFs@Cinnamon Essential Oil/Starch Bio-Composite Film With Antibacterial And Antioxidant Properties. *Industrial Crops and Products*, 219(June), 119057. <https://doi.org/10.1016/j.indcrop.2024.119057>
- Gupta, A., Jeyakumar, E., & Lawrence, R. (2021). Strategic Approach Of Multifaceted Antibacterial Mechanism Of Limonene Traced In Escherichia Coli. *Scientific Reports*, 11, 1–15. <https://doi.org/10.1038/s41598-021-92843-3>
- Gursoy, N., Tepe, B., & Sokmen, M. (2010). Evaluation Of The Chemical Composition And Antioxidant Activity Of The Peel Oil Of Citrus Nobilis. *International Journal of Food Properties*, 13(5), 983–991. <https://doi.org/10.1080/10942910902927136>
- Hafizulhaq, F., Abral, H., Kasim, A., Arief, S., & Affi, J. (2018). Moisture Absorption And Opacity Of Starch-Based Biocomposites Reinforced With Cellulose Fiber From Bengkoang. *Fibers*, 6(3). <https://doi.org/10.3390/fib6030062>
- Hong, J. H., Khan, N., Jamila, N., Hong, Y. S., Nho, E. Y., Choi, J. Y., Lee, C. M., & Kim, K. S. (2017). Determination of Volatile

- Flavour Profiles of Citrus spp. Fruits by SDE-GC–MS and Enantiomeric Composition of Chiral Compounds by MDGC–MS. *Phytochemical Analysis*, 28(5), 392–403. <https://doi.org/10.1002/pca.2686>
- Horn, M. M., Martins, V. C. A., & Plepis, A. M. G. (2023). Effect of Amylopectin Content on Mechanical, Barrier and Thermal Properties of Plasticized Starch/Chitosan Films. *Polysaccharides*, 4(3), 208–218. <https://doi.org/10.3390/polysaccharides4030015>
- Humaira, A., Widayat, H. P., & Abubakar, Y. (2024). Analisis Kualitas Organoleptik Kopi Arabika Gayo dan Arabika Lintong yang Diperoleh dari Pasar Komersial. *Jurnal Ilmiah Mahasiswa Pertanian*, 9(1), 409–415. <https://doi.org/10.17969/jimfp.v9i1.28542>
- Huynh, P. X., Tran, N. T. H., Ly, D. T. T., Nguyen, T. N., & Le, T. D. (2022). Physiochemical properties, antibacterial, antifungal, and antioxidant activities of essential oils from orange (*Citrus nobilis*) peel. *Emirates Journal of Food and Agriculture*, 34(4), 289–296. <https://doi.org/10.9755/ejfa.2022.v34.i4.2843>
- Iguchi, M. ., Yamanaka, S. ., & Budhiono, A. (2000). Bacterial cellulose - a masterpiece of nature's arts. *Journal of Materials Science*, 35(2), 261–270. <https://doi.org/10.1023/A:1004775229149>
- Inamuddin, & Altalhi, T. (2021). Handbook of Bioplastics and Biocomposites Engineering Applications. *Handbook of Bioplastics and Biocomposites Engineering Applications*, 1–656. <https://doi.org/10.1002/9781119160182>
- ISO:6673. (2012). Green coffee — Determination of loss in mass at 105 °C. *International Standar*, 2003.
- ISO 3528. (2012). ISO 3528:2012 Essential oil of mandarin, Italian type (*Citrus reticulata* Blanco). *ISO 3528:2012*, 2014.

<https://standards.iteh.ai/catalog/standards/sist/60c7e9ef-be01-4fac-9691-cde08ff6de29/iso-3528-2012>

- Jouki, M., Yazdi, F. T., Mortazavi, S. A., & Koocheki, A. (2014). Quince Seed Mucilage Films Incorporated With Oregano Essential Oil: Physical, Thermal, Barrier, Antioxidant And Antibacterial Properties. *Food Hydrocolloids*, 36, 9–19. <https://doi.org/10.1016/j.foodhyd.2013.08.030>
- Kafle, K., Greeson, K., Lee, C., & Kim, S. (2014). Cellulose Polymorphs And Physical Properties Of Cotton Fabrics Processed With Commercial Textile Mills For Mercerization And Liquid Ammonia Treatments. *Textile Research Journal*, 84(16), 1692–1699. <https://doi.org/10.1177/0040517514527379>
- Karnwal, A., Rauf, A., Jassim, A. Y., Selvaraj, M., Al-Tawaha, A. R. M. S., Kashyap, P., Kumar, D., & Malik, T. (2025). Advanced Starch-Based Films For Food Packaging: Innovations In Sustainability And Functional Properties. *Food Chemistry: X*, 29, 102662. <https://doi.org/10.1016/j.fochx.2025.102662>
- Kementerian Pertanian. (2024). Statistik Perkebunan 2023-2025. *Sekretariat Direktorat Jenderal Perkebunan*, 1–1080.
- Kim, B.-K., Lee, H.-S., Yang, H.-S., & Song, K.-B. (2021). Development of Ginkgo (*Ginkgo biloba*) Nut Starch Films Containing Cinnamon (*Cinnamomum zeylanicum*) Leaf Essential Oil. *Molecules*, 26(20), 6114. <https://doi.org/10.3390/molecules26206114>
- Kim, Y. K., Lim, J.-M., Kim, Y. J., & Kim, W. (2024). Alterations in pH of Coffee Bean Extract and Properties of Chlorogenic Acid Based on the Roasting Degree. *Foods*, 13(11), 1757. <https://doi.org/10.3390/foods13111757>
- Knysak, D. (2017). Volatile Compounds Profiles In Unroasted *Coffea Arabica* And *Coffea Canephora* Beans From Different

Countries. 37(3), 444–448.

- Kotatha, D., & Rungrodnimitchai, S. (2018). Synthesis and Characterization of Nanofiber of Oxidized Cellulose from Nata De Coco. *International Journal of Chemical Engineering*, 2018, 2787035. <https://doi.org/10.1155/2018/2787035>
- Lawless, H. T., & Heymann, H. (2010). Sensory Evaluation Of Food: Principles And Practices (2nd ed.). Springer. <https://doi.org/10.1007/978-1-4419-6488-5>
- Lestari, H. T., Fauziyah, A., & Nasrulloh, N. (2025). The Effect of Sago (Metroxylon sagu Rottb.) Flour and Sorghum (Sorghum bicolor L. Moench) Flour Proportion on Resistant Starch, Nutrient, and Organoleptic Properties of Cookies for Type 2 Diabetes Mellitus. *Amerta Nutrition*, 9(1), 64–75. <https://doi.org/10.20473/amnt.v9i1.2025.64-75>
- Li, Y., Zhao, L., Lin, L., Li, E., Cao, Q., & Wei, C. (2022). Relationships between X-ray Diffraction Peaks, Molecular Components, and Heat Properties of C-Type Starches from Different Sweet Potato Varieties. *Molecules*, 27(11), 3385. <https://doi.org/10.3390/molecules27113385>
- Liu, Y., Xu, H., Chen, Z., Xie, Z., Wen, H., Chang, X., & Li, G. (2025). Development of Lily Starch Films Reinforced with Chitosan–Honeysuckle Essential Oil Hybrid Particles and Cellulose Nanofibers for Enhanced Properties. *Foods*, 14(4), 589. <https://doi.org/10.3390/foods14040589>
- Makiso, M., Tola, Y. B., Kebede, B. T., Ogah, O., & Scott, D. (2024). Associations Of Arabica Coffee Cup Quality With Green Bean Geographic Origin , Physicochemical Properties , Biochemical Composition , And Volatile Aroma Compounds. *Journal of Agriculture and Food Research*, 18(June), 101549. <https://doi.org/10.1016/j.jafr.2024.101549>
- Maman, M., Sangchote, S., Piasai, O., Leesutthiphonchai, W., Sukorini, H., & Khewkhom, N. (2021). Storage Fungi And

- Ochratoxin A Associated With Arabica Coffee Bean In Postharvest Processes In Northern Thailand. *Food Control*, 130(June), 108351.
<https://doi.org/10.1016/j.foodcont.2021.108351>
- Maqbool, Z., Khalid, W., Atiq, H. T., Koraqi, H., Javaid, Z., Alhag, S. K., Al-Shuraym, L. A., Bader, D. M. D., Almarzuq, M., Afifi, M., & AL-Farga, A. (2023). Citrus Waste as Source of Bioactive Compounds: Extraction and Utilization in Health and Food Industry. *Molecules*, 28(4).
<https://doi.org/10.3390/molecules28041636>
- Marsh, K., & Bugusu, B. (2007). Food Packaging - Roles, Materials, And Environmental Issues: Scientific Status Summary. *Journal of Food Science*, 72(3).
<https://doi.org/10.1111/j.1750-3841.2007.00301.x>
- Mayasari, D., Jayuska, A., & Wibowo, M. A. (2013). Pengaruh Variasi Waktu Dan Ukuran Sampel Terhadap Komponen Minyak Atsiri Dari Daun Jeurk Purut (Citrus hystrix DC .). *Jurnal Kimia Khatulistiwa*, 2(2), 74–77.
- Mittal, A., Katahira, R., Himmel, M. E., Johnson, D. K., & Donohoe, B. S. (2011). Effects Of Alkaline Or Liquid-Ammonia Treatment On Crystalline Cellulose: Changes In Crystalline Structure And Effects On Enzymatic Digestibility. *Biotechnology for Biofuels*, 4(41), 1–16.
<https://doi.org/10.1186/1754-6834-4-41>
- Molyneux, P. (2003). The Use Of The Stable Radical Diphenylpicrylhydrazyl (DPPH) For Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*. 26
- Moon, S. A., Wongsakul, S., Kitazawa, H., & Kittiwachana, S. (2024). Application of ATR-FTIR for Green Arabica Bean Shelf-Life. 1–16.
- Moshawih, S., Kong, J. P. T., Goh, B. H., Renganathan, E., Goh, H. P., Goh, K. W., & Ming, L. C. (2025). Exploring The

Nutritional , Cultural , And Industrial Significance Of Metroxylon Sagu. *Discover Food*, 5, 337. <https://doi.org/10.1007/s44187-025-00638-6>

Muhtadin, A. F., Wijaya, R., & Prihatini, P. (2013). Pengambilan Minyak Atsiri dari Kulit Jeruk. *Jurnal Teknik Pomits*, 2(1), 98–101.

Muzaifa, M., Abubakar, Y., & Nilda, C. (2024). Physicochemical And Sensory Profile Of Commercial Wine Coffee In The Gayo Highlands, Indonesia. *Coffee Science*, *19*, 1-10. <https://doi.org/10.25186/v19i.2168>

Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to Read and Interpret FTIR Spectroscopy of Organic Material. *Indonesian Journal of Science and Technology*, 4(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>

Onyeaka, H., Obileke, K., Makaka, G., & Nwokolo, N. (2022). Current Research and Applications of Starch-Based Biodegradable Films for Food Packaging. *Polymers*, 14(6), 1126. <https://doi.org/10.3390/polym14061126>

Park, S., Baker, J. O., Himmel, M. E., Parilla, P. A., & Johnson, D. K. (2010). Cellulose crystallinity index: measurement techniques and their impact on interpreting cellulase performance. *Biotechnology for Biofuels*, 3, 10. <https://doi.org/10.1186/1754-6834-3-10>

Pazmiño-Arteaga, J., Gallardo, C., González-Rodríguez, T., & Winkler, R. (2022). Loss of Sensory Cup Quality: Physiological and Chemical Changes during Green Coffee Storage. *Plant Foods for Human Nutrition*, 1–11. <https://doi.org/10.1007/s11130-022-00953-8>

Pa'e, N., Hamid, N., Khairuddin, N., Zahan, K., Seng, K., Siddique, B., & Muhamad, I. (2013). Effect Of Different Drying

Methods On The Morphology, Crystallinity, Swelling Ability And Tensile Properties Of Nata De Coco. *Sains Malaysiana*, 43, 767-773.

Patay, É. B., Bencsik, T., & Papp, N. (2016). Phytochemical Overview And Medicinal Importance Of Coffea Species From The Past Until Now. *Asian Pacific Journal of Tropical Medicine*, 9(12), 1127–1135.
<https://doi.org/10.1016/j.apjtm.2016.11.008>

Polnaya, F., Haryadi, Marseno, D. W., & Cahyanto, M. N. (2013). Effects Of Phosphorylation And Cross-Linking On The Pasting Properties And Molecular Structure Of Sago Starch. *International Food Research Journal*, 20(4), 1609–1615.

Qin, L., Li, W. C., Zhu, J. Q., Liang, J. N., Li, B. Z., & Yuan, Y. J. (2015). Ethylenediamine Pretreatment Changes Cellulose Allomorph And Lignin Structure Of Lignocellulose At Ambient Pressure. *Biotechnology for Biofuels*, 8(174), 1–15.
<https://doi.org/10.1186/s13068-015-0359-z>

Rahman, R.; Sood, M.; Gupta, N.; Bandral, J. D.; Hameed, F.; Ashraf, S. (2019). Bioplastics for Food Packaging: A Review. *International Journal of Current Microbiology and Applied Sciences*, 125 (03), 66–80.
<https://doi.org/10.1016/j.tifs.2022.04.026>

Revin, V. V, Liyaskina, E. V, Parchaykina, M. V, Kuzmenko, T. P., Kurgaeva, I. V, Revin, V. D., & Ullah, M. W. (2022). Bacterial Cellulose-Based Polymer Nanocomposites: A Review. *Polymers*, 14(21), 1–35.
<https://doi.org/10.3390/polym14214670>

Riyandari, B. A. (2020). Active Packaging: Sistem Pengemasan Untuk Kualitas Pangan Yang Lebih Baik (Issue July). Sanabil.

Rizal, H. M., Dewi, M. P., & Abdullah, S. (2013). Pengaruh Penambahan Gula, Asam Asetat dan Waktu Fermentasi Terhadap Kualitas Nata De Corn. *Jurnal Teknik Kimia*, 19(1),

- Rizkiyah, Zalfiatri, Y., & Pramana, A. (2024). Minyak Atsiri Kulit Buah Jeruk Manis Dengan Menggunakan Metode Destilasi Uap. *SAGU*, *23*(2), 50–58.
- Rodiah, S. A., Putra, A. W., & Advinda, L. (2021). Pembuatan Nata Menggunakan Air Kelapa. *Prosiding Seminar Nasional Biologi*, 1(1), 748–755.
- Sagaste, C. A., Coronado, M. A., Ayala, J. R., Rojano, B. A., Montes, D. G., García, C., & Valenzuela, E. (2024). Antimicrobial And Antioxidant Properties Of Essential Oils From Orange Peels And Eucalyptus Leaves Wastes. *BioResources*, 19(4), 8844–8859.
- Saleh, S. A., Ulfa, R., & Setyawan, B. (2021). Identifikasi Kadar Air, Tingkat Kecerahan Dan Citarasa Kopi Robusta Dengan Variasi Lama Perendaman. *Jurnal Teknologi Pangan Dan Ilmu Pertanian (Jipang)*, 2(1), 41–48. <https://doi.org/10.36526/jipang.v2i1.1215>
- Salmahaminati. (2022). Senyawa Minyak Atsiri pada Kulit Jeruk (*Citrus sinensis*) yang Berpotensi sebagai Tabir Surya melalui Analisis TD-DFT (Time Dependent-Density Functional Theory). *Kimia Padjadjaran*, 01, 60–65. <https://jurnal.unpad.ac.id/jukimpad>
- Sanches-Silva, A., Costa, D., Albuquerque, T. G., Buonocore, G. G., Ramos, F., Castilho, M. C., & Costa, H. S. (2014). Trends in the use of natural antioxidants in active food packaging: A review. *Food Additives & Contaminants: Part A*, *31*(3), 374–395. <https://doi.org/10.1080/19440049.2013.879215>
- Šárka, E., Sinica, A., Smrčková, P., & Sluková, M. (2023). Non-Traditional Starches , Their Properties , and Applications. *Foods*, 12(20), 3794. <https://doi.org/10.3390/foods12203794>
- Scheidig, C., Czerny, M., & Schieberle, P. (2007). Changes In Key

Odorants Of Raw Coffee Beans During Storage Under Defined Conditions. *Journal of Agricultural and Food Chemistry*, 55(14), 5768–5775. <https://doi.org/10.1021/jf070488o>

Santhosh, R., Ahmed, J., Thakur, R., & Sarkar, P. (2024). Starch-based edible packaging: Rheological, thermal, mechanical, microstructural, and barrier properties – a review. *Sustainable Food Technology*, 2(2), 307-330. <https://doi.org/10.1039/d3fb00211j>

Sanyang, M. L., Sapuan, S. M., Jawaid, M., Ishak, M. R., & Sahari, J. (2015). Effect Of Plasticizer Type And Concentration On Tensile, Thermal And Barrier Properties Of Biodegradable Films Based On Sugar Palm (Arenga Pinnata) Starch. *Polymers*, 7(6), 1106-1124. <https://doi.org/10.3390/polym7061106>

Selmar, D., Bytof, G., & Knopp, S. E. (2008). The Storage Of Green Coffee (Coffea Arabica): Decrease Of Viability And Changes Of Potential Aroma Precursors. *Annals of botany*, 101(1), 31–38. <https://doi.org/10.1093/aob/mcm277>

Setya Prima, H., & Yansen, F. (2024). Uji Aktivitas Antibakteri Ekstrak Kulit Jeruk Jesigo (Citrus Nobilis Lour) Terhadap Bakteri Escherichia Coli Dan Listeria Monocytogenes Antibacterial Activity Of The Extract Of Jesigo Orange (Citrus Nobilis Lour) Peel Against Escherichia Coli And Listeria. *Jurnal Zarah*, 12(1), 15–24.

Sihmawati, Rini Rahayu; Oktoviani, D. W. (2014). Aspek Mutu Produk Nata de Coco dengan Penambahan Sari Buah Mangga. *Jurnal Teknik Industri HEURISTIC*, 11(2), 63–74. <https://doi.org/10.30996/he.v11i02.619>

Singh, B., Pal, J., Kaur, A., & Singh, N. (2020). Phenolic composition , antioxidant potential and health benefits of

- citrus peel. *Food Research International*, 132(February), 109114. <https://doi.org/10.1016/j.foodres.2020.109114>
- Singh, B., Pal, J., Kaur, A., & Yadav, M. P. (2021). Insights into the chemical composition and bioactivities of citrus peel essential oils ☆. *Food Research International*, 143(January), 110231. <https://doi.org/10.1016/j.foodres.2021.110231>
- Sirelkhatim, A. ., Mahmud, S., Seeni, A., Kaus, N. H. M., Ann, L. C., Bakhori, S. K. M., Hasan, H., & Mohamad, D. (2015). Review on Zinc Oxide Nanoparticles: Antibacterial Activity and Toxicity Mechanism. *Nano-Micro Letters*, 7(3), 219–242. <https://doi.org/10.1007/s40820-015-0040-x>
- Sumardiono, S., Rakhmawati, R. B. ., & Pudjiastuti, I. (2018). Physicochemical and Rheological Properties of Sago (Metroxylon sagu) Starch Modified with Lactic Acid Hydrolysis and UV Rotary Drying. *AJChE (ASEAN Journal of Chemical Engineering)*, 18(2), 41–53. <https://doi.org/https://doi.org/10.22146/ajche.49535>
- Song, X., Zuo, G., & Chen, F. (2018). Effect Of Essential Oil And Surfactant On The Physical And Antimicrobial Properties Of Corn And Wheat Starch Films. *International journal of biological macromolecules*, 107(Pt A), 1302–1309. <https://doi.org/10.1016/j.ijbiomac.2017.09.114>
- Spadone, J. C., Takeoka, G., & Liardon, R. (1990). Analytical Investigation Of Rio Off-Flavor In Green Coffee. *Journal of Agricultural and Food Chemistry*, 38(1), 226-233. <https://doi.org/10.1021/jf00091a050>
- Syafiq, R., Sapuan, S. M., Zuhri, M. Y. M., Ilyas, R. A., Nazrin, A., Sherwani, S. F. K., & Khalina, A. (2020). Antimicrobial Activities of Starch-Based Biopolymers and Biocomposites Incorporated with Plant Essential Oils: A Review. *Polymers*, 12(10), 2403. <https://doi.org/10.3390/polym12102403>
- Tahir, M. M., & Fatima, S. (2024). Budidaya dan Olahan Sagu. *Eureka Media Aksara*.

- Tarique, J., Sapuan, S. M. ., & Abdan, K. (2021). Effect of Glycerol Plasticizer Loading On The Physical, Mechanical, Thermal, and Barrier Properties Of Arrowroot (*Maranta Arundinacea*) Starch Biopolymers. *Scientific reports*, 11, 1–17. <https://doi.org/10.1038/s41598-021-93094-y>
- Tripetch, P., & Borompichaichartkul, C. (2019). Effect Of Packaging Materials And Storage Time On Changes Of Colour , Phenolic Content , Chlorogenic Acid And Antioxidant Activity In Arabica Green Coffee Beans (*Coffea arabica* L . cv . Catimor). *Journal of Stored Products Research*, 84, 101510. <https://doi.org/10.1016/j.jspr.2019.101510>
- Vargas, O. L. T., Loaiza, Y. V. G., & Agredo, I. A. R. (2024). Development And Characterisation Of Starch/Alginate Active Films Incorporated With Lemongrass Essential Oil (*Cymbopogon Citratus*). *Materials Advances*, 5(23), 9417-9427.
- Vo, T. P., Tran, H. K. L., Pham, N. T., Tran, T. N., Nguyen, T. H. N., Phan, T. H., & Nguyen, D. Q. (2023). Application of bacterial cellulose in dietary fiber-enriched castella cake production. *CyTA - Journal of Food*, 21(1), 321–327. <https://doi.org/10.1080/19476337.2023.2199048>
- Wada, M., Heux, L., & Sugiyama, J. (2004). Polymorphism of Cellulose I Family: Reinvestigation of Cellulose IV I. *Biomacromolecules*, 5(4), 1385–1391. <https://doi.org/10.1021/bm0345357>
- Wahyudi. (2003). *Memproduksi nata de coco* (I. S. Soesarsono Wijandi (ed.)). Direktorat Pendidikan Menengah Kejuruan, Direktorat Jenderal Pendidikan Dasar dan Menengah, Departemen Pendidikan Nasional.
- Wang, N., Shi, N., Fei, H., Liu, Y., Zhang, Y., Li, Z., Ruan, C., & Zhang, D. (2022). Ultrasonics Sonochemistry

Physicochemical , structural , and digestive properties of pea starch obtained via ultrasonic-assisted alkali extraction.

Ultrasonics Sonochemistry, 89(June), 106136.

<https://doi.org/10.1016/j.ultsonch.2022.106136>

Wang, Y., Luo, J., Hou, X., Wu, H., Li, Q., Li, S., Luo, Q., Li, M., Liu, X., Shen, G., Cheng, A., & Zhang, Z. (2022). Physicochemical, antibacterial, and biodegradability properties of green Sichuan pepper (*Zanthoxylum armatum* DC.) essential oil incorporated starch films. *Lwt*, 161(March), 113392. <https://doi.org/10.1016/j.lwt.2022.113392>

Williams, H. (2022). Measuring Young's modulus with a tensile tester. *Physics Education*, 57(2), 4–8. <https://doi.org/10.1088/1361-6552/ac3f75>

Yang, Q., Zheng, F., Chai, Q., Li, Z., Zhao, H., Zhang, J., Nishinari, K., Zhao, M., & Cui, B. (2024). Effect of Emulsifiers On The Properties Of Corn Starch Films Incorporated With *Zanthoxylum Bungeanum* Essential Oil. *International Journal Of Biological Macromolecules*, 256(Pt 1), 128382. <https://doi.org/10.1016/j.ijbiomac.2023.128382>

Yue, Y., Han, G., & Wu, Q. (2013). Transitional Properties of Cotton Fibers from Cellulose I to Cellulose II Structure. *BioResources*, 8(4), 6460–6471.

Yulia, I., & Prima, H. S. (2023). Uji Aktivitas Antifungi Kombinasi Ekstrak Etanol Kulit Pisang Kepok (*Musa paradisiaca* L.) dan Kulit Jeruk Manis (*Citrus sinensis*) terhadap *Candida albicans* Penyebab Keputihan Patologis Secara In Vitro. *Bioscientist : Jurnal Ilmiah Biologi*, 11(2), 1532. <https://doi.org/10.33394/bioscientist.v11i2.9360>

Zavareze, E. D. R., Pinto, V. Z., Klein, B., El Halal, S. L. M., Elias, M. C., Prentice-Hernández, C., & Dias, A. R. G. (2012). Development Of Oxidised And Heat-Moisture Treated Potato

Starch Film. *Food Chemistry*, 132(1), 344–350.
<https://doi.org/10.1016/j.foodchem.2011.10.090>

Zhang, Z., Tian, X., Wang, P., Jiang, H., & Li, W. (2019). Compositional, Morphological, And Physicochemical Properties Of Starches From Red Adzuki Bean, Chickpea, Faba Bean, And Baiyue Bean Grown In China. *Food Science & Nutrition*, 7(8), 2485–2494.
<https://doi.org/10.1002/fsn3.865>

Zhou, Q., Duan, Q., Zhai, H., Xie, F., Huang, Y., Xie, F., & Chen, P. (2025). V-Type Granular Starches Derived From Different Starch Varieties: An Exploration Of The Relationships Between Structure, Physicochemical Properties, And Emulsifiability. *Food Science and Biotechnology*, 34(12), 2733–2747. <https://doi.org/10.1007/s10068-025-01898-9>

Zubair, M., Shahzad, S., Hussain, A., Pradhan, R. A., Arshad, M., & Ullah, A. (2022). Current Trends in the Utilization of Essential Oils for Polysaccharide- and Protein-Derived Food Packaging Materials. *Polymers*, 14(6), 1146.
<https://doi.org/10.3390/polym14061146>

