


TUGAS AKHIR

PENGARUH KOMPOSISI *CARBON NANOTUBE* PADA KONDUKTIFITAS DAN KAPASITAS NANOSTRUKTUR MEMBRAN BATERAI ALUMINIUM-UDARA



Oleh:

GIFAHRI RENARDY

NIM. 2110913002

**DEPARTEMEN TEKNIK MESIN
FAKULTAS TEKNIK
UNIVERSITAS ANDALAS**

2026

DAFTAR PUSTAKA

- [1] B. Rani, J. K. Yadav, P. Saini, A. P. Pandey, and A. Dixit, "Aluminum-air batteries: current advances and promises with future directions," *RSC Adv.*, vol. 14, no. 25, pp. 17628–17663, 2024, doi: 10.1039/d4ra02219j.
- [2] H. Wang, H. Tan, X. Luo, H. Wang, T. Ma, M. Lv, X. Song, S. Jin, X. Chang and X. Li, "The progress on aluminum-based anode materials for lithium-ion batteries," *J. Mater. Chem. A*, vol. 8, no. 48, pp. 25649–25662, 2020, doi: 10.1039/d0ta09762d.
- [3] R. Buckingham, T. Asset, and P. Atanassov, "Aluminum-air batteries: A review of alloys, electrolytes and design," *J. Power Sources*, vol. 498, no. July 2020, p. 229762, 2021, doi: 10.1016/j.jpowsour.2021.229762.
- [4] D. R. Egan, C. Ponce De León, R. J. K. Wood, R. L. Jones, K. R. Stokes, and F. C. Walsh, "Developments in electrode materials and electrolytes for aluminium-air batteries," *J. Power Sources*, vol. 236, pp. 293–310, 2013, doi: 10.1016/j.jpowsour.2013.01.141.
- [5] R. Mori, "Recent Developments for Aluminum–Air Batteries," *Electrochem. Energy Rev.*, vol. 3, no. 2, pp. 344–369, 2020, doi: 10.1007/s41918-020-00065-4.
- [6] M. Brza S. B. Aziz, S. Raza Saeed, M. H. Hamsan, S. Rohana Majid, R. T. Abdulwahid, M. F. Z. Kadir and R. M. Abdullah, "Energy storage behavior of lithium-ion conducting poly(Vinyl alcohol) (pva): Chitosan(cs)-based polymer blend electrolyte membranes: Preparation, equivalent circuit modeling, ion transport parameters, and dielectric properties," *Membranes (Basel)*, vol. 10, no. 12, pp. 1–20, 2020, doi: 10.3390/membranes10120381.
- [7] M. F. Gaele and T. M. Di Palma, "Polymer Electrolytes for Al-Air Batteries: Current State and Future Perspectives," *Energy and Fuels*, vol. 36, no. 21, pp. 12875–12895, 2022, doi: 10.1021/acs.energyfuels.2c02453.
- [8] R. Luo, Q. Li, B. Du, S. Zhou, and Y. Chen, "Preparation and

characterization of solid electrolyte doped with carbon nanotubes and its preliminary application in NO₂ gas sensors,” *Front. Mater.*, vol. 6, no. May, pp. 1–9, 2019, doi: 10.3389/fmats.2019.00113.

- [9] H. Saxena B. Bhattacharya, N. A. Jadhav, V. K. Singh, S. Shukla, M. Dubey and P. K. Singh, “Multiwall carbon-nanotube-doped ion conducting polymer electrolyte for electrochemical application,” *J. Exp. Nanosci.*, vol. 9, no. 5, pp. 444–451, 2014, doi: 10.1080/17458080.2012.667163.
- [10] V. St-onge, M. Cui, S. Rochon, J. C. Daigle & J. P. Claverie, “Reducing crystallinity in solid polymer electrolytes for lithium-metal batteries via statistical copolymerization,” *Commun. Mater.*, no. 2021, pp. 1–11, doi: 10.1038/s43246-021-00187-2.
- [11] R. M. Hamid, R. Rizky, M. Amin, and I. B. Dharmawan, “Rancang Bangun Charger Baterai Untuk Kebutuhan UMKM,” *JTT (Jurnal Teknol. Terpadu)*, vol. 4, no. 2, p. 130, 2016, doi: 10.32487/jtt.v4i2.175.
- [12] Z. Fan, X. Chen, J. Shi, H. Nie, X. Zhang, X. Zhou, X. Xie, and Z. Xue, *Functionalized Separators Boosting Electrochemical Performances for Lithium Batteries*, vol. 17, no. 1. Springer Nature Singapore, 2025. doi: 10.1007/s40820-024-01596-x.
- [13] H. Sugime, T. Sato, R. Nakagawa, C. Cepek, and S. Noda, “Gd-Enhanced Growth of Multi-Millimeter-Tall Forests of Single-Wall Carbon Nanotubes,” *ACS Nano*, 2019, doi: 10.1021/acsnano.9b06181.
- [14] B. J. Landi, M. J. Ganter, C. D. Cress, R. A. DiLeo, and R. P. Raffaele, “Carbon nanotubes for lithium ion batteries,” *Energy Environ. Sci.*, vol. 2, no. 6, pp. 638–654, 2009, doi: 10.1039/b904116h.
- [15] K. Chu, H. Guo, C. Jia, F. Yin, X. Zhang, X. Liang, and H. Chen, “Thermal properties of carbon nanotube-copper composites for thermal management applications,” *Nanoscale Res. Lett.*, vol. 5, no. 5, pp. 868–874, 2010, doi: 10.1007/s11671-010-9577-2.
- [16] T. Pichler, M. Knupfer, M. S. Golden, J. Fink, A. Rinzler, and R. E. Smalley,

- “Localized and delocalized electronic states in single-wall carbon nanotubes,” *Phys. Rev. Lett.*, vol. 80, no. 21, pp. 4729–4732, 1998, doi: 10.1103/PhysRevLett.80.4729.
- [17] S. K. Chiu, Y. H. Lu, H. Y. Chen, and Y. L. Liu, “Construction of Ion-Conducting Channels with Surface-Functionalized Carbon Nanotubes in Gel/Solid Polymer Electrolytes for Lithium-Ion Batteries,” *ACS Appl. Energy Mater.*, vol. 7, no. 15, pp. 6454–6462, 2024, doi: 10.1021/acsaem.4c01143.
- [18] M. I. Delgado-rosero, N. M. Jurado-meneses, and R. Uribe-kaffure, “Composite Polymer Electrolytes Based on (PEO) 4 CF 3 COOLi,” , *Polymers*, 2023, vol. 15, p. 49. <https://doi.org/10.3390/polym15010049> Academic.
- [19] L. Fan, Q. Tu, C. Geng, and Y. Wang, “Improved redox-active ionic liquid-based ionogel electrolyte by introducing carbon nanotubes for application in all-solid-state supercapacitors,” *Int. J. Hydrogen Energy*, no. xxxx, 2020, doi: 10.1016/j.ijhydene.2020.04.193.
- [20] L. Nulhakim, “Karakteristik Nanogenerator Piezoelektrik ZNO Doping CO₃O₄,” *Simetris J. Tek. Mesin, Elektro dan Ilmu Komput.*, vol. 9, no. 1, pp. 687–692, 2018, doi: 10.24176/simet.v9i1.1821.
- [21] T. A. Salgueiro, R. C. Veloso, J. Ventura, F. Danzi, and J. Oliveira, “Ionic Conductivity Analysis of NASICON Solid Electrolyte Coated with Polyvinyl-Based Polymers,” *Batteries*, vol. 10, no. 5, pp. 1–13, 2024, doi: 10.3390/batteries10050157.
- [22] “Electrochemical Impedance Spectroscopy EIS.” [Online]. Available: https://www.novocontrol.de/php/intro_eis.php
- [23] “Understanding the Behavior of Supercapacitor Materials via Electrochemical Impedance Spectroscopy: A Review.” [Online]. Available: <https://onlinelibrary.wiley.com/doi/10.1002/tcr.202400007>
- [24] X. Cheng and J. Bae, “DNA: Novel Crystallization Regulator for Solid

- Polymer Electrolytes in High-Performance Lithium-Ion Batteries,” *Nanomaterials*, vol. 14, no. 20, p. 1670, Oct. 2024, doi: 10.3390/NANO14201670/S1.
- [25] M. R. Sardela, “X-Ray Diffraction and Reflectivity,” *Pract. Mater. Charact.*, pp. 1–41, Jan. 2014, doi: 10.1007/978-1-4614-9281-8_1.
- [26] M. Tamer, “Quantitative Phase Analysis Based on Rietveld Structure Refinement for Carbonate Rocks,” *J. Mod. Phys.*, vol. 4, no. 8, pp. 1149–1157, Aug. 2013, doi: 10.4236/JMP.2013.48154.
- [27] J. C. Barbosa, R. Gonçalves, C. M. Costa, V. de Zea Bermudez, A. Fidalgo-Marijuan, Q. Zhang and S. Lanceros-Méndez, “Metal-organic frameworks and zeolite materials as active fillers for lithium-ion battery solid polymer electrolytes,” *Mater. Adv.*, vol. 2, no. 12, pp. 3790–3805, Jun. 2021, doi: 10.1039/D1MA00244A.
- [28] “Potentiostat/Galvanostat Electrochemical Instrument Basics Gamry Instruments.” [Online]. Available: <https://www.gamry.com/application-notes/instrumentation/potentiostat-fundamentals/>
- [29] B. Zine, H. Bia, A. Benmouna, M. Becherif, and M. Iqbal, “Experimentally Validated Coulomb Counting Method for Battery State-of-Charge Estimation under Variable,” *Energies*, 2022, vol. 15, p. 8172. <https://doi.org/10.3390/en15218172>
- [30] M. Afiefudin, & Asep, and R. Setiawan, “Enhanced Ionic Conductivity of Layered-MnO₂ accompanied Morphology Evolution for Aqueous Zinc-Ion Battery,” *Mesin*, vol. 30, no. 1, pp. 56–63, Aug. 2024, doi: 10.5614/MESIN.2024.30.1.4.
- [31] S. B. Aziz, A. S. Marf, E. M. A. Dannoun, M. A. Brza, and R. M. Abdullah, “The Study of the Degree of Crystallinity, Electrical Equivalent Circuit, and Dielectric Properties of Polyvinyl Alcohol (PVA)-Based Biopolymer Electrolytes,” *Polym. 2020, Vol. 12, Page 2184*, vol. 12, no. 10, p. 2184, Sep. 2020, doi: 10.3390/POLYM12102184.

- [32] D. Zhou, X. Mei, and J. Ouyang, "Ionic Conductivity Enhancement of Polyethylene Oxide-LiClO₄ Electrolyte by Adding Functionalized Multi-Walled Carbon Nanotubes," pp. 16688–16694, 2011.
- [33] S. Jayanthi, M. Vahini, S. Karthickprabhu, A. Anusuya, N. Karthik, K. Karuppasamy, T. Ramachandran, A. Nicholson, M. Mahendran, B. Sundaresan and D. Vikraman, "The Transformative Role of Nano-SiO₂ in Polymer Electrolytes for Enhanced Energy Storage Solutions," pp. 1–13, 2024, doi: <https://doi.org/10.3390/pr12102174>
- [34] H. Kikukawa, K. Honkura, and M. Koyama, "Influence of inter-particle resistance between active materials on the discharge characteristics of the positive electrode of lithium ion batteries," *Electrochim. Acta*, 2018, doi: 10.1016/j.electacta.2018.05.023.
- [35] S. M. H. Mousavian and V. A. Bautin, "Corrosion-inspired design of artificial interphases for lithium-metal solid-state batteries: Mechanisms, protective strategies, and characterization insights," *J. Electroanal. Chem.*, vol. 1008, p. 119943, 2026, doi: <https://doi.org/10.1016/j.jelechem.2026.119943>.

