

DAFTAR PUSTAKA

1. Yang K hyeok, Jung Y back, Cho M sug, Tae S ho. Effect of supplementary cementitious materials on reduction of CO₂ emissions from concrete. *J Clean Prod.* 2014;2:1–10. Available from: <http://dx.doi.org/10.1016/j.jclepro.2014.03.018>
2. Vargas J, Halog A. Effective Carbon Emission Reductions from Using Upgraded Fly Ash in the Cement Industry. *J Clean Prod.* 2015; Available from:
3. Li G, Zhou C, Ahmad W, Usanova KI, Karelina M, Mohamed AM, et al. Fly Ash Application as Supplementary Cementitious Material: A Review. *Materials (Basel).* 2022;15(7):1–23.
4. Shukla BK, Gupta A, Gowda S, Srivastav Y. Constructing a greener future: A comprehensive review on the sustainable use of fly ash in the construction industry and beyond. *Mater Today Proc.* 2023;93:257–64. Available from:
5. McCarthy MJ, Yakub HI, Csetenyi LJ. Impact of fly ash production and sourcing changes on chemical and physical aspects of concrete durability. *Constr Build Mater.* 2022;342(PB):127313. Available from: <https://doi.org/10.1016/j.conbuildmat.2022.127313>
6. Scrivener KL, John VM, Gartner EM. Eco-efficient cements: Potential economically viable solutions for a low-CO₂ cement-based materials industry. *Cem Concr Res.* 2018;114(June):2–26. Available from: <https://doi.org/10.1016/j.cemconres.2018.03.015>
7. Ahmed A, Abubakr P, Salih Mohammed A. Efficient models to evaluate the effect of C3S, C2S, C3A, and C4AF contents on the long-term compressive strength of cement paste. *Structures.* 2023;47(December 2022):1459–75.
8. Wei T, Xiao J, Cheng X, Gong P, Mei K, Hou Z, et al. Improving the mechanical properties of cement-based materials under high temperature: Reducing the C3S/C2S ratio. *Constr Build Mater.* 2024;421(February):135741.
9. Darmanto PS, Amalia A. Analysis of high clinker ratio of Portland Composite Cement (PCC). *South African J Chem Eng.* 2020;34(November 2019):116–26.
10. Kim N, Park J, Amr IT, Bae JH, Fadhel BA, Cho A, et al. Hydration kinetics of ordinary Portland cement mixed under a direct CO₂ inject condition. *J Build Eng.* 2023;77(August):107531. Available from: <https://doi.org/10.1016/j.job.2023.107531>
11. Masood S, Dagang L, Onyelowe KC, Munir M, Almujiabah H, Rezzoug A, et al. Performance and sustainability in hybrid concrete : A study of recycled aggregates and activated fly ash. *Ain Shams Eng J.* 2025;16(10):103597.
12. Abdalla A, Salih A. Resources , Conservation & Recycling Advances Microstructure and chemical characterizations with soft computing models to evaluate the influence of calcium oxide and silicon dioxide in the fly ash and cement kiln dust on the compressive strength of cement. *Resour Conserv Recycl Adv.* 2022;15(May):200090.
13. Bahar FF, Wiranto S, Jambi U, Jambi U. Inovasi Material dalam Beton Berkelanjutan : Studi Literatur tentang Pemanfaatan Fly Ash dengan Peningkatan Kekuatan Beton. 2024;6.
14. Hasanuddin U. Results in Engineering Mechanical and sustainability assessment of sugarcane bagasse ash and polypropylene fiber in Class C fly ash geopolymer concrete. *Results Eng.* 2026;29(August 2025):108724.
15. Kumar VVP, Dey S, Taraka G, Veerendra N, Phani V, Shanmukha S, et al. Chemistry of Inorganic Materials A systematic analysis of binary blend cement concrete infused with lime sludge and fly ash. *Chem Inorg Mater.* 2024;4(July):100065.
16. Saingam P, Chatveera B, Promsawat P. Case Studies in Construction Materials Synergizing Portland Cement , high-volume fly ash and calcined calcium carbonate in

- producing self-compacting concrete: A comprehensive investigation of rheological , mechanical , and microstructural properties. *Case Stud Constr Mater.* 2024;21(August):e03832.
17. Columbu S, Comboni D, Diego G, Fancello D, Rispoli C, Cappelletti P, et al. Case Studies in Construction Materials Chemical reactivity of zeolitized volcanic waste materials from Sardinian quarries in the production of eco-friendly pozzolanic mortars for their sustainable recovery. *Case Stud Constr Mater.* 2025;23(September):e05288.
 18. Rocha E, Júnior G, Fadini J, Gonçalves M, Rangel A, Azevedo G De, et al. Use of agroindustrial wastes as pozzolanic materials in cementitious systems : A review. *J Mater Res Technol.* 2025;37(May):4761–81.
 19. Nwaokete D, Ince C, Derogar S, Nicolaidis D, James R. Resources , Conservation & Recycling Environmental impact and sustainable development of pozzolanic concrete incorporating polypropylene fibers: A database study. *Resour Conserv Recycl.* 2025;215(February 2024):108142.
 20. Lochyński P, Szymańska M, Charazińska S, Poznańska E, Kubicz J. Raman spectroscopy and XRF identification: First step in industrial wastewater management. *Water Resour Ind.* 2023;30(May).
 21. Magkanas G, Bagán H, Sistach MC, García JF. Illuminated manuscript analysis methodology using MA-XRF and NMF: Application on the Liber Feudorum Maior. *Microchem J.* 2021;165.
 22. Uo M, Wada T, Sugiyama T. Applications of X-ray fluorescence analysis (XRF) to dental and medical specimens. *Jpn Dent Sci Rev.* 2015;51(1):2–9.
 23. Aidid AR, Shishir MKH, Rahaman MA, Islam MT, Mukta M, Alam MA. Powder X-ray line diffraction pattern profiling of anatase-quartz binary oxide: A crystallographic investigation. *Next Mater.* 2025;8(September 2024):100571.
 24. Shishir MKH, Islam MM, Islam MT, Rahaman MA, Mustak MH, Mostafa MG, et al. Crystallographic benchmarking of powder X-ray line diffraction pattern profiling of monoclinic sucrose nanocrystal. *Results in Surfaces and Interfaces.* 2025;20(June):100595.
 25. Capel Berdiell I, Lundegaard LF, Beato P, Di Michiel M, Wragg DS, Svelle S. Spatiotemporal investigation of the regeneration of a shaped zeolite catalyst extrudate using operando powder X-ray diffraction computed tomography. *J Catal.* 2025;450(June):116300.
 26. Celik K, Meral C, Mancio M, Mehta PK, Monteiro PJM. A comparative study of self-consolidating concretes incorporating high-volume natural pozzolan or high-volume fly ash. *Constr Build Mater.* 2013;
 27. Celik K, Jackson MD, Mancio M, Meral C, Emwas A, Mehta PK, et al. Cement & Concrete Composites High-volume natural volcanic pozzolan and limestone powder as partial replacements for portland cement in self-compacting and sustainable concrete. *Cem Concr Compos.* 2014;45:136–47.
 28. Yusuf Y, Savitri VF, Aziz H. Pengaruh Penggunaan Fly Ash dari Berbagai Sumber terhadap Sifat Kimia dan Sifat Fisika pada Semen Tipe I (OPC). :61–71.
 29. Mu Y, Saffarzadeh A, Shimaoka T. Influence of ignition process on mineral phase transformation in municipal solid waste incineration (MSWI) fly ash: Implications for estimating loss-on-ignition (LOI). *Waste Manag.* 2017;59:222–8. Available from: <http://dx.doi.org/10.1016/j.wasman.2016.09.028>

30. Nguyen VD, Ngo SH, Nguyen VL, Huynh TP. Incorporation of high loss-on-ignition fly ash into high-strength mortar: Influence on short-term engineering properties. *Mater Today Proc.* 2023; Available from: <https://doi.org/10.1016/j.matpr.2023.03.531>
31. Sanjuán MÁ, Argiz C. Fineness of Coal Fly Ash for Use in Cement and Concrete. *Fuels.* 2021;2(4):471–86.
32. Gao R, Zhou Z, Yang J, Zhang J. Innovative assessment of reactivity in fly ash: The role of particle size distribution characteristics. *Open Ceram.* 2024;20(June):100680. Available from: <https://doi.org/10.1016/j.oceram.2024.100680>
33. Rajesh J, Kandasamy S. Particle size reduction effects on fly ash pozzolanic performance in cement. *Constr Build Mater.* 2025;494(February).
34. Naveed A, Arif M, Khan ZU, Sultana S, Humayun M, Asif M, et al. Effect of particle-size distribution of fly ash on compressive strength, pore size and porosity of geopolymeric membrane for car wash water treatment. *Desalin Water Treat.* 2022;270:60–9.
35. Park B, Choi YC. Effects of fineness and chemical activators on the hydration and physical properties of high-volume fly-ash cement pastes. *J Build Eng.* 2022;51(January):104274. Available from: <https://doi.org/10.1016/j.jobbe.2022.104274>
36. Patil C, Manjunath M, Hosamane S, Bandekar S, Athani R. Pozzolonic activity and strength activity index of bagasse ash and fly ash blended cement mortar. *Mater Today Proc.* 2020;42:1456–61. Available from: <https://doi.org/10.1016/j.matpr.2021.01.251>
37. Wang Y, Burris L, Shearer CR, Hooton D, Suraneni P. Strength activity index and bulk resistivity index modifications that differentiate inert and reactive materials. *Cem Concr Compos.* 2021;124(May):104240.
38. Gao F, Ge Z, Zhang S, Fang H, Zhang H, Shao Y, et al. Influence of carbonized fly ash on the early-age shrinkage of blended cement paste with different water-to-binder ratios. *Case Stud Constr Mater.* 2025;22(March):e04607.
39. Puthipad N, Ouchi M, Attachaiyawuth A. Effects of fly ash, mixing procedure and type of air-entraining agent on coalescence of entrained air bubbles in mortar of self-compacting concrete at fresh state. *Constr Build Mater.* 2018;180:437–44. Available from: <https://doi.org/10.1016/j.conbuildmat.2018.04.138>
40. Mijatović N, Terzić A, Pezo L, Miličić L, Živojinović D. Validation of energy-dispersive X-ray fluorescence procedure for determination of major and trace elements present in the cement based composites. *Spectrochim Acta - Part B At Spectrosc.* 2019;162(July):105729. Available from: <https://doi.org/10.1016/j.sab.2019.105729>
41. Font O, Moreno N, Querol X, Izquierdo M, Alvarez E, Diez S, et al. X-ray powder diffraction-based method for the determination of the glass content and mineralogy of coal (co)-combustion fly ashes. *Fuel* 2010;89(10):2971–6.
42. Concrete P cement. Standard C311 Test Methods for Sampling and Testing Fly Ash or Natural Pozzolans for Use. 2003;04:1–9.
43. Darder ML, Paz-González A, García-Tomillo A, Lado M, Wilson MG. Comparing multifractal characteristics of soil particle size distributions calculated by Mie and Fraunhofer models from laser diffraction measurements. *Appl Math Model.* 2021;94:36–48.
44. Safonov D, Kinnarinen T, Häkkinen A. An assessment of Blaine's air permeability method to predict the filtration properties of iron ore concentrates. *Miner Eng.* 2021;160.
45. ASTM C191-08 Time of Setting of Hydraulic Cement by Vicat Needle 1. 2010;(C):1–8.
46. Kim B, Prezzi M. Evaluation of the mechanical properties of class-F fly ash. *Waste Manag.* 2008;28(3):649–59.

47. Specification S. ASTM C618-12a Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use. 2014. p. 1–5.
48. Hower JC, Groppo JG, Graham UM, Ward CR, Kostova IJ, Maroto-valer MM, et al. International Journal of Coal Geology Coal-derived unburned carbons in fly ash : A review. *Int J Coal Geol.* 2017;179(May):11–27.
49. Committee AM, No A. Analytical Methods AMC TECHNICAL BRIEFS. *Anal Methods.* 2015;00:1–3. Available from: <http://dx.doi.org/10.1039/C5AY90071A>
50. Bentz DP, Ferraris CF. Cement & Concrete Composites Rheology and setting of high volume fly ash mixtures. *Cem Concr Compos.* 2010;32(4):265–70. Available from: <http://dx.doi.org/10.1016/j.cemconcomp.2010.01.008>
51. Yao ZT, Ji XS, Sarker PK, Tang JH, Ge LQ, Xia MS, et al. A comprehensive review on the applications of coal fly ash. *Earth-Science Rev.* 2015;141:105–21.
52. Vassilev S V, Vassileva CG. A new approach for the classification of coal fly ashes based on their origin , composition , properties , and behaviour. 2007;86:1490–512.
53. Ahmaruzzaman M. A review on the utilization of fly ash. *Prog Energy Combust Sci.* 2010;36(3):327–63. Available from: <http://dx.doi.org/10.1016/j.pecs.2009.11.003>
54. Chindaprasirt P, Jaturapitakkul C, Sinsiri T. Effect of fly ash fineness on compressive strength and pore size of blended cement paste. *Cem Concr Compos.* 2005;27(4):425–8.
55. Ram AK, Mohanty S. State of the art review on physiochemical and engineering characteristics of fly ash and its applications. *Int J Coal Sci Technol.* 2022;9(1). Available from: <https://doi.org/10.1007/s40789-022-00472-6>
56. Ash F, Reactivity P, Snellings R, Kazemi-kamyab H, Nielsen P, Abeele L Van Den. Classification and Milling Increase Fly Ash Pozzolanic Reactivity. 2021;7(April):1–13.
57. Liew YX, Saad SA, Anand N, Tee KF, Chin SC. Evaluating the impact of reducing POFA ' s particle fineness on its pozzolanic reactivity and mortar strength. *J Mater Sci Mater Eng.* 2024; Available from: <https://doi.org/10.1186/s40712-024-00169-5>
58. Assi LN, Eddie Deaver E, Ziehl P. Effect of source and particle size distribution on the mechanical and microstructural properties of fly Ash-Based geopolymer concrete. *Constr Build Mater.* 2018;167:372–80.
59. Lee SH, Kim HJ, Sakai E, Daimon M. Effect of particle size distribution of fly ash-cement system on the fluidity of cement pastes. *Cem Concr Res.* 2003;33(5):763–8.
60. Amran M, Fediuk R, Murali G, Avudaiappan S, Ozbakkaloglu T, Vatin N, et al. Fly ash-based eco-efficient concretes: A comprehensive review of the short-term properties. *Materials (Basel).* 2021;14(15):1–41.
61. Golewski GL. The Role of Pozzolanic Activity of Siliceous Fly Ash in the Formation of the Structure of Sustainable Cementitious Composites. *Sustain Chem.* 2022;3(4):520–34.
62. Shirai H, Ikeda M, Tanno K. Factors Affecting the Density and Specific Surface Area (Blaine Value) of Fly Ash from Pulverized Coal Combustion. 2011;5700–6.
63. Kenzhebek Akmalaiuly, Nazerke Berdikul, Ina Pundien'e JP. The Effect of Mechanical Activation of Fly Ash on State Properties. 2023;