

DAFTAR PUSTAKA

- Abadi, H. K., Mustikarini, E. D., & Prayoga, G. I. (2021). Parameter genetika hasil persilangan jagung bersari bebas untuk mendapatkan galur berbiji ungu. *Jurnal Ilmu Pertanian Indonesia*, 26(3), 450–458.
- Abdalla, M. M., & El-Khoshiban, N. H. (2007). The influence of water stress on growth, relative water content, photosynthetic pigments, some metabolic and hormonal contents of two *Triticum aestivum* cultivars. *Journal of Applied Sciences Research*, 3(12), 2062-2074.
- Abdelrahman, M., Burrit, D. J., Gupta, A., Tsujimoto, H., & Tran, L.S.P. (2020). Heat stress effect on source-sink relationship and metabolome dynamics in wheat. *Journal of Experimental Botany*. 71(2):543-554. <https://doi.org/10.1093/jxb/erz296>
- Acquaah, G. (2012). *Principles of plant genetics and breeding* (2nd ed.). Oxford, UK: Wiley-Blackwell A John Wiley & Sons, Ltd., Publication.
- Afandi, M. R., & Samudin S. (2022). Hritabilitas dan korelasi antar sifat beberapa Kultivar Jagung (*Zea mays* L.) Lokal Sigi. *Jurnal Agrotekbis*, 10(2), 406-411.
- Ahmad, A., Aslam, Z., Naz, M., Hussain, S., Javed, T., Aslam, S., ... & Jamal, M. A. (2021). Exogenous salicylic acid-induced drought stress tolerance in wheat (*Triticum aestivum* L.) grown under hydroponic culture. *PloS one*, 16(12), e0260556. <https://doi.org/10.1371/journal.pone.0260556>
- Akter, N., & Rafiqul, I. M. (2017). Heat stress effects and management in wheat. A review. *Agron Sustain Dev*, 37(5), 37. <https://doi.org/doi:10.1007/s13593-017-0443-9>.
- Alia, Y., Baihaki, A., Hermiati, N., & Yuwariah, Y. (2004). Pola pewarisan karakter jumlah berkas pembuluh kedelai. *Zuriat*, 15(1). <https://doi.org/10.24198/zuriat.v15i1.6820>
- Allard, R. W. (1999). *Principles of plant breeding*. John Wiley & Sons.
- Alloberganova, Z. B., & Sultonov, F. (2025). Soft wheat collection samples: correlation between total chlorophyll and yield. *International Journal of Genetic Engineering*. 13(12): 286-288. <https://doi.org/10.5923/j.ijge.20251312.02>
- Altuhaish, A. A. F. (2014). *The improvement of wheat (Triticum aestivum L.) adaptability to tropical environment by putrescine application*. Bogor Agricultural University.
- Aluko, O. O., Li, C., Wang, Q., & Liu, H. (2021). Sucrose utilization for improved crop yields: A review article. *International journal of molecular sciences*, 22(9), 4704. <https://doi.org/10.3390/ijms22094704>
- Aminasih, N. (2009). Penentuan kriteria seleksi 45 populasi terigu (*Triticum aestivum* L.) introduksi di Dempo Selatan, Pagar Alam, Sumatera Selatan. *Jurnal Penelitian Sains*. 12(1):1-6. <https://doi.org/10.56064/jps.v12i1.190>

- Amirrullah, J., Prabowo, A., & Yustisia. (2018). Potensi hasil varietas inbrida padi sawah irigasi (inpari) dan limbahnya sebagai pakan ternak di Kabupaten Musi Rawas Provinsi Sumatera Selatan. *Jurnal Triton*, 9(2), 86-91.
- Anderson, W. K., & Garlinge, J. R. (2000). *The wheat book: Principles and practice*. Department of Primary Industries and Regional Development, Western Australia.
- Andriani, A., & Isnaini, M. (2016). Morfologi dan fase pertumbuhan gandum. Di dalam: *Gandum peluang pengembangan di Indonesia*. Jakarta (ID): hlm. 69-106.
- Andriyanti, L., Yakop, U. M., & Anugrahwati, D. R. (2020). Uji daya hasil beberapa varietas tanaman gandum pada dataran medium di Kabupaten Lombok Timur. *Agroteksos*, 30(3), 197–203.
- Aprizal. (2019). *Pertumbuhan dan hasil beberapa varietas gandum (Triticum aestivum L.) di Alahan Panjang Kabupaten Solok*. Universitas Andalas.
- Aqil, M., Yasin, M., & Talanca, A. H. (2016). Kesesuaian lahan dan pengelolaan air pada tanaman gandum. Di dalam: *Gandum peluang pengembangan di Indonesia*. Jakarta (ID): hlm. 107-120.
- Aryana, I. M. (2010). Uji keseragaman, heritabilitas, dan kemajuan genetic galur padi beras merah hasil seleksi silang balik di lingkungan gogo. *Crog Agro*, 17, 13–20.
- Asseng, S., Ewert, F., Martre, P., Rotter, R. P., Lobell, D. B., Cammarano, D., ... & Zhu, Y. (2015). Rising temperatures reduce global wheat production. *Nature climate change*, 5(2), 143-147. <https://doi.org/10.1038/nclimate2470>
- Asseng, S., Guarin, J. R., Raman, M., Monje, O., Kiss, G., Despommier, D. D., Meggers, F. M., & Gauthier, P. P. G. (2020). Wheat yield potential in controlled-environment vertical farms. *Proceedings of the National Academy of Sciences of the United States of America*, 117(32), 19131–19135. <https://doi.org/10.1073/pnas.2002655117>
- Association of Official Analytic Chemistry (AOAC). (2012). *Official method of analysis*. USA.
- Badan Meteorologi, Klimatologi, dan Geofisika. (2026). *Prediksi curah hujan kumulatif bulanan deterministik*. <https://www.bmkg.go.id/iklim/prediksi-hujan-bulanan/curah-hujan-deterministik/>
- Badan Pusat Statistik Indonesia. (2025). *Impor biji gandum dan Meslin menurut negara asal utama, 2017-2024*. Publikasi Statistik Indonesia.
- Balai Penelitian Tanaman Serealia. (2020). *Deskripsi varietas tanaman serealia jagung, sorgum dan gandum*. Badan Penelitian dan Pengembangan Pertanian, Kementerian Pertanian.
- Balai Pengujian Standar Instrumen Tanah dan Pupuk. (2023). *Analisis kimia tanah, tanaman air dan pupuk*. Kementerian Pertanian Republik Indonesia. Bogor.
- Balai Pengujian Standar Instrumen Tanaman Serealia. (2024). *Deskripsi varietas unggul baru jagung, sorgum, dan gandum*. Pusat Standardisasi Instrumen

Tanaman Pangan, Badan Standardisasi Instrumen Pertanian, Kementerian Pertanian.

- Balai Perakitan dan Pengujian Tanaman Serealia (BRMP Serealia). (2025). *Proposal pelepasan calon varietas gandum adaptif dataran menengah-rendah*. Badan Perakitan dan Modernisasi Pertanian, Kementerian Pertanian.
- Balla, K., Karsai, I., Bonis, P., Kiss, T., Berki, Z., Horvath, A., Mayer, M., Bencze, S., & Veisz, O. (2019). Heat stress responses in a large set of winter wheat cultivars (*Triticum aestivum* L.) depend on the timing and duration of stress. *PLOS ONE*, 14(2):23-39. <https://doi.org/10.1371/journal.pone.0222639>
- Balla, K., Karsai, I., Kiss, T., Horvath, A., Berki, Z., Cseh, A., ... & Veisz, O. (2021). Single versus repeated heat stress in wheat: What are the consequences in different developmental phases?. *PLOS ONE*, 16(5), e0252070. <https://doi.org/10.1371/journal.pone.0252070>
- Barnabas, B., Jager, K., & Fehér, A. (2008). The effect of drought and heat stress on reproductive processes in cereals. *Plant, cell & environment*, 31(1), 11-38. <https://doi.org/10.1111/j.1365-3040.2007.01727.x>
- Bergkamp, B., Impa, S. M., Asebedo, A. R., Fritz, A. K., & Jagadish, S. K. (2018). Prominent winter wheat varieties response to post-flowering heat stress under controlled chambers and field based heat tents. *Field Crops Research*, 222, 143-152. <https://doi.org/10.1016/j.fcr.2018.03.009>
- Bewley, J. D., Bradford, K., & Hilhorst, H. (2013). *Seeds: physiology of development, germination and dormancy*. Springer Science & Business Media.
- Bhatt, S., Sharma, S., & Yadav, S. B. K. (2024). Impact and tolerance mechanism of heat stress in wheat (*Triticum aestivum* L.): A review. *Archives of Agriculture and Environmental Science*, 9(3), 632-640. <https://doi.org/10.26832/24566632.2024.0903031>
- Bogale, T., Degefa, S., & Dalle, G. (2025). Phenological responses of wheat (*Triticum aestivum* L.) crop to climate variability and change: Review. *Agriculture, Forestry and Fisheries*, 14(3), 91-103. <https://doi.org/10.11648/j.aff.20251403.12>
- Brinton, J., & Uauy, C. (2019). A reductionist approach to dissecting grain weight and yield in wheat. *Journal of Integrative Plant Biology*, 61(3), 337-358.
- Budiarti, S. G. (2005). Karakterisasi beberapa sifat kuantitatif plasma nutfah gandum (*Triticum aestivum* L.). *Buletin Plasma Nutfah*, 11(2), 49-54.
- Chaerunnisa, A. N. J. (2020). *Evaluasi beberapa genotipe gandum (Triticum aestivum L.) di dataran rendah*. Universitas Hasanuddin.
- Chua, L. C., & Lau, O. S. (2024). Stomatal development in the changing climate. *Development*, 151(20), dev202681.
- Couee, I., Sulmon, C., Gouesbet, G., & El Amrani, A. (2006). Involvement of soluble sugars in reactive oxygen species balance and responses to oxidative stress in plants. *Journal of experimental botany*, 57(3), 449-459. <https://doi.org/10.1093/jxb/erj027>

- Crowder, L. V. (1979). *Genetika tumbuhan terjemahan oleh L Kusdiarti dan Sutarso 1986*. Yogyakarta: Gajah Mada University Press.
- Dahlan, M. M., & Slamet, S. (1992). Pemuliaan tanaman jagung. *Dalam: A. Kasno, M. Dahlan dan Hasnam. Prosiding Simposium Pemuliaan Tanaman I. PPTI Jawa Timur*, 17-38.
- Das, R., Devi, S. H., Das, S., Mollier, M., & Pachoni, S. (2022). Understanding the mechanism of high-temperature stress effect and tolerance in wheat. In *Thermotolerance in crop plants* (pp. 105-127). Singapore: Springer Nature Singapore.
- Deryabin, A., Zhukova, K., Naraikina, N., & Venzhik, Y. (2024). Pengaruh suhu rendah terhadap kandungan metabolit primer pada dua genotipe gandum yang berbeda dalam toleransi dingin. *Metabolites*, 14 (4), 199. <https://doi.org/10.3390/metabo14040199>
- Djanaguiraman, M., Boyle, D. L., Welte, R., Jagadish, S. V. K., & Prasad, P. V. V. (2018). Decreased photosynthetic rate under high temperature in wheat is due to lipid desaturation, oxidation, acylation, and damage of organelles. *BMC Plant Biology*, 18(1), 55. <https://doi.org/10.1186/s12870-018-1263-z>
- Djanaguiraman, M., Narayanan, S., Erdayani, E., & Prasad, P. V. (2020). Effects of high temperature stress during anthesis and grain filling periods on photosynthesis, lipids and grain yield in wheat. *BMC Plant Biology*, 20(1), 268. <https://doi.org/10.1186/s12870-020-02479-0>
- Elizabeth, N., Gawande, V., & Bharad, S. G. (2024). Effects of terminal heat stress on yield and physiological traits of bread wheat genotypes (*Triticum aestivum* L.). *International Journal of Advanced Biochemistry Research*, 8(11), 110-118. <https://doi.org/10.33545/26174693.2024.v8.i11b.2816>
- Fahad, S., Bajwa, A. A., Nazir, U., Anjum, S. A., Farooq, A., Zohaib, A., ... & Huang, J. (2017). Crop production under drought and heat stress: plant responses and management options. *Frontiers in plant science*, 8, 1147. <https://doi.org/10.3389/fpls.2017.01147>
- Falconer, D. S. (1961). *Introduction to quantitative genetics*. Edinburg: Oliver & Boyd
- Falconer, D. S., & Mackay, T. F. C. (1996). *Introduction to quantitative genetics (4th ed.)*. Addison Wesley Longman.
- Faralli, M., Matthews, J., & Lawson, T. (2019). Exploiting natural variation and genetic manipulation of stomatal conductance for crop improvement. *Current Opinion in Plant Biology*, 49, 1-7. <https://doi.org/10.1016/j.pbi.2019.01.003>
- Farhad, M., Kumar, U., Tomar, V., Bhati, P. K., Krishnan J, N., Barek, V., ... & Hossain, A. (2023). Heat stress in wheat: a global challenge to feed billions in the current era of the changing climate. *Frontiers in Sustainable Food Systems*, 7, 1203721. <https://doi.org/10.3389/fsufs.2023.1203721>
- Farooq, M., Bramley, H., Palta, J. A., & Siddique, K. H. (2011). Heat stress in wheat during reproductive and grain-filling phases. *Critical Reviews in Plant Sciences*, 30(6), 491-507. <https://doi.org/10.1080/07352689.2011.615687>

- Finch-Savage, W. E., & Bassel, G. W. (2016). Seed vigour and crop establishment: extending performance beyond adaptation. *Journal of Experimental Botany*, 67(3), 567-591. <https://doi.org/10.1093/jxb/erv490>
- Firmansah, H., Wahyu, Y., & Nur, A. (2024). Performance of convergent breeding wheat (*Triticum aestivum* L.) lines in the lowlands. *Journal of Tropical Crop Science*, 11(1), 9–18. <https://doi.org/10.29244/jtcs.11.01.9-18>
- Garcia-Caparrros, P., De Filippis, L., Gul, A., Hasanuzzaman, M., Ozturk, M., Altay, V., & Lao, M. T. (2021). Oxidative stress and antioxidant metabolism under adverse environmental conditions: a review. *The Botanical Review*, 87(4), 421-466. <https://doi.org/10.1007/s12229-020-09231-1>
- Ghazi, N. A. K. (2012). Phenological development-yield relationships in durum wheat cultivars under late-season high-temperature stress in a semiarid environment. *ISRN Agronomy*, 1–7. <https://doi.org/10.5402/2012/456856>
- Gonzalez, F. G., Miralles, D. J., & Slafer, G. A. (2011). Wheat floret survival as related to pre-anthesis spike growth. *Journal of Experimental Botany*, 62(14), 4889-4901. <https://doi.org/10.1093/jxb/err182>
- Habibah, A. N. (2019). *Adaptasi galur-galur gandum (Triticum aestivum L.) f2.4 di dataran menengah*. Institut Pertanian Bogor.
- Hafeez, M. B., Zahra, N., Kausar, A., Li, J., Rehman, A., & Farooq, M. (2023). Influence of heat stress during grain development on the wheat grain yield, quality, and composition. *Journal of Soil Science and Plant Nutrition*, 23(3), 2955-2969. <https://doi.org/10.1007/s42729-023-01386-1>
- Hallas, N. E., & Moreno-Rangel, A. (2025). Integrated environmental control strategy for vertical wheat farming in arid climates: linking crop physiology and energy systems for sustainable cereal production. *Current Research in Agricultural Sciences*, 12(2), 202-215. <https://doi.org/10.18488/cras.v12i2.4600>
- Hanifah, N. F., Amien, S., & Ruswandi, D. (2018). Variabilitas fenotipik komponen hasil galur jagung manis padjadjaran sr generasi S3 di Arjasari. *Jurnal Agrotek Indonesia*, 3(1), 39–43.
- Harahap, M. F., Ramadhan, A. S., Siregar, F. R. Z., Saputra, R., Matondang, R. D. A., & Gunawan, H. (2025). Analisis pengaruh suhu dan kelembaban terhadap efisiensi fotosintesis dan produktivitas TBS tanaman kelapa sawit. *Jurnal Agro Estate*, 9(2), 86-94. <https://doi.org/10.47199/jae.v9i2.379>
- Harrison, E. L., Arce Cubas, L., Gray, J. E., & Hepworth, C. (2020). The influence of stomatal morphology and distribution on photosynthetic gas exchange. *The Plant Journal*, 101(4), 768-779. <https://doi.org/10.1111/tpj.14560>
- Haryanti, S., 2010. Jumlah dan distribusi stomata pada daun beberapa spesies tanaman dikotil dan monokotil. *Buletin Anatomi dan Fisiologi*, 18 (2), 21-28.

- Hasanuzzaman, M., Bhuyan, M. B., Parvin, K., Bhuiyan, T. F., Anee, T. I., Nahar, K., ... & Fujita, M. (2020a). Regulation of ROS metabolism in plants under environmental stress: A review of recent experimental evidence. *International Journal of Molecular Sciences*, 21(22), 8695. <https://doi.org/10.3390/ijms21228695>
- Hasanuzzaman, M., Bhuyan, M. B., Zulfiqar, F., Raza, A., Mohsin, S. M., Mahmud, J. A., ... & Fotopoulos, V. (2020b). Reactive oxygen species and antioxidant defense in plants under abiotic stress: Revisiting the crucial role of a universal defense regulator. *Antioxidants*, 9(8), 681. <https://doi.org/10.3390/antiox9080681>
- Hasanuzzaman, M., Nahar, K., Alam, M., Roychowdhury, R., & M., F. (2013). Physiological, biochemical, and molecular mechanisms of heat stress tolerance in plants. *Int J Mol Sci*, 14(5), 9643–9684. <https://doi.org/10.3390/ijms14059643>
- Hayati, P. K. D. (2018). *Analisis rancangan dalam pemuliaan tanaman :Penerapan statistika dalam penelitian pemuliaan tanaman*. Andalas University Press.
- Hayati, P. K. D., Sutoyo, & Prasetyo, T. B. (2016). Penampilan jagung hibrida hasil silang-tunggal dari berbagai kombinasi persilangan galur inbrida. *Prosiding Seminar Nasional Masyarakat Biodiversiti Indonesia*, 2, 165–168. <https://doi.org/10.13057/psnmbi/m020208>
- Herdiani, E. (2016). *Budidaya gandum di Indonesia*. Balai Besar Pelatihan Pertanian Lembang.
- Hu, P., Chapman, S. C., Dreisigacker, S., Sukumaran, S., Reynolds, M., & Zheng, B. (2021). Using a gene-based phenology model to identify optimal flowering periods of spring wheat in irrigated mega-environments. *Journal of Experimental Botany*, 72(20), 7203-7218. <https://doi.org/10.1093/jxb/erab326>
- Huang, J., Zhao, X., Bürger, M., Chory, J., & Wang, X. (2023). The role of ethylene in plant temperature stress response. *Trends in Plant Science*, 28(7), 808-824.
- Hyles, J., Bloomfield, M. T., Hunt, J. R., Trethowan, R. M., & Trevaskis, B. (2020). Phenology and related traits for wheat adaptation. *Heredity*, 125(6), 417-430. <https://doi.org/10.1038/s41437-020-0320-1>
- Idris, I., Sutresna, I. W., & Sudika, I. (2018). Keragaman heritabilitas dan korelasi genotipik jagung kultivar lokal Kebo hasil seleksi massa dalam sistem tanam tumpangsari. *Jurnal Crop Agro*, 11(2), 85–93. <https://cropagro.unram.ac.id/index.php/caj/article/view/196>
- Iqbal, N., Umar, S., Khan, N. A., & Corpas, F. J. (2021a). Nitric oxide and hydrogen sulfide coordinately reduce glucose sensitivity and decrease oxidative stress via ascorbate-glutathione cycle in heat-stressed wheat (*Triticum aestivum* L.) plants. *Antioxidants*, 10(1), 108. <https://doi.org/10.3390/antiox10010108>

- Iqbal, N., Fatma, M., Gautam, H., Umar, S., Sofo, A., D'ippolito, I., & Khan, N. A. (2021b). The crosstalk of melatonin and hydrogen sulfide determines photosynthetic performance by regulation of carbohydrate metabolism in wheat under heat stress. *Plants*, *10*(9), 1778.
- Isgandarova, T. Y., Rustamova, S. M., Aliyeva, D. R., Rzayev, F. H., Gasimov, E. K., & Huseynova, I. M. (2024). Antioxidant and ultrastructural alterations in wheat during drought-induced leaf senescence. *Agronomy*, *14*(12), 2924. <https://doi.org/10.3390/agronomy14122924>
- Ishfaq, N., Waraich, E. A., Ahmad, M., Hussain, S., Zulfiqar, U., Din, K. U., ... & Ali, H. M. (2024). Mitigating drought-induced oxidative stress in wheat (*Triticum aestivum* L.) through foliar application of sulfhydryl thiourea. *Scientific Reports*, *14*(1), 15985. <https://doi.org/10.1038/s41598-024-66506-y>
- Jacott, C. N., & Boden, S. A. (2020). Feeling the heat: developmental and molecular responses of wheat and barley to high ambient temperatures. *Journal of Experimental Botany*, *71*(19), 5740-5751.
- Jagadish, S. K. (2020). Heat stress during flowering in cereals—effects and adaptation strategies. *New Phytologist*, *226*(6), 1567-1572. <https://doi.org/10.1111/nph.16429>
- Julianto, R. P. D., Lestari, S. U., & Indawan, E. (2021). Analisis korelasi dan jalur dalam penentuan kriteria seleksi ubi jalar (*Ipomoea batatas* (L.) Lam.) berdaya hasil tinggi. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, *23*(1), 53–60. <https://doi.org/10.31186/jipi.23.1.53-60>
- Kanbar, A., Kondo, K., & Shashidhar, H. E. (2011). Comparative efficiency of pedigree, modified bulk and single seed descent breeding methods of selection for developing high-yielding lines in rice (*Oryza sativa* L.) under aerobic condition. *Electronic Journal of Plant Breeding*, *2*(2):184-193.
- Karki, P., Subedi, E., Acharya, G., Bashyal, M., Dawadee, N., & Bhattarai, S. (2021). A review on the effect of heat stress in wheat (*Triticum aestivum* L.). *Archives of Agriculture and Environmental Science*, *6*(3), 381-384. <https://doi.org/10.26832/24566632.2021.0603018>
- Kaur, K., Grewal, S. K., Singh, S., Rani, U., & Bhardwaj, R. D. (2021). Timing and intensity of upregulated defensive enzymes is a key factor determining resistance in chickpea to *Ascochyta rabiei*. *Physiological and Molecular Plant Pathology*, *114*, 101645. <https://doi.org/10.1016/j.pmpp.2021.101645>
- Khalid, A., Hameed, A., & Tahir, M. F. (2023). Wheat quality: A review on chemical composition, nutritional attributes, grain anatomy, types, classification, and function of seed storage proteins in bread making quality. *Frontiers in Nutrition*, *10*, 1053196. <https://doi.org/10.3389/fnut.2023.1053196>
- Khan, I., Wu, J., & Sajjad, M. (2022). Pollen viability-based heat susceptibility index (HSI_{pv}): A useful selection criterion for heat-tolerant genotypes in wheat. *Frontiers in Plant Science*, *13*, 1064569. <https://doi.org/10.3389/fpls.2022.1064569>

- Khanna, K., Ohri, P., & Bhardwaj, R. (2023). Decoding sugar regulation and homeostasis in plants: cracking functional roles under stresses. *Journal of Plant Growth Regulation*, 42(8), 4797-4817. <https://doi.org/10.1007/s00344-022-10727-w>
- Khanna-Chopra, R. (2012). Leaf senescence and abiotic stresses share reactive oxygen species-mediated chloroplast degradation. *Protoplasma*, 249(3), 469-481. <https://doi.org/10.1007/s00709-011-0308-z>
- Kirby, E. J. M. (2002). *Botany of the wheat plant*. In: *bread wheat: improvement and production*. (Eds.): Curtis B.C, Rajaram. S, MacPherson G.H. FAO.
- Kumar, A., Li, C., & Portis, A. R. Jr. (2009). Arabidopsis thaliana expressing a thermostable chimeric Rubisco activase exhibits enhanced growth and higher rates of photosynthesis at moderately high temperatures. *Photosynth Res*. 100(3): 143–153. <https://doi.org/10.1007/s11120-009-9438-y>
- Kumar, H., Chugh, V., Kumar, M., Gupta, V., Prasad, S., Kumar, S., ... & Kumar, M. (2023). Investigating the impact of terminal heat stress on contrasting wheat cultivars: a comprehensive analysis of phenological, physiological, and biochemical traits. *Frontiers in Plant Science*, 14, 1189005. <https://doi.org/10.3389/fpls.2023.1189005>
- Kumar, P., Gupta, V., Singh, G., Singh, C., Tyagi, B. S., & Singh, G. P. (2021). Assessment of terminal heat tolerance based on agro-morphological and stress selection indices in wheat. *Cereal Research Communications*, 49(2), 217-226. <https://doi.org/10.1007/s42976-020-00112-2>
- Kumari, A., Ranjan, R., Roy, C., Pal, A., & Kumar, S. (2020). Effect of heat stress on inter-relationship of physiological and biochemical traits with grain yield in wheat (*Triticum aestivum* L.). *Curr J Appl Sci Technol*, 39, 19-29. <https://doi.org/10.9734/CJAST/2020/v39i1930786>
- Lal, M. K., Tiwari, R. K., Gahlaut, V., Mangal, V., Kumar, A., Singh, M. P., ... & Zinta, G. (2022). Physiological and molecular insights on wheat responses to heat stress. *Plant cell reports*, 41(3), 501-518.
- Lephuthing, M. C., Khumalo, T. P., Tolmay, V. L., Dube, E., & Tsilo, T. J. (2022). Genetic mapping of quantitative trait loci associated with plant height and yield component traits in a wheat (*Triticum aestivum* L.) doubled haploid population derived from Tugela-DN× Elands. *Agronomy*, 12(10), 2283. <https://doi.org/10.3390/agronomy12102283>
- Lestari, F. W., Suminar, E., Nuraini, A., Ezura, H., & Mubarak, S. (2020). Perubahan viabilitas pollen dan anatomi stomata pada dua mutan tomat, iaa9-3 dan iaa9-5, akibat cekaman suhu tinggi. *Agrikultura*, 31(1), 25-31. <https://doi.org/10.24198/agrikultura.v31i1.25768>
- Li, D., Xiao, Y., Guo, L., Shan, B., Liu, X., Duan, X., Rehman, A., Guo, C., Zhang, W., Li, H., Liu, J., Gao, X., & Cao, X. (2024). Effect of high nighttime temperatures on growth, yield, and quality of two wheat cultivars during the whole growth period. *Plants*, 13(21), 3071. <https://doi.org/10.3390/plants13213071>

- Li, J., Zhang, Y., Cheng, R., & Li, T. (2025). Light spectrum, intensity, and photoperiod are key for production as well as speed breeding of spring wheat in indoor farming. *Plant-Environment Interactions*, 6(5), e70085.
- Li, M., Feng, J., Zhou, H., Najeeb, U., Li, J., Song, Y., & Zhu, Y. (2022). Overcoming reproductive compromise under heat stress in wheat: Physiological and genetic regulation, and breeding strategy. *Frontiers in Plant Science*, 13, 881813. <https://doi.org/10.3389/fpls.2022.881813>
- Liu, B., Liu, L., Asseng, S., Zhang, D., Ma, W., Tang, L., ... & Zhu, Y. (2020). Modelling the effects of post-heading heat stress on biomass partitioning, and grain number and weight of wheat. *Journal of Experimental Botany*, 71(19), 6015-6031. <https://doi.org/10.1093/jxb/eraa310>
- Lohani, N., Singh, M. B., & Bhalla, P. L. (2020). High temperature susceptibility of sexual reproduction in crop plants. *Journal of Experimental Botany*, 71(2), 555-568. <https://doi.org/10.1093/jxb/erz426>
- Lu, H., Hu, Y., Wang, C., Liu, W., Ma, G., Han, Q., & Ma, D. (2019). Effects of high temperature and drought stress on the expression of gene encoding enzymes and the activity of key enzymes involved in starch biosynthesis in wheat grains. *Frontiers in Plant Science*, 10, 1414. <https://doi.org/10.3389/fpls.2019.01414>
- Ma, W., Yu, Z., She, M., Zhao, Y., & Islam, S. (2019). Wheat gluten protein and its impacts on wheat processing quality. *Front. Agr. Sci. Eng.*, 6(3), 279–287. <https://doi.org/10.15302/J-FASE-2019267>
- Mackinney, G. (1941). Absorption of light by chlorophyll. *Journal of Biological Chemistry*, 140(2), 315–322.
- Mahdavi, S., Arzani, A., Maibody, S. A. M. M., & Kadivar, M. (2022). Grain and flour quality of wheat genotypes grown under heat stress. *Saudi Journal of Biological Sciences*, 29(10), 103417. <https://doi.org/10.1016/j.sjbs.2022.103417>
- Mamta, Niwas, R., Anurag, Khichar, M. L., Kumar, A., & Singh, A. (2020). Profile of relative humidity in wheat (*Triticum aestivum* L.) crop. *International Journal of Chemical Studies*, 8(2), 747–756. <https://doi.org/10.22271/chemi.2020.v8.i2l.8858>
- Markovic, S., Petrovic, M., & Dukic, N. (2020). Variability of malondialdehyde content and yield elements in *Triticum aestivum* L. under heat stress conditions. *Kragujevac J. Sci*, 42, 45-54. <http://dx.doi.org/10.5937/KgJSci2042045M>
- Masthigowda, H, M., Sharma, D., Khobra, R., Krishnappa, G., Khan, H., Singh, S. K., ... & Singh, G. P. (2022). Pollen viability as a potential trait for screening heat-tolerant wheat (*Triticum aestivum* L.). *Functional Plant Biology*, 49(7), 625-633. <https://doi.org/10.1071/FP21096>

- Milec, Z., Nawaz, K., Puranik, S., Nowicka, A., Kovacik, M., Findurova, H., ... & Sahu, P. P. (2025). Integrative morpho-physiological and transcriptomic insights into wheat responses to combined drought, heat, and elevated CO₂ under future climate conditions. *Plant Stress*, 18, 101115. <https://doi.org/10.1016/j.stress.2025.101115>
- Miralles, D. J., & Slafer, G. A. (2007). Sink limitations to yield in wheat: How could it be reduced?. *Journal of Agricultural Science*, 145, 139–149.
- Mirosavljevic, M., Mikic, S., Kondic-Spika, A., Zupunski, V., Zhou, R., Abdelhakim, L., & Ottosen, C. O. (2021). The effect of heat stress on some main spike traits in 12 wheat cultivars at anthesis and mid-grain filling stage. *Plant, Soil and Environment*, 67(2), 71-76. <https://doi.org/10.17221/457/2020-PSE>
- Mirosavljevic, M., Mikic, S., Zupunski, V., Abdelhakim, L., Trkulja, D., Zhou, R., ... & Ottosen, C. O. (2024). Effects of heat stress during anthesis and grain filling stages on some physiological and agronomic traits in diverse wheat genotypes. *Plants*, 13(15), 2083. <https://doi.org/10.3390/plants13152083>
- Mohi-Ud-Din, M., Siddiqui, N., Rohman, M., Jagadish, S. K., Ahmed, J. U., Hassan, M. M., ... & Islam, T. (2021). Physiological and biochemical dissection reveals a trade-off between antioxidant capacity and heat tolerance in bread wheat (*Triticum aestivum* L.). *Antioxidants*, 10(3), 351. <https://doi.org/10.3390/antiox10030351>
- Moreno-Cuenca, L., Navas-Guzmán, F., Doppler, L., & Foyo Moreno, I. (2025). Evaluation of the partition of global solar radiation into UVA, PAR, and NIR components in a rural environment. *Remote Sensing*, 17(20), 3439. <https://doi.org/10.3390/rs17203439>
- Moritz, A., Eckert, A., Vukasovic, S., Snowdon, R., & Stahl, A. (2024). Physiological phenotyping of transpiration response to vapour pressure deficit in wheat. *BMC plant biology*, 24(1), 1032. <https://doi.org/10.1186/s12870-024-05692-3>
- Mustamin, Samudin, S., Maemunah, Made, U., Ete, A., & Mustakim. (2022). pendugaan nilai heritabilitas dan daya hasil beberapa sifat Kultivar Padi Gogo (*Oryza sativa* L.) Lokal. *Jurnal Agrotekbis*, 10(5), 713–718.
- Najatin, I. (2020). *Keragaan galur-galur F2.5 gandum (Triticum aestivum L.) di dataran menengah*. Institut Pertanian Bogor.
- Narayanan, S., Tamura, P. J., Roth, M. R., Prasad, P. V., & Welte, R. (2016). Wheat leaf lipids during heat stress: I. High day and night temperatures result in major lipid alterations. *Plant, Cell & Environment*, 39(4), 787-803. <https://doi.org/10.1111/pce.12649>
- Nawaz, A., Farooq, M., Cheema, S. A., & Wahid, A. (2013). Differential response of wheat cultivars to terminal heat stress. *International Journal of Agriculture and Biology*, 15(6).

- Nazarli, H., & Faraji, F. (2011). Response of proline, soluble sugars and antioxidant enzymes in wheat (*Triticum aestivum* L.) to different irrigation regimes in greenhouse condition. *Cercetari Agronomice in Moldova*, 4, 27–33. <https://doi.org/10.2478/V10298-012-0046-1>
- Nevo, E., Korol, A. B., Beiles, A., & Fahima, T. (2002). *Evolution of wild emmer and wheat improvement: Population genetics, genetic resources, and genome organization of wheat's progenitor, Triticum dicoccoides*. Berlin, Germany: Springer.
- Niswara, H. V. (2023). *Keragaan galur-galur gandum (Triticum aestivum L.) di dataran rendah*. Institut Pertanian Bogor.
- Nizamani, F. G., Khokhar, A. A., Rind, R. A., Nizamani, M. M., Mehmood, A., Nizamani, M., ... & Nizamani, A. L. (2020). Wheat genotypes response to heat stress tolerance normal and delay sowing dates. *FUUAST Journal of Biology*, 10(1), 39-49. <https://doi.org/10.64793/fuuastjb.v10i1.460>
- Nur, A. (2013). *Adaptasi tanaman gandum (Triticum aestivum L.) toleran suhu tinggi dan peningkatan keragaman genetik melalui induksi mutasi dengan menggunakan iradiasi sinar gamma*. Institut Pertanian Bogor.
- Nur, A., Azrai, M., Subagio, H., Soeranto, H., Ragapadmi, Sustiprajitno, & Trikoesoemaningtyas. (2013). Perkembangan pemuliaan gandum di Indonesia. *Iptek Tanaman Pangan*, 8(2): 97–105.
- Nur, A., Syahrudin, K., & Pabendon, M. B. (2017). Keragaman genetik populasi gandum hasil persilangan konvergen. *Penelitian Pertanian Tanaman Pangan*, 1(2), 143–152. <https://doi.org/10.21082/jpntp.v1n2.2017.p143-151>
- Nur, R. F. (2023). *Hasil tanaman gandum (Triticum aestivum L.) varietas dewata 162 pada dosis pupuk kandang ayam dan jarak tanam yang berbeda*. Universitas Tidar.
- Oner, F. (2024). Effects of nitrogen doses on stomatal characteristics, chlorophyll content, and agronomic traits in wheat (*Triticum aestivum* L.). *PeerJ*, 12, e18792. <https://doi.org/10.7717/peerj.18792>
- Ono, K., Yamamoto, Y., Hachiya, A., & Matsumoto, H. (1995). Synergistic inhibition of growth by aluminum and iron of tobacco (*Nicotiana tabacum* L.) cells in suspension culture. *Plant and cell physiology*, 36(1), 115-125. <https://doi.org/10.1093/oxfordjournals.pcp.a078727>
- Ortiz, R., Sayre, K. D., Govaerts, B., Gupta, R., Subbarao, G. V., Ban, T., ... & Reynolds, M. (2008). Climate change: can wheat beat the heat?. *Agriculture, Ecosystems & Environment*, 126(1-2), 46-58. <https://doi.org/10.1016/j.agee.2008.01.019>
- Osei, M. K., Bonsu, K. O., Adu-Gyamfi, K., & Frimpong, M. (2015). Development of high yielding and uniform tomato fruits using pure line selection. *Direct Research Journal of Agriculture and Food Science (DRJAFS)*, 3(1), 10-16.

- Ostmeyer, T., Parker, N., Jaenisch, B., Alkotami, L., Bustamante, C., & Jagadish, S. K. (2020). Impacts of heat, drought, and their interaction with nutrients on physiology, grain yield, and quality in field crops. *Plant Physiology Reports*, 25(4), 549-568. <https://doi.org/10.1007/s40502-020-00538-0>
- Pandey, G. C., Mehta, G., Sharma, P., & Sharma, V. (2019). Terminal heat tolerance in wheat: an overview. *Journal of Cereal Research*, 11(1):1–16. <https://doi.org/10.25174/2249-4065/2019/79252>
- Pastenes, C., & Horton, P. (1999). Resistance of photosynthesis to high temperature in two bean varieties (*Phaseolus vulgaris* L.). *Photosynthesis Research*, 62(2), 197-203. <https://doi.org/10.1023/A:1006391113097>
- Percival, J. (1921). *The wheat plant*. A monograph. London, Duckworth
- Pflueger, T., Jensen, S. M., Liu, F., & Rosenqvist, E. (2024). Leaf gas exchange responses to combined heat and drought stress in wheat genotypes with varied stomatal density. *Environmental and Experimental Botany*, 228, 105984.
- Poehlman, J. M., & Sleper, D. A. (1995). *Breeding field crops* (4th ed.). Ames, IA: Iowa State University Press.
- Poudel, P. B., & Poudel, M. R. (2020). Heat stress effects and tolerance in wheat: A review. *J. Biol. Today's World*, 9(3), 1-6. <https://doi.org/10.35248/2322-3308.20.09.217>
- Praptana, R. H., & Hermanto. (2016). *Gandum: Peluang pengembangan di Indonesia*. Jakarta (ID): IAARD Press.
- Prasad, P. V., Pisipati, S. R., Ristic, Z., Bukovnik, U. R. S. K. A., & Fritz, A. K. (2008). Impact of nighttime temperature on physiology and growth of spring wheat. *Crop science*, 48(6), 2372-2380. <https://doi.org/10.2135/cropsci2007.12.0717>
- Prasojo, E. B., & Banjarnahor, D. (2018). Penampilan 19 galur gandum (*Triticum aestivum* L.) di dataran menengah, Desa Sidorejo Kidul, Kecamatan Tingkir, Kota Salatiga. *AGRIC*, 30(2), 63–74.
- Pratama, F. F., E. Nihayati dan N. Barunawati. 2017. *Pengaruh ketinggian tempat dan aplikasi boron terhadap fertilitas polen dan hasil gandum (Triticum Aestivum L.)* Brawijaya University.
- Pritchard, S., Ju, Z., Santen, E. V., Qiu, J., Weaver, D., Prior, S. A., & Rogers, H. H. (2000). The influence of elevated CO₂ on the activities of antioxidative enzymes in two soybean genotypes. *Australian Journal of Plant Physiology*, 27(11), 1061-1068. <https://doi.org/10.1071/PP99206>
- Priyanto, S.B., M. Azrai, & M. Syakir. 2018. Analisis ragam genetik, heritabilitas, dan sidik lintas karakter agronomik jagung hibrida silang tunggal. *Informatika Pertanian*, 27(1): 1-8.
- Proutsos, N., Alexandris, S., Liakatas, A., Nastos, P., & Tsiros, I. X. (2022). PAR and UVA composition of global solar radiation at a high altitude Mediterranean forest site. *Atmospheric Research*, 269, 106039.

- Punia, S. S., Mansoor, A. A., Shah, B., & Ramranwha, B. (2011). Genetic analysis for high temperature tolerance in bread wheat. *African Crop Science Journal*, 19(3), 149–163.
- Putri, N. E., Chaniago, I., & Suliansyah, I. (2013). Seleksi beberapa genotipe gandum berdasarkan komponen hasil di daerah curah hujan tinggi. *Jurnal Agroteknologi*, 4(1), 1–6.
- Putri, N. E., Sutjahjo, S. H., Trikoesoemaningtyas, Nur, A., Suwarno, W. B., & Wahyu, Y. (2020). Wheat transgressive segregants and their adaptation in the tropical region. *SABRAO Journal of Breeding and Genetics*, 52(4), 506–522.
- Putri, N. E., Swasti, E., Hasibuan, S. P., & Armansyah. (2022a). Performance of several F1 wheat genotypes and estimation of its heterosis and gene action. *Proceedings of the 2nd Agrifood System International Conference (2nd ASIC)*, 8–9 November 2022, Padang.
- Putri, N. E., Wahyu, Y., Sutjahjo, S. H., Trikoesoemaningtyas, T., Nur, A., & Suwarno, W. (2022b). Potensi segregan transgresif berdaya hasil tinggi pada beberapa kombinasi persilangan gandum. *Jurnal Agroteknologi*, 12(2), 81–90
- Qadri, A., Hayati, E., & Efendi, E. (2020). Pendugaan nilai heritabilitas karakter agronomi tanaman padi (*Oryza sativa* L.) generasi F₂. *Jurnal Ilmiah Mahasiswa Pertanian*, 3(4), 125–131.
- Qiao, Y., Li, D., Qiao, W., Li, Y., Yang, H., Liu, W., ... & Dong, B. (2022). Development and application of a relative soil water content–transpiration efficiency curve for screening high water use efficiency wheat cultivars. *Frontiers in Plant Science*, 13, 967210. <https://doi.org/10.3389/fpls.2022.967210>
- Rachmadi, M. (2000). *Pengantar pemuliaan tanaman membiak vegetatif*. Universitas Padjajaran.
- Radzikowska, D., Sulewska, H., Bandurska, H., Ratajczak, K., Szymanska, G., Kowalczewski, P. Ł., & Głowicka-Wołoszyn, R. (2022). Analysis of physiological status in response to water deficit of spelt (*Triticum aestivum* ssp. *spelta*) cultivars in reference to common wheat (*Triticum aestivum* ssp. *vulgare*). *Agronomy*, 12(8), 1822.
- Rangan, P., Furtado, A., & Henry, R. (2020). Transcriptome profiling of wheat genotypes under heat stress during grain-filling. *Journal of Cereal Science*, 91, 102895. <https://doi.org/10.1016/j.jcs.2019.102895>
- Rao, I. M. (2001). Role of physiology in improving crop adaptation to abiotic stresses in the tropics: The case of common bean and tropical forages. In M. Pessarakli (Ed.), *Handbook of plant and crop physiology* (2nd ed.). Tucson, AZ: University of Arizona.
- Rensburg, H. C. J. V., & Ende, W. V D. (2018). UDP-glucose: a potential signaling molecule in plants?. *Frontiers in Plant Science*, 8, 2230. <https://doi.org/10.3389/fpls.2017.02230>

- Reynolds, M., Foulkes, M. J., Slafer, G. A., Berry, P., Parry, M. A., Snape, J. W., & Angus, W. J. (2009). Raising yield potential in wheat. *Journal of Experimental Botany*, 60(7), 1899–1918. <https://doi.org/10.1093/jxb/erp016>
- Rohaeni, W.R. & Permadi, D.A.N.K. (2012) Analisis sidik lintas beberapa karakter komponen hasil terhadap daya hasil padi sawah pada aplikasi Agrisimba. *Agrotrop: Journal on Agriculture Science*, 2(2), 185–190.
- Rolland, F., Baena-Gonzalez, E., & Sheen, J. (2006). Sugar sensing and signaling in plants: conserved and novel mechanisms. *Annu. Rev. Plant Biol.*, 57(1), 675-709.
- Roy, D. (2000). *Plant breeding: analysis and exploitation of variation*. Narosa Publishing House.
- Ruchjaningsih, A., Thamrin, M., & Kanro, M. Z. (2000). Penampilan fenotif dan beberapa parameter genetik delapan kultivar kacang tanah pada lahan sawah. *Zuriat*, 11(1), 8-15.
- Saddhe, A. A., Manuka, R., & Penna, S. (2021). Plant sugars: Homeostasis and transport under abiotic stress in plants. *Physiologia Plantarum*, 171(4), 739–755. <https://doi.org/10.1111/ppl.13283>
- Sadok, W., Lopez, J. R., & Smith, K. P. (2021). Transpiration increases under high-temperature stress: Potential mechanisms, trade-offs and prospects for crop resilience in a warming world. *Plant, Cell & Environment*, 44(7), 2102-2116.
- Sami, F., Yusuf, M., Faizan, M., Faraz, A., & Hayat, S. (2016). Role of sugars under abiotic stress. *Plant Physiology and Biochemistry*, 109, 54–61. <https://doi.org/10.1016/j.plaphy.2016.09.005>
- Saputra, A. B., Papilaya, B. J., & Rajab. (2021). Estimasi komponen ragam dan heritabilitas bobot badan dan pertambahan bobot badan ayam lokal fase awal. *Agrinimal Jurnal Ilmu Ternak dan Tanaman*. 9(2):67-74
- Sari, A. P., Sinaga, & Sugiharto, A. N. (2018). Keragaman 10 galur jagung ungu (*Zea mays* L. Var *amylacea*) pada Generasi Keempat (S4). *Jurnal Produksi Tanaman*, 6(3), 479–487.
- Sari, L., Purwito, A., Soepandi, D., Purmaningsih, R., & Sudarmonowati, E. (2016). Karakterisasi morfologi, anatomi dan fisiologi galur mutan gandum yang ditanam di dataran rendah tropik. *Jurnal Penelitian Pertanian Tanaman Pangan*. 35(1):45-52. <https://doi.org/10.21082/jpptp.v35n1.2016.p45-52>
- Sattar, A., Sher, A., Ijaz, M., Ul-Allah, S., Rizwan, M. S., Hussain, M., ... & Cheema, M. A. (2020). Terminal drought and heat stress alter physiological and biochemical attributes in flag leaf of bread wheat. *PLoS ONE*, 15(5), e0232974. <https://doi.org/10.1371/journal.pone.0284070>
- Sehgal, A., Sita, K., Siddique, K. H., Kumar, R., Bhogireddy, S., Varshney, R. K., ... & Nayyar, H. (2018). Drought or/and heat-stress effects on seed filling in food crops: Impacts on functional biochemistry, seed yields, and nutritional quality. *Frontiers in Plant Science*, 9, 1705. <https://doi.org/10.3389/fpls.2018.01705>

- Sembiring, H. (2016). *Technical guidelines for wheat cultivation development 2016*. In Directorate General of Food Crops: Ministry of Agriculture.
- Serrago, R. A., Alzueta, I., Savin, R., & Slafer, G. A. (2013). Understanding grain yield responses to source–sink ratios during grain filling in wheat and barley under contrasting environments. *Field Crops Research*, 150, 42–51. <https://doi.org/10.1016/j.fcr.2013.05.016>
- Shaukat, S., Kousar, I., Fatima, S., Shukat, R., Ali, A., Ahmad, J., ... & Ramzan, M. (2021). Evaluation of spring wheat genotypes for terminal heat stress. *SABRAO Journal of Breeding and Genetics*, 53(2):239–247.
- Silaen, S. (2021). Pengaruh transpirasi tumbuhan dan komponen di dalamnya. *Agroprimatech*, 5(2), 14–20. <https://doi.org/10.34012/agroprimatech.v5i1.2081>
- Simon, M. R., Fleitas, M. C., Castro, A. C., & Schierenbeck, M. (2020). How foliar fungal diseases affect nitrogen dynamics, milling, and end-use quality of wheat. *Frontiers in Plant Science*, 11, 569401. <https://doi.org/10.3389/fpls.2020.569401>
- Singh, H. D. (2024). Impact of high temperature on wheat (*Triticum aestivum*) crop review. *ShodhKosh Journal of Visual and Performing Arts*, 5(1). <https://doi.org/10.29121/shodhkosh.v5.i1.2024.5269>
- Singh, N., Viridi, A. S., Katyal, M., Kaur, A., Kaur, D., Ahlawat, A. K., ... & Sharma, R. K. (2021). Evaluation of heat stress through delayed sowing on physicochemical and functional characteristics of grains, whole meals and flours of India wheat. *Food Chemistry*, 344, 128725. <https://doi.org/10.1016/j.foodchem.2020.128725>
- Singh, R. K., & Chaudhary, B. D. (1985). *Biometrical methods in quantitative genetic analysis*. Kalyani Publishers.
- Slafer, G. A., Foulkes, M. J., Reynolds, M. P., Murchie, E. H., Carmo-Silva, E., Flavell, R., ... & Griffiths, S. (2023). A “wiring diagram” for sink strength traits impacting wheat yield potential. *Journal of Experimental Botany*, 74(1), 40–71. <https://doi.org/10.1093/jxb/erac410>
- Sleper, D. A., & Poehlman, J. M. (2006). *Breeding field crops* (5th ed.). Wiley.
- Sobir, & Syukur, M. (2015). *Genetika tanaman*. IPB Press.
- Sofiyanti, N., Wahyuni, P. I., & Iriani, D. (2022). Stomatal characteristics of 5 *Citrus* L. species (Rutaceae) from Pekanbaru, Riau Province. *Jurnal Biologi Tropis*, 22(1), 173–178. <https://doi.org/10.29303/jbt.v22i1.3100>
- Solim, M. H., & Nasution, K. Y. (2022). Heritabilitas dan kemajuan genetik dua populasi F₂ untuk beberapa sifat agronomi dari turunan padi mutan Rojolele. *Jurnal Ilmiah Aplikasi Isotop dan Radiasi*, 18(1), 46–57. <https://doi.org/10.17146/jair.2022.18.1.6726>
- Stansfield, W. D. (1983). *Schaum's outline of theory and problems of genetics*. Mc Graw-Hill. Inc.
- Sugiyono. (2017). *Statistika untuk penelitian*. Alfabeta.

- Suliansyah, I. (2014). *Sekilas tanaman gandum*. Universitas Andalas Press.
- Suliansyah, I. (2019). *Laikkah gandum dibudidayakan di Indonesia*. Media Pustaka.
- Suliansyah, I., Alfi, H., & Ekawati, F. (2016). Seleksi mutan genjah pada perbaikan genetik gandum (*Triticum aestivum* L.) unggul introduksi melalui pemuliaan mutasi. In *Prosiding Seminar Nasional Membangun Sektor Perkebunan Masa Depan untuk Peningkatan Produktivitas Pertanian dan Kelestarian Ekosistem* (pp. B-25–B-30). Payakumbuh: Politeknik Pertanian Negeri Payakumbuh.
- Sulistiyowati, Y., Nurhasanah, A., Widyajayantie, D., Astuti, D., Rachmat, A., Pantouw, C., Windiastri, V., Rahmawati, S., & Nugroho, S. (2022). Seleksi dan evaluasi sorgum mutan generasi M₂ hasil radiasi sinar gamma untuk peningkatan karakter biomassa. *Jurnal Penelitian Pertanian Terapan*, 22(2), 138–145. <http://dx.doi.org/10.25181/jppt.v22i2.23028>
- Sumarno, & Mejaya, M. D. (2016). Pertanaman dan produksi gandum di Indonesia. In *Gandum: Peluang pengembangan di Indonesia* (pp. 1–14). IAARD Press.
- Sumesh, K. V., Sharma-Natu, P., & Ghildiyal, M. C. (2008). Starch synthase activity and heat shock protein in relation to thermal tolerance of developing wheat grains. *Biologia Plantarum*, 52(4), 749–753. <https://doi.org/10.1007/s10535-008-0145-x>
- Sun, W., Lu, C., Wen, L., Liu, Y., Zhou, X., Xiao, X., ... & Zhang, Y. (2024). Low sucrose availability reduces basal spikelet fertility by inducing abscisic acid and jasmonic acid synthesis in wheat. *Journal of Experimental Botany*, 75(7), 1967–1981. <https://doi.org/10.1093/jxb/erad484>
- Sun, Y., Zhang, S., & Yan, J. (2021). Contribution of green organs to grain weight in dryland wheat from the 1940s to the 2010s in Shaanxi Province, China. *Scientific Reports*, 11(1), 3377. <https://doi.org/10.1038/s41598-021-82718-y>
- Suresh, K., Rao, V. P., Srinivas, A., Sankar, A. S., & Govardhan, V. (2013). Relative water content as influenced by varied plant densities and irrigation levels in pigeonpea. *Int J Appl Biol Pharm Technol*, 4(2):64.
- Susanto, N., Respatijarti, & Sugiharto, A. N. (2016). Uji keunikan dan keseragaman beberapa galur inbrida jagung manis (*Zea mays* var. *saccharata* Sturt). *Journal of Agricultural Science (Plantropica)*, 1(2), 49–54.
- Suwandi, R. (2014). *Pertumbuhan dan hasil produksi 17 genotip gandum (Triticum aestivum L.) di dataran tinggi Dieng*. Universitas Kristen Satya Wacana.
- Suzuki, N., Koussevitzky, S., Mittler, R., & Miller, G. (2012). ROS and redox signalling in the response of plants to abiotic stress. *Plant, Cell & Environment*, 35(2), 259–270. <https://doi.org/10.1111/j.1365-3040.2011.02336.x>
- Syukur, M., Sujiprihati, S., & Yuniarti, R. (2012). *Teknik pemuliaan tanaman*. Penebar Swadaya.

- Tefera, A., Kebede, M., Tadesse, K., & Getahun, T. (2021). Morphological, physiological, and biochemical characterization of drought-tolerant wheat (*Triticum* spp.) varieties. *International Journal of Agronomy*, 2021(1), 8811749. <https://doi.org/10.1155/2021/8811749>
- Thabet, S. G., Elkelish, A., Alqudah, A. M., Alhudhaibi, A. M., Alqahtani, H., Börner, A., & Nahhas, N. E. (2026). Heat resilience in wheat (*Triticum aestivum* L.): antioxidant dynamics, genetic mapping, and epigenetic insights into stress memory. *Cereal Research Communications*, 54(1), 209-226.
- Thakur, V., Rane, J., Pandey, G. C., & Yadav, S. (2023). Image facilitated assessment of intra-spike variation in grain size in wheat under high temperature and drought stress. *Scientific Reports*, 13(1), 19850.
- Thalmann, M., Pazmino, D., Seung, D., Horrer, D., Nigro, A., Meier, T., ... & Santelia, D. (2016). Regulation of leaf starch degradation by abscisic acid is important for osmotic stress tolerance in plants. *The Plant Cell*, 28(8), 1860-1878. <https://doi.org/10.1105/tpc.16.00143>
- Timisela, J., Anakotta, A. A., Hiariej, A., & Jambormias, E. (2020). Korelasi genotipe dan fenotipe antar sifat kuantitatif pada populasi segregasi transgresif kacang hijau. *Jurnal Budidaya Pertanian*. 16(1):21-30.
- Tumanggor, G.L., Iswahyudi, & Mardiyah, A. (2022). Pertumbuhan, produksi dan karakter genetik padi kultivar Silesio generasi M-2 hasil iradiasi sinar gamma. *Jurnal Penelitian Agrosamudra*, 9(2), 31-40. <https://doi.org/10.33059/jupas.v9i2.6519>.
- Ullah, A., Nadeem, F., Nawaz, A., Siddique, K. H., & Farooq, M. (2022). Heat stress effects on the reproductive physiology and yield of wheat. *Journal of Agronomy and Crop Science*, 208(1), 1-17. Doi:10.1111/jac.12572.
- Ullah, N., Nawaz, M. A., & Alsafran, M. (2024). Physiological mechanisms regulating source-sink interactions and grain yield formation in heat-stressed wheat. *Plant Stress*, 14, 100654. <https://doi.org/10.1016/j.stress.2024.100654>
- Vedi, A., & Pandey, G. C. (2024). Physio-biochemical and molecular characterization of wheat cultivars (*Triticum aestivum* L.) under post-anthesis heat stress. *Bulletin of the National Research Centre*, 48(1), 88. <https://doi.org/10.1186/s42269-024-01243-w>
- Violetta, Z. (2013). Pengaruh pemberian beberapa dosis pupuk kandang sapi terhadap pertumbuhan dan produksi dua genotipe tanaman gandum (*Triticum aestivum* L.) di Kabupaten Tanah Datar. Universitas Andalas.
- Waadt, R., Seller, C. A., Hsu, P. K., Takahashi, Y., Munemasa, S., & Schroeder, J. I. (2022). Plant hormone regulation of abiotic stress responses. *Nature Reviews Molecular Cell Biology*, 23(10), 680-694. <https://doi.org/10.1038/s41580-022-00479-6>
- Wahid, A., Gelani, S., Ashraf, M., & Foolad, M. R. (2007). Heat tolerance in plants: an overview. *Environmental and Experimental Botany*, 61(3), 199-223. <https://doi.org/10.1016/j.envexpbot.2007.05.011>

- Wang, S., Li, T., Miao, Y., Zhang, Y., He, Z., & Wang, S. (2017). Effects of heat stress and cultivar on the functional properties of starch in Chinese wheat. *Cereal Chemistry*, 94(3), 443-450. <https://doi.org/10.1094/CCHEM-06-16-0179-R>
- Wang, X., Hou, L., Lu, Y., Wu, B., Gong, X., Liu, M., ... & Xu, S. (2018). Metabolic adaptation of wheat grain contributes to a stable filling rate under heat stress. *Journal of Experimental Botany*, 69(22), 5531-5545. <https://doi.org/10.1093/jxb/ery303>.
- Wardiana, E., Enny, R., & Izzah, N. K. (2009). Korelasi dan analisis lintasan beberapa karakter penting koleksi plasma nutfah piretrum (*Chrysanthemum cinerariaefolium* Trev.) di kebun percobaan Gunung Putri. *Jurnal Littri*, 15(1), 1-8. <https://doi.org/10.21082/jlittri.v15n1.2009.1-8>
- Wasaya, A., Manzoor, S., Yasir, T. A., Sarwar, N., Mubeen, K., Ismail, I. A., ... & El Sabagh, A. (2021). Evaluation of fourteen bread wheat (*Triticum aestivum* L.) genotypes by observing gas exchange parameters, relative water and chlorophyll content, and yield attributes under drought stress. *Sustainability*, 13(9), 4799. <https://doi.org/10.3390/su13094799>
- Welsh, J. R. (1991). *Dasar-dasar genetika dan pemuliaan tanaman*. Erlangga.
- Wicaksono, F. Y., Maxiselly, Y., Mulyani, O., & Janitra, M. I. (2016). Pertumbuhan dan hasil gandum (*Triticum aestivum* L.) yang Diberi perlakuan pupuk silikon dengan dosis yang berbeda di dataran medium Jatinangor. *Jurnal Kultivasi*, 15(3), 18.
- Widyawati, N., Kurnia, T., & HJ., N. (2021). Kajian fase reproduktif dan penentuan saat panen tanaman gandum dataran tinggi tropis (*Triticum aestivum* L.) varietas Dewata. *Agriland: Jurnal Ilmu Pertanian*, 9(3), 135–145.
- Wieser, H., Koehler, P., & Scherf, K. A. (2020). *Wheat-An exceptional crop: Botanical features, chemistry, utilization, nutritional and health aspects*. Woodhead Publishing Elsevier. <https://doi.org/10.1016/B978-0-12-821715-3.00007-1>
- Willmer, C., & Fricker, M. (1996). *Stomata (2nd ed.)*. Springer Science & Business Media.
- Wirawan, D., Rosmayati, R., Putri, P., & Agustina, L. (2013). Uji potensi produksi beberapa galur/varietas gandum (*Triticum aestivum* L.) di dataran tinggi Karo. *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 1(2), 94280.
- Xu, W., Miao, Y., Kong, J., Lindsey, K., Zhang, X., & Min, L. (2024). ROS signaling and its involvement in abiotic stress with emphasis on heat stress-driven anther sterility in plants. *Crop and Environment*, 3(2), 65-74. <https://doi.org/10.1016/j.crope.2023.12.002>
- Xu, Z., Jiang, Y., Jia, B., & Zhou, G. (2016). Elevated-CO₂ response of stomata and its dependence on environmental factors. *Frontiers in Plant Science*, 7, 657. <https://doi.org/10.3389/fpls.2016.00657>

- Yadav, M. R., Choudhary, M., Singh, J., Lal, M. K., Jha, P. K., Udawat, P., ... & Prasad, P. V. (2022). Impacts, tolerance, adaptation, and mitigation of heat stress on wheat under changing climates. *International Journal of Molecular Sciences*, 23(5), 2838. <https://doi.org/10.3390/ijms23052838>
- Yadav, S. B. K., & Bhatt, S. (2024). Heat stress and it's tolerance in wheat. *Cogent Food & Agriculture*, 10(1), 2413398.
- Yamin, M., Efendi, D., & Trikoesoemaningtyas. (2015). Pendugaan parameter genetik populasi F3 dan F4 tanaman gandum persilangan Oasis x HP1744. *Penelitian Pertanian Tanaman Pangan*. 34(3):237-245.
- Yano, R., Nakamura, M., Yoneyama, T., & Nishida, I. (2005). Starch-related α -glucan/water dikinase is involved in the cold-induced development of freezing tolerance in Arabidopsis. *Plant Physiology*, 138(2), 837-846. <https://doi.org/10.1104/pp.104.056374>
- Zarea, M. J. (2025). The regulatory roles of phytohormones in the wheat grain-filling process. *Journal of Plant Growth Regulation*, 44(6), 2609-2626. <https://doi.org/10.1007/s00344-024-11587-2>
- Zhang, K., Zhang, Y., Chen, G., & Tian, J. (2009). Genetic analysis of grain yield and leaf chlorophyll content in common wheat. *Cereal Research Communications*, 37(4), 499-511. <https://doi.org/10.1556/CRC.37.2009.4.3>
- Zheng, Y., Cai, Z., Wang, Z., Maruza, T. M., & Zhang, G. (2025). The genetics and breeding of heat stress tolerance in wheat: advances and prospects. *Plants*, 14(2), 148. <https://doi.org/10.3390/plants14020148>
- Zivcak, M., Brestic, M., Kalaji, H. M., & Govindjee. (2014). Photosynthetic responses of sun-and shade-grown barley leaves to high light: is the lower PSII connectivity in shade leaves associated with protection against excess of light. *Photosynthesis Research*, 119(3), 339-354. <https://doi.org/10.1007/s11120-014-9969-8>

