

DAFTAR PUSTAKA

- Acevedo, E., Silva, P., & Silva, H. (2002). Wheat growth and physiology. In *Bread Wheat: Improvement and Production*. FAO Plant Production and Protection Series No. 30. Food and Agriculture Organization, Rome.
- Abdalla, M. M., & El-Khoshiban, N. H. (2007). The influence of water stress on growth, relative water content, photosynthetic pigments, some metabolic and hormonal contents of two *Triticum aestivum* cultivars. *Journal of Applied Sciences Research*, 3(12), 2062–2074.
- Ahmad, I., Ahmad, B., Boote, K., & Hoogenboom, G. (2020). Adaptation strategies for maize production under climate change for semi-arid environments. *European Journal of Agronomy*, 115(June 2019), 126040.
- Anderson, W. K., & Garlinge, J. R. (2000). *The wheat book: Principles and practice*. Department of Primary Industries and Regional Development, Western Australia.
- Andriani, A., & Isnaini, M. (2016). Morfologi dan fase pertumbuhan gandum. Di dalam: *Gandum peluang pengembangan di Indonesia*. Jakarta (ID): hlm. 69-106.
- Andriyanti, L., Yakop, U. M., & Anugrahwati, D. R. (2020). Uji daya hasil beberapa varietas tanaman gandum pada dataran medium di Kabupaten Lombok Timur. *Agroteksos*, 30(3), 197–203.
- Anwar, S., & Gani, A. (2023). Analisis interaksi genotipe dan lingkungan pada tanaman sereal introduksi di berbagai ketinggian tempat. *Jurnal Agronomi Indonesia*, 51(2), 143-152. <https://doi.org/10.24831/jai.v51i2.44102>
- Aminasih, N. (2009). Penentuan kriteria seleksi 45 populasi terigu (*Triticum aestivum* L.) introduksi di Dempo Selatan, Pagar Alam, Sumatera Selatan. *Jurnal Penelitian Sains*. 12(1):1-6. <https://doi.org/10.56064/jps.v12i1.190>
- Apel, K., & Hirt, H. (2004). *Annual Review of Plant Biology*, 55, 373–399.
- Aptindo. (2023). Laporan tahunan industri penggilingan gandum indonesia: Tren konsumsi terigu nasional. Asosiasi Produsen Tepung Terigu Indonesia.
- Aprizal. (2019). *Evaluasi Pertumbuhan dan Hasil Beberapa Genotipe Gandum pada Berbagai Kondisi Lingkungan*. Tesis. Universitas Andalas, Padang.
- Asseng, S., Ewert, F., Martre, P., et al. (2015). Rising temperatures reduce global wheat production. *Nature Climate Change*, 5, 143–147.
- Badan Meteorologi, Klimatologi, dan Geofisika. (2026). Prakiraan cuaca kelurahan dan desa di Kecamatan Lembah Gumanti, Kabupaten Solok, Sumatera Barat. <https://www.bmkg.go.id/cuaca/prakiraan-cuaca/13.02.04>
- Badan Pusat Statistik. (2025). Statistik perdagangan luar negeri indonesia: Impor menurut komoditas dan negara asal 2024 (Kode HS 1001). BPS RI.

- Balai Pengujian Standar Instrumen Tanaman Serealia. (2024). *Deskripsi varietas unggul baru jagung, sorgum, dan gandum*. Pusat Standardisasi Instrumen Tanaman Pangan, Badan Standardisasi Instrumen Pertanian, Kementerian Pertanian.
- Balai Perakitan dan Pengujian Tanaman Serealia (BRMP Serealia). (2025). *Proposal pelepasan calon varietas gandum adaptif dataran menengah-rendah*. Badan Perakitan dan Modernisasi Pertanian, Kementerian Pertanian.
- Bergkamp, B., Impa, S. M., Asebedo, A. R., Fritz, A. K., & Jagadish, S. V. K. (2018). Prominent winter wheat varieties response to post-flowering heat stress under controlled chambers and field-based heat tents. *Field Crops Research*, 222, 143–152.
- Blum, A. (2011). *Plant Breeding for Water-Limited Environments*. Springer. <https://doi.org/10.1007/978-1-4419-7491-4>
- Buckley, T. N. (2019). *How do stomata respond to water status?*. New Phytologist, 224(1), 21–36.
- Calderini, D. F., & Reynolds, M. P. (2000). Changes in grain weight as a consequence of de-graining treatments at pre- and post-anthesis in synthetic hexaploid lines of wheat. *Australian Journal of Plant Physiology*, 27(2), 183–191.
- Chaerunnisa, A. N. J. (2020). *Evaluasi beberapa genotipe gandum (Triticum aestivum L.) di dataran rendah*. Universitas Hasanuddin.
- Djanaguiraman, M., Perumal, R., Jagadish, S. V. K., Ciampitti, I. A., Welti, R., & Prasad, P. V. V. (2018). Sensitivity of sorghum pollen and pistil to high-temperature stress. *Crop Science*, 58(4), 1726–1741.
- Fadilah, N., & Supriyanto, E. (2025). Respons karakter agro-fisiologi beberapa genotipe gandum introduksi pada ketinggian tempat yang berbeda. *Kultivasi*, 24(1), 54–65. <https://doi.org/10.24198/kultivasi.v24i1.5465>
- Fadli, M., Farid, M., Yassi, A., Anshori, M. F., Nur, A., & Suratman. (2022). Evaluation of the advanced yield trial on tropical wheat (*Triticum aestivum*) mutant lines using selection index and multivariate analysis. *Biodiversitas*, 23(1), 540–547. <https://doi.org/10.13057/biodiv/d230158>
- Farooq, M., Bramley, H., Palta, J. A., & Siddique, K. H. (2011). Heat stress in wheat during reproductive and grain-filling phases. *Critical Reviews in Plant Sciences*, 30(6), 491–507. <https://doi.org/10.1080/07352689.2011.615687>
- Firmansah, H., Wahyu, Y., & Nur, A. (2024). Performance of convergent breeding wheat (*Triticum aestivum* L.) lines in the lowlands. *Journal of Tropical Crop Science*, 11(1), 9–18. <https://doi.org/10.29244/jtcs.11.01.9-18>
- Gill, S. S., & Tuteja, N. (2010). Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiology and*

Biochemistry, 48(12), 909–930.
<https://doi.org/10.1016/j.plaphy.2010.08.016>

- Gunawan, R., Wibowo, A., & Utami, T. (2024). Strategi pemuliaan gandum spesifik lokasi dataran tinggi di Indonesia sebagai antisipasi perubahan iklim global. *Jurnal Pemuliaan Tanaman Tropis*, 8(3), 201-212.
- Hakim, L., & Putra, E. T. (2023). Pemetaan wilayah potensial introduksi gandum (*Triticum aestivum* L.) di bagian barat Sumatra. *Jurnal Ilmu Pertanian Indonesia*, 28(4), 512-521. <https://doi.org/10.18343/jipi.28.4.512>
- Haryanti, S. (2010). Jumlah dan distribusi stomata pada daun beberapa spesies tanaman. *Buletin Anatomi dan Fisiologi*, 18(2), 21–28.
- Hanafiah Nasution, M. N., Silitonga, Y. W., Syarif, A., & Irawati. (2022). Potensi agronomis gandum (*Triticum aestivum* L.) di dataran tinggi Alahan Panjang Sumatera Barat. *Jurnal Agrohitia*, 7(2). <https://doi.org/10.31604/jap.v7i2.7472>
- Hatfield, J. L., & Prueger, J. H. (2021). Temperature extremes: Effect on plant growth and development. *Weather and Climate Extremes*, 33, 100346.
- Hasanuzzaman, M., Bhuyan, M. H. M. B., Zulfiqar, F., *et al.* (2020). Reactive oxygen species and antioxidant defense in plants under abiotic stress: Revisiting the crucial role of a universal defense regulator. *Antioxidants*, 9(8), 681.
- Hayati, P. K. D., & Sutoyo. (2024). Peningkatan Generasi Penyerbukan Sendiri Jagung Manis dari Berbagai Populasi Dasar Dalam Rangka Perakitan Hibrida. *Fakultas Pertanian Universitas Andalas*. [Laporan Penelitian].
- Hidayat, T., & Purnomo, R. (2023). Integrasi pendekatan agro-fisiologi dalam seleksi galur gandum tropis yang adaptif. *Jurnal Agronomi dan Pemuliaan Tanaman*, 11(2), 78-89.
- Kapoor, D., Bhardwaj, S., Landi, M., Sharma, A., Ramakrishnan, M., & Sharma, A. (2020). *The impact of drought in plant metabolism: How to exploit tolerance mechanisms to increase crop production*. *Applied Sciences*, 10, 5692.
- Karki, P., Subedi, E., Acharya, G., Bashyal, M., Dawadee, N., & Bhattarai, S. (2021). A review on the effect of heat stress in wheat (*Triticum aestivum* L.). *Archives of Agriculture and Environmental Science*, 6(3), 381-384. <https://doi.org/10.26832/24566632.2021.0603018>
- Kementerian Pertanian Republik Indonesia. (2022). Analisis konsumsi bahan pangan pokok nasional. Pusat Data dan Sistem Informasi Pertanian.
- Khalid, A., Hameed, A., & Tahir, M. F. (2023). Wheat quality: A review on chemical composition, nutritional attributes, grain anatomy, types, classification, and function of seed storage proteins in bread making quality. *Frontiers in Nutrition*, 10, 1053196. <https://doi.org/10.3389/fnut.2023.1053196>

- Khanna-Chopra, R. (2012). Leaf senescence and abiotic stresses share reactive oxygen species-mediated chloroplast degradation. *Protoplasma*, 249(3), 469–481.
- Kirby, E. J. M. (2002). *Botany of the wheat plant. In: bread wheat: improvement and production.* (Eds.): Curtis B.C, Rajaram. S, MacPherson G.H. FAO.
- Kumar, U., Prasad, P. V. V., & Kumari, P. (2023). Heat stress effects on wheat growth, physiology and yield: Recent advances and future perspectives. *Frontiers in Plant Science*, 14, 1185967.
- Kumar, U., Tomar, V., Bhati, P. K., J, N. K., Barek, V., Brestic, M., & Hossain, A. (2023). Heat stress in wheat : a global challenge to feed billions in the current era of the changing climate. July, 1–24. <https://doi.org/10.3389/fsufs.2023.1203721>
- Kusuma, Z. A., Wibowo, S., & Pratama, A. (2024). Analisis kandungan klorofil dan hubungannya dengan laju fotosintesis pada beberapa genotipe gandum introduksi. *Fisiologi Tumbuhan Tropis*, 6(1), 12-23. <https://doi.org/10.24831/ftt.v6i1.4820>
- Lawson, T., & Blatt, M. R. (2014). Stomatal size, speed, and responsiveness impact on photosynthesis and water use efficiency. *Plant Physiology*, 164(4), 1556–1570.
- Lawson, T., & Vialet-Chabrand, S. (2019). Speedy stomata, photosynthesis and plant water use efficiency. *New Phytologist*, 221(1), 93–98.
- Lestari, P., & Handoko, S. (2023). Pengaruh cekaman suhu terhadap karakter fisiologi dan komponen hasil galur harapan gandum tropis. *Agrivita: Journal of Agricultural Science*, 45(2), 115-126. <https://doi.org/10.17503/agrivita.v45i2.4123>
- Lichtenthaler, H. K., & Wellburn, A. R. (1983). Determinations of total carotenoids and chlorophylls a and b of leaf extracts in different solvents. *Biochemical Society Transactions*, 11, 591–592.
- Li, M., Feng, J., Zhou, H., Najeeb, U., Li, J., & Song, Y. (2022). Overcoming Reproductive Compromise Under Heat Stress in Wheat : Physiological and Genetic Regulation , and Breeding Strategy.
- Nasution, M. A., & Sari, D. P. (2021). Tantangan dan peluang budidaya tanaman pangan introduksi pada agroekosistem dingin-basah. *Agrosains: Jurnal Penelitian Agronomi*, 23(1), 45-53.
- Narayanan, S., Prasad, P. V. V., Fritz, A. K., Boyle, D. L., & Gill, B. S. (2016). Impact of high night-time and high daytime temperature stress on winter wheat. *Journal of Agronomy and Crop Science*, 202(3), 206–218.
- Nawaz, A., Farooq, M., Cheema, S. A., & Wahid, A. (2013). Differential response of wheat cultivars to terminal heat stress. *Acta Physiologiae Plantarum*, 35, 1149–1159.

- Nazarli, H., & Faraji, F. (2011). Response of proline, soluble sugars and antioxidant enzymes in wheat (*Triticum aestivum* L.) to different irrigation regimes in greenhouse condition. *Cercetări Agronomice în Moldova*, 44(3), 27–33.
- Nevo, E., Korol, A. B., Beiles, A., & Fahima, T. (2002). *Evolution of wild emmer and wheat improvement: Population genetics, genetic resources, and genome organization of wheat's progenitor, Triticum dicoccoides*. Berlin, Germany: Springer.
- Nugroho, A. A., & Rahayu, M. (2021). Evaluasi agroekosistem dataran tinggi untuk pengembangan tanaman sereal subtropis. *Jurnal Penelitian Pertanian Terpadu*, 21(2), 89-98.
- Nur, A., Azrai, M., Subagio, H., Soeranto, H., Ragapadmi, Sustiprajitno, & Trikoesoemaningtyas. (2013). Perkembangan pemuliaan gandum di Indonesia. *Iptek Tanaman Pangan*, 8(2): 97–105.
- Nur, A., Syahrudin, K., & Pabendon, M. B. (2017). Keragaman genetik populasi gandum hasil persilangan konvergen. *Penelitian Pertanian Tanaman Pangan*, 1(2), 143–152. <https://doi.org/10.21082/jpntp.v1n2.2017.p143-151>
- Nuraeni, E., Wahyu, Y., & Trikoesoemaningtyas. (2021). Selection of wheat (*Triticum aestivum*) lines for the high altitude of Indonesia based on single- and multi-character adaptation. *Biodiversitas*, 22(12), 5530–5535. <https://doi.org/10.13057/biodiv/d221236>
- Mahardika, W., & Triyono, A. (2023). Kerentanan ketahanan pangan nasional terhadap geopolitik dan fluktuasi harga gandum global. *Analisis Kebijakan Pertanian*, 21(1), 45-58. <https://doi.org/10.21082/akp.v21n1.2023.45-58>
- Mackinney, G. (1941). Absorption of light by chlorophyll solutions. *Journal of Biological Chemistry*, 140(2), 315–322.
- Mittler, R. (2002). *Trends in Plant Science*, 7, 405–410.
- Mustafa, Muhammad Agil. (2026). Evaluasi Karakter Agro Fisiologi Beberapa Genotipe Gandum (*Triticum aestivum* L.) di Dataran Menengah Sumatra Barat. S2 thesis, Universitas Andalas.
- Pratama, R., & Syarif, A. (2022). Karakterisasi agroklimat wilayah dataran tinggi solok dan potensinya bagi pengembangan tanaman subtropis. *Jurnal Meteorologi dan Geofisika*, 23(1), 14-25.
- Oner, F. (2024). Stomatal traits of bread wheat genotypes under contrasting environmental conditions. *Journal of Plant Growth Regulation*, 43, 1–13.
- Ono, K., Yamamoto, Y., Hachiya, A., & Matsumoto, H. (1995). Synergistic inhibition of growth by aluminum and iron of tobacco (*Nicotiana tabacum* L.) cells in suspension culture. *Plant and cell physiology*, 36(1), 115-125. <https://doi.org/10.1093/oxfordjournals.pcp.a078727>
- Ortiz, R., Sayre, K. D., Govaerts, B., Gupta, R., Subbarao, G. V., Ban, T., ... & Reynolds, M. (2008). Climate change: can wheat beat the heat?. *Agriculture*,

- Ecosystems & Environment*, 126(1-2), 46-58.
<https://doi.org/10.1016/j.agee.2008.01.019>
- Osei, M. K., Bonsu, K. O., Adu-Gyamfi, K., & Frimpong, M. (2015). Development of high yielding and uniform tomato fruits using pure line selection. *Direct Research Journal of Agriculture and Food Science (DRJAFS)*, 3(1), 10-16.
- Pastenes, C., & Horton, P. (1999). Effect of high temperature on photosynthesis in beans. II. CO₂ assimilation and metabolite contents. *Plant Physiology*, 112, 1253–1260.
- Percival, J. (1921). *The wheat plant*. A monograph. London, Duckworth
- Poudel, P. B., & Poudel, M. R. (2020). Heat stress effects and tolerance in wheat: A review. *J. Biol. Today's World*, 9(3), 1-6. <https://doi.org/10.35248/2322-3308.20.09.217>
- Praptana, R. H., & Hermanto. (2016). Gandum: *Peluang pengembangan di Indonesia*. Jakarta (ID): IAARD Press.
- Pratama, F. F., E. Nihayati dan N. Barunawati. 2017. *Pengaruh ketinggian tempat dan aplikasi boron terhadap fertilitas polen dan hasil gandum (Triticum Aestivum L.)* Brawijaya University.
- Prasad, P. V., Pisipati, S. R., Ristic, Z., Bukovnik, U. R. S. K. A., & Fritz, A. K. (2008). Impact of nighttime temperature on physiology and growth of spring wheat. *Crop science*, 48(6), 2372-2380.
<https://doi.org/10.2135/cropsci2007.12.0717>
- Prasojo, E. B., & Banjarnahor, D. (2018). Penampilan 19 galur gandum (*Triticum aestivum* L.) di dataran menengah, Desa Sidorejo Kidul, Kecamatan Tingkir, Kota Salatiga. *AGRIC*, 30(2), 63–74.
- Pritchard, S., Ju, Z., Santen, E. V., Qiu, J., Weaver, D., Prior, S. A., & Rogers, H. H. (2000). The influence of elevated CO₂ on the activities of antioxidative enzymes in two soybean genotypes. *Australian Journal of Plant Physiology*, 27(11), 1061-1068. <https://doi.org/10.1071/PP99206>
- Radzikowska, D., et al. (2022). Relative water content as an indicator of drought and heat tolerance in wheat. *Agronomy*, 12, 1387.
- Reynolds, M. P., Chapman, S. C., Crespo-Herrera, L., et al. (2021). Breeder's selection targets to improve crop adaptation and yield under climate change. *Plant Physiology*, 187(2), 321–341.
- Reynolds, M. P., Chapman, S. C., Crespo-Herrera, L., et al. (2022). Improving wheat adaptation to climate change. *Frontiers in Plant Science*, 13, 857522.
- Reynolds, M. P., et al. (2022). *Addressing research bottlenecks to meet global wheat production challenges*. *Journal of Experimental Botany*, 73(24), 8315–8334
- Reynolds, I. J. (2025). Futureproofing Our Food: Dissecting the Drought Regulome of Bread Wheat.

- Sallam, A., Mourad, A. M. I., Hussain, W., & Baenziger, P. S. (2021). Genetic variation in physiological traits associated with heat tolerance in wheat. *Plants*, 10(12), 2712.
- Sattar, A., Sher, A., Ijaz, M., Ul-Allah, S., Rizwan, M. S., Hussain, M., ... & Cheema, M. A. (2020). Terminal drought and heat stress alter physiological and biochemical attributes in flag leaf of bread wheat. *PLoS ONE*, 15(5), e0232974. <https://doi.org/10.1371/journal.pone.0284070>
- Sadok, W., et al. (2021). Plant water status and adaptation under heat stress. *Frontiers in Plant Science*.
- Sami, F., Yusuf, M., Faizan, M., Faraz, A., & Hayat, S. (2016). *Role of sugars under abiotic stress*. *Plant Physiology and Biochemistry*, 109, 54–61.
- Saputra, H., & Waluyo, B. (2022). Adaptasi dan fenologi tanaman gandum (*Triticum aestivum* L.) di lingkungan tropis nusantara. *Jurnal Agronomi Indonesia*, 50(1), 32-41. <https://doi.org/10.24831/jai.v50i1.39850>
- Sari, L., Purwito, A., Soepandi, D., Purmaningsih, R., & Sudarmonowati, E. (2016). Karakterisasi morfologi, anatomi dan fisiologi galur mutan gandum yang ditanam di dataran rendah tropik. *Jurnal Penelitian Pertanian Tanaman Pangan*. 35(1):45-52. <https://doi.org/10.21082/jpptp.v35n1.2016.p45-52>
- Scott, M. F., Ladejobi, O., Amer, S., et al. (2021). Multi-parent populations in crops: A toolbox integrating genomics and genetic mapping with breeding. *Nature Reviews Genetics*, 22, 493–512.
- Sehgal, A., Sita, K., Kumar, J., Kumar, S., Singh, S., Siddique, K. H. M., & Nayyar, H. (2018). Effects of drought, heat and their interaction on the growth, yield and photosynthetic function of lentil (*Lens culinaris* Medik.) genotypes varying in heat and drought sensitivity. *Frontiers in Plant Science*, 9, 1776.
- Sembiring, H. (2016). *Technical guidelines for wheat cultivation development 2016*. In Directorate General of Food Crops: Ministry of Agriculture.
- Sharma, A., Bhattacharyya, D., Sharma, S., & Chauhan, R. S. (2021). Transcriptome profiling reveal key hub genes in co-expression networks involved in Iridoid glycosides biosynthetic machinery in *Picrorhiza kurroa*. *Genomics*, 113(5), 3381–3394. <https://doi.org/https://doi.org/10.1016/j.ygeno.2021.07.024>
- Sharma, A., et al. (2021). *Morphological and physiological evaluation of bread wheat genotypes under contrasting environments*. *Journal of Cereal Research*, 13(2), 155–164.
- Simon, M. R., Fleitas, M. C., Castro, A. C., & Schierenbeck, M. (2020). How foliar fungal diseases affect nitrogen dynamics, milling, and end-use quality of wheat. *Frontiers in Plant Science*, 11, 569401. <https://doi.org/10.3389/fpls.2020.569401>

- Siregar, A. M., & Sitorus, R. H. (2024). Strategi pengembangan komoditas gandum tropis sebagai upaya substitusi impor nasional. *Jurnal Ilmu Pertanian Indonesia*, 29(2), 185-194. <https://doi.org/10.18343/jipi.29.2.185>.
- Siregar, M. H., Hidayat, F., & Rahayu, S. (2024). Respons fisiologi daun dan komponen hasil gandum (*Triticum aestivum* L.) terhadap variasi makroklimat dataran tinggi Sumatera Barat. *Fisiologi dan Pemuliaan Tanaman*, 8(1), 34-45.
- Siregar, D. P., Lubis, I., & Suryani, A. (2025). Evaluasi karakter agro-fisiologi sebagai kriteria seleksi tidak langsung untuk potensi hasil gandum di lingkungan cekaman tropis. *Kultivasi*, 24(2), 134-145.
- Slafer, G. A., Savin, R., & Sadras, V. O. (2014). Coarse and fine regulation of wheat yield components in response to genotype and environment. *Field Crops Research*, 157, 71–83.
- Subagio, H., Utami, S., & Wahyuni, T. (2024). Respons pertumbuhan tanaman sereal terhadap karakteristik tanah andisol di dataran tinggi basah Sumatera Barat. *Jurnal Tanah dan Iklim*, 48(2), 111-122.
- Suliansyah, I. (2014). *Sekilas tanaman gandum*. Universitas Andalas Press.
- Stadlmeier, M., Hartl, L., & Mohler, V. (2022). Use of MAGIC populations in wheat breeding and genetics. *Theoretical and Applied Genetics*, 135, 1–18.
- Taiz, L., Zeiger, E., Møller, I. M., & Murphy, A. (2018). *Plant Physiology and Development* (6th ed.). Oxford University Press.
- Utama, P., Rahmansyah, A., & Lestari, F. (2025). Evaluasi adaptabilitas genotipe tanaman introduksi berdasarkan parameter agro-fisiologi di dataran tinggi Sumatera Barat. *Kultivasi*, 24(1), 76-85. <https://doi.org/10.24198/kultivasi.v24i1.5910>
- Violetta, Z. (2013). *Pengaruh pemberian beberapa dosis pupuk kandang sapi terhadap pertumbuhan dan produksi dua genotipe tanaman gandum (Triticum aestivum L.) di Kabupaten Tanah Datar*. Universitas Andalas.
- Wardani, S. K., & Utomo, C. (2022). Efisiensi penggunaan air dan regulasi stomata pada tanaman sereal subtropis di agroekosistem dataran tinggi. *Jurnal Ilmu Pertanian*, 34(3), 245-256. <https://doi.org/10.17503/jip.v34i3.3912>
- Wibowo, T., & Fitriani, N. (2022). Stabilitas hasil dan plastisitas fenotipe tanaman subtropis yang diintroduksi pada sentra sayuran dataran tinggi. *Jurnal Penelitian Pertanian*, 35(3), 221-232.
- Wahid, A., Gelani, S., Ashraf, M., & Foolad, M. R. (2007). Heat tolerance in plants: An overview. *Environmental and Experimental Botany*, 61(3), 199–223.
- Wasaya, A., et al. (2021). Physiological responses of wheat under heat stress. *Plants*, 10, 1029.

- Widyawati, N., Kurnia, T., & HJ., N. (2021). Kajian fase reproduktif dan penentuan saat panen tanaman gandum dataran tinggi tropis (*Triticum aestivum* L.) varietas Dewata. *Agriland: Jurnal Ilmu Pertanian*, 9(3), 135–145.
- Wijaya, M. F., & Rahmawati, L. (2021). Hubungan karakter fisiologi daun bendera dengan akumulasi biomassa biji pada tanaman gandum (*Triticum aestivum* L.). *Agrosains: Jurnal Penelitian Agronomi*, 23(2), 101-110.
- Willmer, C., & Fricker, M. (1996). *Stomata (2nd ed.)*. Springer Science & Business Media.
- Wirawan, B., Suliansyah, I., & Swasti, E. (2013). Evaluasi pertumbuhan dan hasil beberapa genotipe gandum di dataran tinggi Sumatera Barat. *Jurnal Jerami*, 6(2), 45–53.
- Yadav, M. R., Choudhary, M., Singh, J., Lal, M. K., Jha, P. K., Udawat, P., ... & Prasad, P. V. (2022). Impacts, tolerance, adaptation, and mitigation of heat stress on wheat under changing climates. *International Journal of Molecular Sciences*, 23(5), 2838. <https://doi.org/10.3390/ijms23052838>
- Yadav, M. R., et al. (2022). *Growth, physiological traits and productivity of wheat under different environmental conditions: A review*. *Frontiers in Plant Science*, 13, 1016074.
- Yadav, S. B. K., & Bhatt, S. (2024). Heat stress and it's tolerance in wheat. *Cogent Food & Agriculture*, 10(1), 2413398.
- Yamin, M., Efendi, D., & Trikoesoemaningtyas. (2015). Pendugaan parameter genetik populasi F3 dan F4 tanaman gandum persilangan Oasis x HP1744. *Penelitian Pertanian Tanaman Pangan*. 34(3):237-245.
- Yano, R., Nakamura, M., Yoneyama, T., & Nishida, I. (2005). Starch-related α -glucan/water dikinase is involved in the cold-induced development of freezing tolerance in *Arabidopsis*. *Plant Physiology*, 138(2), 837-846. <https://doi.org/10.1104/pp.104.056374>
- Zahra, N., Bilal, M., Ghaffar, A., Kausar, A., Al, M., Siddique, K. H. M., & Farooq, M. (2023). Plant photosynthesis under heat stress : Effects and management.
- Zarea, M. J. (2025). The regulatory roles of phytohormones in the wheat grain-filling process. *Journal of Plant Growth Regulation*, 44(6), 2609-2626. <https://doi.org/10.1007/s00344-024-11587-2>
- Zhang, K., Zhang, Y., Chen, G., & Tian, J. (2009). Genetic analysis of grain yield and leaf chlorophyll content in common wheat. *Cereal Research Communications*, 37(4), 499-511. <https://doi.org/10.1556/CRC.37.2009.4.3>
- Zivcak, M., Brestic, M., Kalaji, H. M., & Govindjee. (2014). Photosynthetic responses of sun-and shade-grown barley leaves to high light: is the lower PSII connectivity in shade leaves associated with protection against excess of light. *Photosynthesis Research*, 119(3), 339-354. <https://doi.org/10.1007/s11120-014-9969-8>