

DAFTAR PUSTAKA

- [1] R. Aulia, Y. A. Z. Abadi, and D. Y. Sari, "Analisis Pengaruh Parameter Pemesinan, Metode Penyayatan Dan Material Pisau Frais Terhadap Kekasaran Permukaan Aluminium 6061 Pada Proses End Milling Surfaces Finish," *Jurnal Vokasi Mekanika (VoMek)*, vol. 4, no. 4, pp. 70–81, 2022, doi: 10.24036/vomek.v4i4.456.
- [2] S. I. SYAIFUL, "Analisis Pengaruh Kecepatan Putar Dan Jenis Pahat Terhadap Nilai Kekasaran Hasil Pembubutan Baja St 42," *JTT (Jurnal Teknologi Terpadu)*, vol. 11, no. 2, pp. 223–230, 2023, doi: 10.32487/jtt.v11i2.1777.
- [3] I. J. Informatika and M. Teknologi, "ANALISA KEKASARAN PERMUKAAN MATERIAL AISI 1045 PADA PROSES BUBUT MENGGUNAKAN PAHAT POTONG DENGAN SUDUT POTONG UTAMA $K_r 90^\circ$ DAN PENGARUHNYA TERHADAP DAYA," vol. 26, no. Vc, pp. 297–305, 2024, doi: 10.23969/infomatek.v26i2.19462.
- [4] G. Priyotomo, I. N. G. P. Astawa, and F. Rokhmanto, "The Effect of Heat Treatment on Mechanical Properties of J4 Series *Stainless Steel* Metals," *Teknik*, vol. 42, no. 2, pp. 117–122, 2021, doi: 10.14710/teknik.v42i2.36461.
- [5] D. Philip Selvaraj and P. Richard Philip, "Some Studies on Surface Roughness of AISI 304 Austenitic *Stainless Steel* in Dry Turning Operation," *Lecture Notes in Mechanical Engineering*, no. April, pp. 869–877, 2021, doi: 10.1007/978-981-15-4488-0_73.
- [6] S. K. Nayak, J. K. Patro, S. Dewangan, and S. Gangopadhyay, "Multi-objective Optimization of Machining Parameters During Dry Turning of AISI 304 Austenitic *Stainless Steel* Using Grey Relational Analysis," *Procedia Materials Science*, vol. 6, no. Icmpc, pp. 701–708, 2014, doi: 10.1016/j.mspro.2014.07.086.
- [7] G. Basmaci, "Optimization of machining parameters for the turning process of AISI 316 L *Stainless Steel* and taguchi design," *Acta Physica Polonica A*, vol. 134, no. 1, pp. 260–264, 2018, doi: 10.12693/APhysPolA.134.260.

- [8] Y. Su, G. Zhao, Y. Zhao, J. Meng, and C. Li, "Multi-objective optimization of cutting parameters in turning AISI 304 austenitic *Stainless Steel*," *Metals*, vol. 10, no. 2, 2020, doi: 10.3390/met10020217.
- [9] D. Julianto, E. Yudo, and Y. Oktriadi, "Optimasi Parameter Proses Pemesinan Terhadap Kekasaran Permukaan Material S45C Menggunakan CNC Bubut Dengan Metode Taguchi," *COMSERVA : Jurnal Penelitian dan Pengabdian Masyarakat*, vol. 3, no. 07, pp. 2539–2545, 2023, doi: 10.59141/comserva.v3i07.1037.
- [10] A. Sutanto, *Teknik Manufaktur I : Proses-Proses Pemesinan*, no. April. 2024.
- [11] A. N. D. Nasution, M. Harahap, "Pengaruh Feeding Terhadap Kekasaran Permukaan Pada," *Teknik Mesin FT UISU*, vol. 6, no. 1, pp. 19–26, 2021.
- [12] S. D. Hindom *et al.*, "159905-ID-pengaruh-variiasi-parameter-proses-pemesinan," vol. 4, pp. 36–48.
- [13] N. A. Bahry and A. S. Nurrohkayati, "Analisis Perubahan Temperatur Mata Pahat Karbida Pada Proses Pembubutan Baja AISI 1045 Dengan FEM-Simulation di PT . X Analysis of Changes in Carbide Cutting Tool Temperature in AISI 1045 Steel Turning Process With FEM-Simulation at PT . X," vol. 9, pp. 65–73, 2022.
- [14] M. R. Hasan, "SPSS 17 for Windows," *Jurnal Sains dan Teknologi Teknik Mesin Unisma*, vol. Vol 5. No, pp. 1–8, 2015.
- [15] G. A. Mahendra, "Pengaruh Feeding Dan Depth Of Cut Terhadap Kekasaran permukaan pada Proses Penyekrapan Rata Dengan Material *Stainless Steel* 304," 2017.
- [16] A. Irawan, "ANALYSIS OF DEFECTS RESULTING FROM SMAW WELDING ON STEEL CARBON ST 41 WITH COOLING VARIATIONS," vol. 6, no. 1, pp. 1440–1452, 2024.
- [17] H. SANDWITYANTO, "Load on Mrr Value and Cutting Energy," 2018.
- [18] D. R. Pamuji and N. Lusi, "Optimasi Parameter Proses Bubut Material ST 60 dengan Pendinginan Ramah Lingkungan Menggunakan Metode Taguchi-Grey,"

Jurnal Rekayasa Mesin, vol. 10, no. 3, pp. 245–255, 2019, doi: 10.21776/ub.jrm.2019.010.03.5.

- [19] D. P. Utama, E. Yudo, and Erwansyah, “Pengaruh Variasi Parameter Terhadap Material Removal Rate Dan Kekasaran Permukaan *Stainless Steel* 304 Pada Proses Cnc Milling,” *Prosiding Seminar Nasional Inovasi Teknologi Terapan 2022*, no. <https://snitt.polman-babel.ac.id/index.php/snitt/issue/view/3>, 2022.
- [20] Y. A. E. Indrawan, N. Helmi, A. Aziz, and Y. A. Putra, “Pengaruh Sudut Potong dan Kecepatan Kecepatan spindel Terhadap Kekasaran Permukaan pada Proses Bubut Mild Steel ST 37,” *INVOTEK: Jurnal Inovasi Vokasional dan Teknologi*, vol. 19, no. 2, pp. 29–36, 2019, doi: 10.24036/invotek.v19i2.582.
- [21] B. Budiana, F. Nakul, N. Wivanius, B. Sugandi, and R. Yolanda, “Analisis Kekasaran Permukaan Besi ASTM36 dengan menggunakan Surftest dan Image – J,” *Journal of Applied Electrical Engineering*, vol. 4, no. 2, pp. 49–54, 2020, doi: 10.30871/jaee.v4i2.2747.
- [22] A. Sutoni, W. Setyawan, and D. Gunawan, “Penerapan Metode Taguchi dalam Interaksi Komposisi Batako Pres Terhadap Kualitas Daya Serap dan Daya Tekan Batako,” *Jurnal Telematika*, no. August, pp. 15–20, 2018.
- [23] E. P. Fauzi, N. W. Setyanto, and R. Y. Efranto, “PENDUKUNG PEMBUATAN PAVING BLOCK DENGAN METODE MULTI RESPON TAGUCHI (Studi Kasus di CV . Kali Ampo Malang) THE USE OF BAGGASSE ASH AS AN ALTERNATIVE SUPPORT MATERIAL IN THE MANUFACTURE OF PAVING BLOCK USING MULTI RESPONSES TAGUCHI (Case Study at CV . K,” *Jurnal Rekayasa dan Manajemen Sistem Industri*, vol. 2, no. 5, pp. 1088–1099, 2013.